

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Validating the Admin UserMagement Functionality	14.964 s	2	1	1	0	16	9	1	6	
Orange HRM Login feature test	7.375 s	2	0	2	0	8	1	2	5	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validating the Admin UserMagement Functionality	Add new User in User Management
2	Orange HRM Login feature test	To validate the Login feature of the OrangeHRM
3		To validate the Login feature of the OrangeHRM


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@UserCreation	1	0	1	0	1	0	1	0
@UserCreationValidation	1	1	0	0	1	0	1	0
@Valid_Credential	1	0	1	0	1	0	1	0
@Invalid_Credential	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Validating the Admin UserMagement Functionality	2	1	1	0	14.964 s
2	Orange HRM Login feature test	2	0	2	0	7.375 s

SCENARIOS SUMMARY -- 6 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating the Admin UserMagement Functionality	Add new User in User Management	8	1	1	6	8.830 s
2		Searching for Added User in User Management	8	8	0	0	6.109 s
3	Orange HRM Login feature test	To validate the Login feature of the OrangeHRM	4	1	1	2	7.296 s
4		To validate the Login feature of the OrangeHRM	4	0	1	3	0.041 s

DETAILED SECTION -- 7 --

Validating the Admin UserMagement Functionality

FAILED	DURATION - 14.964 s	Scenarios		Steps	
		Total - 2		Total - 16	
/ 4:02:59.826 PM //	4:03:14.790 PM /	Pass - 1	2	Pass - 9	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	


Add new User in User Management



#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	8.259 s
2	When User enter the Admin and admin123	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this. searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at com.pageactions.OrangeHRMLoginPageActions.setUserName(OrangeHRMLoginPageActions.java:16) at com.pageactions.OrangeHRMLoginPageActions.login(OrangeHRMLoginPageActions.java:30) at com.stepdefinition.OrangeLoginStepDefinition.user_enter_the_user_name_and_pass_word(OrangeLoginStepDefinition.java:25) at ?.User enter the Admin and admin123(file:///C:/Users/sjamadar/Desktop/SeleniumGit/Pilot_Project/PilotProjectOrangeHRM/src/test/resources/Features/Admin_UserMagement.feature:5) * Not displayable characters are replaced by '?'.		
3	And click the Login btn	SKIPPED	0.000 s
4	Given Select Admin	SKIPPED	0.000 s
5	And Select User Management and click on user	SKIPPED	0.000 s
6	When Click on Add and filling the details of user	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
7	And Click on Save User	SKIPPED	0.000 s
8	Then User validate the saved successfully	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	Screenshot		

Searching for Added User in User Management



#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.452 s
2	When User enter the Admin and admin123	PASSED	0.522 s
3	And click the Login btn	PASSED	0.078 s
4	Given Select Admin	PASSED	2.900 s
5	And Select User Management and click on user	PASSED	1.093 s
6	When User Enter the Search Details	PASSED	0.491 s
7	And User Click the Search Btn	PASSED	0.074 s
8	Then User Check Weather New user Added or not	PASSED	0.220 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	Screenshot		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	Company Comp		

Orange HRM Login feature test

FAILED	DURATION - 7.375 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 4:03:14.819 PM // 4:	03:22.194 PM /	Pass - 0	2	Pass - 1	8
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 5	

To validate the Login feature of the OrangeHRM



#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.878 s
2	When User enter the Admin and admin123	FAILED	6.346 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.name: username For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at com.pageactions.OrangeHRMLoginPageActions.setUserName(OrangeHRMLoginPageActions.java:16) at com.pageactions.OrangeHRMLoginPageActions.login(OrangeHRMLoginPageActions.java:30) at com.stepdefinition.OrangeLoginStepDefinition.user_enter_the_user_name_and_pass_word(OrangeLoginStepDefinition.java:25) at ?.User enter the Admin and admin123(file:///C:/Users/sjamadar/Desktop/SeleniumGit/Pilot_Project/PilotProjectOrangeHRM/src/test/resources/Features/OHRMLoginPageTest01.feature:5) * Not displayable characters are replaced by '?'.		
3	And click the Login btn	SKIPPED	0.000 s
ļ	Then Validating Login Page	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.044 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [213436c392f10a822a9ea65717c86a6f, screenshot {}] Capabilities (acceptlinsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92} (6f649b10b92b, userDatab): networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55889/devtoo, se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandIdePromptBehavior: dismiss and notify, webauthn:extensioncedBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:rpf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverComma		
	AFTER - com.stepdefinition.HooKs.setLogout()	FAILED	0.023 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch:		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[213436c392f10a822a9ea65717c86a6f, findElement {using=xpath, value=//button[@type="submit"]}] Capabilities {acceptInsecureCerts: false,		
	browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir:		
	C:\Users\sjamadar\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55889},		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55889/devtoo,		
	se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	213436c392f10a822a9ea65717c86a6f		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source)		
	at com.pageactions.OrangeHRMLoginPageActions.setLogOut(OrangeHRMLoginPageActions.java:26)		
	at com.utils.BugStriker.setLogoutBS(BugStriker.java:15)		
	at com.stepdefinition.HooKs.setLogout(HooKs.java:36)		

To validate the Login feature of the OrangeHRM



#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	FAILED	0.014 s
1	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2134366392110a822a9ea65717c86a6f, get {url=https://opensource-demo.orangehrmlive.com/web/index.php/auth/login}] Capabilities {acceptinsecureCetrs: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: (chromedriverVersion: 117.0.5938.92) (67649b10b92b, userDataDir: C:\Users\sjamadar\AppDataL), fedcm:accounts: true, goog: chromeOptions: (debuggerAddress: localhost:55889), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55889/devtoo, se:cdp/version: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptleBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extensionisrgeBlob: true, webauthn:extensionisrgeBlob: true, webauthn:extensionisrpf: true, webauthn:virtualAuthenticators: true} Session ID: 213436c392f10a822a9ea65717c86a6f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(PAILED	0.014 5
	* Not displayable characters are replaced by '?'.		
2	When User enter the Admin and admin13	SKIPPED	0.001 s

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
3	And click the Login btn	SKIPPED	0.000 s
4	Then Validating Login Page	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.009 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [213436c392f10a822a9ea65717c86a6f, screenshot {}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: (chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: C:UsersisjamadarAppDatall}, fedcm.accounts: true, goog:chromeOptions: (debuggerAddress: localhost:55889), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55889/devtoo, se:cdp/Version: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:virtualAuthenticators: true) Session ID: 213436c392f10a822a9ea65717c86a6f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:130) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:130) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:190) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.Remote		0.009 s
	AFTER - com.stepdefinition.HooKs.setLogout()	FAILED	0.014 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [213436c392f10a822a9ea65717c86a6f, findElement {using=xpath, value=//button[@type="submit"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: C:\Users\sjamadar\AppData\L}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55889}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55889/devtoo, se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 213436c392f10a822a9ea65717c86a6f		

DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source)		
	at com.pageactions.OrangeHRMLoginPageActions.setLogOut(OrangeHRMLoginPageActions.java:26)		
	at com.utils.BugStriker.setLogoutBS(BugStriker.java:15)		
	at com.stepdefinition.HooKs.setLogout(HooKs.java:36)		