

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Check PIM module	8.237 s	1	0	1	0	8	0	1	7	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Check PIM module	Employee checks add employee

TAG		Scer	nario			Fea	ture	·e	
Name	T	P	F	S	T	P	F	S	
@CheckPimModule	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Check PIM module	1	0	1	0	8.237 s

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check PIM module	Employee checks add employee	8	0	1	7	8.216 s

DETAILED SECTION -- 7 --

Check PIM module

FAILED	DURATION - 8.237 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 11:11:12.641 AM //	/ 11:11:20.878 AM /	Pass - 0	1	Pass - 0	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

Employee checks add employee



#	Step / Hook Details	Status	Duration
1	Given the employee is logged into the "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	FAILED	3.199 s
	org.openqa.selenium.WebDriverException: disconnected: received Inspector.detached event (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [7477e8a1e761f02791da1427ff7962dd, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b, userDataDir: C:\Users\pcpatil\AppData\Lo}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51205}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51205/devtoo, se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7477e8a1e761f02791da1427ff7962dd		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation.findElementFinder\$2.findElement(Location.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at com.pageactions.OrangeHRMLoginPageActions.setUserName(OrangeHRMLoginPageActions.java:25) at com.pageactions.OrangeHRMLoginPageActions.setUserName(OrangeHRMLoginPageActions.java:25) at com.stepdefinition.AddEmployeeDefinition.the_employee_is_logged_into_the(AddEmployeeDefinition.java:25) at com.stepdefinition.PojectOrangeHRM/src/test/resources/Features/pimfeature.feature:4) * Not displayable characters are replaced by '?'.		
2	When user click the "PIM" tab in the menu	SKIPPED	0.002 s
3	When user click add Employee	SKIPPED	0.000 s
4	And add the details fname mname lname eid Rahul M patole 4325	SKIPPED	0.001 s
5	Then click on toggleButton	SKIPPED	0.000 s
6	Then enter details usrname passowrd confPassword Raki Rahul@123 Rahul@123	SKIPPED	0.000 s
7	Then click on save button	SKIPPED	0.000 s
8	And Enter Data in Contactus form "personalData" and 0	SKIPPED	0.000 s