Cucumber Report

Start : Sep 27, 10:53:26.428 AM

End : Sep 27, 10:53:57.579 AM

Duration : 31.151 s

Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 7
FAILED - 1	FAILED - 3	FAILED - 3
SKIPPED - 0	SKIPPED - 0	SKIPPED - 2

1

3

12

Pass % — 0 %

Pass % — 0 %

Pass % — 58 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Orange HRM Login feature test	*31.151 s*	*3*	*0*	*3*	*0*	*12*	*7*	*3*	*2*

#	Feature Name	Scenario Name
1	*Orange HRM Login feature test*	*To validate the Login feature of the OrangeHRM*
2		*To validate the Login feature of the OrangeHRM*
3		*To validate the Login feature of the OrangeHRM*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Valid_Credential	1	0	1	0	1	0	1	0
@Invalid_Credential	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Orange HRM Login feature test	3	0	3	0	31.151 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Orange HRM Login feature test	To validate the Login feature of the OrangeHRM	4	1	1	2	7.079 s
2		To validate the Login feature of the OrangeHRM	4	3	1	0	12.107 s
3		To validate the Login feature of the OrangeHRM	4	3	1	0	11.926 s

Orange HRM Login feature test

FAILED	DURATION - 31.151 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 7 Fail - 3 Skip - 2	
/ 10:53:26.428 AM // 10:53:57.579 AM /					

To validate the Login feature of the OrangeHRM

FAILED	DURATION - 7.079 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 10:53:26.435 AM // 10:53:33.514 AM /				
Orange HRM Login feature test				
@Valid_Credential				

| #	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	6.506 s
2	When User enter the Admin and admin123	FAILED	0.004 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy23.sendKeys(Unknown Source)
	    at com.pageactions.OrangeHRMLoginPageActions.setUserName(OrangeHRMLoginPageActions.java:19)
	    at com.pageactions.OrangeHRMLoginPageActions.login(OrangeHRMLoginPageActions.java:36)
	    at com.stepdefinition.OrangeLoginStepDefinition.user_enter_the_user_name_and_pass_word(OrangeLoginStepDefinition.java:25)
	    at ?.User enter the Admin and admin123(file:///C:/Users/sjamadar/Desktop/SeleniumGit/Pilot_Project/PilotProjectOrangeHRM/src/test/resources/Features/OHRMLoginPageTest.feature:5)
	* Not displayable characters are replaced by '?'.		

3	And click the Login btn	SKIPPED	0.000 s
4	Then Validating Login Page	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	Screenshot		

#	Step / Hook Details	Status	Duration

To validate the Login feature of the OrangeHRM

FAILED	DURATION - 12.107 s		Steps
/ 10:53:33.533 AM // 10:53:45.640 AM /			Total - 4
Orange HRM Login feature test			Pass - 3
@Invalid_Credential			Fail - 1
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.417 s
2	When User enter the admin and admin	PASSED	0.436 s
3	And click the Login btn	PASSED	1.028 s
4	Then Validating Login Page	FAILED	10.052 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [e63f2dee9d8545360a3eaea315d1c51e, findElement {using=xpath, value=//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\sjamadar\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57304}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57304/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e63f2dee9d8545360a3eaea315d1c51e
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.getText(Unknown Source) at com.pageactions.OrangeHRMHomePageAction.getHomePageText(OrangeHRMHomePageAction.java:17) at com.stepdefinition.OrangeLoginStepDefinition.validating_login_page(OrangeLoginStepDefinition.java:35) at ?.Validating Login Page(file:///C:/Users/sjamadar/Desktop/SeleniumGit/Pilot_Project/PilotProjectOrangeHRM/src/test/resources/Features/OHRMLoginPageTest.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.127 s

To validate the Login feature of the OrangeHRM

FAILED	DURATION - 11.926 s		Steps	
/ 10:53:45.653 AM // 10:53:57.579 AM /			Total - 4	
Orange HRM Login feature test			Pass - 3 Fail - 1 Skip - 0	
@Invalid_Credential				

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.627 s
2	When User enter the Mallikarjun and Maralinganavar	PASSED	0.410 s
3	And click the Login btn	PASSED	0.041 s
4	Then Validating Login Page	FAILED	10.662 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [e63f2dee9d8545360a3eaea315d1c51e, findElement {using=xpath, value=//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\sjamadar\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57304}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57304/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e63f2dee9d8545360a3eaea315d1c51e
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy23.getText(Unknown Source)
	  at com.pageactions.OrangeHRMHomePageAction.getHomePageText(OrangeHRMHomePageAction.java:17)
	  at com.stepdefinition.OrangeLoginStepDefinition.validating_login_page(OrangeLoginStepDefinition.java:35)
	  at ?.Validating Login Page(file:///C:/Users/sjamadar/Desktop/SeleniumGit/Pilot_Project/PilotProjectOrangeHRM/src/test/resources/Features/ OHRMLoginPageTest.feature:7)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s

#	Step / Hook Details	Status	Duration
	Screenshot		