

# Cucumber Report

Sep 28, 2023, 11:12:52 AM

Start : Sep 28, 11:12:33.992 AM

End : Sep 28, 11:12:51.100 AM

Duration : 17.108 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 4  
FAILED - 2  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Orange HRM Login feature test</u>	17.108 s	2	0	2	0	8	4	2	2

#	Feature Name	Scenario Name
1	<u>Orange HRM Login feature test</u>	<u>To validate the Login feature of the OrangeHRM</u>
2		<u>To validate the Login feature of the OrangeHRM</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@Valid_Credential	1	0	1	0	1	0	1	0
@Invalid_Credential	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Orange HRM Login feature test</u>	2	0	2	0	17.108 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Orange HRM Login feature test</u>	<u>To validate the Login feature of the OrangeHRM</u>	4	1	1	2	7.629 s
2		<u>To validate the Login feature of the OrangeHRM</u>	4	3	1	0	9.447 s

## Orange HRM Login feature test

<b>FAILED</b>	DURATION - 17.108 s	Scenarios		Steps	
/ 11:12:33.992 AM // 11:12:51.100 AM /		Total - 2		Total - 8	
		Pass - 0		Pass - 4	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	



## To validate the Login feature of the OrangeHRM

FAILED	DURATION - 7.629 s		Steps	
/ 11:12:34.004 AM // 11:12:41.633 AM /			Total - 4	
Orange HRM Login feature test			Pass - 1	
@Valid_Credential			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	7.190 s
2	When User enter the Admin and admin123 java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at com.pageactions.OrangeHRMLoginPageActions.setUserNames(OrangeHRMLoginPageActions.java:16) at com.pageactions.OrangeHRMLoginPageActions.login(OrangeHRMLoginPageActions.java:29) at com.stepdefinition.OrangeLoginStepDefinition.user_enter_the_user_name_and_pass_word(OrangeLoginStepDefinition.java:25) at ?.User enter the Admin and admin123(file:///C:/Users/sjamadar/Desktop/SeleniumGit/Pilot_Project/PilotProjectOrangeHRM/src/test/resources/Features/OHRMLoginPageTest.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.006 s
3	And click the Login btn	SKIPPED	0.000 s
4	Then Validating Login Page	SKIPPED	0.000 s
	AFTER - com.stepdefinition.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	Screenshot		

#	Step / Hook Details	Status	Duration

### To validate the Login feature of the OrangeHRM

FAILED	DURATION - 9.447 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:12:41.653 AM // 11:12:51.100 AM /				
Orange HRM Login feature test				
@Invalid_Credential				

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.489 s
2	When User enter the Admin and admin13	PASSED	0.554 s
3	And click the Login btn	PASSED	0.057 s
4	Then Validating Login Page org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.getText(Unknown Source) at com.pageactions.OrangeHRMHomePageAction.getHomePageText(OrangeHRMHomePageAction.java:15) at com.stepdefinition.OrangeLoginStepDefinition.validating_login_page(OrangeLoginStepDefinition.java:35) at ?.Validating Login Page(file:///C:/Users/sjamadar/Desktop/SeleniumGit/Pilot_Project/PilotProjectOrangeHRM/src/test/resources/Features/OHRMLLoginPageTest.feature:7) * Not displayable characters are replaced by '?'.	FAILED	8.279 s
	AFTER - com.stepdefinition.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.050 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62b9d2f5fdeaf4e4713bd25550948578, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\sjamadar\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50994}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50994/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 62b9d2f5fdeaf4e4713bd25550948578</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)  at com.stepdefinition.Hooks.takeScreenshot(Hooks.java:26)</p>		
	<p>AFTER - com.stepdefinition.Hooks.setLogout()</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62b9d2f5fdeaf4e4713bd25550948578, findElement {using=xpath, value=//button[@type="submit"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\sjamadar\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50994}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50994/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 62b9d2f5fdeaf4e4713bd25550948578</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at com.pageactions.OrangeHRMLoginPageActions.setLogOut(OrangeHRMLoginPageActions.java:25) at com.utils.BugStriker.setLogoutBS(BugStriker.java:16) at com.stepdefinition.Hooks.setLogout(Hooks.java:36)</pre>		