I4C API Documentation

1. Validation API

1.1 Scope:

Validation API responds with the transaction data that has been processed, based on the RRN (*Retrieval Reference Number*).

1.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
tranDate	String	Yes	Date of the transaction happened
tranRRN	String	Yes	Reference number of the transaction
accountNo	String	Yes	Account number of the holder
tranAmt	String	Yes	Amount involved in transaction

1.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
accountNo	String	Yes	Account number	-
acctName	String	Yes	Account holder name	-
trandate	String	Yes	Date of transaction happened	-
tranamt	String	Yes	Amount involved in transaction	-
tranparticular	String	Yes	Transaction particulars	To get the transaction details
ptype	String	Yes	Transaction type credit/ debit	Validating request data
bicCode	String	Yes	Account IFSC code	To send details to I4C
rrn	String	Yes	Transaction reference number	
channelId	String	Yes	Transaction channel	Used for calling channel API in layer 0
panNo	String	Yes	Account holder pan no.	To send root details to I4C
phoneNo	String	Yes	Account holder phone no.	To send root details to I4C

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited

EffAvailableAmt	String	No	Account effective balance	To apply lien and process beneficiaries. *(If there is no API for account balance, this is required)*

2. Account Balance API

2.1 Scope:

Responds with account effective balance

2.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder

2.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
effAccBal	String	Yes	Effective account balance	Used for applying lien and update to I4C

3. Lien Mark API

3.1 Scope:

Apply lien for the amount provided in the request based on the account balance and responds with if the lien applied or not and for how much amount the lien applied

3.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited

amount	String	Yes	Amount where lien need to be applied
expiryDate	String	No	Lien expiry date
remarks	String	No	Reason for applying the lien
reasonCode	String	No	Reason code for applying the lien

3.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
message	String	Yes	Success message (applied lien)	To know if the lien applied
amount	String	Yes	Account holder name	Amount for which lien applied
accountNo	String	Yes	Account number	-
dateandTime	String	Yes	Date and time when lien got applied	To update to I4C

---

4. Debit Freeze API:

4.1 Scope:

Applies debit freeze on the account based on the account number

4.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder
freezeType	String	No	Debit/ Credit

4.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
message	String	Yes	Success message (applied lien)	To know if the freeze applied

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited

accountNo	String	Yes	Account number	-
dateandTime	String	Yes	Date and time when lien got applied	To update to I4C

5. Mini Statement API

5.1 Scope:

Responds with the account transaction data between from and to date

5.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder
fromDate	String	Yes	Date
toDate	String	Yes	Date
pageId	String	Yes	Page No

5.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
fullAccountStatement	List	Yes	List of objects containing transaction details	To retrieve transaction details
date	String	Yes	Date of transaction happened	-
accNo	String	Yes	Account number	-
txnParticular	String	Yes	Transaction details	-
deposit	String	Yes	Deposit amount	-
withdrawl	String	Yes	Withdrawal amount	-
currency	String	No	Currency	-
tranId	String	Yes	Transaction ID	-
txntime	String	Yes	Date and time of transaction happened	-
refNum	String	Yes	Transaction reference number/ RRN	-
channelId	String	Yes	Transaction Channel	To make channel based API calls

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited

balance	String	Yes	Balance after transaction	-

6. Money transfer API details

6.1 Scope:

Responds with transaction details based on the RRN and account number. Channels involved in money transfer are *[IMPS/UPI/NEFT/RTGS/IB/MB/Cheque Clearing]*

6.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder
tranId	String	Yes	Transaction ID/ RRN as required
tranAmt	String	Yes	Amount involved in transaction
tranDate	String	Yes	Date of transaction happened

6.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
dateTime	String	Yes	Transaction datetime	To update to I4C
creditAccount	String	Yes	Beneficiary account number	To update to I4C
creditBankName	String	No	Beneficiary bank name	To update to I4C
amount	String	Yes	Transaction amount involved	To update to I4C
debitAccount	String	Yes	Root account number	To update to I4C
debitBankName	String	No	Root bank name	To update to I4C
debitIfsc	String	Yes	Root IFSC code	To update to I4C
creditIfsc	String	Yes	Beneficiary IFSC code	To update to I4C
beneficiaryName	String	No	Beneficiary account holder name	-
remitterName	String	No	Root account holder name	-
refId	String	No	Transaction reference ID	-
tranId	String	No	Transaction ID	-

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited

7. ATM API Details:

7.1 Scope:

Responds with transaction details based on the RRN and account number for ATM transaction details.

7.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder
tranId	String	Yes	Transaction ID/ RRN as required
tranAmt	String	Yes	Amount involved in transaction
tranDate	String	Yes	Date of transaction happened

7.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
dateTime	String	Yes	Transaction datetime	To update to I4C
atmId	String	Yes	ATM ID	To update to I4C
placeOfAtm	String	Yes	Place of ATM	To update to I4C
amount	String	Yes	Transaction amount involved	To update to I4C
debitAccount	String	Yes	Root account number	To update to I4C
debitBankName	String	No	Root bank name	To update to I4C
debitIfsc	String	Yes	Root IFSC code	To update to I4C
atmOfBank	String	No	ATM of bank	To update to I4C
remitterName	String	No	Root account holder name	-
refId	String	No	Transaction reference ID	-
tranId	String	No	Transaction ID	-

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited

8. POS Transaction API Details:

8.1 Scope:

Responds with transaction details based on the RRN and account number for POS transaction details.

8.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder
tranId	String	Yes	Transaction ID/ RRN as required
tranAmt	String	Yes	Amount involved in transaction
tranDate	String	Yes	Date of transaction happened

8.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
dateTime	String	Yes	Transaction datetime	To update to I4C
merchantId	String	Yes	Merchant ID	To update to I4C
terminalId	String	Yes	Terminal ID	To update to I4C
approvalCode	String	Yes	Approval Code	To update to I4C
posTranId	String	Yes	POS transaction ID	To update to I4C
merchantName	String	Yes	Merchant Name	To update to I4C
amount	String	Yes	Transaction amount involved	To update to I4C
debitAccount	String	Yes	Root account number	To update to I4C
debitBankName	String	No	Root bank name	To update to I4C
debitIfsc	String	Yes	Root IFSC code	To update to I4C
remitterName	String	No	Root account holder name	-
refId	String	No	Transaction reference ID	-
tranId	String	No	Transaction ID	-

9. Cheque API Details:

9.1 Scope:

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited

Responds with transaction details based on the RRN and account number for Cheque transaction details.

9.2 Input Parameters:

Parameter	Datatype	Mandatory	Description
request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder
tranId	String	Yes	Transaction ID/ RRN as required
tranAmt	String	Yes	Amount involved in transaction
tranDate	String	Yes	Date of transaction happened

9.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
dateTime	String	Yes	Transaction datetime/ Withdrawal datetime	To update to I4C
withdrawalLocation	String	Yes	Cheque withdrawal location	To update to I4C
managerName	String	Yes	Manager name	To update to I4C
managerNumber	String	Yes	Manager mobile number	To update to I4C
amount	String	Yes	Transaction amount involved	To update to I4C
debitAccount	String	Yes	Root account number	To update to I4C
debitBankName	String	No	Root bank name	To update to I4C
debitIfsc	String	Yes	Root IFSC code	To update to I4C
remitterName	String	No	Root account holder name	-
refId	String	No	Transaction reference ID	-
tranId	String	No	Transaction ID	-

---

10. AEPS API Details:

10.1 Scope:

Responds with transaction details based on the RRN and account number for AEPS transaction details.

10.2 Input Parameters:

Parameter	Datatype	Mandatory	Description

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited

request	Object	Yes	Request data
accountNo	String	Yes	Account number of the holder
tranId	String	Yes	Transaction ID/ RRN as required
tranAmt	String	Yes	Amount involved in transaction
tranDate	String	Yes	Date of transaction happened

10.3 Output Parameters:

Parameter	Datatype	Mandatory	Description	Usage
response	Object	No	Response details object	Used to retrieve the response details from the client
dateTime	String	Yes	Transaction datetime	To update to I4C
amount	String	Yes	Transaction amount involved	To update to I4C
debitAccount	String	Yes	Root account number	To update to I4C
debitBankName	String	No	Root bank name	To update to I4C
debitIfsc	String	Yes	Root IFSC code	To update to I4C
remitterName	String	No	Root account holder name	-
refId	String	No	Transaction reference ID	-
tranId	String	No	Transaction ID	-

NOTE:

Requests and responses might change based on the clients requirement

Confidential & Proprietary – Unauthorized disclosure or distribution is strictly prohibited