

Discover Dollar – DevOps Engineer Intern Assignment

Submitted by: Sachin Rao.D

Live Application: <http://34.201.144.60>

GitHub Repository: <https://github.com/SachinRao033/MEAN-app-devops-assignment>

Docker Hub: <https://hub.docker.com/u/sachinace033>

Assignment Requirements – All Completed

Requirement	Status	Proof
GitHub repository with complete code	Done	Repo link above
Dockerfiles for frontend & backend	Done	<code>frontend/Dockerfile,</code> <code>backend/Dockerfile</code>
Docker images built and pushed	Done	<code>sachinace033/mean-frontend:latest</code> <code>sachinace033/mean-backend:latest</code>
Docker Compose deployment	Done	<code>docker-compose.yml</code>
MongoDB running in Docker	Done	<code>mongo</code> service in compose
Nginx reverse proxy on port 80	Done	<code>nginx</code> service + <code>nginx-reverse-proxy.conf</code>
Application live on AWS EC2 (Ubuntu)	Done	http://34.201.144.60
Full CRUD working (Create, Read, Update, Delete, Search)	Done	Verified
CI/CD pipeline (GitHub Actions)	Done	<code>.github/workflows/cicd.yml</code>
Detailed README with screenshots	Done	This file

Live Application


Access the fully working MEAN stack CRUD app here:

<http://34.201.144.60>

(Port 80 – served via Nginx reverse proxy)

Architecture Overview

Internet → AWS EC2 Public IP (34.201.144.60:80)



Project Structure

MEAN-app-devops-assignment/crud-dd-task-mean-app/

```
|— backend/
|   |— Dockerfile
|— frontend/
|   |— Dockerfile
|   |— nginx.conf
|— docker-compose.yml
|— nginx-reverse-proxy.conf
|— .github/workflows/cicd.yml
|— README.md (this file)
```

Files Included (as required)

- `backend/Dockerfile`
- `frontend/Dockerfile`
- `frontend/nginx.conf`
- `docker-compose.yml`

- `nginx-reverse-proxy.conf`
- `.github/workflows/cicd.yml`
- `screenshots/` folder with all proofs

1. Repository Setup

- Go to GitHub > New Repository > Set it to public or private. Create a new GitHub repository (name : MEAN-app-devops-assignment)-- As ur wish.
- On your local machine, navigate to the extracted project folder.
- Initialize Git: git init
- Add all files: git add .
- Commit: git commit -m "Initial commit of MEAN app code"
- Add remote: git remote add origin
<https://github.com/SachinRao033/MEAN-app-devops-assignment.git>
- Push: git push -u origin main

2. Containerization & Deployment

a. Create Dockerfiles

- In the backend directory, create Dockerfile
- And also frontend dir., create Dockerfile and nginx.conf
- Commit and push these files to GitHub: git add . && git commit -m "Uploaded Dockerfile and nginx.conf files" && git push

b. Build and Push Docker Images

- Log in to Docker Hub: docker login
- Build backend: cd backend && docker build -t sachinace033/mean-backend:latest .
- Push backend: docker push sachinace033/mean-backend:latest
- Build frontend: cd ../frontend && docker build -t sachinace033/mean-frontend:latest .
- Push frontend: docker push sachinace033/mean-frontend:latest
- Take screenshots of the build/push process that has been uploaded to this file.

3. Launch AWS EC2 Ubuntu VM (Free Tier)

- AMI: Ubuntu Server 22.04 LTS or as per wish
- Instance: t2.micro (free tier)
- Security Group → Allow:
 - SSH (22)
 - HTTP (80)
 - Custom TCP 8080, 8081 (optional, for debugging)
- Download .pem key
- After access the MobaXterm or Putty tools by a ssh port

Local Setup & Deployment Instructions :

- **Install Docker + Compose on VM:**
----`sudo apt update -y`
----`sudo apt install docker.io docker-compose -y`
- **Clone your repo on VM and test:**
----`git clone https://github.com/SachinRao033/MEAN-app-devops-assignment.git`
----`cd MEAN-app-devops-assignment/crud-dd-task-mean-app/`
- **# Backend - (Local system or VM)**
----`cd backend`
----`docker build -t sachinace033/mean-backend:latest .`
----`docker push sachinace033/mean-backend:latest`
- **# Frontend- (Local system or VM)**
----`cd ../frontend`
----`docker build -t sachinace033/mean-frontend:latest .`
----`docker push sachinace033/mean-frontend:latest`
- **VM Test:**
----`docker-compose up -d`
----Open browser → <http://34.201.144.60> (Public IP of Ec2 Machine).

4. GitHub Actions CI/CD (Automatic Deploy on Push)

- Create File: [.github/workflows/cicd.yml](#)
- On every push to main, GitHub Actions:
 - Builds and pushes both Docker images
 - SSH into AWS EC2
 - Pulls latest code and redeploys with
----[docker-compose up -d](#)

5. Infrastructure Details

- **Cloud Provider:** AWS EC2 (t2.micro – Free Tier)
- **Instance Public IP:** 34.201.144.60
- **OS:** Ubuntu Server 22.04 LTS
- **Security Group:** HTTP (80), SSH (22) open
- **Instance will remain running** for verification

Screenshots (All Included in /screenshots folder)

Description	File
Application running (list view)	screenshots/
Docker Compose up success	screenshots/docker-compose.png
Docker ps (all containers running)	screenshots/docker-ps.png
Docker Hub images	screenshots/dockerhub.png
GitHub Actions CI/CD success	screenshots/github-actions.png
AWS EC2 instance details	screenshots/aws-ec2.png
Security group (port 80 open)	screenshots/security-group.png

Nginx reverse proxy config

screenshots/nginx-config.png

Thank you for the opportunity!

I enjoyed solving this real-world DevOps challenge and learned a lot in the process.

Submitted on: 28th November 2025 (before 6 PM deadline)

Live URL (please verify): <http://34.201.144.60>

Ready for the next round!

— Sachin Rao.D

```
MINGW64/d/New folder
sanju gailwad@Sanju MINGW64 /d/New folder (master)
$ git add .
sanju gailwad@Sanju MINGW64 /d/New folder (master)
$ git commit -m "Initial commit of MEAN app code"
[master (root-commit) 028a621] Initial commit of MEAN app code
46 files changed, 9235 insertions(+)
create mode 100644 DO-curd-app-ui-1.PNG
create mode 100644 DO-curd-app-ui-2.PNG
create mode 100644 crud-dd-task-mean-app/README.md
create mode 100644 crud-dd-task-mean-app/backend/.gitignore
create mode 100644 crud-dd-task-mean-app/backend/app/config/db.config.js
create mode 100644 crud-dd-task-mean-app/backend/app/controllers/tutorial.controller.js
create mode 100644 crud-dd-task-mean-app/backend/app/models/index.js
create mode 100644 crud-dd-task-mean-app/backend/app/models/tutorial.model.js
create mode 100644 crud-dd-task-mean-app/backend/app/routes/tutorial.routes.js
create mode 100644 crud-dd-task-mean-app/backend/package.json
create mode 100644 crud-dd-task-mean-app/backend/server.js
create mode 100644 crud-dd-task-mean-app/frontend/.editorconfig
create mode 100644 crud-dd-task-mean-app/frontend/.gitignore
create mode 100644 crud-dd-task-mean-app/frontend/angular.json
create mode 100644 crud-dd-task-mean-app/frontend/package-lock.json
create mode 100644 crud-dd-task-mean-app/frontend/package.json
create mode 100644 crud-dd-task-mean-app/frontend/src/app/app-routing.module.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/app.component.css
create mode 100644 crud-dd-task-mean-app/frontend/src/app/app.component.html
create mode 100644 crud-dd-task-mean-app/frontend/src/app/app.component.spec.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/app.component.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/app.module.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/add-tutorial/add-tutorial.component.css
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/add-tutorial/add-tutorial.component.html
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/add-tutorial/add-tutorial.component.spec.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/add-tutorial/add-tutorial.component.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/tutorial-details/tutorial-details.component.css
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/tutorial-details/tutorial-details.component.html
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/tutorial-details/tutorial-details.component.spec.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/tutorial-details/tutorial-details.component.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/tutorials-list/tutorials-list.component.css
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/tutorials-list/tutorials-list.component.html
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/tutorials-list/tutorials-list.component.spec.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/components/tutorials-list/tutorials-list.component.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/models/tutorial.model.spec.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/models/tutorial.model.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/services/tutorial.service.spec.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/app/services/tutorial.service.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/assets/.gitkeep
create mode 100644 crud-dd-task-mean-app/frontend/src/favicon.ico
create mode 100644 crud-dd-task-mean-app/frontend/src/index.html
create mode 100644 crud-dd-task-mean-app/frontend/src/main.ts
create mode 100644 crud-dd-task-mean-app/frontend/src/styles.css
create mode 100644 crud-dd-task-mean-app/frontend/tsconfig.app.json
create mode 100644 crud-dd-task-mean-app/frontend/tsconfig.json
create mode 100644 crud-dd-task-mean-app/frontend/tsconfig.spec.json
sanju gailwad@Sanju MINGW64 /d/New folder (master)
$ git status
On branch master
```

```
MINGW64/d/New folder
sanju gaikwad@Sanju MINGW64 /d/New folder (master)
$ git branch main


sanju gaikwad@Sanju MINGW64 /d/New folder (master)
$ git remote add origin https://github.com/SachinRao033/MEAN-app-devops-assignment.git

sanju gaikwad@Sanju MINGW64 /d/New folder (master)
$ git status
On branch master
nothing to commit, working tree clean


sanju gaikwad@Sanju MINGW64 /d/New folder (master)
$ git branch
  main
* master
```

```
sanju gaikwad@Sanju MINGW64 /d/New folder (main)
$ git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date

sanju gaikwad@Sanju MINGW64 /d/New folder (main)
$
```



backend/Dockerfile

A screenshot of a code editor with a dark theme. The editor has a menu bar with 'File', 'Edit', and 'View'. The top of the editor shows several open tabs: 'ou', 'Virtual', 'Cover letter', 'Git Workflo', 'Dear Quanta', 'SACHIN INTI', 'Jira Config.t', 'Hashtags.txt', 'apt install ar', 'student-01-9', 'README.md', and 'Dock'. The main text area contains a Dockerfile snippet with the following content:


```
FROM node:18-alpine
WORKDIR /app

COPY package*.json ./
RUN npm install

COPY . .

EXPOSE 8080
CMD ["node", "server.js"]
```

frontend/Dockerfile

A screenshot of a code editor with a dark theme. The editor has a menu bar with 'File', 'Edit', and 'View'. The top right of the editor shows icons for font size (H1), list view, bold, and italic. The main text area contains a multi-stage Dockerfile with the following content:

```
# Stage 1 - Build Angular

FROM node:18-alpine as build
WORKDIR /app

COPY package*.json ./
RUN npm install

COPY . .

RUN npm run build -- --configuration production

# Stage 2 - Serve with Nginx

FROM nginx:alpine
COPY --from=build /app/dist/frontend /usr/share/nginx/html

COPY nginx.conf /etc/nginx/conf.d/default.conf
EXPOSE 80
```

frontend/nginx.conf


```
File Edit View H1

server {
    listen 80;
    location / {
        root /usr/share/nginx/html;
        index index.html index.htm;
        try_files $uri $uri/ /index.html;
    }
}
```

Root --- docker-compose.yml

```
version: '3.8'

services:
  mongo:
    image: mongo:latest
    restart: always
    ports:
      - "27017:27017"
    volumes:
      - mongo-data:/data/db


  backend:
    image: sachinace033/fsmean-backend:latest
    restart: always
    depends_on:
      - mongo
    environment:
      - MONGO_URI=mongodb://mongo:27017/Fullstack-MEAN_db # this is a DB name, I used these code
    ports:
      - "8080:8080"



  frontend:
    image: sachinace033/fsmean-frontend:latest
    restart: always
    ports:
      - "8081:80"



  nginx:
    image: nginx:alpine
    restart: always
    ports:
      - "80:80"
    volumes:
      - ./nginx-reverse-proxy.conf:/etc/nginx/nginx.conf:ro
    depends_on:
      - frontend
      - backend
```

Root --- nginx-reverse-proxy.conf

```
File Edit View H1 H2 H3 H4 H5 H6 H7 H8 H9 H10 H11 H12 H13 H14 H15 H16 H17 H18 H19 H20 H21 H22 H23 H24 H25 H26 H27 H28 H29 H30 H31 H32 H33 H34 H35 H36 H37 H38 H39 H40 H41 H42 H43 H44 H45 H46 H47 H48 H49 H50 H51 H52 H53 H54 H55 H56 H57 H58 H59 H60 H61 H62 H63 H64 H65 H66 H67 H68 H69 H70 H71 H72 H73 H74 H75 H76 H77 H78 H79 H80 H81 H82 H83 H84 H85 H86 H87 H88 H89 H90 H91 H92 H93 H94 H95 H96 H97 H98 H99 H100 H101 H102 H103 H104 H105 H106 H107 H108 H109 H110 H111 H112 H113 H114 H115 H116 H117 H118 H119 H120 H121 H122 H123 H124 H125 H126 H127 H128 H129 H130 H131 H132 H133 H134 H135 H136 H137 H138 H139 H140 H141 H142 H143 H144 H145 H146 H147 H148 H149 H150 H151 H152 H153 H154 H155 H156 H157 H158 H159 H160 H161 H162 H163 H164 H165 H166 H167 H168 H169 H170 H171 H172 H173 H174 H175 H176 H177 H178 H179 H180 H181 H182 H183 H184 H185 H186 H187 H188 H189 H190 H191 H192 H193 H194 H195 H196 H197 H198 H199 H200 H201 H202 H203 H204 H205 H206 H207 H208 H209 H210 H211 H212 H213 H214 H215 H216 H217 H218 H219 H220 H221 H222 H223 H224 H225 H226 H227 H228 H229 H230 H231 H232 H233 H234 H235 H236 H237 H238 H239 H240 H241 H242 H243 H244 H245 H246 H247 H248 H249 H250 H251 H252 H253 H254 H255 H256 H257 H258 H259 H260 H261 H262 H263 H264 H265 H266 H267 H268 H269 H270 H271 H272 H273 H274 H275 H276 H277 H278 H279 H280 H281 H282 H283 H284 H285 H286 H287 H288 H289 H290 H291 H292 H293 H294 H295 H296 H297 H298 H299 H300 H301 H302 H303 H304 H305 H306 H307 H308 H309 H310 H311 H312 H313 H314 H315 H316 H317 H318 H319 H320 H321 H322 H323 H324 H325 H326 H327 H328 H329 H330 H331 H332 H333 H334 H335 H336 H337 H338 H339 H340 H341 H342 H343 H344 H345 H346 H347 H348 H349 H350 H351 H352 H353 H354 H355 H356 H357 H358 H359 H360 H361 H362 H363 H364 H365 H366 H367 H368 H369 H370 H371 H372 H373 H374 H375 H376 H377 H378 H379 H380 H381 H382 H383 H384 H385 H386 H387 H388 H389 H390 H391 H392 H393 H394 H395 H396 H397 H398 H399 H400 H401 H402 H403 H404 H405 H406 H407 H408 H409 H410 H411 H412 H413 H414 H415 H416 H417 H418 H419 H420 H421 H422 H423 H424 H425 H426 H427 H428 H429 H430 H431 H432 H433 H434 H435 H436 H437 H438 H439 H440 H441 H442 H443 H444 H445 H446 H447 H448 H449 H450 H451 H452 H453 H454 H455 H456 H457 H458 H459 H460 H461 H462 H463 H464 H465 H466 H467 H468 H469 H470 H471 H472 H473 H474 H475 H476 H477 H478 H479 H480 H481 H482 H483 H484 H485 H486 H487 H488 H489 H490 H491 H492 H493 H494 H495 H496 H497 H498 H499 H500 H501 H502 H503 H504 H505 H506 H507 H508 H509 H510 H511 H512 H513 H514 H515 H516 H517 H518 H519 H520 H521 H522 H523 H524 H525 H526 H527 H528 H529 H530 H531 H532 H533 H534 H535 H536 H537 H538 H539 H540 H541 H542 H543 H544 H545 H546 H547 H548 H549 H550 H551 H552 H553 H554 H555 H556 H557 H558 H559 H560 H561 H562 H563 H564 H565 H566 H567 H568 H569 H570 H571 H572 H573 H574 H575 H576 H577 H578 H579 H580 H581 H582 H583 H584 H585 H586 H587 H588 H589 H590 H591 H592 H593 H594 H595 H596 H597 H598 H599 H600 H601 H602 H603 H604 H605 H606 H607 H608 H609 H610 H611 H612 H613 H614 H615 H616 H617 H618 H619 H620 H621 H622 H623 H624 H625 H626 H627 H628 H629 H630 H631 H632 H633 H634 H635 H636 H637 H638 H639 H640 H641 H642 H643 H644 H645 H646 H647 H648 H649 H650 H651 H652 H653 H654 H655 H656 H657 H658 H659 H660 H661 H662 H663 H664 H665 H666 H667 H668 H669 H670 H671 H672 H673 H674 H675 H676 H677 H678 H679 H680 H681 H682 H683 H684 H685 H686 H687 H688 H689 H690 H691 H692 H693 H694 H695 H696 H697 H698 H699 H700 H701 H702 H703 H704 H705 H706 H707 H708 H709 H710 H711 H712 H713 H714 H715 H716 H717 H718 H719 H720 H721 H722 H723 H724 H725 H726 H727 H728 H729 H730 H731 H732 H733 H734 H735 H736 H737 H738 H739 H740 H741 H742 H743 H744 H745 H746 H747 H748 H749 H750 H751 H752 H753 H754 H755 H756 H757 H758 H759 H760 H761 H762 H763 H764 H765 H766 H767 H768 H769 H770 H771 H772 H773 H774 H775 H776 H777 H778 H779 H780 H781 H782 H783 H784 H785 H786 H787 H788 H789 H790 H791 H792 H793 H794 H795 H796 H797 H798 H799 H800 H801 H802 H803 H804 H805 H806 H807 H808 H809 H810 H811 H812 H813 H814 H815 H816 H817 H818 H819 H820 H821 H822 H823 H824 H825 H826 H827 H828 H829 H830 H831 H832 H833 H834 H835 H836 H837 H838 H839 H840 H841 H842 H843 H844 H845 H846 H847 H848 H849 H850 H851 H852 H853 H854 H855 H856 H857 H858 H859 H860 H861 H862 H863 H864 H865 H866 H867 H868 H869 H870 H871 H872 H873 H874 H875 H876 H877 H878 H879 H880 H881 H882 H883 H884 H885 H886 H887 H888 H889 H890 H891 H892 H893 H894 H895 H896 H897 H898 H899 H900 H901 H902 H903 H904 H905 H906 H907 H908 H909 H910 H911 H912 H913 H914 H915 H916 H917 H918 H919 H920 H921 H922 H923 H924 H925 H926 H927 H928 H929 H930 H931 H932 H933 H934 H935 H936 H937 H938 H939 H940 H941 H942 H943 H944 H945 H946 H947 H948 H949 H950 H951 H952 H953 H954 H955 H956 H957 H958 H959 H960 H961 H962 H963 H964 H965 H966 H967 H968 H969 H970 H971 H972 H973 H974 H975 H976 H977 H978 H979 H980 H981 H982 H983 H984 H985 H986 H987 H988 H989 H990 H991 H992 H993 H994 H995 H996 H997 H998 H999 H1000
```







```

MINGW64~/New folder/crud-dd-task-mean-app
sanju gaikwad@Sanju MINGW64 /d/New folder/crud-dd-task-mean-app (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    backend/Dockerfile.txt
    docker-compose.yml.txt
    frontend/Dockerfile.txt
    frontend/nginx.conf.txt
    nginx-reverse-proxy.conf.txt

nothing added to commit but untracked files present (use "git add" to track)

sanju gaikwad@Sanju MINGW64 /d/New folder/crud-dd-task-mean-app (main)
$ git add .

sanju gaikwad@Sanju MINGW64 /d/New folder/crud-dd-task-mean-app (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   backend/Dockerfile.txt
    new file:   docker-compose.yml.txt
    new file:   frontend/Dockerfile.txt
    new file:   frontend/nginx.conf.txt
    new file:   nginx-reverse-proxy.conf.txt

sanju gaikwad@Sanju MINGW64 /d/New folder/crud-dd-task-mean-app (main)
$ git commit -m "Updated files are uploaded"
[main 567c7a1] Updated files are uploaded
5 files changed, 106 insertions(+)
create mode 100644 crud-dd-task-mean-app/backend/Dockerfile.txt
create mode 100644 crud-dd-task-mean-app/docker-compose.yml.txt
create mode 100644 crud-dd-task-mean-app/frontend/Dockerfile.txt
create mode 100644 crud-dd-task-mean-app/frontend/nginx.conf.txt
create mode 100644 crud-dd-task-mean-app/nginx-reverse-proxy.conf.txt

sanju gaikwad@Sanju MINGW64 /d/New folder/crud-dd-task-mean-app (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

sanju gaikwad@Sanju MINGW64 /d/New folder/crud-dd-task-mean-app (main)
$ git push origin main
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 1.74 KiB | 1.74 MiB/s, done.
Total 10 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)

```


```

nothing to commit, working tree clean
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ git pull origin main
remote: Enumerating objects: 14, done.
remote: Counting objects: 100% (14/14), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 10 (delta 2), reused 10 (delta 2), pack-reused 0 (from 0)
Unpacking objects: 100% (10/10), 1.72 KiB | 430.00 KiB/s, done.
From https://github.com/SachinRao033/MEAN-app-devops-assignment
 * branch      main       -> FETCH_HEAD
 * a19d66a..567c7a1 main   -> origin/main
Updating a19d66a..567c7a1
Fast-forward
 crud-dd-task-mean-app/backend/Dockerfile.txt | 10 ++++++++
 crud-dd-task-mean-app/docker-compose.yml.txt | 44 +++++++++++++++++++++++++++++++++++++
 crud-dd-task-mean-app/frontend/Dockerfile.txt | 20 +++++++++++++++++++++
 crud-dd-task-mean-app/frontend/nginx.conf.txt | 8 ++++++
 crud-dd-task-mean-app/nginx-reverse-proxy.conf.txt | 24 ++++++++++++++++++++++
 5 files changed, 106 insertions(+)
 create mode 100644 crud-dd-task-mean-app/backend/Dockerfile.txt
 create mode 100644 crud-dd-task-mean-app/docker-compose.yml.txt
 create mode 100644 crud-dd-task-mean-app/frontend/Dockerfile.txt
 create mode 100644 crud-dd-task-mean-app/frontend/nginx.conf.txt
 create mode 100644 crud-dd-task-mean-app/nginx-reverse-proxy.conf.txt
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ ls
README.md  backend  docker-compose.yml.txt  frontend  nginx-reverse-proxy.conf.txt
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ ls
README.md  backend  docker-compose.yml.txt  frontend  nginx-reverse-proxy.conf.txt
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ ls
README.md  backend  docker-compose.yml.txt  frontend  nginx-reverse-proxy.conf.txt
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ docker-compose up -d


```

```
rename crud-dd-task-mean-app/nginx-reverse-proxy.conf.txt => nginx-reverse-proxy.conf} (99%)
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ docker-compose up -d
Creating network "crud-dd-task-mean-app_default" with the default driver
Creating volume "crud-dd-task-mean-app_mongo-data" with default driver
Pulling mongo (mongo:latest)...
latest: Pulling from library/mongo
20043066d3d5: Pull complete
dcec2d403c4e: Pull complete
8a63055b2837: Pull complete
1732f2a4d259: Extracting [==>] 32.77kB/933.7kB
6dc84fd2f3ac: Download complete
7230971360e4: Download complete
88373bcb58c1: Download complete
a89cc6fb1ead: Download complete
|
```



```
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ cd backend/
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app/backend$ docker build -t sachinace033/mean-backend:latest .
DEPRECATED: The legacy builder is deprecated and will be removed in a future release.
Install the buildx component to build images with BuildKit:
https://docs.docker.com/go/buildx/

Sending build context to Docker daemon 16.9kB
Step 1/7 : FROM node:18-alpine
--> ea77c6cd7c18
Step 2/7 : WORKDIR /app
--> Using cache
--> 12eab40bc278
Step 3/7 : COPY package*.json ./
--> Using cache
--> f5852486bef4
Step 4/7 : RUN npm install
--> Using cache
--> 4a58be436a31
Step 5/7 : COPY . .
--> Using cache
--> d80f7e470b54
Step 6/7 : EXPOSE 8080
--> Using cache
--> 2e095c7d9b24
Step 7/7 : CMD ["node", "server.js"]
--> Using cache
--> 209585fb6b89
Successfully built 209585fb6b89
Successfully tagged sachinace033/mean-backend:latest
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app/backend$
```



```
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app/backend$ docker login

USING WEB-BASED LOGIN




Info → To sign in with credentials on the command line, use 'docker login -u <username>'

Your one-time device confirmation code is: PMTT-PRDQ
Press ENTER to open your browser or submit your device code here: https://login.docker.com/activate

Waiting for authentication in the browser...

WARNING! Your credentials are stored unencrypted in '/home/ubuntu/.docker/config.json'.
Configure a credential helper to remove this warning. See
https://docs.docker.com/go/credential-store/

Login Succeeded
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app/backend$ docker push sachinace033/mean-backend:latest
The push refers to repository [docker.io/sachinace033/mean-backend]
3be87062c4fd: Pushed
3c7f7a83564e: Pushed
8a9d6c1bd664: Pushed
b8cb81f368a4: Pushed
82140d9a70a7: Mounted from library/node
f3b40b0cdbc1: Mounted from library/node
0b1f26057bd0: Mounted from library/node
08000c18d1d6: Mounted from library/node
latest: digest: sha256:7f1ec65acb6250aa72ea2a08a59c5d13a4cab1e3ea322d1bcead7f3ff17829af size: 1991
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app/backend$
```



Discover Dollar – DevOps Engineer Intern Assignment

```
node 18-alpine ee/7c6cd/c18 8 months ago 12/MB
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ docker-compose down
Stopping crud-dd-task-mean-app_nginx_1 ... done
Stopping crud-dd-task-mean-app_backend_1 ... done
Stopping crud-dd-task-mean-app_mongo_1 ... done
Stopping crud-dd-task-mean-app_frontend_1 ... done
Removing crud-dd-task-mean-app_nginx_1 ... done
Removing crud-dd-task-mean-app_backend_1 ... done
Removing crud-dd-task-mean-app_mongo_1 ... done
Removing crud-dd-task-mean-app_frontend_1 ... done
Removing network crud-dd-task-mean-app_default
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$ docker-compose up -d
Creating network "crud-dd-task-mean-app_default" with the default driver
Creating crud-dd-task-mean-app_frontend_1 ... done
Creating crud-dd-task-mean-app_mongo_1 ... done
Creating crud-dd-task-mean-app_backend_1 ... done
Creating crud-dd-task-mean-app_nginx_1 ... done
ubuntu@ip-172-31-29-126:~/MEAN-app-devops-assignment/crud-dd-task-mean-app$
```

DD Task

Tutorials Add

Tutorials List

Remove All

23°C Mostly sunny

Search

ENG IN

13:56:26 28-11-2023