

```
CREATE TABLE CUSTOMERS(
```

```
  ID INT NOT NULL,
```

```
  NAME VARCHAR (20) NOT NULL,
```

```
  AGE INT NOT NULL,
```

```
  ADDRESS CHAR(20),
```

```
  SALARY DECIMAL(18 ,2),
```

```
  PRIMARY KEY(ID)
```

```
);
```

```
INSERT INTO CUSTOMERS (ID,NAME,AGE,ADDRESS,SALARY)
```

```
VALUES (201,'Ramesh',32,'Ahmedabad',20000.00);
```

```
INSERT INTO CUSTOMERS (ID,NAME,AGE,ADDRESS,SALARY)
```

```
VALUES (202,'Khan',25,'Delhi',25000.00);
```

```
INSERT INTO CUSTOMERS (ID,NAME,AGE,ADDRESS,SALARY)
```

```
VALUES (203,'Ramesh',30,'Pune',30000.00);
```

```
INSERT INTO CUSTOMERS (ID,NAME,AGE,ADDRESS,SALARY)
```

```
VALUES (204,'Hardik',27,'Mumbai',40000.00);
```

```
INSERT INTO CUSTOMERS (ID,NAME,AGE,ADDRESS,SALARY)
```

```
VALUES (205,'Ramesh',25,'Kerala',50000.00);
```

```
INSERT INTO CUSTOMERS (ID,NAME,AGE,ADDRESS,SALARY)
```

```
VALUES (206,'Komal',22,'Bangalore',30000.00);
```

```
INSERT INTO CUSTOMERS (ID,NAME,AGE,ADDRESS,SALARY)
```

```
VALUES (207,'Hardik',29,'MP',70000.00);
```

```
SELECT * FROM CUSTOMERS;
```

```
SELECT ID,NAME,salary  
FROM CUSTOMERS  
WHERE SALARY <= 30000;
```

```
SELECT ID,NAME,salary  
FROM CUSTOMERS  
WHERE NAME='Ramesh';
```

```
SELECT ID,NAME,salary  
FROM CUSTOMERS  
WHERE ID=206;
```

```
SELECT ID,NAME,AGE,salary  
FROM CUSTOMERS  
WHERE SALARY > 20000 AND AGE <30;
```

```
SELECT ID,NAME,AGE,salary  
FROM CUSTOMERS  
WHERE NAME='Ramesh' AND SALARY=50000;
```

```
SELECT ID,NAME,AGE,ADDRESS,salary  
FROM CUSTOMERS  
WHERE SALARY > 20000 OR AGE < 29;
```

```
UPDATE CUSTOMERS  
set address ='JK'
```

WHERE ID=202

UPDATE CUSTOMERS

SET NAME='Salman Khan'

WHERE ID=202

UPDATE CUSTOMERS

SET AGE=30

WHERE ID=201

SELECT * FROM CUSTOMERS;

DELETE FROM CUSTOMERS

WHERE ID=204;

SELECT * FROM CUSTOMERS;

SELECT * FROM CUSTOMERS

WHERE SALARY LIKE '500%';

SELECT * FROM CUSTOMERS

WHERE SALARY LIKE '%500%';

SELECT * FROM CUSTOMERS

WHERE NAME LIKE 'Ram%';

SELECT * FROM CUSTOMERS

WHERE SALARY LIKE '_50%';

```
SELECT * FROM CUSTOMERS;
```

```
SELECT * FROM CUSTOMERS  
LIMIT 4;
```

```
SELECT * FROM CUSTOMERS  
ORDER BY ID;
```

```
SELECT * FROM CUSTOMERS  
ORDER BY SALARY DESC;
```

```
SELECT name, SUM(SALARY) from CUSTOMERS  
GROUP BY NAME;
```

```
SELECT * FROM CUSTOMERS;
```

```
SELECT NAME FROM CUSTOMERS  
ORDER BY NAME;
```

```
SELECT DISTINCT NAME FROM CUSTOMERS  
ORDER BY NAME;
```

```
SELECT SALARY FROM CUSTOMERS  
ORDER BY SALARY;
```

```
SELECT DISTINCT SALARY FROM CUSTOMERS  
ORDER BY SALARY;
```

```
SELECT AGE FROM CUSTOMERS
```

```
ORDER BY AGE;
```

```
SELECT DISTINCT AGE FROM CUSTOMERS
```

```
ORDER BY AGE;
```

```
SELECT MIN(SALARY) AS
```

```
SALARY
```

```
FROM CUSTOMERS;
```

```
SELECT MIN(AGE) AS age
```

```
FROM CUSTOMERS;
```

```
SELECT MAX(SALARY) as salary
```

```
FROM CUSTOMERS;
```

```
SELECT MAX(NAME) AS name
```

```
FROM CUSTOMERS;
```

```
SELECT MAX(AGE) as age
```

```
FROM CUSTOMERS;
```

```
SELECT * FROM CUSTOMERS;
```

```
SELECT COUNT(ID)
```

```
FROM CUSTOMERS;
```

```
SELECT AVG(SALARY)
```

```
FROM CUSTOMERS;
```

```
SELECT AVG(AGE)
FROM CUSTOMERS;
```

```
SELECT SUM(AGE)
FROM CUSTOMERS;
```

```
SELECT SUM(SALARY)
FROM CUSTOMERS;
```