

```
class Person:

    def __init__(self, name, id):
        self.name = name
        self.id = id

    # To check if this person is an employee
    def Display(self):
        print(self.name, self.id)

class Emp(Person):

    def __init__(self, name, id):
        super().__init__(name, id)

    def Print(self):
        print("Emp class called")

Emp_details = Emp("Mayank", 103)

# Calling parent class function
Emp_details.Display()

# Calling child class function
Emp_details.Print()
```

```
def anagram_check(str1, str2):

    # Remove spaces and convert to lowercase
    str1 = str1.replace(" ", "").lower()
    str2 = str2.replace(" ", "").lower()

    if sorted(str1) == sorted(str2):
        print("The strings are Anagrams")
    else:
        print("The strings are not Anagrams")

str1 = input("Enter first string: ")
str2 = input("Enter second string: ")

anagram_check(str1, str2)
```

```
num = int(input("Enter a number: "))

original = num
```

```
~
digits = len(str(num))
sum = 0

while num > 0:
    digit = num % 10
    sum = sum + digit ** digits
    num = num // 10

if sum == original:
    print(original, "is an Armstrong Number")
else:
    print(original, "is not an Armstrong Number")
```

```
class Vehicle:

    # Default color is white
    color = "white"

    def __init__(self, max_speed, mileage):
        self.max_speed = max_speed
        self.mileage = mileage
        self.seating_capacity = 0

    # Method to assign seating capacity
    def assign_seating_capacity(self, seating_capacity):
        self.seating_capacity = seating_capacity

    # Method to display all properties
    def display_properties(self):
        print("Maximum Speed:", self.max_speed, "km/h")
        print("Mileage:", self.mileage, "km/l")
        print("Color:", self.color)
        print("Seating Capacity:", self.seating_capacity)
        print()

# First vehicle
car1 = Vehicle(200, 20)
car1.assign_seating_capacity(5)

# Second vehicle
car2 = Vehicle(180, 25)
car2.assign_seating_capacity(4)

# Display properties
print("Vehicle 1:")
car1.display_properties()

print("Vehicle 2:")
```

```
print(vehicle2) ,  
car2.display_properties()
```