


Скріншот 1: Активний аларм у CloudWatch на суму \$1.



✔ Billing charge!!!

[Actions ▼](#)[View ▼](#)[Investigate ▼](#)[Details](#)[Tags](#)[Mute rules - new](#)[Actions](#)[History](#)[Parent alarms](#)

Details

Name

Billing charge!!!

Type

Metric alarm

Description

No description

State

✔ OK

Threshold

EstimatedCharges > 1 for 1 datapoints within 6 hours

Actions

✔ Actions enabled

Last state update

2026-05-19 13:24:35 (UTC)

Namespace

AWS/Billing

Metric name

EstimatedCharges

Currency

USD

Statistic

Maximum

Period

6 hours

Datapoints to alarm

1 out of 1

Missing data treatment

Treat missing data as missing


Percentiles with low samples

evaluate

ARN

arn:aws:cloudwatch:us-east-1:720115910148:alarm:Billing charge!!!

Скріншот 2: Скріншот завантаженого файлу у S3 Бакет.



Скріншот 3: Список користувачів у IAM (має бути видно вашого адміна).

aws

Search

[Alt+S]

Global

SadSoup (720115910148)

root

IAM

>

IAM users

IAM users (1)

Info

Delete

Create user

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

Search

< 1 >

☐

User name

▲

☐

Path

▼

☐

Group:

▼

☐

Last activity

▼

☐

MFA

▼

☐

Password age

▼

☐

Console last sign-in

☐

[data_engineer_Marta](#)

/

1

✓ 1 hour ago

Passke...

✓ 1 hour

✓ 1 hour ago

aws

Search

[Alt+S]

Ask Amazon Q

Global

SadSoup (720115910148)

root

IAM

>

IAM users

>

data_engineer_Marta

data_engineer_Marta

Info

Delete

Summary

ARN
[arn:aws:iam::720115910148:user/data_engineer_Marta](#)

Console access
Enabled with MFA

Access key 1
[Create access key](#)

Created
May 19, 2026, 17:49 (UTC+03:00)

Last console sign-in
✓ Today

Permissions

Groups (1)

Tags

Security credentials

Last Accessed

Permissions policies (2)

Remove

Add permissions

Permissions are defined by policies attached to the user directly or through groups.

Filter by Type

Search

All types

< 1 >

☐

Policy name

↗

☐

Type

▼

☐

Attached via

↗

☐

[AdministratorAccess](#)

AWS managed - job function

Group [Admin](#)

Скріншот 4: Таблиця у Glue Catalog, яку створив кравлер (має бути видно структуру колонок та типів даних).

aws

Search

[Alt+S]

Ask Amazon Q

United States (N. Virginia)

SadSoup (720115910148)

data_engineer_Marta

≡

[AWS Glue](#)

>

[Tables](#)

>

myz_de2_2026

Schema

Partitions

Indexes

Column statistics - new

Schema (6)

Edit schema as JSON

Edit schema

View and manage the table schema.

Filter schemas

< 1 >

#	Column name	Data type	Partition key	Comment
1	id	bigint	-	-
2	sepalwidthcm	double	-	-
3	sepalwidthcm	double	-	-
4	petalwidthcm	double	-	-
5	petalwidthcm	double	-	-
6	species	string	-	-

Скріншот 5: Вікно результатів Athena з даними, які ви дістали з файлу.

The screenshot displays the Amazon Athena Query Editor interface. On the left, the 'Data' sidebar shows the configuration: Data source is 'AwsDataCatalog', Catalog is 'None', and Database is 'de2_l14_glue_db'. Under 'Tables and views', a table named 'myz_de2_2026' is listed. The main area shows 'Query 1' with the SQL statement: `SELECT * FROM myz_de2_2026 LIMIT 10`. The query status is 'Completed', with a 'Time in queue' of 112 ms, 'Run time' of 514 ms, and 'Data scanned' of 4.99 KB. The 'Query results' tab is active, displaying 10 results. The results table has columns: #, id, sepallengthcm, sepalwidthcm, petallengthcm, petalwidthcm, and species. The first four rows of data are visible, all belonging to the 'Iris-setosa' species.

#	id	sepallengthcm	sepalwidthcm	petallengthcm	petalwidthcm	species
1	1	5.1	3.5	1.4	0.2	Iris-setosa
2	2	4.9	3.0	1.4	0.2	Iris-setosa
3	3	4.7	3.2	1.3	0.2	Iris-setosa
4	4	4.6	3.1	1.5	0.2	Iris-setosa