

ECG Anomaly Detection — Session Report


Prepared for: Dr. Test • Session ID: 7af395b0 • Generated: 2026-06-20 04:35:28

Session Information

Patient / User	Demo Clinician
Source	synthetic-arrhythmia (—)
Started	2026-06-20 04:35:28
Ended	2026-06-20 04:35:56
Duration	27.7 s
Status	completed
Total beats analyzed	13,824
Anomalous beats	12,288 (88.89%)
Model	smoke-test-v4 (v1781929184) • 1D-Conv-Autoencoder
Detection threshold (MAE)	0.5428

ECG Recording & Detection Results

The following plot shows the recorded ECG signal (z-score normalized). Red-shaded regions indicate samples flagged as anomalous by the autoencoder (reconstruction error exceeding the trained threshold).



Alerts (192)

Time	Severity	Score	Threshold	Message
2026-06-20 04:35:29	warning	0.6365	0.5428	Abnormal ECG pattern detected (score=0.6365, threshold=0.5428)
2026-06-20 04:35:29	warning	0.6365	0.5428	Abnormal ECG pattern detected (score=0.6365, threshold=0.5428)
2026-06-20 04:35:29	warning	0.6365	0.5428	Abnormal ECG pattern detected (score=0.6365, threshold=0.5428)
2026-06-20 04:35:29	warning	0.6365	0.5428	Abnormal ECG pattern detected (score=0.6365, threshold=0.5428)

2026-06-20 04:35:29	warning	0.6365	0.5428	Abnormal ECG pattern detected (score=0.6365, threshold=0.5)
2026-06-20 04:35:29	warning	0.6365	0.5428	Abnormal ECG pattern detected (score=0.6365, threshold=0.5)
2026-06-20 04:35:29	warning	0.6365	0.5428	Abnormal ECG pattern detected (score=0.6365, threshold=0.5)
2026-06-20 04:35:29	warning	0.6365	0.5428	Abnormal ECG pattern detected (score=0.6365, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:30	warning	0.6092	0.5428	Abnormal ECG pattern detected (score=0.6092, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:31	warning	0.6012	0.5428	Abnormal ECG pattern detected (score=0.6012, threshold=0.5)
2026-06-20 04:35:32	warning	0.6106	0.5428	Abnormal ECG pattern detected (score=0.6106, threshold=0.5)
2026-06-20 04:35:32	warning	0.6106	0.5428	Abnormal ECG pattern detected (score=0.6106, threshold=0.5)
2026-06-20 04:35:32	warning	0.6106	0.5428	Abnormal ECG pattern detected (score=0.6106, threshold=0.5)
2026-06-20 04:35:32	warning	0.6106	0.5428	Abnormal ECG pattern detected (score=0.6106, threshold=0.5)
2026-06-20 04:35:32	warning	0.6106	0.5428	Abnormal ECG pattern detected (score=0.6106, threshold=0.5)
2026-06-20 04:35:32	warning	0.6106	0.5428	Abnormal ECG pattern detected (score=0.6106, threshold=0.5)

... and 162 more alerts not shown.

Clinical Summary

88.9% of analyzed samples were flagged as anomalous, suggesting sustained abnormal ECG morphology. Urgent cardiology review is recommended.

Physician Notes

Test notes

Physician signature: _____

Date: _____

This report is generated automatically by an unsupervised deep-learning anomaly detection system and is intended for decision support only. It does not constitute a medical diagnosis and should not replace clinical judgment by a qualified physician.