



Weekly SOC Report

Executive Report — Management Summary

Prepared for: Northwind Trading Co.

Prepared by: Contoso MSSP

Data source: WAZUH (wazuh_sample.json)

Reporting period: 2026-09-20 to 2026-09-27

Generated: 2026-09-27 05:23 UTC


OVERALL SECURITY POSTURE

Critical attention required

Derived from 350 analyzed alerts (31 Critical, 66 High, 61 Medium, 192 Low) and 6 correlated attack-shaped source/rule cluster(s).

CONFIDENTIAL — This report is generated automatically from uploaded security telemetry. AI-assisted content is evidence-bound: every finding cites underlying event IDs. Recommended actions are recommendations for a human analyst, not statements of fact or automated changes.

1. Executive Summary



This report covers 350 Wazuh alerts. Of these, 97 are High or Critical severity (31 Critical, 66 High) and warrant analyst attention. The dominant recurring pattern is "Recurring rule "sshd: Attempt to login using a non-existent user" (rule 5710)" (109 alerts; evidence 1691000002.961578, 1691000003.638747, 1691000004.679904, 1691000012.789275). 6 high-volume low/medium-severity rule(s) are flagged as false-positive / tuning candidates for analyst review. All statements above are derived solely from the uploaded evidence; no external threat intelligence, IOCs, or incident conclusions have been added.

What management should know

- 350 total alerts were normalized from the upload spanning 2026-09-20 to 2026-09-27.
- Severity breakdown — Critical: 31, High: 66, Medium: 61, Low: 192.
- The most active source/rule cluster is 50.48.207.164 -> "sshd: Attempt to login using a non-existent user" with 29 alerts (evidence: 1691000013.989255, 1691000018.645314, 1691000023.307192, 1691000029.659228, 1691000034.230081).

2. Security Posture


Severity distribution



Alert activity

- Repeated activity: 350 alerts belong to rule signatures that fired 3 or more times in this dataset.
- Lower-frequency activity: 0 alerts from rule signatures seen only once or twice in this dataset. (This reflects in-dataset frequency, not novelty versus a prior report — see Historical Comparison for newly appearing categories.)

Daily alert trend



3. Historical Comparison

Historical comparison unavailable. No previous report exists for this data source yet.

4. Alert & Incident Analysis

Top alert types

Value	Alerts
sshd: Attempt to login using a non-existent user	109
sshd: Multiple authentication failures (possible brute force)	66
Multiple web server 400 error codes from same source ip	41
PAM: Login session opened	32
Successful sudo to ROOT executed	29

Top source IPs

Value	Alerts
50.48.207.164	50
126.139.169.49	41
102.97.134.140	33
107.41.222.56	1
109.96.176.177	1

Top affected hosts

Value	Alerts
app01	52
app02	50
bastion01	46
web02	46
db01	44

5. Top Security Findings

Finding	Severity	Confidence
Recurring Critical alert: "Windows: Malware detected by Windows Defender"	Critical	Medium
Recurring Critical alert: "Possible exploitation of public-facing application (SQLi pattern)"	Critical	Medium
Recurring High alert: "sshd: Multiple authentication failures (possible brute force)"	High	Medium
Repeated "sshd: Multiple authentication failures (possible brute force)" from 50.48.207.164	High	High
Repeated "sshd: Multiple authentication failures (possible brute force)" from 126.139.169.49	High	High
Repeated "sshd: Multiple authentication failures (possible brute force)" from 102.97.134.140	High	High
Repeated "sshd: Attempt to login using a non-existent user" from 50.48.207.164	Low	High
Repeated "sshd: Attempt to login using a non-existent user" from 126.139.169.49	Low	High
Repeated "sshd: Attempt to login using a non-existent user" from 102.97.134.140	Low	High

6. Recurring Patterns

- Recurring rule "sshd: Attempt to login using a non-existent user" (rule 5710) — 109 alerts [Low]
- Recurring rule "sshd: Multiple authentication failures (possible brute force)" (rule 5712) — 66 alerts [High]
- Recurring rule "Multiple web server 400 error codes from same source ip" (rule 31151) — 41 alerts [Medium]
- Recurring rule "PAM: Login session opened" (rule 5501) — 32 alerts [Low]
- Repeated "sshd: Attempt to login using a non-existent user" from source IP 50.48.207.164 — 29 alerts [Low]

7. False-Positive / Tuning Candidates

Flagged for analyst review — these are CANDIDATES, not determinations. Analyst validation required.

6 high-volume low/medium-severity rule(s) flagged for tuning review.

8. MITRE ATT&CK Mapping

Tactic	Technique	ID	Confidence	Alerts
Credential Access	Brute Force	T1110	high	175
Reconnaissance	Active Scanning	T1595	high	41
Privilege Escalation	Sudo and Sudo Caching	T1548.003	high	29
Privilege Escalation	Abuse Elevation Control Mechanism	T1548	medium	29
Execution	Command and Scripting Interpreter	T1059	high	19
Initial Access	Exploit Public-Facing Application	T1190	high	12

9. Recommended Actions (Management Action Plan)

AI-assisted recommendations for a human analyst — not statements of fact and not automated changes.

Pri	Finding	Recommended action	Owner	Status
P1	Recurring Critical alert: "Windows: Malware detected by Windows Defender"	Triage the affected host per the incident-response runbook; run a full anti-malware scan; verify containment and remediation.	Incident Response	open
P1	Recurring Critical alert: "Possible exploitation of public-facing application (SQLi pattern)"	Review web/application logs for signs of successful exploitation; ensure the public-facing application is patched; engage AppSec.	AppSec / Incident Response	open
P2	Recurring High alert: "sshd: Multiple authentication failures (possible brute force)"	Review authentication activity from the cited source(s); consider temporary blocking at the firewall/WAF; confirm account-lockout thresholds are enforced and check whether any authentication succeeded after the attempts.	SOC Analyst / Identity Team	open
P2	Repeated "sshd: Multiple authentication failures (possible brute force)" from 50.48.207.164	Review authentication activity from the cited source(s); consider temporary blocking at the firewall/WAF; confirm account-lockout thresholds are enforced and check whether any authentication succeeded after the attempts.	SOC Analyst / Identity Team	open
P2	Repeated "sshd: Multiple authentication failures (possible brute force)" from 126.139.169.49	Review authentication activity from the cited source(s); consider temporary blocking at the firewall/WAF; confirm account-lockout thresholds are enforced and check whether any authentication succeeded after the attempts.	SOC Analyst / Identity Team	open
P2	Repeated "sshd: Multiple authentication failures (possible brute force)" from 102.97.134.140	Review authentication activity from the cited source(s); consider temporary blocking at the firewall/WAF; confirm account-lockout thresholds are enforced and check whether any authentication succeeded after the attempts.	SOC Analyst / Identity Team	open
P4	Repeated "sshd: Attempt to login using a non-existent user" from 50.48.207.164	Analyst to review the cited events and determine disposition.	SOC Analyst	open
P4	Repeated "sshd: Attempt to login using a non-existent user" from 126.139.169.49	Analyst to review the cited events and determine disposition.	SOC Analyst	open
P4	Repeated "sshd: Attempt to login using a non-existent user" from 102.97.134.140	Analyst to review the cited events and determine disposition.	SOC Analyst	open