Web and Mobile Technology - SE2020

This course is hidden and cannot be accessed by students. Click here to update settings ×

Question 1

Not yet answered

Marked out of 1.00

Which of the following is the correct syntax to link an external CSS file in HTML?

Select one:

- a. <script src="style.css"></script>
- b. <link rel="stylesheet" type="text/css" href="style.css">
- c. <style src="style.css"></style>
- d. <style href="style.css">
- e. None of the mentioned.

Question **2**

Not yet answered

Marked out of 1.00

```
<!DOCTYPE html>
<html>
<head>
<style>
.container div {
  color: red;
}
.highlight {
  color: blue;
}
</style>
</head>
<body>
<div class="container">
  <div>Item 1</div>
  <div class="highlight">Item 2</div>
</div>
</body>
</html>
```

What will be the color of the text displayed?

Select one or more:

- ☐ a. Item 2 will appear blue because the .highlight class overrides the inherited style.
- ☐ b. Both Item 1 and Item 2 will appear blue.
- ☐ c. The code will produce a CSS syntax error.
- ☐ d. Item 1 will appear red.
- ☐ e. Both Item 1 and Item 2 will appear red.

Question **3**

Not yet answered

Marked out of 1.00

JavaScript popup boxes are,

i. alert box
ii. confirm box
iii. set-up box
iv. prompt box
v. text box

Select one:

- a. i,ii and iii
- b. i and ii
- c. i, ii and iv
- d. ii and iv
- e. iii, iv and v

Question **4**

Not yet answered

Marked out of 1.00

A very large Web site may be spread over a number of _____ in different geographic locations.

Select one:

- a. clients
- b. servers
- c. proxies
- d. protocols
- e. None of the above

Question **5**

Not yet answered

Marked out of 1.00

```
<a href="example.html">
<img border="0" src="myfile.gif" width="50" height="100">
</a>
```

Above code segment is used to display,

Select one:

- a. An image only
- b. An image in a table
- c. An image as link
- d. An image as an external css
- e. An image as an external JavaScript

Question **6**

Not yet answered

Marked out of 1.00

Consider the following code snippet , What will be the out put when you click on "Click to Change" button ?

```
<!DOCTYPE html>
<button onclick="changeColor()">Click to change</button>
<script>
 function changeColor(){
 let divset= document.getElementsByTagName("div");
        for(let i=0 ;i<divset.length;i++){
           if(i%2==0)
            divset[i].style.color="pink";
            else
            divset[i].style.color="blue";
        }
}
</script>
```

What would be the output of this code ?

Select one or more:

- ☐ a. When the button is clicked, **odd indexed** `<div>` **elements become pink and even indexed** `<div>` **elements become blue**.
- ☐ b. When the button is clicked, very first `<div>` **elements become pink** .
- ☐ c. When the button is clicked, all `<div>` elements change their text color to **pink**
- ☐ d. When the button is clicked, all `<div>` elements change their text color to **blue**
- ☐ e. When the button is clicked, **even indexed** `<div>` **elements become pink and odd indexed** `<div>` **elements become blue**.

Question **7**

Not yet answered

Marked out of 1.00

Consider the following code snippet , What will be the out put ?

```
<!DOCTYPE html>
<html>
<body>
<script>
function myFunction() {
  var cars = ["BMW", "Volvo", "Saab", "Ford","Audi"];
  var text = "";
  var i;
  for (i = 0; i < cars.length; i++) {
    if (cars[i] == "Saab" || cars[i] == "Audi" ) {
      cars[i] = "Merc"
    }
    text += cars[i] + "<br>";
  } document.write(text);
 }myFunction();
</script>
</body>
</html>
```

Select one:

- a. BMW
  Volvo
  Merc
  Ford
  Merc
- b. BMW
  Volvo
  Merc

Ford

c. BMW
Volvo
Saab
Ford
Audi

d. BMW,Volvo,Merc,Ford,Merc,

e. BMW Volvo Saab Ford Audi

Question **8**

Not yet answered

Marked out of 1.00

In case mouse moves over a link, _____ event will be detected.

Select one:

a. All of the given

b. onMouseOver

c. onClick

d. onRollOver

e. overMouse

Question **9**

Not yet answered

Marked out of 4.00

```
let buttons = document.querySelectorAll(".btn");
buttons.addEventListener("click", function(){
   console.log("Clicked");
});
```

What is/are true about above code segment ?

- ☐ A. function should implement explicitly
- ☐ B. `click` event cannot be used here
- ☐ C. `querySelectorAll` returns a NodeList
- ☐ D. `.btn` selector is incorrect
- ☐ E. `addEventListener` cannot be applied directly to NodeList

Question **10**

Not yet answered

Marked out of 1.00

```
let i = 1;
let text = "";
while (i <= 5) {
  if (i == 3) {
    i++;
    continue;
  }
  text += i + " ";
  i++;
}
console.log(text);
```

Which of the following statements are correct?

Select one or more:

- ☐ a. The loop will stop when i becomes 3.
- ☐ b. The output will be "1 2 4 5 ".
- ☐ c. The output will be "1 2 3 4 5 ".
- ☐ d. The output will be "1 2 3 "
- ☐ e. The number 3 is skipped because of the continue statement.

Question **11**

Not yet answered

Marked out of 1.00

Select the **incorrect** statement associated with javascripts.

Select one:

- a. Script execute without preliminary compilation
- b. It is a lightweight programming language
- c. Everyone can use it without purchasing a license
- d. Usually embedded directly into HTML pages
- e. Need computer processer for preliminary compilation

Question **12**

Not yet answered

Marked out of 1.00

Select the most suitable setup to simulate a private network over a public network

Select one:

- a. A extranet
- b. A virtual private network
- c. A wide area network
- d. A intranet
- e. None of the answers

Question **13**

Not yet answered

Marked out of 1.00

```
<!DOCTYPE html>
<html>
<head>
<style>
#title {
  color: green;
}
.text {
  color: red;
}
p {
  color: blue;
}
</style>
</head>
<body>
<p id="title" class="text">Hello World</p>
</body>
</html>
```

Which of the following statements are correct?

Select one or more:

- ☐ a. The text "Hello World" will appear green.
- ☐ b. The text will appear red because class selectors override ID selectors
- ☐ c. The text will appear blue because element selectors override ID selectors.
- ☐ d. The ID selector has higher specificity than class and element selectors.
- ☐ e. The browser will throw a CSS error because both id and class are used together.

Question **14**

Not yet answered

Marked out of 1.00

Which of the following is not a browser ?

Select one:

- a. Opera
- b. Netscape Navigator
- c. Chrome
- d. Microsoft Bing
- e. FireFox