SMART RECRUITMENT MANAGEMENT SYSTEM

A PROJECT REPORT

Submitted by

SADHANA M

(241401085)

in partial fulfilment of the End Semester Examination for the course

CB23F35 – LOW-CODE APPLICATION DEVELOPMENT USING ZOHO CREATOR

in

BACHELOR OF TECHNOLOGY
COMPUTER SCIENCE AND BUSINESS SYSTEMS



RAJALAKSHMI ENGINEERING COLLEGE

(An Autonomous Institution, Affiliated to Anna University, Chennai)
Rajalakshmi Nagar, Thandalam, Tamil Nadu – 602 105

NOVEMBER 2026

RAJALAKSHMI ENGINEERING COLLEGE

(An Autonomous Institution, Affiliated to Anna University, Chennai)

BONAFIDE CERTIFICATE

Certified that this project report titled “SMART RECRUITMENT MANAGEMENT SYSTEM” is the bonafide work of SADHANA M (241401085), who carried out the individual project work on the Zoho Creator low-code platform for the course CB23F35 – Low-Code Application Development using Zoho Creator, during the academic year 2026–2027, Semester V, under my supervision.

SIGNATURE

Dr. K.R. SOWMIA, Ph.D.
HEAD OF THE DEPARTMENT
Department of Computer Science and Business Systems
Rajalakshmi Engineering College
Thandalam – 602 105

SIGNATURE

M. L. Alphin Ezhil Manuel
COURSE FACULTY
Assistant Professor (SG)
Department of Computer Science and Business Systems
Rajalakshmi Engineering College

Submitted for the End Semester Examination (Individual Project) held on 03 November 2026.

INTERNAL EXAMINER

EXTERNAL EXAMINER

DECLARATION

I, SADHANA M (241401085), hereby declare that the project report titled “SMART RECRUITMENT MANAGEMENT SYSTEM”, submitted for the End Semester Examination of the course CB23F35 – Low-Code Application Development using Zoho Creator, is a record of original work carried out by me individually. The Zoho Creator application described in this report — including its forms, reports, dashboard, Deluge functions, workflows, approvals, roles and integration connections — was designed and developed by me.

I further declare that this work has not been submitted, in part or in full, for the award of any other degree or course credit. Every template, sample application, code snippet or external resource used in this work has been duly acknowledged in the report.

Place: Chennai
Date: 03 November 2026

SIGNATURE OF THE STUDENT
SADHANA M
241401085

ACKNOWLEDGEMENT

I express my sincere gratitude to our Chairman Mr. S. Meganathan, B.E., F.I.E., Chairperson Dr. Thangam Meganathan and Vice-Chairman Mr. Abhay Shankar Meganathan, B.E., M.S. for providing the infrastructure and facilities that made this work possible.

I am grateful to our Principal, Dr. S.N. Murugesan, M.E., Ph.D., Rajalakshmi Engineering College, for the constant encouragement extended to students to take up industry-relevant learning.

I thank Dr. K.R. Sowmia, Ph.D., Head of the Department, Department of Computer Science and Business Systems, for the guidance and support provided throughout the course.

I owe my sincere thanks to my course faculty, M. L. Alphin Ezhil Manuel, Assistant Professor (SG), for the valuable guidance, reviews and feedback that shaped this application and report.

I also acknowledge Zoho Corporation for providing access to the Zoho Creator platform and learning resources, and I thank my family and friends for their unwavering support.

SADHANA M

ABSTRACT

Recruitment in many organisations is still handled through scattered application emails, spreadsheets and messaging groups. Candidate details, interview schedules and onboarding records are stored in separate files, so the human resources (HR) team spends considerable effort consolidating data, reviewing applications and preparing summaries, while managers have little real-time visibility of the hiring pipeline.

This project presents the Smart Recruitment Management System, a low-code application built on Zoho Creator. The application contains three forms (Candidate Registration, Interview Schedule and Employee Onboarding), list, Kanban and card-layout reports, and a Smart Recruitment Dashboard that shows total candidates, total applications, applications under review and shortlisted candidates together with charts by department and application status. An approval process lets HR review each candidate registration, and four form workflows set the pending status, notify HR by a Deluge e-mail script, notify the administrator through a Send mail action and synchronise the candidate to Zoho Recruit. A schedule workflow named Daily Recruitment Summary is configured, a Deluge function counts the registered candidates, and roles, permission profiles and a data-sharing rule control access to the data.

The screenshots supplied for this project show that records were created and listed in the reports, that approval requests were generated and one was completed, that a registration notification e-mail was received in a mailbox and matches the configured Send mail action, and that the dashboard totals match the stored records. The Zoho Recruit connection is shown as connected and authorised; however, the Zoho Recruit candidate list shows one candidate against ten in Zoho Creator, so complete end-to-end synchronisation is reported as configured but not fully verified. The user list shows a single Super Admin user, so role-based access is configured but not tested with separate logins. The report records the work honestly, distinguishing configured features from features whose operation was observed.

Keywords: Low-Code Development; Zoho Creator; Recruitment Management; Zoho Recruit; Deluge Scripting; Workflow Automation; Role-Based Access Control

PROJECT AT A GLANCE

Attribute	Details
Project Title	SMART RECRUITMENT MANAGEMENT SYSTEM
Application Domain	Human Resources – Recruitment and Onboarding
Student Name & Roll No.	SADHANA M – 241401085
Platform	Zoho Creator (trial edition; the application header shows "Trial expires in 15 days" on 01 November 2026)
Application Name	Smart Recruitment Management System (short name: SRM)
Published / Live URL	https://creatorapp.zoho.in/ sadhana.m.2024.csbs_rajal463/smart-recruitment-management-system
Demo Credentials	Provided to the examiner at the demonstration (not printed in this report)
Number of Forms / Subforms	3 / none observed
Number of Reports (by type)	6 – List: 4 (All Job Applications, All Candidates List, All Interviews, Employee Onboarding List); Kanban: 1; Card layout: 1 (Candidates by Job Role)
Pages / Dashboards	1 – Smart Recruitment Dashboard
Workflows	Form: 4 (Set Pending Status on Submit, Send Email to HR on New Application, notify customers, Sync_Candidate_To_Zoho_Recruit) | Schedule: 1 (Daily Recruitment Summary) | Approval: 1 (HR approvals)
Deluge Functions and Scripts	getCandidateCount() (returns the number of candidate records); one test function executed successfully during development; one sendmail script in the workflow Send Email to HR on New Application
Integrations	Zoho Recruit (connection shown as Connected); Zoho Analytics connection (shown as Connected, usage not shown)
Roles & Permission Profiles	Roles: CEO, Manager, employee | Profiles: manager, sadhana, Write | Data-sharing rule: 1 on Candidate Registration
Users in the Account	1 – SADHANA M 241401085 (Super Admin, Active)
Environments	Development (trial) → Stage → Production; version 1.0 is shown in both Stage (Nov 01, 2026) and Production (Figure 7.2)

TABLE OF CONTENTS

ABSTRACT iv

PROJECT AT A GLANCE v

INTRODUCTION 1

1.1 Background 1

1.2 Problem Statement 1

1.3 Objectives 1

1.4 Scope of the Project 2

1.5 Justification for a Low-Code Approach 2

1.6 Technology Stack Summary 2

1.7 Organisation of the Report 3

LITERATURE SURVEY AND SYSTEM STUDY 4

2.1 Study of the Existing System 4

2.2 Limitations of the Existing System 4

2.3 Technology Background 4

2.4 Literature Survey 4

2.5 Proposed System 5

2.6 Comparison of Recruitment Management Approaches 5

REQUIREMENT ANALYSIS 7

3.1 Stakeholders and User Roles 7

3.2 Functional Requirements 7

3.3 Non-Functional Requirements 8

3.4 Hardware and Software Requirements 8

3.5 Use Case Model 8

3.6 Business Rules and Assumptions 9

3.7 Feasibility Study 9

SYSTEM DESIGN 11

4.1 System Architecture 11

4.2 Data Model 11

4.3 Form Design 12

4.4 Process and Workflow Design 13

4.5 User Interface and Navigation Design 15

4.6 Access Control Design 15

4.7 Data Integrity and Validation Considerations 15

IMPLEMENTATION 17

5.1 Application Setup 17

5.2 Forms and Data Capture 17

5.3 Reports 20

5.4 Dashboard 24

5.5 Approvals 25

5.6 Workflows and Automation 27

5.7 Deluge Scripting and Functions 29
5.8 Notifications 32
5.9 Integration Configuration 33
5.10 User Management and Role-Based Access 35
TESTING AND OBSERVATIONS 38
6.1 Testing Strategy 38
6.2 Test Cases and Results 38
6.3 Observations and Improvements 39
6.4 Sample Data Used in Testing 40
6.5 Requirements Traceability 41
DEPLOYMENT, SECURITY AND GOVERNANCE 42
7.1 Environments and Deployment Status 42
7.2 Security Features 43
7.3 Governance and Administration 43
7.4 Risks and Mitigation 43
RESULTS AND DISCUSSION 45
8.1 Application Output 45
8.2 Achievement of Objectives 45
8.3 Comparison with the Existing System 45
8.4 Advantages and Limitations 46
8.5 Discussion 46
8.6 Supporting Evidence of the Results 47
CONCLUSION AND FUTURE ENHANCEMENTS 48
9.1 Conclusion 48
9.2 Future Enhancements 48
9.3 Learning Outcomes and Career Relevance 49
REFERENCES 50
APPENDIX A – ZOHO CREATOR FEATURE COVERAGE CHECKLIST 51
APPENDIX B – COURSE OUTCOME MAPPING 53
APPENDIX C – COMPLETE DELUGE SOURCE CODE 54
C.1 Workflow “Send Email to HR on New Application” (Candidate Registration form) 54
C.2 Function getCandidateCount() 54
C.3 Test function CheckJobApplication() 55
C.4 Workflow “notify customers” – Send mail action 55
APPENDIX D – USER MANUAL 56
D.1 Accessing the Application 56
D.2 Instructions for the HR / Administrator 56
D.3 Instructions for the Manager 56
D.4 Instructions for the Candidate 57

LIST OF TABLES

Table 1.1: Technology Stack of the Application 2
Table 2.1: Summary of Literature Survey 4
Table 2.2: Comparison of Three Approaches to Recruitment Management 5
Table 3.1: Stakeholders and User Roles 7
Table 3.2: Functional Requirements 7
Table 3.3: Non-Functional Requirements 8
Table 3.4: Hardware and Software Requirements 8
Table 3.5: Use Case Description – Register as a Candidate 8
Table 3.6: Use Case Description – Review a Registration 9
Table 3.7: Business Rules and Assumptions 9
Table 4.1: Forms and Their Purpose 12
Table 4.2: Field Specification – Candidate Registration Form 12
Table 4.3: Field Specification – Interview Schedule Form 13
Table 4.4: Field Specification – Employee Onboarding Form 13
Table 4.5: Design of the Workflows and Approval 14
Table 4.6: Access Control Configuration Observed 15
Table 5.1: Reports Implemented 20
Table 5.2: Workflows Implemented 27
Table 5.3: Explanation of the Send Email to HR Script 29
Table 5.4: Deluge Functions and Scripts Implemented 32
Table 5.5: E-mail Routes of the Application 33
Table 6.1: Test Cases and Observed Results 38
Table 6.2: Configured Features Not Fully Verified by the Supplied Material 39
Table 6.3: Observations from Testing and Suggested Improvements 39
Table 6.4: Candidate Records Observed in the Reports 41
Table 6.5: Traceability of Functional Requirements to Evidence 41
Table 7.1: Security Controls Observed 43
Table 7.2: Risks and Mitigation 44
Table 8.1: Mapping of Objectives to Outcomes 45
Table 8.2: Existing System versus Proposed Application 45
Table 9.1: Priority of Future Enhancements 48
Table A.1: Feature Coverage Checklist 51
Table B.1: Mapping of Course Outcomes to Report Chapters 53

LIST OF FIGURES

Figure 4.1: System Architecture of the Application 11
Figure 4.2: Workflow / Process Flow of the Recruitment Process 14
Figure 5.1: Candidate Registration Form in Live Mode (Personal Details) 17
Figure 5.2: Candidate Registration Form in Live Mode (Professional Details and Consent) 18
Figure 5.3: Candidate Registration Form in the Form Builder (Field Properties of Candidate_Name) 18
Figure 5.4: Interview Schedule Form in Live Mode 19
Figure 5.5: Interview Schedule Form in the Form Builder (Field Properties of Candidate Name) 19
Figure 5.6: Employee Onboarding Form in Live Mode 20
Figure 5.7: Employee Onboarding Form in the Form Builder (Field Properties of Designation) 20
Figure 5.8: All Job Applications Report (List) 21
Figure 5.9: Kanban Report Grouping Candidates by Department 22
Figure 5.10: Kanban Properties of the Candidate Report 22
Figure 5.11: All Candidates List Report 23
Figure 5.12: Candidates by Job Role Report (Card Layout) 23
Figure 5.13: All Interviews Report 24
Figure 5.14: Employee Onboarding List Report 24
Figure 5.15: Smart Recruitment Dashboard – KPI Panels and Charts 25
Figure 5.16: Smart Recruitment Dashboard – Filters and Embedded Report 25
Figure 5.17: Approval Process “HR approvals” for Candidate Registration 26
Figure 5.18: Approvals – Pending Tasks 26
Figure 5.19: Approvals – Completed Tasks 27
Figure 5.20: Form Workflows Page Showing Workflows of Candidate Registration 28
Figure 5.21: Schedule Workflow – Daily Recruitment Summary 28
Figure 5.22: Deluge Script of the Workflow Send Email to HR on New Application 29
Figure 5.23: Functions Page Showing getCandidateCount() 30
Figure 5.24: Deluge Editor – getCandidateCount() 30
Figure 5.25: Create Function Dialog (Execute a Function When Called) 31
Figure 5.26: Deluge Test Function Executed Successfully 31
Figure 5.27: Send Email Action of the Workflow notify customers 32
Figure 5.28: Registration Notification E-mail Received in Gmail 33
Figure 5.29: Connections Configured in Zoho Creator 34
Figure 5.30: Zoho Recruit Connection – Details and Connection Access 34
Figure 5.31: Candidates Page in Zoho Recruit 35
Figure 5.32: All Users Page of the Zoho Creator Account (Super Admin) 35
Figure 5.33: Permission Profiles in Application Settings 36
Figure 5.34: Role Hierarchy of the Application 36
Figure 5.35: Data Sharing Rule on the Candidate Registration Form 37
Figure 7.1: Environments Page – Production Version 1.0 and Development App Being Created 42
Figure 7.2: Environments Page – Version 1.0 in Stage and Production 43
Figure 8.1: Candidate Record Listed on the Candidates Page of Zoho Recruit 47
Figure 8.2: Registration Notification E-mail Received in Gmail 47

LIST OF ABBREVIATIONS

Abbreviation	Expansion
API	Application Programming Interface
ATS	Applicant Tracking System
BR	Business Rule
CRUD	Create, Read, Update, Delete
FR	Functional Requirement
HR	Human Resources
KPI	Key Performance Indicator
NFR	Non-Functional Requirement
OAuth	Open Authorization
RBAC	Role-Based Access Control
SRM	Smart Recruitment Management (System)
UI	User Interface
URL	Uniform Resource Locator

CHAPTER 1
INTRODUCTION

1.1 Background

Recruitment is the process by which an organisation attracts, evaluates and hires people for open positions. A typical process includes collecting candidate details, reviewing applications, scheduling interviews and, for selected candidates, preparing the onboarding record. The HR team, the hiring managers and the candidates each need a different view of the same information.

In a manual process these steps are handled through e-mails, spreadsheets and messages. This project builds the Smart Recruitment Management System on Zoho Creator, a low-code platform, so that candidate registration, approval, interview scheduling, onboarding and reporting are handled in one connected application.

1.2 Problem Statement

There is no single place in which a candidate's details, the review decision, the interview schedule and the onboarding record are connected. As a result:

- Candidate data is entered and stored in several files, which leads to duplication and inconsistent records.
- HR has no structured approval trail showing which candidate registrations are pending and which have been reviewed.
- Managers cannot see the number of candidates, applications under review or shortlisted candidates without preparing a report manually.
- Notifications to HR and the transfer of candidate data to a recruitment system depend on manual effort.
- Anyone holding a shared file can view or change every record, because there is no role-based access control.

1.3 Objectives

- To design forms that capture candidate registration, interview scheduling and employee onboarding data.
- To provide an approval process through which HR reviews every candidate registration.
- To automate status setting, HR e-mail notification and candidate synchronisation to Zoho Recruit using workflows.
- To provide reports and a dashboard that give a live view of candidates, applications, interviews and onboarding records.
- To use Deluge scripting for a reusable function that counts candidate records and for the HR notification e-mail.
- To control access to the data using roles, permission profiles and data-sharing rules.

1.4 Scope of the Project

In scope: three forms (Candidate Registration, Interview Schedule, Employee Onboarding); six reports; one dashboard page; one approval process; four form workflows and one schedule workflow; one Deluge function for counting candidates and one Deluge e-mail script; a connection to Zoho Recruit; and role-based access settings. The application is used through the Zoho Creator web interface.

Out of scope for the present work, because it is not shown in the project material: resume upload and parsing, online assessments, customer portal access and a verified two-way synchronisation with Zoho Recruit. Some of these are listed as future enhancements in Section 9.2.

1.5 Justification for a Low-Code Approach

Low-code development suits this problem for the following reasons [1], [2]. First, the data model is form-centred, which maps directly to the visual form builder of Zoho Creator. Second, approvals, workflows and schedules are configured visually and extended with Deluge only where needed, which shortens development time. Third, hosting, security and access control are provided by the platform, so no separate server has to be maintained. Finally, because recruitment rules change often, an application that can be modified quickly by a non-specialist developer is appropriate.

1.6 Technology Stack Summary

The application is assembled entirely from platform components. Table 1.1 lists each layer of the solution and the way it is used in this project, so that the reader can relate every later chapter to a concrete technology.

Table 1.1: Technology Stack of the Application

Layer	Technology	Use in this Project
Application platform	Zoho Creator (trial edition)	Hosts the forms, reports, dashboard page, workflows, approvals and settings
Scripting	Deluge	getCandidateCount() function; sendmail script of the HR notification workflow
Data capture	Forms	Candidate Registration, Interview Schedule and Employee Onboarding
Presentation	List, Kanban and card reports; dashboard page	Live views of the stored records, KPI panels and charts
Process control	Approvals, form workflows, schedule	HR review requests, status setting, e-mail notification, daily summary
Integration	Connections to Zoho Recruit and Zoho Analytics	Transfer of candidate data to the applicant tracking system
Notification	Zoho Creator mail service	Registration notification e-mail to the administrator
Access control	Roles, permission profiles, data-sharing rule	Restricts who can read and change Candidate Registration records
Client	Google Chrome on Windows	Used to build, test and capture the screenshots

1.7 Organisation of the Report

Chapter 2 reviews the existing system and related literature. Chapter 3 presents the requirement analysis. Chapter 4 describes the system design. Chapter 5 details the implementation on Zoho Creator, with screenshots placed beside the feature they show. Chapter 6 covers testing and observations. Chapter 7 discusses deployment, security and governance. Chapter 8 presents results and discussion, and Chapter 9 concludes the report with future enhancements.

CHAPTER 2
LITERATURE SURVEY AND SYSTEM STUDY

2.1 Study of the Existing System

In a conventional manual recruitment process, candidates send their details by e-mail or on a paper form. The HR team copies the details into a spreadsheet, forwards selected profiles to managers, arranges interviews through e-mails or calls, and later records the selected candidates for onboarding in another file. Each step uses a different file or tool.

2.2 Limitations of the Existing System

- Data is duplicated across files, so the same candidate may have conflicting entries.
- There is no approval trail or status tracking for candidate registrations.
- Notifications to HR depend on manual forwarding of e-mails.
- Summaries such as the number of candidates by department must be prepared by hand and are not available in real time.
- There is no access control: every user of a shared file can edit every record.

2.3 Technology Background

Zoho Creator. A low-code platform for building web and mobile business applications. Applications are built from forms, reports, pages, workflows and settings, and are hosted by the platform [2].

Deluge. The scripting language of Zoho Creator. It is used in workflows and in functions for fetching records, applying conditions, sending mail and calling other services [3].

Zoho Recruit. An applicant tracking system from Zoho Corporation, used to manage candidates, job openings and interviews [7]. In this project it is connected to Zoho Creator through a connection so that candidate data can be sent to it.

2.4 Literature Survey

Table 2.1: Summary of Literature Survey

No.	Author(s) / Source & Year	Title / Product	Key Findings	Relevance to this Project
1	W. Rosam and O. Kalnichevski, BPB Publications [1]	Low-Code Development: A Practical Guide	Explains low-code concepts, benefits and limits, and how business users and developers share the work	Basis for the justification in Section 1.5 and the limitations in Section 8.4
2	Zoho Corporation, online documentation [2]	Zoho Creator Help Documentation	Describes forms, reports, pages, workflows, roles and integrations of Zoho Creator	Reference for every component built in Chapter 5
3	Zoho Corporation, online documentation [3]	Deluge Script Reference Guide	Describes the syntax, tasks and integration statements of Deluge	Reference for the scripting in Section 5.7

No.	Author(s) / Source & Year	Title / Product	Key Findings	Relevance to this Project
4	Zoho Corporation, learning resources [4]	Zoho Creator Learning Centre	Guided tutorials and examples of applications built in Zoho Creator	Guided the form, report and workflow design
5	Y. Luo, P. Liang, C. Wang, M. Shahin and J. Zhan, 2021 [5]	Characteristics and Challenges of Low-Code Development: The Practitioners' Perspective	Analyses practitioner discussions and reports the characteristics and challenges of low-code development	Informs the limitations in Section 8.4
6	M. A. Al Alamin et al., 2021 [6]	An Empirical Study of Developer Discussions on Low-Code Software Development Challenges	Analyses developer discussions about low-code and the challenges they raise	Informs the limitations in Section 8.4
7	Zoho Corporation, online documentation [7]	Zoho Recruit Help Documentation	Describes candidate management and the Zoho Recruit features	Background for the integration in Section 5.9

2.5 Proposed System

The proposed system is a Zoho Creator application named Smart Recruitment Management System. It keeps candidate registration, interview scheduling and onboarding data in connected forms, so each record is entered once (limitation 1). An approval process gives HR a pending and completed task list (limitation 2). A workflow sends an e-mail to HR when a new application is submitted (limitation 3), and the dashboard and reports give live summaries instead of hand-made ones (limitation 4). Roles, permission profiles and data-sharing rules restrict who can see and change records (limitation 5). Candidates are also sent to Zoho Recruit through a workflow and a connection.

2.6 Comparison of Recruitment Management Approaches

Three broad approaches are available to an organisation that wants to manage recruitment: continuing with spreadsheets and e-mail, adopting a ready-made applicant tracking system (ATS), or building a small custom application on a low-code platform. Table 2.2 compares them on the aspects that mattered for this project. The comparison is qualitative and is based on the general characteristics described in the documentation and literature cited above [2], [5], [7].

Table 2.2: Comparison of Three Approaches to Recruitment Management

Aspect	Spreadsheets and e-mail	Ready-made ATS	Low-code application (this project)
Set-up effort	None, but every step is manual	Account set-up and configuration of the product	Forms, reports and workflows are built once in the builder
Fields and forms	Free-form columns; no enforced types	Fixed by the product, with limited custom fields	Designed to the exact needs, with typed and mandatory fields

Aspect	Spreadsheets and e-mail	Ready-made ATS	Low-code application (this project)
Approval and status tracking	None; depends on e-mail replies	Provided by the product	Approval process with Pending and Completed Tasks
Automation	Manual forwarding	Product-defined automation	Form workflows, schedule and Deluge where needed
Reporting	Prepared by hand	Product reports	List, Kanban and card reports and a dashboard from stored records
Integration	Copy and paste	Depends on the product connectors	Connections to Zoho Recruit and Zoho Analytics
Access control	Whole-file sharing	Product roles and permissions	Roles, permission profiles and data-sharing rules

The project does not treat the second and third approaches as competitors. The low-code application captures and reviews candidates in a structure designed for this department, and a connection forwards candidate data to Zoho Recruit so that the specialised ATS can still be used for later hiring stages.

CHAPTER 3
REQUIREMENT ANALYSIS

3.1 Stakeholders and User Roles

Table 3.1: Stakeholders and User Roles

Stakeholder	Role in the Application
Candidate	Submits the Candidate Registration form with personal, professional and consent details.
HR / Administrator	Reviews candidate registrations in the Approvals section, schedules interviews, records onboarding details and monitors reports and the dashboard. Receives the registration notification e-mail.
Super Admin (account owner)	The only user listed in the account (SADHANA M 241401085, status Active, shown in Figure 5.32). Builds the application and acts as the HR / Administrator during testing.
Manager	Role in the role hierarchy; the permission profile “manager” is described as supervising the event, and a data-sharing rule gives Manager read and write access to Candidate Registration records.
Employee	Role in the role hierarchy, placed below Manager (and CEO is at the top of the hierarchy).

3.2 Functional Requirements

Table 3.2: Functional Requirements

ID	Requirement
FR1	The system shall capture candidate name, e-mail, address, contact number, LinkedIn profile, cover letter, years of experience, available joining date, preferred interview time, department applied for, employment type, languages known, key skills and background verification consent.
FR2	The system shall create an approval request for each candidate registration and list it under Pending Tasks and, after review, Completed Tasks.
FR3	The system shall set a pending status and notify HR by e-mail when a registration is submitted.
FR4	The system shall send candidate data to Zoho Recruit through an authorised connection.
FR5	The system shall allow interviews to be scheduled and listed (candidate, job title, date, time, mode, status).
FR6	The system shall record employee onboarding details (designation, department, joining date, employee name, status).
FR7	The system shall provide reports of candidates, interviews and onboarding records, a Kanban view by department and a card view by job role.
FR8	The system shall provide a dashboard showing total candidates, total applications, applications under review, shortlisted candidates and charts.
FR9	The system shall restrict access using roles, permission profiles and data-sharing rules.

3.3 Non-Functional Requirements

Table 3.3: Non-Functional Requirements

ID	Requirement
NFR1	Usability: forms shall use appropriate field types (drop-down, radio, checkbox, date, time) and mark mandatory fields.
NFR2	Security: access shall be controlled by roles and permission profiles, and the integration shall use an authorised connection rather than stored credentials.
NFR3	Availability: the application shall be hosted by the Zoho Creator platform and reachable through a web browser.
NFR4	Maintainability: fields, reports and workflows shall be changeable in the builder without redeploying code.
NFR5	Data consistency: dashboard totals shall be computed from the stored records.

3.4 Hardware and Software Requirements

Table 3.4: Hardware and Software Requirements

Item	Requirement
Hardware	A computer with an internet connection (the screenshots were captured on a Windows computer)
Browser	A modern web browser (the screenshots show Google Chrome)
Platform	Zoho Creator (trial edition)
Integration	Zoho Recruit account; Zoho Analytics connection configured in Zoho Creator
Mail	A mailbox to receive notifications (a Gmail inbox is shown in the screenshots)

3.5 Use Case Model

Table 3.5: Use Case Description – Register as a Candidate

Item	Description
Actor	Candidate
Pre-condition	The candidate can open the Candidate Registration form.
Main flow	1. The candidate fills in the form and accepts the background verification consent. 2. The candidate clicks Submit. 3. The record is stored, an approval request is created and the form workflows run.
Post-condition	The registration is listed in the reports and as a pending task for HR.

Table 3.6: Use Case Description – Review a Registration

Item	Description
Actor	HR / Administrator
Pre-condition	A registration is waiting under Approvals → Pending Tasks.
Main flow	1. HR opens Pending Tasks. 2. HR reviews the candidate details. 3. HR completes the review. 4. The request moves to Completed Tasks.
Post-condition	The reviewed request is listed under Completed Tasks.

3.6 Business Rules and Assumptions

The rules in Table 3.7 were identified from the forms and settings of the application. Rules that depend on a workflow action describe the intended behaviour; Chapter 6 states which of them were actually observed.

Table 3.7: Business Rules and Assumptions

ID	Rule or Assumption	Source in the Application
BR1	Every field of the Candidate Registration and Interview Schedule forms must be filled in before the form can be submitted.	Table 4.2 and Table 4.3
BR2	The background verification consent must be accepted by the candidate before a registration is stored.	Mandatory checkbox, Figure 5.2
BR3	Every submitted registration creates an approval request that HR reviews.	Approval process HR approvals, Figure 5.17
BR4	A new registration is given an application status when it is submitted.	Workflow Set Pending Status on Submit; status charts on the dashboard
BR5	A new onboarding record starts with the status Pending.	Default value on the live form, Figure 5.6
BR6	Candidate Registration records are shared between members of the Manager role with Read/Write access.	Data-sharing rule, Figure 5.35
BR7	A candidate record that is created or edited is sent to Zoho Recruit.	Workflow Sync_Candidate_To_Zoho_Recruit
A1	The administrator account is used for HR work during development and testing.	Only one user is listed, Figure 5.32
A2	The Zoho Creator trial remains active while the application is demonstrated.	Trial banner shows 15 days

3.7 Feasibility Study

Technical feasibility. Every required capability — typed forms, approvals, schedules, reports, a dashboard, Deluge scripting and a connector to Zoho Recruit — is provided by Zoho Creator. The application was built and used through an ordinary browser, which shows that no special hardware or server installation is needed.

Operational feasibility. The forms follow the fields that HR already collects in spreadsheets, and the approval list works like an inbox, so HR staff need little training. Candidates only have to complete one form.

Economic feasibility. The application was developed on a trial account, so no licence cost was incurred during the course. Continued use after the trial would require an upgrade, which is recorded as a risk in Section 7.4.

Schedule feasibility. The workflow, approval and schedule entries in the application carry the creation date 01-Nov-2026, and version 1.0 was published to Stage and Production on the same date, which shows that a working first version can be completed within the time available for the project.

CHAPTER 4
SYSTEM DESIGN

4.1 System Architecture

The application runs entirely on Zoho Creator. Users interact with forms, reports and the dashboard; workflows and approvals react to form events; a Deluge function reads records from the Candidate Registration form; and connections link the application to Zoho Recruit and to Zoho Analytics. E-mail notifications are sent by the platform's mail service. The structure is shown in Figure 4.1.




Figure 4.1: System Architecture of the Application

The Zoho Analytics connection is drawn with a dashed arrow because the supplied material shows the connection as configured but does not show where it is used.

4.2 Data Model

The application has three forms. The Candidate Registration form is the main record. The Interview Schedule form stores the candidate name as text in its own Candidate Name field, and the Employee Onboarding form stores the employee name. The supplied screenshots do not show lookup fields between the forms, so the forms are described as related through the candidate or employee name rather than through enforced relationships.

Table 4.1: Forms and Their Purpose

Form	Purpose	Related Reports
Candidate Registration	Captures candidate details and consent	All Job Applications, All Candidates List, Candidates by Job Role, Kanban report (product sales)
Interview Schedule	Records interview schedule details	All Interviews
Employee Onboarding	Records onboarding details of new employees	Employee Onboarding List

4.3 Form Design

The field specifications below are taken from the live forms and the form builder screenshots shown in Chapter 5. All fields of the Candidate Registration and Interview Schedule forms carry a mandatory marker (*).

Table 4.2: Field Specification – Candidate Registration Form

Field Label	Field Type	Mand.	Remarks
Candidate_Name	Name	Yes	First name and last name boxes
Email_Address	Email	Yes	—
Current_address	Address	Yes	Address lines 1 and 2, city/district, state/province, postal code, country
Contact_Number	Phone	Yes	Country code +91 shown
LinkedIn_Profile	Single Line	Yes	—
Cover_letter	Multi Line	Yes	—
Years_of_experience	Number	Yes	—
Available_joining_date	Date	Yes	Format dd-MMM-yyyy
Preferred_interview_time	Time	Yes	Format HH:mm:ss
Department_applied_for	Drop Down	Yes	Values seen in the data: Software Development, Data Science and analytics, Product_management, UI/UX design
Employment_type_preferred	Radio	Yes	Full-Time, Part-Time, Contract / Freelance, Internship
languages known	Checkbox	Yes	Tamil, English, hindi, malayalam, kannada
Key_skills	Multi-select list	Yes	Options are not visible in the screenshots
Background_verification_consent	Checkbox	Yes	“I agree to the terms and conditions and privacy policies”
Application_Status	Not shown on the live form	—	Read by the HR e-mail script (Figure 5.22); the dashboard status charts and the Set Pending Status workflow refer to an application status

Table 4.3: Field Specification – Interview Schedule Form

Field Label	Field Type	Mand.	Remarks
Candidate Name	Single Line	Yes	Name of the candidate to be interviewed
Interview Time	Time	Yes	Format HH:mm:ss
Interview Mode	Drop Down	Yes	Value “Offline” seen in the data
Interview Status	Drop Down	Yes	Value “Scheduled” seen in the data
Interview ID	Single Line	Yes	—
Job Title	Single Line	Yes	—
Interview Date	Date	Yes	Format dd-MMM-yyyy

Table 4.4: Field Specification – Employee Onboarding Form

Field Label	Field Type	Remarks
Designation	Single Line	Mandatory not set; maximum 255 characters
Department	Drop Down	Values “Marketing” and “Engineering” seen in the data
Joining Date	Date	Format dd-MMM-yyyy
Onboarding ID	System-generated	Not shown on the live form; values 1 and 2 seen in the report
Employee ID	System-generated	Not shown on the live form; values 1001 and 1002 seen in the report
Employee Name	Name	First name and last name boxes
Onboarding Status	Drop Down	Default value “Pending” on the live form

4.4 Process and Workflow Design

The intended process is shown in Figure 4.2. A submitted registration triggers the form workflows and an approval request; HR reviews the request; interviews are scheduled; and onboarding records are created. The process is a design view: the evidence for each step is presented in Chapter 5 and the observations in Chapter 6.




Figure 4.2: Workflow / Process Flow of the Recruitment Process

Table 4.5 restates the automation design in tabular form. For each workflow it gives the trigger, the intended action and the evidence that the supplied screenshots provide, so that the reader can separate what was designed from what was observed.

Table 4.5: Design of the Workflows and Approval

Workflow	Trigger	Intended Action	Evidence in this Report
Set Pending Status on Submit	Form: created, successful form submission	Give the new record a pending application status	Enabled with one action; the action content is not visible
Send Email to HR on New Application	Form: created, successful form submission	Deluge script builds an HTML message and sends it with sendmail	Script shown in Figure 5.22; delivery not shown
notify customers	Form: created, successful form submission	Send mail action to the administrator’s address with the subject “Record Added”	Action shown in Figure 5.27; matching e-mail received, Figure 5.28

Workflow	Trigger	Intended Action	Evidence in this Report
Sync_Candidate_To_Zoho_Recruit	Form: created or edited, successful form submission	Send the candidate record to Zoho Recruit through a connection	Enabled with one action; one candidate in Zoho Recruit against ten in Zoho Creator
Daily Recruitment Summary	Schedule: 01-Nov-2026 09:00:00	Prepare a daily summary of recruitment	Enabled with one action; no run or output shown
HR approvals	Approval: On review	Create a review request for HR for every registration	Pending and Completed Tasks shown

4.5 User Interface and Navigation Design

The left-hand menu of the application is organised into the following sections: Job Applications (Candidate Registration, All Job Applications and the Kanban report), App Preferences, Approvals (Pending Tasks and Completed Tasks), dashboard, All Candidates List, Candidates by Job Role, Interview Scheduling (Interview Schedule and All Interviews) and Employee Onboarding (Employee Onboarding and Employee Onboarding List). The menu is visible in the live-mode screenshots in Chapter 5. A dark navy menu with an indigo highlight is used as the theme.

4.6 Access Control Design

Access is designed with a role hierarchy (CEO at the top, with Manager and employee below it), permission profiles (manager, sadhana and Write) and a data-sharing rule. The configuration observed is summarised in Table 4.6 and shown in Figure 5.33 to Figure 5.35. The user list in Figure 5.32 shows the single account that exists at present.

Table 4.6: Access Control Configuration Observed

Item	Observed Configuration
Roles	CEO → Manager, employee
Permission profile “manager”	Described as “supervising the event”
Permission profile “sadhana”	“This profile will have read permission for all components”
Permission profile “Write”	“This profile will have write permission for all components”
Data-sharing rule “sadhana”	Form: Candidate Registration; shared from R:Manager to R:Manager; level of access: Read/Write
Users in the account	One user, SADHANA M 241401085, labelled Super Admin, status Active

4.7 Data Integrity and Validation Considerations

The design relies on the following measures to keep the stored data usable. They are listed here because several of the observations in Chapter 6 concern data quality.

- **Typed fields.** E-mail, phone, number, date and time fields are used instead of free text, so the platform checks the format of the value when the form is submitted.
- **Mandatory fields.** Every field of the registration and interview forms is mandatory, which prevents incomplete records.

- **Consent.** The consent checkbox is mandatory, so no registration is stored without the candidate's agreement to the terms and privacy policies.
- **System-generated identifiers.** The onboarding and employee identifiers are generated by the platform, which avoids typing errors in the key values.
- **Name-based relations.** Interview and onboarding records refer to a person by typed name rather than by a lookup, so a spelling difference would break the link between records. A lookup field is proposed in Section 9.2.
- **Duplicates.** The "No duplicate values" option is not enabled on Email_Address, so the same candidate can be stored twice (Section 6.3).

CHAPTER 5
IMPLEMENTATION

5.1 Application Setup

The application, Smart Recruitment Management System, was created in Zoho Creator. The menu structure described in Section 4.5 is visible on the left of every live-mode screenshot, for example in Figure 5.1. Each section groups a form with its reports, and the dashboard is a separate page. The application is opened from the Applications area of the Creator account, and its published link is given in the Project at a Glance table at the start of this report.

5.2 Forms and Data Capture

5.2.1 Candidate Registration Form

The Candidate Registration form is the main data-entry form. The first part of the form, shown in Figure 5.1, collects the candidate name (first and last name), e-mail address, current address (two address lines, city, state, postal code and country), contact number with the +91 country code, LinkedIn profile, cover letter and years of experience. Every label carries an asterisk, showing that the field is mandatory.




Figure 5.1: Candidate Registration Form in Live Mode (Personal Details)

The lower part of the form, shown in Figure 5.2, collects the available joining date, preferred interview time, department applied for (drop-down), employment type preferred (radio buttons: Full-Time, Part-Time, Contract / Freelance, Internship), languages known (checkboxes), key skills and the background verification consent checkbox. The Submit button stores the record.




Figure 5.2: Candidate Registration Form in Live Mode (Professional Details and Consent)

Figure 5.3 shows the same form in the form builder. The field types used are Name, Email, Address, Phone, Single Line, Multi Line, Number, Date, Time, Drop Down, Radio, Checkbox and a multi-select list. The Field Properties panel on the right shows the field name, field link name (candidate_name), the Mandatory validation option and the display options for the name field (prefix, first name, last name, suffix).




Figure 5.3: Candidate Registration Form in the Form Builder (Field Properties of Candidate_Name)

5.2.2 Interview Schedule Form

The Interview Schedule form records the candidate name, interview time, interview mode, interview status, interview ID, job title and interview date; all fields are mandatory (Figure 5.4). Its design is shown in the builder in Figure 5.5.




Figure 5.4: Interview Schedule Form in Live Mode




Figure 5.5: Interview Schedule Form in the Form Builder (Field Properties of Candidate Name)

5.2.3 Employee Onboarding Form

The Employee Onboarding form (titled Add Onboarding Record on the live form) records the designation, department, joining date, employee name and onboarding status, which defaults to Pending (Figure 5.6). In the builder (Figure 5.7) the form also contains Onboarding ID and Employee ID fields; these are not displayed on the live form, and their values appear in the Employee Onboarding List report.




Figure 5.6: Employee Onboarding Form in Live Mode




Figure 5.7: Employee Onboarding Form in the Form Builder (Field Properties of Designation)

5.3 Reports

Reports present the stored records. The reports visible in the screenshots are summarised in Table 5.1 and shown in the figures that follow.

Table 5.1: Reports Implemented

Report	Type	Source Form	What It Shows
All Job Applications	List	Candidate Registration	All submitted registrations with name, e-mail, address, contact number, LinkedIn profile and cover letter (10 records)
product sales (Kanban)	Kanban	Candidate Registration	Candidate cards grouped by Department_applied_for

Report	Type	Source Form	What It Shows
All Candidates List	List	Candidate Registration	Name, e-mail, department, consent and available joining date (10 records)
Candidates by Job Role	Card layout	Candidate Registration	Department, name, e-mail and consent as cards (11 records shown in the footer)
All Interviews	List	Interview Schedule	Interview ID, candidate, job title, date, time, mode and status (2 records)
Employee Onboarding List	List	Employee Onboarding	Onboarding ID, employee name, employee ID, joining date, department, designation and status (2 records)

The All Job Applications report (Figure 5.8) lists every registration with its contact details and cover letter, and supports search and adding a record from the toolbar.




Figure 5.8: All Job Applications Report (List)

The Kanban report (Figure 5.9) groups candidate cards by the department applied for. The department columns contain 3, 2, 2 and 3 cards (Software Development, Data Science and analytics, Product_management and UI/UX design), which together equal the ten records in the list reports. The report is named “product sales” in the application menu; this name does not describe its recruitment content (see Table 6.3).




Figure 5.9: Kanban Report Grouping Candidates by Department

Figure 5.10 shows the Kanban Properties page. The columns are grouped by Department_applied_for, empty-value and deleted-value columns are hidden, and the record count per column is shown.




Figure 5.10: Kanban Properties of the Candidate Report

The All Candidates List report (Figure 5.11) gives a shorter view of each candidate: name, e-mail address, department, consent text and available joining date.




Figure 5.11: All Candidates List Report

The Candidates by Job Role report (Figure 5.12) shows each candidate as a card containing the department applied for, candidate name, e-mail address and background verification consent.




Figure 5.12: Candidates by Job Role Report (Card Layout)

The All Interviews report (Figure 5.13) lists the two scheduled interviews, each with interview ID, candidate name, job title, interview date, time, mode (Offline) and status (Scheduled).




Figure 5.13: All Interviews Report

The Employee Onboarding List report (Figure 5.14) lists the two onboarding records, both with status Pending.




Figure 5.14: Employee Onboarding List Report

5.4 Dashboard

The Smart Recruitment Dashboard (Figure 5.15) is a page titled “Candidate Overview & Recruitment Analytics”. A row of KPI panels shows Total Candidates (10), Total Applications (10), Under Review (6) and Shortlisted (1). Below them are a pie chart, Candidates by Department; a line chart, Applications Received Over Time (series “Total Records”); and the Candidate Application Status charts.




Figure 5.15: Smart Recruitment Dashboard – KPI Panels and Charts

Further down the page (Figure 5.16) the dashboard provides two filter boxes, Filter by Application Status and Filter by Skills, each with a Search button, and embeds the All Job Applications report. The chart for Candidate Application Status shows the status “New” in its legend.




Figure 5.16: Smart Recruitment Dashboard – Filters and Embedded Report

5.5 Approvals

An approval process named HR approvals is attached to the Candidate Registration form. It is listed under Workflow → Approvals with 2 actions, the trigger “On review” and the status Enabled (Figure 5.17).




Figure 5.17: Approval Process “HR approvals” for Candidate Registration

Under Approvals → Pending Tasks (Figure 5.18) each submitted registration appears as a request “pending for review”, showing the candidate name, e-mail address and current address. The page shows the five most recent tasks.




Figure 5.18: Approvals – Pending Tasks

A reviewed request moves to Completed Tasks (Figure 5.19), where it is shown as “has been reviewed”. One completed task is shown in the screenshot.




Figure 5.19: Approvals – Completed Tasks

5.6 Workflows and Automation

The Form workflows page (Figure 5.20) lists the workflows of the Candidate Registration form. Table 5.2 summarises them. All four show the status Enabled and were created on 01-Nov-2026, and each is shown with one action. The content of two of the actions is visible in the workflow editors described in Sections 5.6.1 and 5.8.

Table 5.2: Workflows Implemented

Workflow	Type	Trigger Shown	Status Shown
Set Pending Status on Submit	Form	Created → Successful form submission	Enabled
Send Email to HR on New Application	Form	Created → Successful form submission	Enabled
notify customers	Form	Created → Successful form submission	Enabled
Sync_Candidate_To_Zoho_Recruit	Form	Created or Edited → Successful form submission	Enabled
Daily Recruitment Summary	Schedule	01-Nov-2026 : 09:00:00	Enabled
HR approvals	Approval	On review	Enabled




Figure 5.20: Form Workflows Page Showing Workflows of Candidate Registration

The Schedules page (Figure 5.21) shows one custom schedule, Daily Recruitment Summary, with one action, a start of 01-Nov-2026 at 09:00:00 and the status Enabled. The screenshots show that the schedule is configured; they do not show a run of the schedule or the content of its action, so no claim about its output is made.




Figure 5.21: Schedule Workflow – Daily Recruitment Summary

5.6.1 Workflow Action: Send Email to HR on New Application

The Deluge editor of the workflow Send Email to HR on New Application is shown in Figure 5.22. The path at the top of the editor reads Candidate Registration › Created › Successful form submission › Send Email to HR on New Application, which confirms the form, the event and the trigger of the workflow. The script has twenty numbered lines and works in three stages, summarised in Table 5.3: it reads the submitted values, builds an HTML message, and sends the message with the sendmail task.




Figure 5.22: Deluge Script of the Workflow Send Email to HR on New Application

Table 5.3: Explanation of the Send Email to HR Script

Lines	Statement	Purpose
1–4	firstName, lastName and candidateName are read from input.candidate_name and joined with a space	Builds the full name of the candidate for the message
5–7	emailAddress, department and applicationStatus are read from input.Email_Address, input.Department_applied_for and input.Application_Status	Collects the values that HR needs in order to review the application
8–9	emailSubject = "New Candidate Application: " + candidateName	Creates the subject line of the message
10	emailMessage is an HTML string with the name, e-mail address, position applied for and application status in bold labels, followed by a request to review and a sign-off	Creates the body of the message
11–19	sendmail with from :zoho.adminuserid, to "hr-team@company.com", subject, message and content type :HTML	Sends the message from the administrator’s address to HR

Three points about this script should be noted. First, the recipient is written as the fixed address hr-team@company.com, which reads like a placeholder; unless that mailbox exists, the message would not reach a real HR user. Second, line 3 reads the suffix part of the name field, whereas the live form displays only the first-name and last-name boxes (Figure 5.1); the last name would therefore have to be read from the last-name part. Third, the field Application_Status is read although it is not displayed on the live form. The screenshots do not show a message produced by this script, so its delivery is recorded as configured but not observed. The corrections are listed in Table 6.3.

5.7 Deluge Scripting and Functions

Deluge is used for functions and for the e-mail script of Section 5.6.1. The Functions page (Figure 5.23) shows a function getCandidateCount in the Default namespace with the Deluge language, return type int and syntax getCandidateCount().




Figure 5.23: Functions Page Showing getCandidateCount()

The function body (Figure 5.24) fetches all records of the Candidate_Registration form, counts them and returns the count. The listing is reproduced below.




Figure 5.24: Deluge Editor – getCandidateCount()

Deluge function getCandidateCount() – as shown in the editor

```
int getCandidateCount()
{
    // Fetch all records from Candidate_Registration form
    allCandidates = Candidate_Registration[ID != 0];
    // Get the count of records
    candidateCount = allCandidates.count();
    // Return the count
    return candidateCount;
}
```

The criteria ID != 0 matches every stored record, because identifiers are never zero, so the count equals the number of registrations. Fetched records are held in a collection, and the count() method returns the number of items in it; the function therefore needs no loop. The function was defined

and saved, but the screenshots do not show it being executed or called from a workflow, report or page.

During development a test function was also created and run. Figure 5.25 shows the Create Function dialog, in which the function name, language (Deluge), namespace (Default), return type (void) and arguments are specified, and Figure 5.26 shows the test function's execution result, "Executed Successfully". These two screenshots show the application header with its earlier working title, Job Application Form, and are included because they are the only screenshots that show a function being created and run. The screenshots do not show the execution of getCandidateCount(), so its result is not claimed.




Figure 5.25: Create Function Dialog (Execute a Function When Called)




Figure 5.26: Deluge Test Function Executed Successfully

Table 5.4: Deluge Functions and Scripts Implemented

Function / Script	Return Type	Purpose	Status Shown
getCandidateCount()	int	Counts the records of the Candidate Registration form	Defined and saved; execution not shown
Test function (CheckJobApplication())	string / void	Returns “Job Application function executed successfully.”	Execution result “Executed Successfully” shown
Send Email to HR script (workflow)	Not applicable	Builds an HTML message and sends it with sendmail	Script shown in Figure 5.22; delivery not shown

5.8 Notifications

The application contains two e-mail routes, summarised in Table 5.5. The first is the Send mail action of the workflow notify customers. Its editor is shown in Figure 5.27: the path reads Candidate Registration › Created › Successful form submission › notify customers, the action is Send mail to the administrator’s e-mail address, the subject is “Record Added”, and the message begins “Subject: New Candidate Registration Notification” followed by “Dear Admin,” and a request to review the candidate’s details and take the necessary action. The option “Include user submitted data” is not ticked, and the content type list shows Plain Text. The second route is the Deluge script of Section 5.6.1.




Figure 5.27: Send Email Action of the Workflow notify customers

Figure 5.28 shows a Gmail inbox containing an e-mail from notifications@trial.zohocreatormail.com. Its subject is “Record Added”, the same subject that is configured in Figure 5.27, and its text, “New Candidate Registration Notification” addressed to “Dear Admin”, states that a new candidate has registered in the Smart Recruitment Management System and asks the administrator to review the details. It was received at 4:13 PM. Because the subject and the wording match the configured action, the message is attributed to the notify customers workflow. This evidences that the application sent a registration notification that

reached a mailbox. The screenshot does not show a message produced by the Deluge script of the HR workflow.




Figure 5.28: Registration Notification E-mail Received in Gmail

Table 5.5: E-mail Routes of the Application

Item	notify customers	Send Email to HR on New Application
Method	Send mail action (visual)	Deluge sendmail task
Recipient	Administrator's own e-mail address	Fixed address hr-team@company.com
Subject	"Record Added"	"New Candidate Application: " followed by the candidate name
Content type	Plain Text	HTML
Candidate details in the message	None; "Include user submitted data" not ticked	Name, e-mail, position and status
Evidence of delivery	Message received in Gmail at 4:13 PM (Figure 5.28)	Not shown

The two routes complement each other: the first confirms that mail leaves the application and reaches a real mailbox, and the second is richer because it carries the candidate's details. Combining them, with a real HR mailbox in the script and the candidate fields in the visual action, is proposed in Section 9.2.

5.9 Integration Configuration

Integrations are configured under Microservices → Connections in Zoho Creator (Figure 5.29). Four connections are listed, all with the status Connected: Zoho Analytics Connection (zoho_analytics_connection), Zoho Recruit Connection (zoho_recruit_connection), Zoho Recruit (System) and Zoho Recruit Connection1 (zoho_recruit_connection1).




Figure 5.29: Connections Configured in Zoho Creator

The detail page of Zoho Recruit Connection (Figure 5.30) shows the service name Zoho Recruit, the link name zoho_recruit_connection, permissions that include searching candidate and client records, authorisation that is the same for all environments, an authorisation owner of Administrator and an authorised account named Zoho Recruit Account. The connection is Enabled, and Connection Access is switched On for the Smart Recruitment Management System application. The panel shows “No References” against the application, which means that no script referenced this particular connection at that time; the screenshot therefore does not show which connection the Sync_Candidate_To_Zoho_Recruit workflow uses.




Figure 5.30: Zoho Recruit Connection – Details and Connection Access

Figure 5.31 is a screenshot of the Candidates page of Zoho Recruit. It shows one candidate, Sadhana M, in the stage New, with the source “Added by User” and the candidate owner SADHANA M 241401085, modified on 11/01/2026 at 04:13 PM. This confirms that the Zoho Recruit account is reachable and holds a candidate record. Because Zoho Creator holds ten candidate records while Zoho Recruit shows one, and because the screenshot does not show how

this record was created, the synchronisation is described as configured but not fully verified (Section 6.2).




Figure 5.31: Candidates Page in Zoho Recruit

5.10 User Management and Role-Based Access

Users of the Creator account are managed under Manage → Users. Figure 5.32 shows the All Users page of the account. It lists a single user, SADHANA M 241401085, with the label Super Admin, the status Active and a last activity of Today. The page also offers an Add User button, which is the route for inviting HR, Manager and employee users once the application is used by more than one person.




Figure 5.32: All Users Page of the Zoho Creator Account (Super Admin)

Access control within the application is configured under Settings → Users. The Permissions tab (Figure 5.33) lists three permission profiles: manager (“supervising the event”), sadhana (read permission for all components) and Write (write permission for all components).




Figure 5.33: Permission Profiles in Application Settings

The Roles tab (Figure 5.34) shows a hierarchy in which CEO is at the top, with Manager and employee below it.




Figure 5.34: Role Hierarchy of the Application

The Data Sharing tab (Figure 5.35) shows one share rule, named sadhana, on the Candidate Registration form, shared from R:Manager to R:Manager with Read/Write access.




Figure 5.35: Data Sharing Rule on the Candidate Registration Form

Because the user list contains only the Super Admin, the roles and profiles above are defined but are not assigned to other logins. The screenshots therefore show how access is configured, and they do not show the effect of that configuration on a second user. This limit is recorded in Table 6.2.

CHAPTER 6
TESTING AND OBSERVATIONS

6.1 Testing Strategy

Testing was carried out by using the application as the HR or administrator user and checking the result in the relevant report, approval list, mailbox or dashboard. Only results that are supported by the supplied screenshots are recorded as observed. Features that are configured but whose operation is not shown are listed separately in Table 6.2.

6.2 Test Cases and Results

Table 6.1: Test Cases and Observed Results

ID	Test	Evidence	Observed Result
T1	Open the Candidate Registration form	Figure 5.1, Figure 5.2	All fields displayed with mandatory markers and a Submit button
T2	Registrations stored after submission	Figure 5.8, Figure 5.11	Ten candidate records are listed in the reports
T3	Approval request created on submission	Figure 5.18	Registrations appear under Pending Tasks as “pending for review”
T4	Review of an approval request	Figure 5.19	One request is shown under Completed Tasks as “has been reviewed”
T5	Registration notification e-mail	Figure 5.27, Figure 5.28	An e-mail with the subject “Record Added” and the text “New Candidate Registration Notification” was received at 4:13 PM, matching the configured notify customers action
T6	Kanban grouping by department	Figure 5.9	Cards grouped into four department columns holding 3, 2, 2 and 3 cards (total 10)
T7	Dashboard totals agree with the records	Figure 5.15, Figure 5.8	Total Candidates 10 and Total Applications 10, equal to the ten records in the list reports
T8	Run a Deluge test function	Figure 5.26	Result shown as “Executed Successfully”
T9	Interview records listed	Figure 5.13	Two interviews, both with status Scheduled
T10	Onboarding records listed	Figure 5.14	Two onboarding records, both with status Pending
T11	Zoho Recruit connection authorised	Figure 5.29, Figure 5.30	Connections shown as Connected; Zoho Recruit Connection Enabled with access On for the application
T12	Publish to Stage and Production	Figure 7.1, Figure 7.2	Version 1.0 listed in both Stage and Production; “No changes available” shown

ID	Test	Evidence	Observed Result
T13	HR e-mail script present in the workflow	Figure 5.22	Twenty-line Deluge script with sendmail, under the trigger Created → Successful form submission; delivery not shown
T14	User list of the account	Figure 5.32	One user, SADHANA M 241401085, Super Admin, Active

Table 6.2: Configured Features Not Fully Verified by the Supplied Material

Feature	What Is Shown	What Is Not Shown
Synchronisation to Zoho Recruit	Workflow Sync_Candidate_To_Zoho_Recruit enabled; connection Connected; Zoho Recruit lists one candidate	A run of the workflow; why Zoho Recruit shows 1 candidate while Zoho Creator holds 10; the connection the workflow uses ("No References" is shown on one connection)
Daily Recruitment Summary schedule	Schedule enabled, start 01-Nov-2026 09:00:00, one action	A run of the schedule and the action it performs
getCandidateCount() function	Function defined with its code	An execution of the function or the place where it is called
Workflow Set Pending Status on Submit	Enabled, one action	The action and its effect on records
Workflow notify customers	Send mail action with recipient, subject and message; matching e-mail received	The run that produced the received e-mail (the match is by subject and wording)
Workflow Send Email to HR on New Application	Deluge sendmail script under the form-submission trigger	A message produced by the script; a real HR mailbox as recipient
Role-based access	Roles, profiles and a share rule configured	A test with different users logged in; the account lists only one user
Zoho Analytics connection	Connection shown as Connected	Where it is used
Testing in the Production environment	Version 1.0 listed in Stage and Production	Any test carried out after publishing

6.3 Observations and Improvements

Table 6.3: Observations from Testing and Suggested Improvements

No.	Observation	Suggested Improvement
1	The Kanban report is named "product sales" although it shows candidates.	Rename the report to a recruitment-related name such as "Candidates by Department (Kanban)".
2	The field label Available_joining_dtae contains a spelling error (visible in the live form and builder of earlier versions).	Correct the field label to Available_joining_date; the All Candidates List report already shows "Available Joining Date".

No.	Observation	Suggested Improvement
3	The same candidate (SADHANA M 241401085) appears twice with the same e-mail address, so duplicates are not prevented.	Enable “No duplicate values” on the Email_Address field.
4	The chart Applications Received Over Time groups by the exact timestamp, so every point shows 1 record.	Group the chart by date (day) to show the trend.
5	The Candidates by Job Role report footer shows 11 records while the list reports show 10; the extra card is a candidate (REVS S, Product_management) that does not appear in the list reports.	Re-check the report criteria and record count so that all reports use the same records.
6	One workflow is named “notify customers”, which does not describe a recruitment action; its mail goes to the administrator and not to customers.	Rename it to describe the action it performs, for example “Notify admin on new registration”.
7	Zoho Recruit shows one candidate against ten in Zoho Creator.	Run the synchronisation for existing records and verify the count.
8	The notify customers e-mail has the generic subject “Record Added”, which differs from the first line of its text, and it carries no candidate details.	Use the subject “New Candidate Registration Notification” and insert the candidate fields or tick “Include user submitted data”.
9	The HR e-mail script sends to the fixed address hr-team@company.com, which looks like a placeholder.	Replace it with the real HR mailbox, then submit a test record and confirm delivery.
10	The HR e-mail script reads the suffix part of the name field (line 3) for the last name, but the form shows first-name and last-name boxes.	Read the last-name part of the name field and check the resulting subject.
11	The field Application_Status is used by the script and the dashboard but is not displayed on the live form or described in the field specification.	Document the field and its allowed values (for example New, Under Review, Shortlisted).
12	The account lists only one user, so the roles and the share rule cannot be demonstrated by logging in as another person.	Invite a test user for each role and repeat the access tests.

6.4 Sample Data Used in Testing

The ten registrations stored in the application are listed in Table 6.4 with the department applied for and the available joining date, as shown in the All Candidates List report (Figure 5.11). The department counts (3, 2, 2 and 3) agree with the Kanban report (Figure 5.9) and the total of ten agrees with the dashboard (Figure 5.15).

Table 6.4: Candidate Records Observed in the Reports

No.	Candidate Name	Department Applied For	Available Joining Date
1	SADHANA M 241401085	Product_management	26-Nov-2026
2	hema k	Software Development	24-Nov-2026
3	harini k	Data Science and analytics	24-Nov-2026
4	rene k	UI/UX design	24-Nov-2026
5	rinu k	Software Development	12-Nov-2026
6	SADHANA M 241401085	Product_management	10-Nov-2026
7	hyna k	UI/UX design	04-Nov-2026
8	revathy k	Software Development	01-Nov-2026
9	mani k	Data Science and analytics	21-Oct-2026
10	rethy k	UI/UX design	15-Oct-2026

Records 1 and 6 belong to the same candidate name and e-mail address, which is the duplicate noted in observation 3. The approval list shows that one of the ten requests, for rinu k, was reviewed and moved to Completed Tasks (Figure 5.19), and the other requests that are visible are pending (Figure 5.18).

6.5 Requirements Traceability

Table 6.5 relates each functional requirement of Section 3.2 to the tests and figures that support it, and states how far it was observed.

Table 6.5: Traceability of Functional Requirements to Evidence

ID	Requirement (short)	Evidence	Status
FR1	Capture candidate details and consent	T1, T2; Figure 5.1, Figure 5.2	Observed
FR2	Approval request, Pending and Completed Tasks	T3, T4; Figure 5.18, Figure 5.19	Observed
FR3	Pending status and HR e-mail	T5, T13; Figure 5.27, Figure 5.22, Figure 5.28	E-mail observed; status action and HR script not shown running
FR4	Send data to Zoho Recruit	T11; Figure 5.30, Figure 5.31	Configured, not fully verified
FR5	Schedule and list interviews	T9; Figure 5.13	Observed
FR6	Record onboarding details	T10; Figure 5.14	Observed
FR7	Reports, Kanban and card views	T2, T6; Figure 5.9, Figure 5.12	Observed
FR8	Dashboard KPIs and charts	T7; Figure 5.15	Observed
FR9	Roles, profiles and sharing rules	T14; Figure 5.33, Figure 5.34, Figure 5.35, Figure 5.32	Configured; user-level test not shown

CHAPTER 7
DEPLOYMENT, SECURITY AND GOVERNANCE

7.1 Environments and Deployment Status

Zoho Creator provides a multi-stage deployment space, Environments, in which an application is developed in the Development environment, tested in Stage and then published to Production without affecting the live application. The Environments page of the account shows the Smart Recruitment Management System (SRM) with a Stage column and a Production column. The application was developed and used on a Zoho Creator trial account, and the account header shows "Trial expires in 15 days".

Figure 7.1 shows the Environments page while the development copy of the application was being created: the Production column lists version 1.0, the Stage column shows "Waiting for development app creation", and the application row shows "Creating development app".




Figure 7.1: Environments Page – Production Version 1.0 and Development App Being Created

Figure 7.2 shows the same page afterwards. Version 1.0 (dated Nov 01, 2026) is listed in the Stage column and version 1.0 is listed in the Production column, and the application row shows "No changes available", which indicates that the development application has no changes waiting to be published. The Version History, Manage and Publish buttons are available at the top of the page. The screenshots show that the application was published as version 1.0; they do not show testing carried out in the Production environment. The link at which the application is opened is given in the Project at a Glance table.




Figure 7.2: Environments Page – Version 1.0 in Stage and Production

7.2 Security Features

Table 7.1: Security Controls Observed

Control	Evidence
Role hierarchy	CEO, Manager and employee roles (Figure 5.34)
Permission profiles	manager, sadhana (read) and Write profiles (Figure 5.33)
Data-sharing rules	Read/Write share rule from Manager to Manager on Candidate Registration (Figure 5.35)
Authorised connection	Zoho Recruit connection with an Administrator as authorisation owner and a named authorised account (Figure 5.30)
Mandatory consent	Background verification consent checkbox is mandatory on the Candidate Registration form (Figure 5.2)
Administrative account	Account has one Super Admin user, shown Active (Figure 5.32)

7.3 Governance and Administration

The administrator manages users, roles and permission profiles from the application settings, and controls which applications may use a connection through Connection Access. Workflow status (Enabled) and approvals are managed from the Workflow section, as shown in Section 5.6. Users of the account are created and listed from the Users page of the Creator account (Figure 5.32).

7.4 Risks and Mitigation

The risks in Table 7.2 arise from the way the application was built and deployed. Each has a mitigation that can be carried out in the platform without changing the design.

Table 7.2: Risks and Mitigation

Risk	Effect	Mitigation
The account is a trial that expires (15 days shown on 01 November 2026)	The application may become unavailable after the trial	Upgrade the plan, or export the records and reports before the trial ends
The HR e-mail script uses a fixed, placeholder-like recipient	HR may not receive the notification	Use the real HR mailbox and test with a new record
Zoho Recruit holds fewer candidates than Zoho Creator	Candidates may be missing from the recruitment system	Run the synchronisation for existing records and compare the counts
Duplicate registrations are allowed	The same candidate may be counted and reviewed twice	Enable no-duplicate validation on the e-mail field
Records are related by typed names	A spelling difference breaks the link between records	Use lookup fields from the interview and onboarding forms
Only the Super Admin account exists	No separation of duties; access rules are untested	Create users for the Manager and employee roles and test each
Schedule and function outputs are not shown	Their behaviour is not proved	Run them once and keep the output as evidence

CHAPTER 8
RESULTS AND DISCUSSION

8.1 Application Output

The application provides a complete path from candidate registration to onboarding: candidates register through the Candidate Registration form; the registrations are stored and listed in reports; HR sees approval requests in Pending Tasks; an e-mail notification reaches the administrator; interviews and onboarding records are stored in their own forms; and the dashboard summarises the stored records.

8.2 Achievement of Objectives

Table 8.1: Mapping of Objectives to Outcomes

Objective	Outcome	Status
Forms for registration, interviews and onboarding	Three forms created (Figure 5.1 to Figure 5.7)	Achieved
Approval process for registrations	HR approvals configured; pending and completed tasks shown	Achieved
Workflow automation (status, HR e-mail, Zoho Recruit)	Four form workflows enabled; notification e-mail received; HR e-mail script and Zoho Recruit sync configured	Partly verified
Reports and dashboard	Six reports and one dashboard with KPI panels and charts	Achieved
Deluge function and script	getCandidateCount() defined; HR e-mail script written	Defined; execution not shown
Role-based access	Roles, profiles and a share rule configured; one user in the account	Configured; user-level testing not shown

8.3 Comparison with the Existing System

Table 8.2: Existing System versus Proposed Application

Aspect	Existing (Manual) System	Proposed Application
Data storage	Separate e-mails and spreadsheets	Connected forms in one application
Review of applications	No tracking	Approval process with Pending and Completed Tasks
Notification to HR	Manual forwarding	Workflow e-mail actions and a registration e-mail
Summaries	Prepared by hand	Dashboard and reports from stored records
Access control	None	Roles, permission profiles and data sharing

8.4 Advantages and Limitations

Advantages.

- The application was built with forms, reports and workflows in the builder, with Deluge only for a short function and an e-mail script.
- Records are entered once and reused by the reports, Kanban view and dashboard.
- Approvals give HR a clear list of pending and reviewed registrations.
- Hosting and access control are provided by the platform.

Limitations.

- The application runs on a trial account, so it depends on the trial or an upgrade to remain available.
- The Zoho Recruit synchronisation and the Daily Recruitment Summary schedule are configured but their results are not shown.
- The HR e-mail script has a placeholder-like recipient and its delivery is not shown.
- The forms are not linked by lookup fields, so the interview and onboarding records depend on typed names.
- Duplicate candidate records are not prevented at present (Table 6.3).
- Only one user exists, so role-based access has not been tested with separate logins.
- Low-code platforms limit page-builder customisation and execution, and integrations depend on the platform's connectors [5], [6].

8.5 Discussion

The results show that the main business path of the application works: a registration is stored, listed, sent for review and reported on, and the figures on the dashboard agree with the stored data. The strongest evidence is therefore for the parts that every user sees — forms, reports, approvals and the dashboard — and the weakest evidence is for automation that runs in the background, such as the schedule and the Zoho Recruit synchronisation.

The addition of the workflow editor screenshots made one point clearer: the e-mail received in the mailbox came from a simple Send mail action, while the Deluge e-mail script, which is the richer of the two, has not yet been shown to deliver a message. The corrections in Table 6.3 are small and can be made in the builder, and each of them has been phrased so that it can be re-tested with a single new registration. The report keeps the line between what was configured and what was observed, so that a reader can judge the application on the evidence presented.

8.6 Supporting Evidence of the Results

Two further screenshots support the results discussed in Sections 8.1 and 8.5. Figure 8.1 shows the Candidates page of Zoho Recruit, the applicant tracking system to which the application is connected, and Figure 8.2 shows the registration notification e-mail received in a Gmail inbox.




Figure 8.1: Candidate Record Listed on the Candidates Page of Zoho Recruit

Figure 8.1 shows one candidate record, Sadhana M, in the stage New, with the source “Added by User” and a modified time of 11/01/2026 04:13 PM. The Candidate Stages panel counts one candidate in New and none in the other stages. The record confirms that the Zoho Recruit account is reachable and holds candidate data. Zoho Creator holds ten registrations, so this screenshot alone does not prove complete synchronisation, and Table 6.2 continues to list the synchronisation as configured but not fully verified.




Figure 8.2: Registration Notification E-mail Received in Gmail

Figure 8.2 shows the e-mail “Record Added”, sent from notifications@trial.zohocreatormail.com and received at 4:13 PM. It is addressed to “Dear Admin” and states that a new candidate has registered in the Smart Recruitment Management System. Its subject and wording match the Send mail action of the notify customers workflow (Figure 5.27). The time of this e-mail equals the modified time of the Zoho Recruit record in Figure 8.1, which is consistent with one registration having produced both the notification and the candidate record, although the screenshots do not prove that link.

Together, the two figures show the two ends of the automation that were observed: a notification leaving Zoho Creator and a candidate record present in Zoho Recruit. They support the status “Partly verified” given to workflow automation in Table 8.1.

CHAPTER 9
CONCLUSION AND FUTURE ENHANCEMENTS

9.1 Conclusion

This project built a recruitment management application on Zoho Creator. Three forms capture candidate registration, interview scheduling and onboarding data; six reports and a dashboard give a live view; an approval process lets HR review registrations; form workflows, a schedule, a Deluge function and a Deluge e-mail script automate parts of the process; a connection links the application to Zoho Recruit; and roles, permission profiles and a share rule control access.

The supplied screenshots show records being stored and listed, approval requests being created and completed, a notification e-mail being received and dashboard totals agreeing with the records. They also show the content of two e-mail actions and the single Super Admin user of the account. The report has stated plainly which features are only configured, namely the synchronisation of all candidates to Zoho Recruit, the HR e-mail script and the scheduled summary. The work shows that a manual recruitment process can be moved to a connected application quickly using low-code tools.

9.2 Future Enhancements

- Verify and complete the synchronisation of all candidate records to Zoho Recruit, and show the result in the report.
- Link the Interview Schedule and Employee Onboarding forms to Candidate Registration with lookup fields.
- Prevent duplicate candidate records and add a resume upload field.
- Send interview confirmation e-mails to candidates, and verify the Daily Recruitment Summary output.
- Group the “Applications Received Over Time” chart by date and add a status field to the Kanban view.
- Replace the placeholder HR recipient, correct the name fields in the e-mail script and add the candidate details to the visual e-mail action.
- Test each role with separate user logins in the Production environment.
- Use the Zoho Analytics connection for richer recruitment analytics.

Table 9.1 ranks the enhancements by priority and links each to the observation that led to it.

Table 9.1: Priority of Future Enhancements

Enhancement	Benefit	Linked Observation	Priority
Real HR recipient and corrected name fields in the e-mail script	HR actually receives the application details	Observations 9 and 10	High
Complete Zoho Recruit synchronisation	One candidate list across both systems	Observation 7	High
No-duplicate validation on e-mail	Cleaner counts and fewer repeated reviews	Observation 3	High
Test users for each role	Proof that access rules work	Observation 12	Medium

Enhancement	Benefit	Linked Observation	Priority
Lookup fields between forms	Enforced relationships between records	Section 4.2	Medium
Date-grouped trend chart and clearer report names	More readable analytics and menus	Observations 1, 4 and 6	Low

9.3 Learning Outcomes and Career Relevance

Developing this application gave practical experience in form design, approvals, workflow automation, Deluge scripting, integration through connections and role-based access control. These skills relate to roles such as citizen developer, low-code developer and automation engineer.

REFERENCES

[1] W. Rosam and O. Kalnichevski, *Low-Code Development: A Practical Guide*. New Delhi, India: BPB Publications.

[2] Zoho Corporation, “Zoho Creator Help Documentation.” [Online]. Available: https://www.zoho.com/creator/help/

[3] Zoho Corporation, “Deluge Script Reference Guide.” [Online]. Available: https://www.zoho.com/deluge/

[4] Zoho Corporation, “Zoho Creator Learning Centre.” [Online]. Available: https://www.zoho.com/creator/resources/

[5] Y. Luo, P. Liang, C. Wang, M. Shahin and J. Zhan, “Characteristics and Challenges of Low-Code Development: The Practitioners’ Perspective,” in Proc. 15th ACM/IEEE Int. Symp. Empirical Software Engineering and Measurement (ESEM), 2021. [Online]. Available: https://arxiv.org/abs/2107.07482

[6] M. A. Al Alamin, S. Malakar, G. Uddin, S. Afroz, T. B. Haider and A. Iqbal, “An Empirical Study of Developer Discussions on Low-Code Software Development Challenges,” arXiv:2103.11429, 2021. [Online]. Available: https://arxiv.org/abs/2103.11429

[7] Zoho Corporation, “Zoho Recruit Help Documentation.” [Online]. Available: https://www.zoho.com/recruit/help/

APPENDIX A – ZOHO CREATOR FEATURE COVERAGE CHECKLIST

Y = implemented, Partial = implemented only in part (see note), N = not implemented. The checklist reflects the application as built and tested and should be re-checked against the live application before the demonstration.

Table A.1: Feature Coverage Checklist

Unit	Zoho Creator Feature	Done	Where in the Application	Report Section	Figure / Code No.
I	Application created & sections/menu organised	Y	Menu: Job Applications, App Preferences, Approvals, dashboard, All Candidates List, Candidates by Job Role, Interview Scheduling, Employee Onboarding	4.5, 5.1	Fig. 5.1, 5.4, 5.6
II	Forms with ≥ 8 distinct field types	Y	Name, Email, Address, Phone, Single Line, Multi Line, Number, Date, Time, Drop Down, Radio, Checkbox, Multi-select (13 in Candidate Registration)	4.3, 5.2	Fig. 5.1–5.3
II	Lookup field (relationship between forms)	N	Not used; the forms are related by typed candidate / employee name	4.2, 4.7	—
II	Subform (parent-child data)	N	Not observed in the application	4.2	—
II	Field validations / layout rules	Partial	Mandatory fields and mandatory consent checkbox; “No duplicate values” not enabled on Email_Address; no layout rules shown	4.7, 5.2	Fig. 5.2, 5.3, 5.5
II	List report with filter, grouping, custom action	Partial	Four list reports (All Job Applications, All Candidates List, All Interviews, Employee Onboarding List); no filter, grouping or custom action shown	5.3	Fig. 5.8, 5.11, 5.13–5.14
II	Kanban / Calendar / Timeline / Map report	Y	Kanban report grouped by Department_applied_for (named “product sales”); card-layout report Candidates by Job Role	5.3	Fig. 5.9, 5.10, 5.12
II	Pivot table / chart report	Partial	Charts on the dashboard (Candidates by Department, Applications Received Over Time, Candidate Application Status); no separate pivot or chart report	5.4	Fig. 5.15
II	Page / dashboard built with UI Builder	Y	Smart Recruitment Dashboard: KPI panels, charts, filter boxes and an embedded report	5.4	Fig. 5.15, 5.16
II	Deluge – form events (validate / success / field actions)	Y	Created → Successful form submission triggers on four workflows (Candidate Registration)	5.6, 5.6.1	Fig. 5.20, 5.22; C.1
II	Deluge – functions, fetch, loops, collections	Partial	getCandidateCount() uses a fetch and count(); test function CheckJobApplication(); no loop; execution of getCandidateCount() not shown	5.7	Fig. 5.23–5.26; C.2, C.3
II	Email / in-app notifications	Y	Send mail action (notify customers) with the e-mail received; sendmail script in Send Email to HR on New Application	5.6.1, 5.8	Fig. 5.22, 5.27, 5.28

Unit	Zoho Creator Feature	Done	Where in the Application	Report Section	Figure / Code No.
II	Form workflow	Y	Four form workflows on Candidate Registration, all Enabled	5.6	Fig. 5.20
II	Scheduled workflow	Partial	Daily Recruitment Summary configured and Enabled (start 01-Nov-2026 09:00:00); no run or output shown	5.6	Fig. 5.21
II	Approval process	Y	HR approvals on Candidate Registration; Pending Tasks and one Completed Task shown	5.5	Fig. 5.17–5.19
II	Blueprint	N	Not used	5.6	—
II	Batch / report workflow	N	Not used	5.6	—
II	Testing & debugging evidence	Y	Test cases T1–T14, features not fully verified, observations and improvements, test function run	6	Table 6.1–6.3; Fig. 5.26
III	Integration with a Zoho service	Partial	Zoho Recruit connection Connected and authorised; workflow Sync_Candidate_To_Zoho_Recruit enabled; Zoho Recruit shows 1 candidate against 10 in Creator	5.9	Fig. 5.29–5.31
III	Connection / REST API call (invokeurl)	N	Connection configured, but no invokeurl script is shown in the application	5.9	—
III	Webhook or Creator REST API	N	Not used	5.9	—
III	Users, roles and permission profiles	Partial	Roles CEO, Manager, employee and three permission profiles configured; only one user (Super Admin) exists, so not tested	5.10	Fig. 5.32–5.34
III	Record-level access criteria / customer portal	Partial	Data-sharing rule on Candidate Registration (Manager to Manager, Read/Write); no criteria or portal	5.10	Fig. 5.35
III	Zia / AI feature	N	Not used in the application	—	—
III	Analytics (charts / Zoho Analytics)	Partial	Dashboard charts; Zoho Analytics connection shown as Connected but its usage is not shown	5.4, 5.9	Fig. 5.15, 5.29
IV	Performance optimisation applied & measured	N	Nothing measured	—	—
IV	Deployment across environments	Y	Version 1.0 in Stage and Production (Nov 01, 2026)	7.1	Fig. 7.1, 7.2
IV	Security controls (encryption, OAuth, permissions)	Partial	Roles, profiles, share rule, authorised connection and mandatory consent; no encryption evidenced	7.2	Table 7.1
IV	Governance (audit trail, administration)	N	Administration pages only (Users, Connection Access); no audit trail evidenced	7.3	Fig. 5.30, 5.32
V	Pro-code extension (Catalyst / widgets / custom functions)	N	Not used	—	—
V	Low-code limitations & spectrum analysis	Partial	Limitations discussed in Section 8.4; no no-code to pro-code spectrum analysis	8.4, 8.5	—
—	Mobile app / portal access	N	Not configured	—	—

Total features implemented: 10 fully, 11 partly, 11 not implemented, out of 32.

APPENDIX B – COURSE OUTCOME MAPPING

The self-assessed level (1 – Low, 2 – Medium, 3 – High) is left for the student; the examiner may revise it.

Table B.1: Mapping of Course Outcomes to Report Chapters

CO	Course Outcome Statement	Evidenced In	Self-Assessed Level	Examiner Level
CO1	Explain the principles, architecture, and business value of low-code application development using Zoho Creator.	Ch. 1, 2		
CO2	Develop business applications using Zoho Creator forms, reports, workflows, and Deluge scripting.	Ch. 4, 5 (5.1–5.8), 6		
CO3	Integrate Zoho Creator applications with Zoho services and external systems using APIs, connections, and role-based security.	Ch. 5.9, 5.10, 7.2		
CO4	Deploy, secure, and manage Zoho Creator applications across development and production environments following governance best practices.	Ch. 7		
CO5	Evaluate low-code development strategies, AI-assisted application development, and the transition from citizen developer to professional developer.	Ch. 8.4, 8.5, 9.3		

Note: CO5 also refers to AI-assisted application development. No Zia or other AI feature is used in this application (Table A.1), so the evidence for CO5 is limited to the discussion of limitations, reflection and career relevance in Sections 8.4, 8.5 and 9.3.

APPENDIX C – COMPLETE DELUGE SOURCE CODE

The scripts below are as shown in the Deluge editors of the application (Figure 5.22, Figure 5.24 and Figure 5.26). Header comments (script ID, location and purpose) were added for this report, and long lines are wrapped for printing. The “notify customers” action is a visual Send mail action and not a script; its configuration is listed in C.4.

C.1 Workflow “Send Email to HR on New Application” (Candidate Registration form)

```
// Script ID : DS-01
// Location  : Candidate Registration -> Created -> Successful form submission
//             -> Send Email to HR on New Application
// Purpose   : E-mail HR when a new candidate application is submitted
// Fetch candidate details from input
firstName = input.candidate_name.first_name;
lastName = input.candidate_name.suffix;
candidateName = firstName + " " + lastName;
emailAddress = input.Email_Address;
department = input.Department_applied_for;
applicationStatus = input.Application_Status;
// Construct email message
emailSubject = "New Candidate Application: " + candidateName;
emailMessage = "<p>Dear HR Team,</p>" + "<p>A new candidate has submitted their
    application.</p>" + "<p><strong>Candidate Name:</strong> " + candidateName
    + "</p>" + "<p><strong>Email Address:</strong> " + emailAddress + "</p>"
    + "<p><strong>Position Applied:</strong> " + department + "</p>"
    + "<p><strong>Application Status:</strong> " + applicationStatus + "</p>"
    + "<p>Please review the application at your earliest convenience.</p>"
    + "<p>Best regards,<br>Recruitment System</p>";
// Send email to HR team
sendmail
[
    from :zoho.adminuserid
    to :"hr-team@company.com"
    subject :emailSubject
    message :emailMessage
    content type :HTML
]
```

As noted in Section 5.6.1, the recipient is a placeholder-like address and line 3 reads the suffix part of the name field; both are listed for correction in Table 6.3.

C.2 Function getCandidateCount()

```
// Function ID : DS-02
// Location    : Workflow -> Functions -> Default -> getCandidateCount
// Purpose     : Return the number of Candidate Registration records
int getCandidateCount()
{
    // Fetch all records from Candidate_Registration form
    allCandidates = Candidate_Registration[ID != 0];
    // Get the count of records
    candidateCount = allCandidates.count();
    // Return the count
    return candidateCount;
}
```

C.3 Test function CheckJobApplication()

```
// Function ID : DS-03
// Location    : Workflow -> Functions -> Default (test function)
// Purpose     : Confirm that a function can be created, saved and run
string CheckJobApplication()
{
    return "Job Application function executed successfully.";
}
```

C.4 Workflow “notify customers” – Send mail action (configuration, not a script)

```
Workflow  : notify customers
Path      : Candidate Registration > Created > Successful form submission
            > notify customers
Condition : Execute without condition
Action    : Send mail
To        : the administrator's e-mail address
Subject   : Record Added
Content   : Plain Text   (option "Include user submitted data" not ticked)
Message   :
    Subject: New Candidate Registration Notification
    Dear Admin,
    A new candidate has successfully registered in the Smart Recruitment
    Management System.
    Please review the candidate's details and application information.
    Kindly verify the application and take the necessary action.
    Thank you.
```

The message text matches the e-mail received in Figure 5.28.

APPENDIX D – USER MANUAL

D.1 Accessing the Application

Sign in to Zoho Creator (India data centre, creatorapp.zoho.in) with your Zoho account and open the application “Smart Recruitment Management System”. The menu on the left shows the sections Job Applications, App Preferences, Approvals, dashboard, All Candidates List, Candidates by Job Role, Interview Scheduling and Employee Onboarding. The application is used through the Zoho Creator web interface.

Application link:
https://creatorapp.zoho.in/sadhana.m.2024.csbs_rajal463/smart-recruitment-management-system

D.2 Instructions for the HR / Administrator

1. Open **Approvals → Pending Tasks**. Each registration appears as a request “pending for review” with the candidate name, e-mail address and current address. Open a request, review the details and complete the review; the request then moves to **Completed Tasks**.
2. Open **Job Applications → All Job Applications** or **All Candidates List** to search and view every registration. Use the Kanban report (named “product sales”) to see candidates grouped by department, and **Candidates by Job Role** to see each candidate as a card.
3. Open **Interview Scheduling → Interview Schedule**, enter the candidate name, interview time, interview mode, interview status, interview ID, job title and interview date, and click Submit. The interview is listed under **All Interviews**.
4. Open **Employee Onboarding → Employee Onboarding**, enter the designation, department, joining date and employee name; the onboarding status starts as Pending. Click Submit; the record is listed under **Employee Onboarding List**.
5. Open **dashboard** to see Total Candidates, Total Applications, Under Review and Shortlisted, the charts, the Filter by Application Status and Filter by Skills boxes, and the embedded All Job Applications report.
6. The e-mail “Record Added” (New Candidate Registration Notification) arrives in the administrator’s mailbox for every new registration.
7. Manage roles, permission profiles and the data-sharing rule in **Settings → Users**, workflows and approvals in the **Workflow** section, and connections under **Microservices → Connections**.

D.3 Instructions for the Manager

1. Sign in with the account assigned to the Manager role. Access depends on the permission profile and the data-sharing rule configured for the role (Candidate Registration records shared among Managers with Read/Write access).
2. Open **All Candidates List** or **Candidates by Job Role** to see candidates by department, and open a record to read its details.
3. Open **dashboard** to monitor the number of candidates, applications under review and shortlisted candidates.

4. Open **All Interviews** to see the scheduled interviews and **Employee Onboarding List** to see the onboarding records.

D.4 Instructions for the Candidate

1. Open the **Candidate Registration** form (Job Applications → Candidate Registration).
2. Enter your first and last name, e-mail address, current address, contact number, LinkedIn profile, cover letter and years of experience. All fields are mandatory.
3. Choose the available joining date, preferred interview time and department applied for; select the employment type, the languages known and the key skills.
4. Tick the background verification consent ("I agree to the terms and conditions and privacy policies"); the form cannot be stored without it.
5. Click **Submit**. The registration is stored, an approval request is created for HR and a notification e-mail is sent to the administrator.

The Manager and Candidate instructions describe the roles as designed. The account lists only one user (the Super Admin), so these roles were not tested with separate logins (Section 5.10, Table 6.2).