




MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

examinationdb

Tables

Views

Stored Procedures

Functions

sakila

studentdb

superstore_db

Tables

Views

Stored Procedures

Functions

sys

world

superstore_assignment

Limit to 1000 rows

70FROM superstore;

71

72

73# Subqueries (Orders Above Average Sales)

74SELECT *

75FROM orders

76WHERE sales >

77(

78SELECT AVG(sales)

79FROM orders

80)

81

82

SQLAdditions

My Snippets

AdministrationSchemas

Information

No object selected

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

row_id	order_id	order_date	ship_date	ship_mode	customer_id	product_id	sales	quantity	discount	profit
1	CA-2016-152156	2016-11-08	2016-11-11	Second Class	CG-12520	FUR-BO-10001798	261.96	2	0.00	41.91
2	CA-2016-152156	2016-11-08	2016-11-11	Second Class	CG-12520	FUR-CH-10000454	731.94	3	0.00	219.58
4	US-2015-108966	2015-10-11	2015-10-18	Standard Class	SO-20335	FUR-TA-10000577	957.58	5	0.45	-383.03
8	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002275	907.15	6	0.20	90.72
11	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	FUR-BO-10001539	1706.18	9	0.20	85.31
12	CA-2014-115812	2014-06-09	2014-06-14	Standard Class	BH-11710	TEC-PH-10002033	911.42	4	0.20	68.36
14	CA-2016-161389	2016-12-05	2016-12-10	Standard Class	IM-15070	OFF-BI-10003656	407.98	3	0.20	132.59
17	CA-2014-105893	2014-11-11	2014-11-18	Standard Class	PK-19075	OFF-ST-10004186	665.88	6	0.00	13.32
25	CA-2015-106320	2015-09-25	2015-09-30	Standard Class	EB-13870	FUR-TA-10000577	1044.63	3	0.00	240.26
28	US-2015-150630	2015-09-17	2015-09-21	Standard Class	TB-21520	FUR-BO-10004834	3083.43	7	0.50	-1665.05
36	CA-2016-117590	2016-12-08	2016-12-10	First Class	GH-14485	TEC-PH-10004977	1097.54	7	0.20	123.47
39	CA-2015-117415	2015-12-27	2015-12-31	Standard Class	SN-20710	FUR-BO-10002545	532.40	3	0.32	-46.98
41	CA-2015-117415	2015-12-27	2015-12-31	Standard Class	SN-20710	TEC-PH-10000486	371.17	4	0.20	41.76
55	CA-2016-105816	2016-12-11	2016-12-17	Standard Class	JM-15265	TEC-PH-10002447	1029.95	5	0.00	298.69
58	CA-2016-111682	2016-06-17	2016-06-18	First Class	TB-21055	FUR-CH-10003968	319.41	5	0.10	7.10
68	CA-2014-106176	2014-12-05	2014-12-10	Standard Class	RC-11590	OFF-BI-10007671	1111.02	8	0.20	111.30

orders 14 x

Read Only

Context Help

Snippets

Object Info

Session

Output

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- examinationdb
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- studentdb
- superstore_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- world

superstore_assignment

Limit to 1000 rows

```
81
82
83 # CTE (Total Sales Per Customer)
84 WITH customer_sales AS
85 (
86     SELECT
87         customer_id,
88         SUM(sales) AS total_sales
89     FROM orders
90     GROUP BY customer_id
91 )
92 SELECT *
93 FROM customer_sales;
94
95
96 # Window Functions (ROW_NUMBER())
97 SELECT
```

Result Grid

Filter Rows:

Exports: Wrap Cell Content

customer_id	total_sales
CG-12520	3446.34
DV-13045	3358.44
SO-20335	7807.74
BH-11710	18766.02
AA-10480	5348.61
IM-15070	14791.47
HP-14815	5970.93
PK-19075	24475.95
AG-10270	7695.78
ZD-21925	4481.82
KB-16585	8228.28

Result 15

Object Info Session

SQLAdditions

My Snippets

Read Only Context Help Snippets

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigation icons

Limit to 1000 rows

SQL Actions icons

superstore_assignment

SQLAdditions

SCHEMAS

Filter objects

examinationdb

Tables

Views

Stored Procedures

Functions

sakila

studentdb

superstore_db

Tables

Views

Stored Procedures

Functions

sys

world

93

FROM customer_sales;

94

95

96

Window Functions (ROW_NUMBER())

97

SELECT

98

customer_id,

99

order_id,

100

sales,

101

ROW_NUMBER() OVER(

102

PARTITION BY customer_id

103

ORDER BY sales DESC

104

) AS row_num

105

FROM orders;

106

107

108

Window Functions (RANK())

109

SELECT

Result Grid

Filter Rows:

Export: Wrap Cell Content:

customer_id	order_id	sales	row_num
AA-10315	CA-2016-103982	3930.07	1
AA-10315	CA-2016-103982	3930.07	2
AA-10315	CA-2016-103982	3930.07	3
AA-10315	CA-2014-128055	673.57	4
AA-10315	CA-2014-128055	673.57	5
AA-10315	CA-2014-128055	673.57	6
AA-10315	CA-2016-103982	431.98	7
AA-10315	CA-2016-103982	431.98	8
AA-10315	CA-2016-103982	431.98	9
AA-10315	CA-2017-147039	362.94	10
AA-10315	CA-2017-147039	362.94	11

Result 16

Administration

Schemas

Information

No object selected

Read Only

Context Help

Snippets

Object Info

Session

Output

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- examinationdb
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- studentdb
- superstore_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- world

superstore_assignment

Limit to 1000 rows

```
105 FROM orders;
106
107
108 # Window Functions (RANK())
109 SELECT
110     customer_id,
111     SUM(sales) AS total_sales,
112
113     RANK() OVER(
114         ORDER BY SUM(sales) DESC
115     ) AS sales_rank
116
117 FROM orders
118 GROUP BY customer_id;
119
120
121 # JOIN + CTE + Window Function
```

Result Grid

Filter Rows:

Exports: Wrap Cell Contents

customer_id	total_sales	sales_rank
SM-20320	75129.21	1
TC-20980	57053.55	2
RB-19360	45352.05	3
TA-21385	43786.86	4
AB-10105	43066.83	5
SC-20095	42427.02	6
KL-16645	42215.76	7
HL-15040	38619.90	8
SE-20110	36628.32	9
CC-12370	36387.24	10
TS-21370	35657.61	11

Result 17

Read Only Context Help Snippets

Object Info Session Output

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigation icons

Limit to 1000 rows

SQL Snippets icon

superstore_assignment

SQL Snippets icon

SCHEMAS

Filter objects

examinationdb

- Tables
- Views
- Stored Procedures
- Functions

sakila

studentdb

superstore_db

- Tables
- Views
- Stored Procedures
- Functions

sys

world

AdministrationSchemas

Information

No object selected

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

...

JOIN + CTE + Window Function

WITH customer_sales AS

(SELECT

customer_id,

SUM(sales) AS total_sales

FROM orders

GROUP BY customer_id)

SELECT

c.customer_name,

c.segment,

cs.total_sales,

RANK() OVER(

ORDER BY cs.total_sales DESC

) AS customer_rank

FROM customer_sales cs

JOIN customers c

ON cs.customer_id = c.customer_id;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

customer_name

segment

total_sales

customer_rank

Sean Miller

Home Office

75129.21

1

Tamara Chand

Corporate

57053.55

2

Raymond Buch

Consumer

45352.05

3

Tom Ashbrook

Home Office

43786.86

4

Adrian Barton

Consumer

43066.83

5

Result 18

Read Only

Context Help

Snippets

Object Info

Session

Output

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigation icons

Limit to 1000 rows

SQL Editor icons

superstore_assignment

SQLAdditionsMy Snippets

SCHEMAS

Filter objects

examinationdb
 Tables
 Views
 Stored Procedures
 Functions
sakila
studentdb
superstore_db
 Tables
 Views
 Stored Procedures
 Functions
sys
world

156

LIMIT 10;

157

Execute the selected portion of the script or everything, if there is no selection

158

Business Query 2: Bottom 10 Customers

159

WITH customer_sales AS

160

(

161

SELECT

162

customer_id,

163

SUM(sales) AS total_sales

164

FROM orders

165

GROUP BY customer_id

166

)

167

168

SELECT *

169

FROM customer_sales

170

ORDER BY total_sales ASC

171

LIMIT 10;

172

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Read Only

Context Help

Snippets

Information

No object selected

Result 20

Output

customer_id	total_sales
TS-21085	14.52
LD-16855	15.90
MG-18205	36.96
CJ-11875	49.56
RS-19870	66.99
SG-20890	123.24
RE-19405	145.08
LB-16735	150.57
AS-10135	176.46
BW-11065	182.31

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- examinationdb
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- studentdb
- superstore_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- world

superstore_assignment

Limit to 1000 rows

```
168 SELECT *
169 FROM customer_sales
170 ORDER BY total_sales ASC
171 LIMIT 10;
172
173 # Business Query 3: Single-Order Customers
174 * SELECT
175     customer_id,
176     COUNT(DISTINCT order_id) AS order_count
177 FROM orders
178 GROUP BY customer_id
179 HAVING COUNT(DISTINCT order_id) = 1;
180
181
182 # Business Query 4: Customers Above Average Sales
183 * WITH customer_sales AS
184 (
```

Result Grid

Filter Rows:

Export: Wrap Cell Content:

customer_id	order_count
AO-10810	1
AR-10570	1
CJ-11875	1
JC-15385	1
JR-15700	1
LD-16855	1
MG-18205	1
PH-18790	1
RE-19405	1
RM-19750	1
SM-20905	1

Result 21

Read Only Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- examinationdb
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- studentdb
- superstore_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys
- world

superstore_assignment

Limit to 1000 rows

```
180
181
182 # Business Query 4: Customers Above Average Sales
183 WITH customer_sales AS
184 (
185     SELECT
186         customer_id,
187         SUM(sales) AS total_sales
188     FROM orders
189     GROUP BY customer_id
190 )
191
192 SELECT *
193 FROM customer_sales
194 WHERE total_sales >
195 (
196     SELECT AVG(total_sales)
197     FROM customer_sales
198 )
199
```

SQLAdditions

My Snippets

Administration Schemas

Information

No object selected

Result Grid

Filter Rows:

Export: Wrap Cell Content:

	customer_id	total_sales
▶	BH-11710	18766.02
	IM-15070	14791.47
	PK-19075	24475.95
	TB-21520	14191.86
	MA-17560	12841.86
	SN-20710	9383.91
	LC-20000	12442.49

Result 22

Read Only Context Help Snippets

Object Info Session Output

