# MINT POWER ELECTRIC



3NO Power Pole + 1NO Aux. Contact

MU2-B3 , MU2-B4 CONTACTOR



POUTRING PROGRESS

WITH INNOVATION



AN 150 9001:2015 CERTIFIED COMPANY

### MU2-B3 , MU2-B4 THREE/ SINGLE PHASE CONTACTOR






#### **MU2-B3**

4Pole Contactor Three/Single Phase 3NO Power Pole + 1NO Aux. Contact





#### MU2-B4

4Pole Contactor Three/Single Phase 4NO Power Pole Contact

MU1-B3, MU2-B3, MU3-B3, MU4-B3, 4Pole Contactor.
Three Phase/Single Phase 3NO Power Pole + 1NO Aux. Contact

Coil Voltage Order Code- M-240V, Q-360V, N-415V 50Hz/60Hz

HS CODE 8538

Cat. No.	AC3 Rating (A)	AC1 Rating (A)	Coil Voltage	Number of Pole	Power Pole	Aux. Cont.	Std. Pkg. Nos.
MU1-B3	16A.	55A.	<b>N</b> 415V	4	3	1NO	24 Pcs.
MU2-B3	25A.	63A.	<b>N</b> 415V	4	3	1NO	24 Pcs.
MU3-B3	32A.	63A.	<b>N</b> 415V	4	3	1NO	24 Pcs.
MU4-B3	40A	70A	N 415V	4	3	1NO	24 Pcs.

MU1-B4, MU2-B4, MU3-B4, MU4-B4, 4Pole Contactor Three Phase/Single Phase 4NO Power Pole Contacts Coil Voltage Order Code- M-240V, Q-360V, N-415V 50Hz/60Hz

HS CODE 8538

Cat. No.	AC3 Rating (A)	AC1 Rating (A)	Coil Voltage	Number of Pole	Power Pole	Std. Pkg. Nos.
MU1-B4	16A	55A	<b>N</b> 415V	4	4	24 Pcs.
MU2-B4	25A	63A	N 415V	4	4	24 Pcs.
MU3-B4	32A	63A	N 415V	4	4	24 Pcs.
MU4-B4	40A	70A	N 415V	4	4	24 Pcs.


### MU2-B3 , MU2-B4 THREE/ SINGLE PHASE CONTACTOR


- SUITABLE FOR SINGLE & THREE PHASE PUMP AND MOTOR APPLICATIONS
- SUITABLE FOR LOW VOLTAGE CONDITION
- HIGH TEMPERATURE WITHSTAND CAPABILITY
- AVAILABLE WITH WIDE BAND COIL
- **EASY INSPECTION AND REPLACEMENT OF COILS AND CONTACTS**
- ROBUST DESIGN SUITABLE FOR TROPICAL CONDITIONS

### Contactor


### **Dimensional Drawings**

MU2-B3, MU2-B4 Contactor





### **Mounting Arrangement**



## Synergy Enterprises

**MANUFACTURERS OF: DEFINITE PURPOSE COTACTOR, POWER CONTACTOR** SUBMERSIBLE CONTROLE PANELS

CB-303B, RING ROAD, NARAINA, NEW DELHI - 110028 TEL.: +91-9811456067





