





- MARGIN
- PADDING
- BORDER
- RESET CSS
- **OVERFLOW**
- OPACITY
- Z-INDEX



CSS BOX MODEL NƏDİR?



- MARGIN
- PADDING
- BOTTOM, TOP, LEFT, RIGHT
- BORDER: WIDTH COLOR STYLE

CSS RESET NƏDİR?


• CSS RESET - VAR OLAN (DEFOULT) BÜTÜN CSS KODLARINI SIFIRLAYIR

https://meyerweb.com/eric/tools/css/reset/

```
margin: 0;
padding: 0;
}

BU KOD YAZILIŞI İSƏ WEB SƏHVƏMİZDƏ OLACAQ
BÜTÜN MARGİN VƏ PADDİNGLƏRİ SIFIRLAYIR
```

```
/* http://meyerweb.com/eric/tools/css/reset/
   v2.0 | 20110126
   License: none (public domain)
html, body, div, span, applet, object, iframe,
h1, h2, h3, h4, h5, h6, p, blockquote, pre,
a, abbr, acronym, address, big, cite, code,
del, dfn, em, img, ins, kbd, q, s, samp,
small, strike, strong, sub, sup, tt, var,
b, u, i, center,
dl, dt, dd, ol, ul, li,
fieldset, form, label, legend,
table, caption, tbody, tfoot, thead, tr, th, td,
article, aside, canvas, details, embed,
figure, figcaption, footer, header, hgroup,
menu, nav, output, ruby, section, summary,
time, mark, audio, video {
  margin: 0;
  padding: 0;
  border: 0;
  font-size: 100%;
  font: inherit;
  vertical-align: baseline;
/* HTML5 display-role reset for older browsers */
article, aside, details, figcaption, figure,
footer, header, hgroup, menu, nav, section {
  display: block;
body {
  line-height: 1;
ol, ul {
  list-style: none;
blockquote, q {
  quotes: none;
blockquote:before, blockquote:after,
q:before, q:after {
  content: '';
  content: none;
table {
  border-collapse: collapse;
  border-spacing: 0;
```



 DİGƏR 3 MÖVZÜNÜN LİNKİNİ KOD HİSSƏSİNDƏ PAYLAŞMIŞAM OXUMAĞINIZ ŞƏRTDİR!



OXUDUĞUNUZ ÜÇÜN TƏŞƏKKÜRLƏR