

ICPSR 36755

**Chitwan Valley [Nepal] Family  
Study: Labour Outmigration,  
Agricultural Productivity and Food  
Security**

Dirgha Ghimire

*University of Michigan. Population Studies  
Center*

Household Agriculture and Migration Survey  
Calendar Data - ICPSR Variable Description  
and Frequencies

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## **Terms of Use**

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36755/terms>

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE  
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**ICPSR PROCESSING NOTES FOR #36755**  
*Chitwan Valley [Nepal] Family Study: Labour Outmigration,  
Agricultural Productivity and Food Security*  
*DS1: Household Agriculture and Migration Survey Calendar Data*

1. **Question Differences:** The questions **C1** to **C12**, **D1** to **D10**, and the calendar section “E. Migration and Remittance” are in the Data Collection Instrument, but are not present in the dataset provided to ICPSR. No additional information was provided.
2. **Value Differences:** The values -1 ‘Inappropriate’ and system are in the P.I. Codebook, but are not distinguished in the dataset provided to ICPSR; only system missing was included in the dataset provided ICPSR.
3. **Alpha System Missing:** ICPSR has converted alpha special missing values in the original Stata data to numeric to conform with SPSS. Value C was changed to 998 ‘Household merge’ and N to 999 ‘Household does not exist’.
4. **Additional Information:** For additional information on the Household Agriculture and Migration Survey Calendar Data, please visit the Labor Outmigration, Agricultural Productivity and Food Security project Website.

# **ICPSR 36755**

## **Chitwan Valley [Nepal] Family Study: Labour Outmigration, Agricultural Productivity and Food Security**

### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Household Agriculture and Migration Survey Calendar Data

## HHID: Household ID

Value	Label	Unweighted Frequency	%
002002	-	1	0.0 %
002003	-	1	0.0 %
002004	-	1	0.0 %
002005	-	1	0.0 %
002006	-	1	0.0 %
002009	-	1	0.0 %
002011	-	1	0.0 %
002012	-	1	0.0 %
002013	-	1	0.0 %
002016	-	1	0.0 %
002017	-	1	0.0 %
002020	-	1	0.0 %
002026	-	1	0.0 %
002027	-	1	0.0 %
002033	-	1	0.0 %
002037	-	1	0.0 %
002041	-	1	0.0 %
002042	-	1	0.0 %
002048	-	1	0.0 %
002050	-	1	0.0 %
002051	-	1	0.0 %
002052	-	1	0.0 %
002054	-	1	0.0 %
002055	-	1	0.0 %
002056	-	1	0.0 %
002057	-	1	0.0 %
002058	-	1	0.0 %
003002	-	1	0.0 %
003005	-	1	0.0 %
003006	-	1	0.0 %
003018	-	1	0.0 %
003020	-	1	0.0 %
003025	-	1	0.0 %
003026	-	1	0.0 %
003027	-	1	0.0 %

Value	Label	Unweighted Frequency	%
003028	-	1	0.0 %
003029	-	1	0.0 %
003030	-	1	0.0 %
003031	-	1	0.0 %
005001	-	1	0.0 %
005036	-	1	0.0 %
005089	-	1	0.0 %
005109	-	1	0.0 %
005122	-	1	0.0 %
005132	-	1	0.0 %
005147	-	1	0.0 %
005168	-	1	0.0 %
005172	-	1	0.0 %
005182	-	1	0.0 %
005190	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

*Location:* 1-6 (width: 6; decimal: 0)

*Variable Type:* character

---

## AGE1: Age of first respondent

Value	Label	Unweighted Frequency	%
18	-	8	0.4 %
19	-	2	0.1 %
20	-	7	0.3 %
21	-	16	0.7 %
22	-	23	1.0 %
23	-	22	1.0 %
24	-	22	1.0 %
25	-	41	1.8 %
26	-	42	1.9 %
27	-	38	1.7 %
28	-	45	2.0 %
29	-	47	2.1 %
30	-	87	3.9 %
31	-	47	2.1 %

Value	Label	Unweighted Frequency	%
32	-	87	3.9 %
33	-	44	2.0 %
34	-	48	2.1 %
35	-	102	4.5 %
36	-	56	2.5 %
37	-	50	2.2 %
38	-	52	2.3 %
39	-	36	1.6 %
40	-	129	5.7 %
41	-	34	1.5 %
42	-	66	2.9 %
43	-	47	2.1 %
44	-	42	1.9 %
45	-	72	3.2 %
46	-	49	2.2 %
47	-	29	1.3 %
48	-	44	2.0 %
49	-	23	1.0 %
50	-	69	3.1 %
51	-	30	1.3 %
52	-	49	2.2 %
53	-	36	1.6 %
54	-	30	1.3 %
55	-	53	2.4 %
56	-	45	2.0 %
57	-	24	1.1 %
58	-	21	0.9 %
59	-	15	0.7 %
60	-	52	2.3 %
61	-	26	1.2 %
62	-	33	1.5 %
63	-	18	0.8 %
64	-	16	0.7 %
65	-	40	1.8 %
66	-	23	1.0 %
67	-	15	0.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 44.79
- Median: 42.00
- Mode: 40.00
- Minimum: 18.00
- Maximum: 93.00
- Standard Deviation: 14.66

*Location:* 7-8 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## GENDER1: Gender of first respondent

Value	Label	Unweighted Frequency	%
0	Male	653	29.0 %
1	Female	1602	71.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 9-9 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## AGE2: Age of second respondent

Value	Label	Unweighted Frequency	%
18	-	2	0.1 %
19	-	1	0.0 %
20	-	3	0.1 %
21	-	5	0.2 %
22	-	9	0.4 %
23	-	6	0.3 %
24	-	13	0.6 %
25	-	7	0.3 %
26	-	9	0.4 %
27	-	15	0.7 %
28	-	8	0.4 %
29	-	7	0.3 %
30	-	11	0.5 %
31	-	5	0.2 %
32	-	15	0.7 %

Value	Label	Unweighted Frequency	%
33	-	9	0.4 %
34	-	6	0.3 %
35	-	21	0.9 %
36	-	14	0.6 %
37	-	11	0.5 %
38	-	8	0.4 %
39	-	4	0.2 %
40	-	17	0.8 %
41	-	3	0.1 %
42	-	9	0.4 %
43	-	10	0.4 %
44	-	5	0.2 %
45	-	12	0.5 %
46	-	7	0.3 %
47	-	7	0.3 %
48	-	7	0.3 %
49	-	9	0.4 %
50	-	20	0.9 %
51	-	6	0.3 %
52	-	11	0.5 %
53	-	3	0.1 %
54	-	3	0.1 %
55	-	15	0.7 %
56	-	8	0.4 %
57	-	6	0.3 %
58	-	4	0.2 %
59	-	5	0.2 %
60	-	8	0.4 %
61	-	5	0.2 %
62	-	10	0.4 %
63	-	6	0.3 %
64	-	7	0.3 %
65	-	11	0.5 %
66	-	5	0.2 %
67	-	3	0.1 %
<b>Missing Data</b>			
.	-	1787	79.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 468 valid cases out of 2,255 total cases.

- Mean: 46.07
- Median: 45.00
- Mode: 35.00
- Minimum: 18.00
- Maximum: 87.00
- Standard Deviation: 16.41

*Location:* 10-11 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## GENDER2: Gender of second respondent

Value	Label	Unweighted Frequency	%
0	Male	209	9.3 %
1	Female	259	11.5 %
	<b>Missing Data</b>		
.	-	1787	79.2 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 468 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 12-12 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## AGE3: Age of third respondent

Value	Label	Unweighted Frequency	%
18	-	2	0.1 %
20	-	1	0.0 %
22	-	1	0.0 %
23	-	2	0.1 %
24	-	1	0.0 %
26	-	2	0.1 %
27	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
35	-	2	0.1 %

Value	Label	Unweighted Frequency	%
36	-	2	0.1 %
48	-	1	0.0 %
52	-	2	0.1 %
55	-	1	0.0 %
58	-	1	0.0 %
69	-	1	0.0 %
77	-	1	0.0 %
79	-	1	0.0 %
85	-	1	0.0 %
<b>Missing Data</b>			
.	-	2229	98.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 26 valid cases out of 2,255 total cases.

- Mean: 39.88
- Median: 33.50
- Minimum: 18.00
- Maximum: 85.00
- Standard Deviation: 20.07

*Location:* 13-14 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### GENDER3: Gender of third respondent

Value	Label	Unweighted Frequency	%
0	Male	13	0.6 %
1	Female	13	0.6 %
<b>Missing Data</b>			
.	-	2229	98.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 26 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 15-15 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### INTNO: Interview number

Value	Label	Unweighted Frequency	%
1	-	41	1.8 %
2	-	39	1.7 %
3	-	38	1.7 %
4	-	38	1.7 %
5	-	36	1.6 %
6	-	39	1.7 %
7	-	38	1.7 %
8	-	35	1.6 %
9	-	36	1.6 %
10	-	36	1.6 %
11	-	37	1.6 %
12	-	39	1.7 %
13	-	33	1.5 %
14	-	32	1.4 %
15	-	33	1.5 %
16	-	29	1.3 %
17	-	31	1.4 %
18	-	33	1.5 %
19	-	34	1.5 %
20	-	35	1.6 %
21	-	28	1.2 %
22	-	30	1.3 %
23	-	30	1.3 %
24	-	29	1.3 %
25	-	32	1.4 %
26	-	31	1.4 %
27	-	30	1.3 %
28	-	30	1.3 %
29	-	33	1.5 %
30	-	32	1.4 %
31	-	32	1.4 %
32	-	31	1.4 %
33	-	29	1.3 %
34	-	27	1.2 %
35	-	28	1.2 %
36	-	24	1.1 %
37	-	26	1.2 %
38	-	27	1.2 %
39	-	22	1.0 %

Value	Label	Unweighted Frequency	%
40	-	24	1.1 %
41	-	22	1.0 %
42	-	22	1.0 %
43	-	22	1.0 %
44	-	23	1.0 %
45	-	17	0.8 %
46	-	19	0.8 %
47	-	16	0.7 %
48	-	15	0.7 %
49	-	16	0.7 %
50	-	20	0.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 44.89
- Median: 34.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 228.00
- Standard Deviation: 36.96

*Location:* 16-18 (*width:* 3; *decimal:* 0)

*Variable Type:* numeric

### INTDATE: Interview date (yymmdd)

Value	Label	Unweighted Frequency	%
720330	-	16	0.7 %
720331	-	14	0.6 %
720401	-	20	0.9 %
720404	-	2	0.1 %
720406	-	22	1.0 %
720407	-	29	1.3 %
720408	-	36	1.6 %
720409	-	29	1.3 %
720410	-	25	1.1 %
720411	-	22	1.0 %
720412	-	34	1.5 %
720413	-	41	1.8 %
720414	-	34	1.5 %

Value	Label	Unweighted Frequency	%
720415	-	44	2.0 %
720417	-	38	1.7 %
720418	-	42	1.9 %
720419	-	34	1.5 %
720420	-	49	2.2 %
720421	-	37	1.6 %
720422	-	31	1.4 %
720424	-	37	1.6 %
720425	-	32	1.4 %
720426	-	30	1.3 %
720427	-	19	0.8 %
720428	-	34	1.5 %
720429	-	28	1.2 %
720431	-	48	2.1 %
720432	-	40	1.8 %
720501	-	24	1.1 %
720502	-	42	1.9 %
720503	-	35	1.6 %
720504	-	41	1.8 %
720506	-	25	1.1 %
720507	-	28	1.2 %
720508	-	21	0.9 %
720509	-	21	0.9 %
720510	-	25	1.1 %
720511	-	21	0.9 %
720513	-	41	1.8 %
720514	-	58	2.6 %
720515	-	50	2.2 %
720516	-	65	2.9 %
720517	-	75	3.3 %
720518	-	20	0.9 %
720520	-	73	3.2 %
720521	-	75	3.3 %
720522	-	88	3.9 %
720523	-	60	2.7 %
720524	-	86	3.8 %
720525	-	57	2.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 720484.76
- Median: 720510.00
- Mode: 720522.00
- Minimum: 720330.00
- Maximum: 720905.00
- Standard Deviation: 62.43

*Location:* 19-24 (width: 6; decimal: 0)

*Variable Type:* numeric

---

## INTRVR: Interviewer ID

Value	Label	Unweighted Frequency	%
17	-	6	0.3 %
21	-	3	0.1 %
37	-	96	4.3 %
49	-	14	0.6 %
84	-	69	3.1 %
101	-	14	0.6 %
103	-	61	2.7 %
107	-	24	1.1 %
110	-	40	1.8 %
115	-	31	1.4 %
116	-	46	2.0 %
118	-	28	1.2 %
129	-	33	1.5 %
131	-	65	2.9 %
133	-	61	2.7 %
137	-	122	5.4 %
139	-	17	0.8 %
160	-	112	5.0 %
165	-	132	5.9 %
166	-	85	3.8 %
180	-	138	6.1 %
181	-	83	3.7 %
187	-	136	6.0 %
218	-	69	3.1 %
221	-	96	4.3 %
238	-	46	2.0 %
242	-	47	2.1 %

Value	Label	Unweighted Frequency	%
243	-	5	0.2 %
244	-	40	1.8 %
245	-	39	1.7 %
246	-	39	1.7 %
247	-	42	1.9 %
248	-	46	2.0 %
249	-	53	2.4 %
251	-	52	2.3 %
252	-	25	1.1 %
254	-	45	2.0 %
255	-	21	0.9 %
257	-	46	2.0 %
258	-	33	1.5 %
260	-	38	1.7 %
261	-	42	1.9 %
262	-	15	0.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 177.86
- Median: 180.00
- Mode: 180.00
- Minimum: 17.00
- Maximum: 262.00
- Standard Deviation: 61.81

*Location:* 25-27 (width: 3; decimal: 0)

*Variable Type:* numeric

## **INTRW\_TYPE: Mode of interview**

Value	Label	Unweighted Frequency	%
1	Face to Face	2255	100.0 %
2	Telephone	0	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 28-28 (width: 1; decimal: 0)

*Variable Type:* numeric

## CALL: Number of visits to complete interview

Value	Label	Unweighted Frequency	%
1	-	1862	82.6 %
2	-	284	12.6 %
3	-	64	2.8 %
4	-	33	1.5 %
5	-	9	0.4 %
6	-	2	0.1 %
7	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.64

*Location:* 29-29 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## PRETOT: Pre edit time (in minutes)

Value	Label	Unweighted Frequency	%
1	-	92	4.1 %
2	-	534	23.7 %
3	-	992	44.0 %
4	-	264	11.7 %
5	-	134	5.9 %
6	-	49	2.2 %
7	-	40	1.8 %
8	-	30	1.3 %
9	-	16	0.7 %
10	-	36	1.6 %
11	-	16	0.7 %
12	-	7	0.3 %
13	-	7	0.3 %
14	-	6	0.3 %
15	-	11	0.5 %
16	-	6	0.3 %
17	-	4	0.2 %

Value	Label	Unweighted Frequency	%
18	-	3	0.1 %
19	-	2	0.1 %
20	-	3	0.1 %
21	-	1	0.0 %
23	-	1	0.0 %
31	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 3.62
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 2.58

*Location:* 30-31 (width: 2; decimal: 0)

*Variable Type:* numeric

### IWTOT: Interview total time (in minutes)

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
7	-	8	0.4 %
8	-	23	1.0 %
9	-	24	1.1 %
10	-	56	2.5 %
11	-	42	1.9 %
12	-	61	2.7 %
13	-	43	1.9 %
14	-	46	2.0 %
15	-	74	3.3 %
16	-	35	1.6 %
17	-	30	1.3 %
18	-	45	2.0 %
19	-	47	2.1 %
20	-	121	5.4 %
21	-	45	2.0 %
22	-	43	1.9 %
23	-	37	1.6 %
24	-	35	1.6 %
25	-	108	4.8 %

Value	Label	Unweighted Frequency	%
26	-	39	1.7 %
27	-	50	2.2 %
28	-	43	1.9 %
29	-	38	1.7 %
30	-	130	5.8 %
31	-	61	2.7 %
32	-	43	1.9 %
33	-	44	2.0 %
34	-	34	1.5 %
35	-	91	4.0 %
36	-	31	1.4 %
37	-	35	1.6 %
38	-	54	2.4 %
39	-	32	1.4 %
40	-	69	3.1 %
41	-	30	1.3 %
42	-	24	1.1 %
43	-	24	1.1 %
44	-	25	1.1 %
45	-	58	2.6 %
46	-	25	1.1 %
47	-	21	0.9 %
48	-	23	1.0 %
49	-	15	0.7 %
50	-	44	2.0 %
51	-	17	0.8 %
52	-	15	0.7 %
53	-	7	0.3 %
54	-	12	0.5 %
55	-	23	1.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 31.37
- Median: 30.00
- Mode: 30.00
- Minimum: 5.00
- Maximum: 100.00

- Standard Deviation: 15.57

*Location:* 32-34 (width: 3; decimal: 0)

*Variable Type:* numeric

## POSTTOT: Post edit time (in minutes)

Value	Label	Unweighted Frequency	%
4	-	5	0.2 %
5	-	40	1.8 %
6	-	33	1.5 %
7	-	39	1.7 %
8	-	59	2.6 %
9	-	65	2.9 %
10	-	248	11.0 %
11	-	111	4.9 %
12	-	127	5.6 %
13	-	115	5.1 %
14	-	130	5.8 %
15	-	266	11.8 %
16	-	115	5.1 %
17	-	79	3.5 %
18	-	90	4.0 %
19	-	50	2.2 %
20	-	188	8.3 %
21	-	66	2.9 %
22	-	53	2.4 %
23	-	28	1.2 %
24	-	31	1.4 %
25	-	76	3.4 %
26	-	22	1.0 %
27	-	12	0.5 %
28	-	13	0.6 %
29	-	12	0.5 %
30	-	52	2.3 %
31	-	14	0.6 %
32	-	9	0.4 %
33	-	7	0.3 %
34	-	7	0.3 %
35	-	20	0.9 %
36	-	7	0.3 %
37	-	4	0.2 %

Value	Label	Unweighted Frequency	%
38	-	6	0.3 %
39	-	6	0.3 %
40	-	15	0.7 %
41	-	4	0.2 %
42	-	5	0.2 %
43	-	1	0.0 %
45	-	10	0.4 %
46	-	4	0.2 %
47	-	1	0.0 %
50	-	3	0.1 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
65	-	2	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 16.77
- Median: 15.00
- Mode: 15.00
- Minimum: 4.00
- Maximum: 65.00
- Standard Deviation: 7.88

*Location:* 35-36 (width: 2; decimal: 0)

*Variable Type:* numeric

## ETHNICITY: Ethnicity of household

Value	Label	Unweighted Frequency	%
1	Brahmin/Chhetri	959	42.5 %
2	Hill Janajati	426	18.9 %
3	Dalit	281	12.5 %
4	Newar	133	5.9 %
5	Terai Janajati	415	18.4 %
6	Others	41	1.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 37-37 (width: 1; decimal: 0)

*Variable Type:* numeric

### A\_0: Interview start time (hhmm)

Value	Label	Unweighted Frequency	%
600	-	1	0.0 %
624	-	1	0.0 %
635	-	1	0.0 %
640	-	1	0.0 %
641	-	2	0.1 %
657	-	1	0.0 %
700	-	1	0.0 %
703	-	1	0.0 %
705	-	1	0.0 %
712	-	1	0.0 %
714	-	1	0.0 %
715	-	2	0.1 %
718	-	1	0.0 %
720	-	1	0.0 %
724	-	1	0.0 %
725	-	2	0.1 %
727	-	2	0.1 %
730	-	7	0.3 %
731	-	2	0.1 %
732	-	2	0.1 %
735	-	2	0.1 %
737	-	2	0.1 %
738	-	2	0.1 %
740	-	3	0.1 %
742	-	1	0.0 %
743	-	1	0.0 %
745	-	4	0.2 %
747	-	2	0.1 %
749	-	1	0.0 %
750	-	9	0.4 %
751	-	2	0.1 %
752	-	1	0.0 %
753	-	1	0.0 %

Value	Label	Unweighted Frequency	%
754	-	2	0.1 %
755	-	12	0.5 %
756	-	4	0.2 %
757	-	2	0.1 %
758	-	5	0.2 %
759	-	2	0.1 %
800	-	28	1.2 %
801	-	6	0.3 %
802	-	5	0.2 %
803	-	4	0.2 %
804	-	4	0.2 %
805	-	13	0.6 %
807	-	5	0.2 %
808	-	6	0.3 %
809	-	7	0.3 %
810	-	18	0.8 %
811	-	6	0.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 964.28
- Minimum: 600.00
- Maximum: 2050.00
- Standard Deviation: 172.73

*Location:* 38-41 (width: 4; decimal: 0)

*Variable Type:* numeric

---

### A1\_63: Farming in 2063 (Stop farming codes (2-9), Start farming codes (10-20)

Value	Label	Unweighted Frequency	%
0	No	167	7.4 %
1	Yes	1247	55.3 %
2	Shortage of household labor	0	0.0 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	0	0.0 %
5	Better opportunities	0	0.0 %
6	Sold land/return rented land to land owner	0	0.0 %
7	Flooding/unintended water in the land	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Land rented out	0	0.0 %
10	Bought land	0	0.0 %
11	Retired from or lost a job	0	0.0 %
12	Left business	0	0.0 %
13	Crop/foods being expensive	0	0.0 %
14	Got rented land	0	0.0 %
15	Return rented out land	0	0.0 %
16	To save the land (from fallow)	0	0.0 %
17	Grow children/sufficient household labor	0	0.0 %
18	Household move near to farming land	0	0.0 %
19	Got land from parent	0	0.0 %
20	Start professional farming	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 42-44 (*width:* 3; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

#### A1\_64: Farming in 2064 (Stop farming codes (2-9), Start farming codes (10-20))

Value	Label	Unweighted Frequency	%
0	No	182	8.1 %
1	Yes	1270	56.3 %
2	Shortage of household labor	21	0.9 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	2	0.1 %
5	Better opportunities	3	0.1 %
6	Sold land/return rented land to land owner	2	0.1 %
7	Flooding/unintended water in the land	14	0.6 %
8	Land rented out	1	0.0 %
10	Bought land	1	0.0 %
11	Retired from or lost a job	0	0.0 %
12	Left business	0	0.0 %
13	Crop/foods being expensive	4	0.2 %
14	Got rented land	5	0.2 %

Value	Label	Unweighted Frequency	%
15	Return rented out land	3	0.1 %
16	To save the land (from fallow)	1	0.0 %
17	Grow children/sufficient household labor	2	0.1 %
18	Household move near to farming land	1	0.0 %
19	Got land from parent	0	0.0 %
20	Start professional farming	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 18.00

*Location:* 45-47 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### A1\_65: Farming in 2065 (Stop farming codes (2-9), Start farming codes (10-20))

Value	Label	Unweighted Frequency	%
0	No	252	11.2 %
1	Yes	1332	59.1 %
2	Shortage of household labor	4	0.2 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	2	0.1 %
5	Better opportunities	0	0.0 %
6	Sold land/return rented land to land owner	0	0.0 %
7	Flooding/unintended water in the land	1	0.0 %
8	Land rented out	0	0.0 %
10	Bought land	0	0.0 %
11	Retired from or lost a job	0	0.0 %
12	Left business	0	0.0 %
13	Crop/foods being expensive	0	0.0 %
14	Got rented land	0	0.0 %
15	Return rented out land	0	0.0 %
16	To save the land (from fallow)	0	0.0 %
17	Grow children/sufficient household labor	0	0.0 %
18	Household move near to farming land	0	0.0 %
19	Got land from parent	1	0.0 %

Value	Label	Unweighted Frequency	%
20	Start professional farming	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 19.00

*Location:* 48-50 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### A1\_66: Farming in 2066 (Stop farming codes (2-9), Start farming codes (10-20))

Value	Label	Unweighted Frequency	%
0	No	287	12.7 %
1	Yes	1378	61.1 %
2	Shortage of household labor	8	0.4 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	0	0.0 %
5	Better opportunities	1	0.0 %
6	Sold land/return rented land to land owner	2	0.1 %
7	Flooding/unintended water in the land	2	0.1 %
8	Land rented out	0	0.0 %
10	Bought land	0	0.0 %
11	Retired from or lost a job	2	0.1 %
12	Left business	0	0.0 %
13	Crop/foods being expensive	4	0.2 %
14	Got rented land	1	0.0 %
15	Return rented out land	2	0.1 %
16	To save the land (from fallow)	1	0.0 %
17	Grow children/sufficient household labor	1	0.0 %
18	Household move near to farming land	0	0.0 %
19	Got land from parent	0	0.0 %
20	Start professional farming	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 17.00

*Location:* 51-53 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### A1\_67: Farming in 2067 (Stop farming codes (2-9), Start farming codes (10-20))

Value	Label	Unweighted Frequency	%
0	No	326	14.5 %
1	Yes	1422	63.1 %
2	Shortage of household labor	7	0.3 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	2	0.1 %
5	Better opportunities	0	0.0 %
6	Sold land/return rented land to land owner	1	0.0 %
7	Flooding/unintended water in the land	3	0.1 %
8	Land rented out	0	0.0 %
10	Bought land	0	0.0 %
11	Retired from or lost a job	0	0.0 %
12	Left business	0	0.0 %
13	Crop/foods being expensive	1	0.0 %
14	Got rented land	3	0.1 %
15	Return rented out land	0	0.0 %
16	To save the land (from fallow)	0	0.0 %
17	Grow children/sufficient household labor	1	0.0 %
18	Household move near to farming land	2	0.1 %
19	Got land from parent	0	0.0 %
20	Start professional farming	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 18.00

*Location:* 54-56 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## A1\_68: Farming in 2068 (Stop farming codes (2-9), Start farming codes (10-20)

Value	Label	Unweighted Frequency	%
0	No	353	15.7 %
1	Yes	1451	64.3 %
2	Shortage of household labor	7	0.3 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	1	0.0 %
5	Better opportunities	0	0.0 %
6	Sold land/return rented land to land owner	1	0.0 %
7	Flooding/unintended water in the land	2	0.1 %
8	Land rented out	0	0.0 %
10	Bought land	3	0.1 %
11	Retired from or lost a job	0	0.0 %
12	Left business	0	0.0 %
13	Crop/foods being expensive	2	0.1 %
14	Got rented land	4	0.2 %
15	Return rented out land	2	0.1 %
16	To save the land (from fallow)	0	0.0 %
17	Grow children/sufficient household labor	0	0.0 %
18	Household move near to farming land	0	0.0 %
19	Got land from parent	0	0.0 %
20	Start professional farming	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 15.00

*Location:* 57-59 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## A1\_69: Farming in 2069 (Stop farming codes (2-9), Start farming codes (10-20)

Value	Label	Unweighted Frequency	%
0	No	407	18.0 %
1	Yes	1516	67.2 %
2	Shortage of household labor	8	0.4 %

Value	Label	Unweighted Frequency	%
3	Shortage of wage laborer	1	0.0 %
4	Farming is not profitable	1	0.0 %
5	Better opportunities	0	0.0 %
6	Sold land/return rented land to land owner	0	0.0 %
7	Flooding/unintended water in the land	2	0.1 %
8	Land rented out	0	0.0 %
10	Bought land	2	0.1 %
11	Retired from or lost a job	0	0.0 %
12	Left business	0	0.0 %
13	Crop/foods being expensive	3	0.1 %
14	Got rented land	5	0.2 %
15	Return rented out land	1	0.0 %
16	To save the land (from fallow)	2	0.1 %
17	Grow children/sufficient household labor	2	0.1 %
18	Household move near to farming land	0	0.0 %
19	Got land from parent	1	0.0 %
20	Start professional farming	0	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 19.00

*Location:* 60-62 (*width:* 3; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

#### A1\_70: Farming in 2070 (Stop farming codes (2-9), Start farming codes (10-20))

Value	Label	Unweighted Frequency	%
0	No	427	18.9 %
1	Yes	1550	68.7 %
2	Shortage of household labor	12	0.5 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	0	0.0 %
5	Better opportunities	1	0.0 %
6	Sold land/return rented land to land owner	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Flooding/unintended water in the land	8	0.4 %
8	Land rented out	3	0.1 %
10	Bought land	2	0.1 %
11	Retired from or lost a job	1	0.0 %
12	Left business	1	0.0 %
13	Crop/foods being expensive	3	0.1 %
14	Got rented land	13	0.6 %
15	Return rented out land	1	0.0 %
16	To save the land (from fallow)	0	0.0 %
17	Grow children/sufficient household labor	4	0.2 %
18	Household move near to farming land	1	0.0 %
19	Got land from parent	1	0.0 %
20	Start professional farming	0	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 19.00

*Location:* 63-65 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

#### A1\_71: Farming in 2071 (Stop farming codes (2-9), Start farming codes (10-20)

Value	Label	Unweighted Frequency	%
0	No	486	21.6 %
1	Yes	1632	72.4 %
2	Shortage of household labor	14	0.6 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	3	0.1 %
5	Better opportunities	3	0.1 %
6	Sold land/return rented land to land owner	0	0.0 %
7	Flooding/unintended water in the land	3	0.1 %
8	Land rented out	0	0.0 %
10	Bought land	2	0.1 %
11	Retired from or lost a job	2	0.1 %
12	Left business	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Crop/foods being expensive	7	0.3 %
14	Got rented land	17	0.8 %
15	Return rented out land	4	0.2 %
16	To save the land (from fallow)	1	0.0 %
17	Grow children/sufficient household labor	2	0.1 %
18	Household move near to farming land	2	0.1 %
19	Got land from parent	1	0.0 %
20	Start professional farming	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 20.00

*Location:* 66-68 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### A1\_72: Farming in 2072 (Stop farming codes (2-9), Start farming codes (10-20)

Value	Label	Unweighted Frequency	%
0	No	506	22.4 %
1	Yes	1678	74.4 %
2	Shortage of household labor	12	0.5 %
3	Shortage of wage laborer	0	0.0 %
4	Farming is not profitable	8	0.4 %
5	Better opportunities	3	0.1 %
6	Sold land/return rented land to land owner	0	0.0 %
7	Flooding/unintended water in the land	8	0.4 %
8	Land rented out	2	0.1 %
10	Bought land	0	0.0 %
11	Retired from or lost a job	0	0.0 %
12	Left business	0	0.0 %
13	Crop/foods being expensive	10	0.4 %
14	Got rented land	16	0.7 %
15	Return rented out land	4	0.2 %
16	To save the land (from fallow)	3	0.1 %
17	Grow children/sufficient household labor	2	0.1 %

Value	Label	Unweighted Frequency	%
18	Household move near to farming land	0	0.0 %
19	Got land from parent	0	0.0 %
20	Start professional farming	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 17.00

*Location:* 69-71 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### A2\_63: Land area used for crop cultivation in 2063 (in Katha)

Value	Label	Unweighted Frequency	%
0.500000000000	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	13	0.6 %
1.250000000000	-	1	0.0 %
1.500000000000	-	6	0.3 %
1.60000002384	-	1	0.0 %
2.000000000000	-	26	1.2 %
2.500000000000	-	1	0.0 %
2.750000000000	-	1	0.0 %
3.000000000000	-	26	1.2 %
3.500000000000	-	2	0.1 %
4.000000000000	-	29	1.3 %
4.19999980927	-	2	0.1 %
4.250000000000	-	1	0.0 %
4.500000000000	-	4	0.2 %
4.80000019074	-	1	0.0 %
5.000000000000	-	38	1.7 %
5.250000000000	-	1	0.0 %
5.500000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
6.000000000000	-	31	1.4 %
6.500000000000	-	2	0.1 %
7.000000000000	-	36	1.6 %

Value	Label	Unweighted Frequency	%
7.30000019074	-	1	0.0 %
7.50000000000	-	2	0.1 %
8.00000000000	-	46	2.0 %
8.30000019074	-	1	0.0 %
8.50000000000	-	2	0.1 %
8.80000019074	-	1	0.0 %
9.00000000000	-	38	1.7 %
9.30000019074	-	2	0.1 %
9.50000000000	-	3	0.1 %
10.00000000000	-	90	4.0 %
10.01000022889	-	1	0.0 %
10.50000000000	-	4	0.2 %
11.00000000000	-	25	1.1 %
11.50000000000	-	2	0.1 %
12.00000000000	-	46	2.0 %
12.50000000000	-	1	0.0 %
12.69999980927	-	1	0.0 %
13.00000000000	-	34	1.5 %
13.50000000000	-	4	0.2 %
14.00000000000	-	33	1.5 %
14.50000000000	-	4	0.2 %
14.69999980927	-	1	0.0 %
15.00000000000	-	51	2.3 %
15.50000000000	-	2	0.1 %
16.00000000000	-	33	1.5 %
16.50000000000	-	1	0.0 %
16.79999923707	-	1	0.0 %
	Missing Data		
.	-	1008	44.7 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,247 valid cases out of 2,255 total cases.

- Mean: 20.35667200909
- Median: 16.00000000000
- Mode: 10.00000000000
- Minimum: 0.50000000000
- Maximum: 120.00000000000

- Standard Deviation: 16.82425612487

*Location:* 72-86 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2\_64: Land area used for crop cultivation in 2064 (in Katha)

Value	Label	Unweighted Frequency	%
0.34999999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.500000000000	-	7	0.3 %
0.60000002384	-	1	0.0 %
0.80000001192	-	1	0.0 %
1.000000000000	-	17	0.8 %
1.500000000000	-	6	0.3 %
1.60000002384	-	1	0.0 %
2.000000000000	-	32	1.4 %
2.40000009537	-	1	0.0 %
2.500000000000	-	5	0.2 %
2.750000000000	-	2	0.1 %
3.000000000000	-	31	1.4 %
3.250000000000	-	1	0.0 %
3.500000000000	-	7	0.3 %
3.65000009537	-	1	0.0 %
4.000000000000	-	41	1.8 %
4.500000000000	-	8	0.4 %
4.55000019074	-	1	0.0 %
5.000000000000	-	54	2.4 %
5.500000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	44	2.0 %
6.34999990464	-	1	0.0 %
6.500000000000	-	7	0.3 %
6.92999982834	-	1	0.0 %
7.000000000000	-	47	2.1 %
7.19999980927	-	1	0.0 %
7.500000000000	-	7	0.3 %
7.750000000000	-	1	0.0 %
8.000000000000	-	56	2.5 %
8.30000019074	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8.44999980927	-	1	0.0 %
8.500000000000	-	5	0.2 %
9.000000000000	-	35	1.6 %
9.30000019074	-	1	0.0 %
9.500000000000	-	5	0.2 %
10.000000000000	-	92	4.1 %
10.14999961854	-	1	0.0 %
10.500000000000	-	5	0.2 %
10.94999980927	-	1	0.0 %
11.000000000000	-	30	1.3 %
11.500000000000	-	5	0.2 %
11.750000000000	-	1	0.0 %
12.000000000000	-	46	2.0 %
12.500000000000	-	3	0.1 %
12.750000000000	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.000000000000	-	38	1.7 %
Missing Data			
.	-	968	42.9 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,287 valid cases out of 2,255 total cases.

- Mean: 16.94190365122
- Median: 13.000000000000
- Mode: 10.000000000000
- Minimum: 0.34999999404
- Maximum: 118.000000000000
- Standard Deviation: 14.67317052110

*Location:* 87-101 (*width:* 15; *decimal:* 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

#### A2\_65: Land area used for crop cultivation in 2065 (in Katha)

Value	Label	Unweighted Frequency	%
0.34999999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.500000000000	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.60000002384	-	1	0.0 %
0.80000001192	-	1	0.0 %
1.000000000000	-	17	0.8 %
1.500000000000	-	5	0.2 %
1.60000002384	-	1	0.0 %
2.000000000000	-	35	1.6 %
2.40000009537	-	1	0.0 %
2.500000000000	-	5	0.2 %
2.750000000000	-	2	0.1 %
3.000000000000	-	35	1.6 %
3.250000000000	-	1	0.0 %
3.500000000000	-	10	0.4 %
3.59999990464	-	1	0.0 %
3.65000009537	-	1	0.0 %
4.000000000000	-	43	1.9 %
4.500000000000	-	8	0.4 %
4.55000019074	-	1	0.0 %
5.000000000000	-	57	2.5 %
5.500000000000	-	3	0.1 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	54	2.4 %
6.500000000000	-	8	0.4 %
6.92999982834	-	1	0.0 %
7.000000000000	-	53	2.4 %
7.19999980927	-	1	0.0 %
7.500000000000	-	8	0.4 %
7.750000000000	-	1	0.0 %
8.000000000000	-	58	2.6 %
8.30000019074	-	1	0.0 %
8.44999980927	-	1	0.0 %
8.500000000000	-	5	0.2 %
9.000000000000	-	38	1.7 %
9.30000019074	-	1	0.0 %
9.500000000000	-	5	0.2 %
10.000000000000	-	94	4.2 %
10.14999961854	-	1	0.0 %
10.500000000000	-	5	0.2 %
10.94999980927	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11.000000000000	-	32	1.4 %
11.500000000000	-	4	0.2 %
11.750000000000	-	1	0.0 %
12.000000000000	-	48	2.1 %
12.500000000000	-	3	0.1 %
12.750000000000	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.000000000000	-	38	1.7 %
	Missing Data		
.	-	922	40.9 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,333 valid cases out of 2,255 total cases.

- Mean: 16.43982745581
- Median: 13.00000000000
- Mode: 10.00000000000
- Minimum: 0.34999999404
- Maximum: 145.00000000000
- Standard Deviation: 14.44712600237

*Location:* 102-116 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2\_66: Land area used for crop cultivation in 2066 (in Katha)

Value	Label	Unweighted Frequency	%
0.34999999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.500000000000	-	8	0.4 %
0.60000002384	-	1	0.0 %
0.80000001192	-	1	0.0 %
1.000000000000	-	18	0.8 %
1.500000000000	-	5	0.2 %
1.60000002384	-	1	0.0 %
2.000000000000	-	38	1.7 %
2.40000009537	-	1	0.0 %
2.500000000000	-	6	0.3 %
2.750000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.000000000000	-	39	1.7 %
3.250000000000	-	1	0.0 %
3.500000000000	-	10	0.4 %
3.59999990464	-	1	0.0 %
3.65000009537	-	1	0.0 %
4.000000000000	-	46	2.0 %
4.500000000000	-	12	0.5 %
4.55000019074	-	1	0.0 %
5.000000000000	-	62	2.7 %
5.500000000000	-	5	0.2 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	61	2.7 %
6.250000000000	-	1	0.0 %
6.500000000000	-	8	0.4 %
6.65000009537	-	1	0.0 %
6.750000000000	-	1	0.0 %
6.80000019074	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	53	2.4 %
7.19999980927	-	1	0.0 %
7.500000000000	-	9	0.4 %
7.750000000000	-	1	0.0 %
8.000000000000	-	59	2.6 %
8.44999980927	-	1	0.0 %
8.500000000000	-	5	0.2 %
9.000000000000	-	39	1.7 %
9.30000019074	-	1	0.0 %
9.500000000000	-	5	0.2 %
10.000000000000	-	104	4.6 %
10.14999961854	-	1	0.0 %
10.500000000000	-	6	0.3 %
10.94999980927	-	1	0.0 %
11.000000000000	-	32	1.4 %
11.500000000000	-	6	0.3 %
11.750000000000	-	1	0.0 %
12.000000000000	-	51	2.3 %
12.500000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	866	38.4 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,389 valid cases out of 2,255 total cases.

- Mean: 15.89372930057
- Median: 12.00000000000
- Mode: 10.00000000000
- Minimum: 0.34999999404
- Maximum: 145.00000000000
- Standard Deviation: 14.04316387488

*Location:* 117-131 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2\_67: Land area used for crop cultivation in 2067 (in Katha)

Value	Label	Unweighted Frequency	%
0.34999999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.50000000000	-	8	0.4 %
0.60000002384	-	1	0.0 %
0.75000000000	-	1	0.0 %
0.80000001192	-	1	0.0 %
1.00000000000	-	19	0.8 %
1.50000000000	-	6	0.3 %
1.60000002384	-	1	0.0 %
1.75000000000	-	1	0.0 %
2.00000000000	-	44	2.0 %
2.40000009537	-	1	0.0 %
2.50000000000	-	7	0.3 %
2.75000000000	-	2	0.1 %
3.00000000000	-	43	1.9 %
3.25000000000	-	1	0.0 %
3.50000000000	-	9	0.4 %
3.59999990464	-	1	0.0 %
4.00000000000	-	52	2.3 %
4.50000000000	-	14	0.6 %

Value	Label	Unweighted Frequency	%
4.55000019074	-	1	0.0 %
5.00000000000	-	67	3.0 %
5.15000009537	-	1	0.0 %
5.50000000000	-	5	0.2 %
5.75000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.00000000000	-	65	2.9 %
6.25000000000	-	1	0.0 %
6.50000000000	-	6	0.3 %
6.65000009537	-	1	0.0 %
6.75000000000	-	2	0.1 %
6.80000019074	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.00000000000	-	54	2.4 %
7.19999980927	-	1	0.0 %
7.25000000000	-	1	0.0 %
7.50000000000	-	9	0.4 %
7.75000000000	-	1	0.0 %
8.00000000000	-	65	2.9 %
8.44999980927	-	1	0.0 %
8.50000000000	-	5	0.2 %
9.00000000000	-	39	1.7 %
9.30000019074	-	1	0.0 %
9.50000000000	-	5	0.2 %
10.00000000000	-	106	4.7 %
10.14999961854	-	1	0.0 %
10.50000000000	-	6	0.3 %
10.94999980927	-	1	0.0 %
11.00000000000	-	32	1.4 %
Missing Data			
.	-	826	36.6 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,429 valid cases out of 2,255 total cases.

- Mean: 15.35559132155

- Median: 12.00000000000
- Mode: 10.00000000000
- Minimum: 0.3499999404
- Maximum: 145.00000000000
- Standard Deviation: 13.65767375401

*Location:* 132-146 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2\_68: Land area used for crop cultivation in 2068 (in Katha)

Value	Label	Unweighted Frequency	%
0.3499999404	-	1	0.0 %
0.4000000596	-	1	0.0 %
0.50000000000	-	8	0.4 %
0.60000002384	-	1	0.0 %
0.75000000000	-	1	0.0 %
0.80000001192	-	1	0.0 %
1.00000000000	-	21	0.9 %
1.50000000000	-	9	0.4 %
1.75000000000	-	1	0.0 %
2.00000000000	-	50	2.2 %
2.40000009537	-	1	0.0 %
2.50000000000	-	7	0.3 %
2.75000000000	-	2	0.1 %
3.00000000000	-	47	2.1 %
3.25000000000	-	1	0.0 %
3.50000000000	-	8	0.4 %
3.59999990464	-	1	0.0 %
4.00000000000	-	60	2.7 %
4.50000000000	-	15	0.7 %
4.55000019074	-	1	0.0 %
5.00000000000	-	64	2.8 %
5.15000009537	-	1	0.0 %
5.50000000000	-	6	0.3 %
5.75000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.00000000000	-	67	3.0 %
6.25000000000	-	1	0.0 %
6.30000019074	-	1	0.0 %
6.50000000000	-	6	0.3 %

Value	Label	Unweighted Frequency	%
6.59999990464	-	1	0.0 %
6.65000009537	-	1	0.0 %
6.75000000000	-	2	0.1 %
6.80000019074	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.00000000000	-	54	2.4 %
7.19999980927	-	1	0.0 %
7.25000000000	-	1	0.0 %
7.50000000000	-	9	0.4 %
7.75000000000	-	1	0.0 %
8.00000000000	-	71	3.1 %
8.14999961854	-	1	0.0 %
8.44999980927	-	1	0.0 %
8.50000000000	-	7	0.3 %
9.00000000000	-	43	1.9 %
9.30000019074	-	1	0.0 %
9.50000000000	-	4	0.2 %
10.00000000000	-	116	5.1 %
10.14999961854	-	1	0.0 %
10.50000000000	-	6	0.3 %
	Missing Data		
.	-	793	35.2 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,462 valid cases out of 2,255 total cases.

- Mean: 14.75847469174
- Median: 11.00000000000
- Mode: 10.00000000000
- Minimum: 0.34999999404
- Maximum: 145.00000000000
- Standard Deviation: 12.94255164292

*Location:* 147-161 (*width:* 15; *decimal:* 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2\_69: Land area used for crop cultivation in 2069 (in Katha)

Value	Label	Unweighted Frequency	%
0.34999999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.500000000000	-	8	0.4 %
0.60000002384	-	1	0.0 %
0.750000000000	-	1	0.0 %
0.80000001192	-	1	0.0 %
1.000000000000	-	28	1.2 %
1.29999995232	-	1	0.0 %
1.500000000000	-	11	0.5 %
1.750000000000	-	1	0.0 %
2.000000000000	-	58	2.6 %
2.40000009537	-	1	0.0 %
2.500000000000	-	8	0.4 %
2.750000000000	-	1	0.0 %
3.000000000000	-	48	2.1 %
3.250000000000	-	1	0.0 %
3.34999990464	-	1	0.0 %
3.500000000000	-	10	0.4 %
3.59999990464	-	1	0.0 %
4.000000000000	-	63	2.8 %
4.500000000000	-	14	0.6 %
4.55000019074	-	1	0.0 %
5.000000000000	-	74	3.3 %
5.15000009537	-	1	0.0 %
5.500000000000	-	7	0.3 %
5.69999980927	-	1	0.0 %
5.750000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
5.90000009537	-	1	0.0 %
6.000000000000	-	66	2.9 %
6.250000000000	-	1	0.0 %
6.30000019074	-	1	0.0 %
6.500000000000	-	7	0.3 %
6.59999990464	-	1	0.0 %
6.65000009537	-	1	0.0 %
6.750000000000	-	2	0.1 %
6.80000019074	-	1	0.0 %
6.92999982834	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.000000000000	-	58	2.6 %
7.19999980927	-	1	0.0 %
7.250000000000	-	1	0.0 %
7.500000000000	-	7	0.3 %
7.750000000000	-	2	0.1 %
8.000000000000	-	71	3.1 %
8.14999961854	-	2	0.1 %
8.44999980927	-	1	0.0 %
8.500000000000	-	7	0.3 %
9.000000000000	-	47	2.1 %
9.10000038147	-	1	0.0 %
Missing Data			
.	-	723	32.1 %
Total		2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,532 valid cases out of 2,255 total cases.

- Mean: 14.31530026088
- Median: 10.50000000000
- Mode: 10.00000000000
- Minimum: 0.3499999404
- Maximum: 146.00000000000
- Standard Deviation: 13.03056932606

*Location:* 162-176 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2\_70: Land area used for crop cultivation in 2070 (in Katha)

Value	Label	Unweighted Frequency	%
0.3499999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.500000000000	-	7	0.3 %
0.60000002384	-	1	0.0 %
0.69999998808	-	1	0.0 %
0.750000000000	-	1	0.0 %
0.80000001192	-	1	0.0 %
1.000000000000	-	28	1.2 %
1.2999995232	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.500000000000	-	13	0.6 %
1.750000000000	-	1	0.0 %
2.000000000000	-	61	2.7 %
2.500000000000	-	10	0.4 %
2.750000000000	-	1	0.0 %
2.79999995232	-	1	0.0 %
3.000000000000	-	49	2.2 %
3.250000000000	-	1	0.0 %
3.34999990464	-	1	0.0 %
3.500000000000	-	11	0.5 %
3.59999990464	-	1	0.0 %
4.000000000000	-	66	2.9 %
4.34999990464	-	1	0.0 %
4.500000000000	-	12	0.5 %
5.000000000000	-	79	3.5 %
5.15000009537	-	1	0.0 %
5.500000000000	-	7	0.3 %
5.69999980927	-	1	0.0 %
5.750000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
5.90000009537	-	1	0.0 %
6.000000000000	-	68	3.0 %
6.250000000000	-	1	0.0 %
6.30000019074	-	1	0.0 %
6.500000000000	-	6	0.3 %
6.59999990464	-	1	0.0 %
6.65000009537	-	1	0.0 %
6.750000000000	-	1	0.0 %
6.80000019074	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	60	2.7 %
7.19999980927	-	1	0.0 %
7.250000000000	-	1	0.0 %
7.40000009537	-	1	0.0 %
7.500000000000	-	6	0.3 %
7.750000000000	-	3	0.1 %
8.000000000000	-	81	3.6 %
8.14999961854	-	2	0.1 %

Value	Label	Unweighted Frequency	%
8.44999980927	-	1	0.0 %
8.50000000000	-	9	0.4 %
	Missing Data		
.	-	678	30.1 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,577 valid cases out of 2,255 total cases.

- Mean: 14.02935320112
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.34999999404
- Maximum: 146.00000000000
- Standard Deviation: 12.84625393932

*Location:* 177-191 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2\_71: Land area used for crop cultivation in 2071 (in Katha)

Value	Label	Unweighted Frequency	%
0.34999999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.50000000000	-	8	0.4 %
0.60000002384	-	2	0.1 %
0.69999998808	-	2	0.1 %
0.75000000000	-	3	0.1 %
0.80000001192	-	1	0.0 %
1.00000000000	-	33	1.5 %
1.29999995232	-	1	0.0 %
1.50000000000	-	15	0.7 %
1.60000002384	-	1	0.0 %
1.67999994755	-	1	0.0 %
1.79999995232	-	1	0.0 %
2.00000000000	-	61	2.7 %
2.50000000000	-	9	0.4 %
2.75000000000	-	1	0.0 %
3.00000000000	-	51	2.3 %
3.25000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.34999990464	-	1	0.0 %
3.500000000000	-	14	0.6 %
3.59999990464	-	1	0.0 %
3.750000000000	-	1	0.0 %
4.000000000000	-	75	3.3 %
4.34999990464	-	1	0.0 %
4.500000000000	-	14	0.6 %
5.000000000000	-	86	3.8 %
5.15000009537	-	1	0.0 %
5.500000000000	-	11	0.5 %
5.750000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
5.90000009537	-	1	0.0 %
6.000000000000	-	73	3.2 %
6.30000019074	-	1	0.0 %
6.500000000000	-	8	0.4 %
6.65000009537	-	1	0.0 %
6.750000000000	-	2	0.1 %
6.80000019074	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	66	2.9 %
7.19999980927	-	1	0.0 %
7.250000000000	-	1	0.0 %
7.40000009537	-	1	0.0 %
7.500000000000	-	5	0.2 %
7.750000000000	-	3	0.1 %
8.000000000000	-	79	3.5 %
8.14999961854	-	2	0.1 %
8.44999980927	-	1	0.0 %
8.500000000000	-	9	0.4 %
9.000000000000	-	49	2.2 %
	Missing Data		
.	-	584	25.9 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,671 valid cases out of 2,255 total cases.

- Mean: 13.65862357534
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.3499999404
- Maximum: 400.00000000000
- Standard Deviation: 15.24902083792

*Location:* 192-206 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2\_72: Land area used for crop cultivation in 2072 (in Katha)

Value	Label	Unweighted Frequency	%
0.3499999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.50000000000	-	9	0.4 %
0.55000001192	-	1	0.0 %
0.60000002384	-	2	0.1 %
0.69999998808	-	2	0.1 %
0.75000000000	-	3	0.1 %
0.80000001192	-	1	0.0 %
1.00000000000	-	40	1.8 %
1.29999995232	-	1	0.0 %
1.50000000000	-	15	0.7 %
1.67999994755	-	1	0.0 %
1.79999995232	-	2	0.1 %
2.00000000000	-	61	2.7 %
2.50000000000	-	11	0.5 %
2.75000000000	-	1	0.0 %
3.00000000000	-	63	2.8 %
3.25000000000	-	1	0.0 %
3.34999990464	-	1	0.0 %
3.50000000000	-	18	0.8 %
3.59999990464	-	1	0.0 %
3.75000000000	-	1	0.0 %
4.00000000000	-	72	3.2 %
4.25000000000	-	1	0.0 %
4.34999990464	-	1	0.0 %
4.50000000000	-	14	0.6 %
4.59999990464	-	1	0.0 %
4.75000000000	-	1	0.0 %
4.90000009537	-	1	0.0 %
5.00000000000	-	102	4.5 %

Value	Label	Unweighted Frequency	%
5.15000009537	-	1	0.0 %
5.500000000000	-	10	0.4 %
5.750000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	71	3.1 %
6.30000019074	-	1	0.0 %
6.500000000000	-	8	0.4 %
6.65000009537	-	1	0.0 %
6.69999980927	-	1	0.0 %
6.750000000000	-	1	0.0 %
6.80000019074	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	70	3.1 %
7.19999980927	-	1	0.0 %
7.40000009537	-	1	0.0 %
7.500000000000	-	7	0.3 %
7.750000000000	-	3	0.1 %
8.000000000000	-	82	3.6 %
8.14999961854	-	2	0.1 %
	Missing Data		
.	-	543	24.1 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,712 valid cases out of 2,255 total cases.

- Mean: 13.27845210011
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.3499999404
- Maximum: 400.00000000000
- Standard Deviation: 15.10839491701

*Location:* 207-221 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## A2A1\_63: Other's land area used for crop cultivation for free (in Katha) in 2063

Value	Label	Unweighted Frequency	%
0	-	1244	55.2 %
1	-	2	0.1 %
5	-	1	0.0 %
<b>Missing Data</b>			
.	-	1008	44.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,247 valid cases out of 2,255 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.15

*Location:* 222-222 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### A2A1\_64: Other's land area used for crop cultivation for free (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	1266	56.1 %
0.75	-	1	0.0 %
1.00	-	3	0.1 %
2.00	-	3	0.1 %
4.00	-	1	0.0 %
5.00	-	3	0.1 %
7.00	-	4	0.2 %
8.00	-	1	0.0 %
9.00	-	1	0.0 %
10.00	-	3	0.1 %
16.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	968	42.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,287 valid cases out of 2,255 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00

- Standard Deviation: 0.88

*Location:* 223-227 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### A2A1\_65: Other's land area used for crop cultivation for free (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.00	-	1307	58.0 %
0.75	-	1	0.0 %
1.00	-	3	0.1 %
2.00	-	3	0.1 %
4.00	-	3	0.1 %
5.00	-	3	0.1 %
6.00	-	1	0.0 %
7.00	-	4	0.2 %
8.00	-	3	0.1 %
9.00	-	1	0.0 %
10.00	-	3	0.1 %
16.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	922	40.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,333 valid cases out of 2,255 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 0.94

*Location:* 228-232 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### A2A1\_66: Other's land area used for crop cultivation for free (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.00	-	1361	60.4 %
0.75	-	1	0.0 %
1.00	-	3	0.1 %
2.00	-	3	0.1 %
3.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.00	-	3	0.1 %
5.00	-	3	0.1 %
6.00	-	1	0.0 %
7.00	-	4	0.2 %
8.00	-	3	0.1 %
9.00	-	1	0.0 %
10.00	-	4	0.2 %
16.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	866	38.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,389 valid cases out of 2,255 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 0.96

*Location:* 233-237 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### A2A1\_67: Other's land area used for crop cultivation for free (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.00	-	1399	62.0 %
0.75	-	1	0.0 %
1.00	-	3	0.1 %
1.75	-	1	0.0 %
2.00	-	3	0.1 %
3.00	-	1	0.0 %
4.00	-	4	0.2 %
5.00	-	3	0.1 %
6.00	-	1	0.0 %
7.00	-	4	0.2 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
10.00	-	4	0.2 %
16.00	-	1	0.0 %
20.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	826	36.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,429 valid cases out of 2,255 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.07

*Location:* 238-242 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## A2A1\_68: Other's land area used for crop cultivation for free (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00	-	1432	63.5 %
0.75	-	1	0.0 %
1.00	-	3	0.1 %
1.50	-	1	0.0 %
1.75	-	1	0.0 %
2.00	-	3	0.1 %
3.00	-	2	0.1 %
4.00	-	4	0.2 %
5.00	-	3	0.1 %
6.00	-	1	0.0 %
7.00	-	3	0.1 %
8.00	-	2	0.1 %
10.00	-	4	0.2 %
16.00	-	1	0.0 %
20.00	-	1	0.0 %
	<b>Missing Data</b>		
.	-	793	35.2 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,462 valid cases out of 2,255 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 20.00
- Standard Deviation: 1.02

*Location:* 243-247 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### A2A1\_69: Other's land area used for crop cultivation for free (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00	-	1497	66.4 %
0.75	-	1	0.0 %
1.00	-	3	0.1 %
1.50	-	1	0.0 %
1.75	-	1	0.0 %
2.00	-	6	0.3 %
3.00	-	2	0.1 %
4.00	-	4	0.2 %
5.00	-	3	0.1 %
6.00	-	1	0.0 %
7.00	-	3	0.1 %
8.00	-	3	0.1 %
10.00	-	5	0.2 %
16.00	-	1	0.0 %
20.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	723	32.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,532 valid cases out of 2,255 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.05

*Location:* 248-252 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### A2A1\_70: Other's land area used for crop cultivation for free (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00	-	1532	67.9 %
0.25	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.00	-	3	0.1 %
1.50	-	1	0.0 %
1.75	-	1	0.0 %
2.00	-	9	0.4 %
2.50	-	1	0.0 %
3.00	-	2	0.1 %
4.00	-	5	0.2 %
5.00	-	5	0.2 %
6.00	-	4	0.2 %
7.00	-	3	0.1 %
8.00	-	3	0.1 %
10.00	-	5	0.2 %
16.00	-	1	0.0 %
20.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	678	30.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,577 valid cases out of 2,255 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.09

*Location:* 253-257 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### A2A1\_71: Other's land area used for crop cultivation for free (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.000000000000	-	1617	71.7 %
0.250000000000	-	1	0.0 %
0.699999988079	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	7	0.3 %
1.500000000000	-	2	0.1 %
2.000000000000	-	6	0.3 %
2.500000000000	-	1	0.0 %
3.000000000000	-	4	0.2 %

Value	Label	Unweighted Frequency	%
4.0000000000000	-	8	0.4 %
5.0000000000000	-	7	0.3 %
6.0000000000000	-	4	0.2 %
7.0000000000000	-	3	0.1 %
8.0000000000000	-	3	0.1 %
9.0000000000000	-	1	0.0 %
10.0000000000000	-	3	0.1 %
16.0000000000000	-	1	0.0 %
20.0000000000000	-	2	0.1 %
	Missing Data		
.	-	583	25.9 %
	Total	2,255	100%

Based upon 1,672 valid cases out of 2,255 total cases.

- Mean: 0.161004784682
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 20.000000000000
- Standard Deviation: 1.162583050307

*Location:* 258-272 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

#### A2A1\_72: Other's land area used for crop cultivation for free (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.000000000000	-	1656	73.4 %
0.250000000000	-	1	0.0 %
0.500000000000	-	1	0.0 %
0.699999988079	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	9	0.4 %
1.500000000000	-	1	0.0 %
2.000000000000	-	7	0.3 %
2.500000000000	-	1	0.0 %
3.000000000000	-	5	0.2 %
4.000000000000	-	7	0.3 %
5.000000000000	-	7	0.3 %
6.000000000000	-	4	0.2 %

Value	Label	Unweighted Frequency	%
7.00000000000000	-	3	0.1 %
8.00000000000000	-	2	0.1 %
9.00000000000000	-	1	0.0 %
10.00000000000000	-	3	0.1 %
16.00000000000000	-	1	0.0 %
20.00000000000000	-	2	0.1 %
	Missing Data		
.	-	542	24.0 %
	Total	2,255	100%

Based upon 1,713 valid cases out of 2,255 total cases.

- Mean: 0.153648569754
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 20.000000000000
- Standard Deviation: 1.132161705066

*Location:* 273-287 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### A3\_63: Land area rented out (in Katha) in 2063

Value	Label	Unweighted Frequency	%
0.00	-	1194	52.9 %
0.35	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	5	0.2 %
1.15	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	9	0.4 %
3.00	-	5	0.2 %
3.50	-	1	0.0 %
4.00	-	14	0.6 %
5.00	-	17	0.8 %
6.00	-	10	0.4 %
6.50	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	3	0.1 %
8.00	-	8	0.4 %

Value	Label	Unweighted Frequency	%
9.00	-	6	0.3 %
9.50	-	3	0.1 %
10.00	-	21	0.9 %
10.30	-	1	0.0 %
10.50	-	1	0.0 %
11.00	-	5	0.2 %
12.00	-	8	0.4 %
13.00	-	1	0.0 %
15.00	-	8	0.4 %
16.00	-	4	0.2 %
17.00	-	5	0.2 %
18.00	-	4	0.2 %
19.00	-	2	0.1 %
19.50	-	1	0.0 %
20.00	-	18	0.8 %
22.00	-	5	0.2 %
23.00	-	1	0.0 %
25.00	-	6	0.3 %
26.00	-	2	0.1 %
27.00	-	1	0.0 %
28.00	-	1	0.0 %
29.00	-	1	0.0 %
30.00	-	13	0.6 %
31.50	-	1	0.0 %
35.00	-	1	0.0 %
38.00	-	1	0.0 %
39.00	-	1	0.0 %
40.00	-	3	0.1 %
42.00	-	1	0.0 %
48.00	-	1	0.0 %
50.00	-	4	0.2 %
50.50	-	1	0.0 %
60.00	-	1	0.0 %
65.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 2.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 260.00
- Standard Deviation: 12.05

*Location:* 288-293 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

### A3\_64: Land area rented out (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	1326	58.8 %
0.75	-	1	0.0 %
1.00	-	4	0.2 %
1.50	-	1	0.0 %
2.00	-	4	0.2 %
2.50	-	1	0.0 %
3.00	-	4	0.2 %
3.50	-	1	0.0 %
4.00	-	8	0.4 %
5.00	-	8	0.4 %
6.00	-	5	0.2 %
6.50	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	4	0.2 %
7.50	-	1	0.0 %
8.00	-	8	0.4 %
8.31	-	1	0.0 %
8.50	-	1	0.0 %
9.00	-	4	0.2 %
9.50	-	1	0.0 %
10.00	-	19	0.8 %
10.50	-	1	0.0 %
11.00	-	6	0.3 %
12.00	-	7	0.3 %
13.00	-	1	0.0 %
14.00	-	3	0.1 %

Value	Label	Unweighted Frequency	%
15.00	-	7	0.3 %
15.39	-	1	0.0 %
16.00	-	3	0.1 %
17.00	-	3	0.1 %
18.00	-	7	0.3 %
18.50	-	1	0.0 %
19.00	-	2	0.1 %
19.50	-	1	0.0 %
20.00	-	15	0.7 %
21.50	-	1	0.0 %
22.00	-	2	0.1 %
23.00	-	1	0.0 %
24.00	-	1	0.0 %
25.00	-	4	0.2 %
26.00	-	3	0.1 %
27.50	-	1	0.0 %
29.00	-	1	0.0 %
30.00	-	10	0.4 %
32.00	-	3	0.1 %
33.00	-	2	0.1 %
36.00	-	1	0.0 %
40.00	-	4	0.2 %
42.00	-	1	0.0 %
46.60	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 2.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 173.00
- Standard Deviation: 9.84

*Location:* 294-299 (*width:* 6; *decimal:* 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A3\_65: Land area rented out (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.00	-	1393	61.8 %
0.75	-	1	0.0 %
1.00	-	5	0.2 %
1.50	-	1	0.0 %
2.00	-	4	0.2 %
2.50	-	2	0.1 %
3.00	-	4	0.2 %
3.50	-	1	0.0 %
4.00	-	9	0.4 %
5.00	-	6	0.3 %
5.54	-	1	0.0 %
6.00	-	5	0.2 %
6.50	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	5	0.2 %
7.50	-	1	0.0 %
8.00	-	6	0.3 %
8.31	-	1	0.0 %
8.50	-	1	0.0 %
9.00	-	7	0.3 %
9.50	-	1	0.0 %
10.00	-	20	0.9 %
10.50	-	1	0.0 %
11.00	-	8	0.4 %
12.00	-	6	0.3 %
13.00	-	2	0.1 %
14.00	-	3	0.1 %
15.00	-	7	0.3 %
15.39	-	1	0.0 %
16.00	-	4	0.2 %
17.00	-	3	0.1 %
18.00	-	7	0.3 %
18.50	-	1	0.0 %
19.00	-	2	0.1 %
19.50	-	1	0.0 %
20.00	-	17	0.8 %
21.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22.00	-	2	0.1 %
23.00	-	1	0.0 %
24.00	-	2	0.1 %
25.00	-	4	0.2 %
26.00	-	3	0.1 %
27.50	-	1	0.0 %
29.00	-	1	0.0 %
30.00	-	10	0.4 %
32.00	-	3	0.1 %
33.00	-	3	0.1 %
35.00	-	1	0.0 %
36.00	-	1	0.0 %
40.00	-	3	0.1 %
<b>Missing Data</b>			
999.00	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 2.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 173.00
- Standard Deviation: 9.77

*Location:* 300-305 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A3\_66: Land area rented out (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.00	-	1467	65.1 %
0.75	-	1	0.0 %
1.00	-	6	0.3 %
1.50	-	1	0.0 %
2.00	-	6	0.3 %
2.50	-	3	0.1 %
3.00	-	5	0.2 %

Value	Label	Unweighted Frequency	%
3.50	-	1	0.0 %
4.00	-	10	0.4 %
5.00	-	7	0.3 %
5.50	-	1	0.0 %
5.54	-	1	0.0 %
6.00	-	6	0.3 %
6.50	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	5	0.2 %
7.50	-	2	0.1 %
8.00	-	9	0.4 %
8.31	-	1	0.0 %
9.00	-	7	0.3 %
9.50	-	1	0.0 %
10.00	-	22	1.0 %
11.00	-	8	0.4 %
12.00	-	6	0.3 %
13.00	-	2	0.1 %
14.00	-	3	0.1 %
15.00	-	8	0.4 %
15.39	-	1	0.0 %
16.00	-	4	0.2 %
16.62	-	1	0.0 %
17.00	-	3	0.1 %
18.00	-	8	0.4 %
18.50	-	1	0.0 %
19.00	-	1	0.0 %
19.50	-	1	0.0 %
20.00	-	21	0.9 %
21.50	-	1	0.0 %
22.00	-	2	0.1 %
24.00	-	2	0.1 %
25.00	-	3	0.1 %
26.00	-	4	0.2 %
26.50	-	1	0.0 %
27.50	-	1	0.0 %
28.00	-	1	0.0 %
29.00	-	1	0.0 %
30.00	-	10	0.4 %

Value	Label	Unweighted Frequency	%
32.00	-	3	0.1 %
33.00	-	3	0.1 %
35.00	-	1	0.0 %
36.00	-	2	0.1 %
	<b>Missing Data</b>		
999.00	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 2.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 173.00
- Standard Deviation: 9.82

*Location:* 306-311 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A3\_67: Land area rented out (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.00	-	1528	67.8 %
0.75	-	1	0.0 %
1.00	-	8	0.4 %
1.50	-	1	0.0 %
2.00	-	6	0.3 %
2.50	-	4	0.2 %
3.00	-	5	0.2 %
3.50	-	1	0.0 %
4.00	-	9	0.4 %
5.00	-	9	0.4 %
5.50	-	1	0.0 %
5.54	-	1	0.0 %
6.00	-	7	0.3 %
6.15	-	1	0.0 %
6.50	-	1	0.0 %
6.65	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.00	-	8	0.4 %
7.50	-	2	0.1 %
8.00	-	7	0.3 %
8.31	-	2	0.1 %
9.00	-	7	0.3 %
9.50	-	1	0.0 %
10.00	-	25	1.1 %
11.00	-	8	0.4 %
12.00	-	6	0.3 %
12.50	-	1	0.0 %
13.00	-	2	0.1 %
14.00	-	3	0.1 %
15.00	-	6	0.3 %
15.39	-	1	0.0 %
16.00	-	3	0.1 %
16.62	-	1	0.0 %
17.00	-	4	0.2 %
18.00	-	10	0.4 %
18.50	-	1	0.0 %
19.00	-	1	0.0 %
19.50	-	1	0.0 %
20.00	-	22	1.0 %
21.00	-	1	0.0 %
22.00	-	2	0.1 %
24.00	-	1	0.0 %
25.00	-	4	0.2 %
26.00	-	3	0.1 %
26.50	-	1	0.0 %
27.50	-	1	0.0 %
28.00	-	1	0.0 %
29.00	-	2	0.1 %
30.00	-	10	0.4 %
32.00	-	4	0.2 %
33.00	-	4	0.2 %
<b>Missing Data</b>			
999.00	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 2.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 131.54
- Standard Deviation: 8.96

*Location:* 312-317 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

---

### A3\_68: Land area rented out (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00	-	1570	69.6 %
0.35	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	9	0.4 %
1.50	-	2	0.1 %
2.00	-	6	0.3 %
2.50	-	4	0.2 %
3.00	-	6	0.3 %
3.50	-	1	0.0 %
4.00	-	8	0.4 %
5.00	-	10	0.4 %
5.50	-	1	0.0 %
5.54	-	1	0.0 %
6.00	-	7	0.3 %
6.15	-	1	0.0 %
6.50	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	6	0.3 %
7.50	-	2	0.1 %
8.00	-	7	0.3 %
8.31	-	2	0.1 %
9.00	-	6	0.3 %
9.50	-	1	0.0 %
10.00	-	30	1.3 %
11.00	-	10	0.4 %
11.50	-	2	0.1 %

Value	Label	Unweighted Frequency	%
12.00	-	6	0.3 %
12.50	-	1	0.0 %
13.00	-	3	0.1 %
14.00	-	3	0.1 %
15.00	-	6	0.3 %
15.39	-	1	0.0 %
16.00	-	4	0.2 %
16.62	-	1	0.0 %
17.00	-	4	0.2 %
18.00	-	9	0.4 %
18.50	-	1	0.0 %
19.00	-	2	0.1 %
19.50	-	1	0.0 %
20.00	-	21	0.9 %
21.00	-	2	0.1 %
22.00	-	2	0.1 %
23.00	-	2	0.1 %
24.00	-	2	0.1 %
25.00	-	5	0.2 %
26.00	-	3	0.1 %
26.50	-	1	0.0 %
27.50	-	1	0.0 %
28.00	-	1	0.0 %
29.00	-	2	0.1 %
<b>Missing Data</b>			
999.00	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 2.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 131.54
- Standard Deviation: 8.84

*Location:* 318-323 (*width:* 6; *decimal:* 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A3\_69: Land area rented out (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00	-	1666	73.9 %
0.35	-	1	0.0 %
0.50	-	1	0.0 %
0.55	-	1	0.0 %
0.60	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	8	0.4 %
1.50	-	3	0.1 %
2.00	-	9	0.4 %
2.50	-	4	0.2 %
3.00	-	6	0.3 %
3.50	-	3	0.1 %
3.75	-	1	0.0 %
4.00	-	10	0.4 %
4.50	-	1	0.0 %
5.00	-	12	0.5 %
5.50	-	1	0.0 %
5.54	-	1	0.0 %
6.00	-	12	0.5 %
6.15	-	1	0.0 %
6.50	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	7	0.3 %
7.50	-	2	0.1 %
8.00	-	8	0.4 %
8.31	-	2	0.1 %
8.50	-	1	0.0 %
9.00	-	7	0.3 %
9.50	-	1	0.0 %
10.00	-	32	1.4 %
11.00	-	11	0.5 %
11.50	-	2	0.1 %
12.00	-	8	0.4 %
12.50	-	1	0.0 %
13.00	-	4	0.2 %
13.50	-	1	0.0 %
14.00	-	3	0.1 %

Value	Label	Unweighted Frequency	%
15.00	-	7	0.3 %
15.39	-	1	0.0 %
16.00	-	4	0.2 %
16.62	-	1	0.0 %
17.00	-	4	0.2 %
18.00	-	8	0.4 %
18.50	-	1	0.0 %
19.00	-	3	0.1 %
19.38	-	1	0.0 %
19.50	-	1	0.0 %
20.00	-	24	1.1 %
21.00	-	2	0.1 %
22.00	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 2.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 131.54
- Standard Deviation: 8.44

*Location:* 324-329 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A3\_70: Land area rented out (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00	-	1712	75.9 %
0.35	-	1	0.0 %
0.40	-	1	0.0 %
0.45	-	1	0.0 %
0.50	-	1	0.0 %
0.55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.60	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	9	0.4 %
1.50	-	3	0.1 %
2.00	-	11	0.5 %
2.50	-	4	0.2 %
3.00	-	5	0.2 %
3.50	-	4	0.2 %
3.75	-	1	0.0 %
4.00	-	11	0.5 %
4.50	-	1	0.0 %
5.00	-	16	0.7 %
5.50	-	1	0.0 %
5.54	-	1	0.0 %
6.00	-	12	0.5 %
6.15	-	1	0.0 %
6.50	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	7	0.3 %
7.50	-	2	0.1 %
8.00	-	11	0.5 %
8.31	-	2	0.1 %
8.50	-	2	0.1 %
9.00	-	7	0.3 %
9.50	-	1	0.0 %
10.00	-	35	1.6 %
11.00	-	14	0.6 %
11.50	-	2	0.1 %
11.75	-	1	0.0 %
12.00	-	9	0.4 %
12.50	-	1	0.0 %
13.00	-	5	0.2 %
13.50	-	1	0.0 %
13.85	-	1	0.0 %
14.00	-	4	0.2 %
15.00	-	7	0.3 %
15.39	-	1	0.0 %
16.00	-	5	0.2 %
16.62	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.00	-	5	0.2 %
18.00	-	10	0.4 %
18.50	-	1	0.0 %
19.00	-	3	0.1 %
19.38	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 2.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 131.54
- Standard Deviation: 8.27

*Location:* 330-335 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

### A3\_71: Land area rented out (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.00	-	1834	81.3 %
0.35	-	1	0.0 %
0.40	-	1	0.0 %
0.45	-	1	0.0 %
0.50	-	3	0.1 %
0.55	-	1	0.0 %
0.60	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	10	0.4 %
1.50	-	3	0.1 %
1.70	-	1	0.0 %
2.00	-	13	0.6 %
2.50	-	4	0.2 %
3.00	-	4	0.2 %
3.08	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.50	-	4	0.2 %
3.75	-	1	0.0 %
4.00	-	13	0.6 %
4.50	-	1	0.0 %
4.62	-	1	0.0 %
5.00	-	17	0.8 %
5.54	-	3	0.1 %
6.00	-	13	0.6 %
6.15	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	9	0.4 %
7.50	-	2	0.1 %
8.00	-	13	0.6 %
8.31	-	2	0.1 %
8.50	-	1	0.0 %
9.00	-	8	0.4 %
9.50	-	1	0.0 %
10.00	-	37	1.6 %
11.00	-	16	0.7 %
11.50	-	1	0.0 %
11.75	-	1	0.0 %
12.00	-	10	0.4 %
12.50	-	1	0.0 %
13.00	-	5	0.2 %
13.50	-	1	0.0 %
13.85	-	1	0.0 %
14.00	-	7	0.3 %
15.00	-	8	0.4 %
15.39	-	1	0.0 %
16.00	-	5	0.2 %
16.62	-	1	0.0 %
17.00	-	6	0.3 %
18.00	-	9	0.4 %
18.50	-	1	0.0 %
18.60	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 2.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 131.54
- Standard Deviation: 8.18

*Location:* 336-341 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

### A3\_72: Land area rented out (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.00	-	1887	83.7 %
0.35	-	1	0.0 %
0.40	-	1	0.0 %
0.45	-	1	0.0 %
0.50	-	3	0.1 %
0.55	-	1	0.0 %
0.60	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	12	0.5 %
1.50	-	3	0.1 %
1.54	-	1	0.0 %
1.70	-	1	0.0 %
2.00	-	14	0.6 %
2.20	-	1	0.0 %
2.50	-	6	0.3 %
3.00	-	4	0.2 %
3.08	-	1	0.0 %
3.50	-	4	0.2 %
3.75	-	1	0.0 %
4.00	-	15	0.7 %
4.50	-	1	0.0 %
4.62	-	1	0.0 %
5.00	-	17	0.8 %
5.34	-	1	0.0 %
5.54	-	3	0.1 %
6.00	-	14	0.6 %

Value	Label	Unweighted Frequency	%
6.15	-	1	0.0 %
6.65	-	1	0.0 %
7.00	-	11	0.5 %
7.50	-	2	0.1 %
8.00	-	16	0.7 %
8.31	-	3	0.1 %
8.50	-	1	0.0 %
9.00	-	8	0.4 %
9.50	-	1	0.0 %
10.00	-	35	1.6 %
11.00	-	14	0.6 %
11.75	-	1	0.0 %
12.00	-	10	0.4 %
12.50	-	1	0.0 %
13.00	-	7	0.3 %
13.50	-	1	0.0 %
13.85	-	1	0.0 %
14.00	-	7	0.3 %
15.00	-	8	0.4 %
16.00	-	5	0.2 %
16.62	-	1	0.0 %
17.00	-	6	0.3 %
18.00	-	10	0.4 %
18.50	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 2.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 131.54
- Standard Deviation: 8.09

*Location:* 342-347 (*width:* 6; *decimal:* 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A4\_63: Land area rented (in Katha) in 2063

Value	Label	Unweighted Frequency	%
0.00	-	892	39.6 %
1.00	-	5	0.2 %
1.20	-	1	0.0 %
1.50	-	2	0.1 %
2.00	-	13	0.6 %
3.00	-	11	0.5 %
3.40	-	1	0.0 %
4.00	-	13	0.6 %
4.50	-	1	0.0 %
5.00	-	41	1.8 %
5.25	-	2	0.1 %
6.00	-	29	1.3 %
7.00	-	16	0.7 %
7.50	-	1	0.0 %
8.00	-	23	1.0 %
8.50	-	1	0.0 %
9.00	-	13	0.6 %
10.00	-	60	2.7 %
10.50	-	1	0.0 %
11.00	-	9	0.4 %
11.50	-	1	0.0 %
12.00	-	24	1.1 %
12.50	-	1	0.0 %
13.00	-	9	0.4 %
13.50	-	1	0.0 %
14.00	-	11	0.5 %
15.00	-	30	1.3 %
15.50	-	1	0.0 %
16.00	-	12	0.5 %
16.50	-	1	0.0 %
17.00	-	9	0.4 %
18.00	-	9	0.4 %
19.00	-	1	0.0 %
19.40	-	1	0.0 %
20.00	-	40	1.8 %
20.50	-	1	0.0 %
21.00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
22.00	-	5	0.2 %
22.50	-	1	0.0 %
23.00	-	8	0.4 %
24.00	-	7	0.3 %
25.00	-	6	0.3 %
26.00	-	3	0.1 %
26.50	-	1	0.0 %
27.00	-	2	0.1 %
28.00	-	2	0.1 %
29.00	-	1	0.0 %
29.50	-	1	0.0 %
30.00	-	22	1.0 %
31.00	-	3	0.1 %
<b>Missing Data</b>			
999.00	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 6.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 11.45

*Location:* 348-353 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A4\_64: Land area rented (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	1072	47.5 %
1.00	-	2	0.1 %
1.20	-	1	0.0 %
2.00	-	5	0.2 %
3.00	-	3	0.1 %
3.50	-	2	0.1 %
4.00	-	16	0.7 %
4.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.00	-	41	1.8 %
6.00	-	31	1.4 %
7.00	-	18	0.8 %
8.00	-	15	0.7 %
9.00	-	10	0.4 %
10.00	-	66	2.9 %
11.00	-	13	0.6 %
11.50	-	1	0.0 %
12.00	-	21	0.9 %
12.50	-	1	0.0 %
13.00	-	10	0.4 %
13.50	-	1	0.0 %
14.00	-	6	0.3 %
14.35	-	1	0.0 %
14.50	-	1	0.0 %
15.00	-	27	1.2 %
15.50	-	1	0.0 %
16.00	-	12	0.5 %
17.00	-	6	0.3 %
18.00	-	9	0.4 %
20.00	-	44	2.0 %
21.00	-	2	0.1 %
22.00	-	4	0.2 %
23.00	-	4	0.2 %
24.00	-	2	0.1 %
25.00	-	5	0.2 %
26.00	-	1	0.0 %
26.50	-	1	0.0 %
27.00	-	2	0.1 %
29.50	-	1	0.0 %
30.00	-	16	0.7 %
31.00	-	3	0.1 %
32.00	-	1	0.0 %
33.00	-	1	0.0 %
35.00	-	2	0.1 %
36.85	-	1	0.0 %
38.00	-	2	0.1 %
39.00	-	1	0.0 %
40.00	-	8	0.4 %

Value	Label	Unweighted Frequency	%
42.00	-	2	0.1 %
43.70	-	1	0.0 %
46.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 4.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 9.43

*Location:* 354-359 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A4\_65: Land area rented (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.00	-	1142	50.6 %
1.00	-	2	0.1 %
1.20	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	6	0.3 %
3.00	-	4	0.2 %
3.50	-	2	0.1 %
4.00	-	16	0.7 %
4.50	-	1	0.0 %
5.00	-	43	1.9 %
6.00	-	29	1.3 %
7.00	-	19	0.8 %
8.00	-	17	0.8 %
9.00	-	10	0.4 %
10.00	-	70	3.1 %
11.00	-	13	0.6 %
11.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12.00	-	22	1.0 %
12.50	-	1	0.0 %
13.00	-	11	0.5 %
13.50	-	1	0.0 %
14.00	-	7	0.3 %
14.35	-	1	0.0 %
14.50	-	1	0.0 %
15.00	-	26	1.2 %
15.50	-	1	0.0 %
16.00	-	10	0.4 %
17.00	-	6	0.3 %
18.00	-	9	0.4 %
20.00	-	45	2.0 %
21.00	-	3	0.1 %
22.00	-	4	0.2 %
23.00	-	4	0.2 %
24.00	-	2	0.1 %
25.00	-	5	0.2 %
26.00	-	1	0.0 %
27.00	-	2	0.1 %
29.50	-	1	0.0 %
30.00	-	16	0.7 %
31.00	-	3	0.1 %
33.00	-	1	0.0 %
35.00	-	2	0.1 %
36.85	-	1	0.0 %
38.00	-	2	0.1 %
39.00	-	1	0.0 %
40.00	-	7	0.3 %
42.00	-	2	0.1 %
43.70	-	1	0.0 %
46.00	-	1	0.0 %
47.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 4.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 9.31

*Location:* 360-365 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A4\_66: Land area rented (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.00	-	1228	54.5 %
1.00	-	3	0.1 %
1.20	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	6	0.3 %
3.00	-	5	0.2 %
3.50	-	1	0.0 %
4.00	-	19	0.8 %
4.50	-	1	0.0 %
5.00	-	42	1.9 %
6.00	-	33	1.5 %
7.00	-	18	0.8 %
8.00	-	16	0.7 %
9.00	-	11	0.5 %
10.00	-	72	3.2 %
11.00	-	13	0.6 %
11.50	-	1	0.0 %
12.00	-	25	1.1 %
12.50	-	1	0.0 %
13.00	-	12	0.5 %
13.50	-	1	0.0 %
14.00	-	6	0.3 %
14.35	-	1	0.0 %
14.50	-	1	0.0 %
15.00	-	25	1.1 %
15.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16.00	-	10	0.4 %
17.00	-	6	0.3 %
18.00	-	9	0.4 %
20.00	-	47	2.1 %
21.00	-	3	0.1 %
22.00	-	5	0.2 %
23.00	-	4	0.2 %
24.00	-	1	0.0 %
25.00	-	5	0.2 %
26.00	-	1	0.0 %
27.00	-	2	0.1 %
29.50	-	1	0.0 %
30.00	-	16	0.7 %
31.00	-	2	0.1 %
33.00	-	1	0.0 %
35.00	-	2	0.1 %
36.85	-	1	0.0 %
38.00	-	2	0.1 %
39.00	-	1	0.0 %
40.00	-	9	0.4 %
42.00	-	2	0.1 %
43.70	-	1	0.0 %
44.00	-	1	0.0 %
46.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 3.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 8.96

*Location:* 366-371 (*width:* 6; *decimal:* 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A4\_67: Land area rented (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.00	-	1302	57.7 %
1.00	-	2	0.1 %
1.20	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	6	0.3 %
3.00	-	6	0.3 %
3.50	-	1	0.0 %
4.00	-	19	0.8 %
4.50	-	1	0.0 %
5.00	-	45	2.0 %
6.00	-	33	1.5 %
7.00	-	16	0.7 %
8.00	-	17	0.8 %
9.00	-	11	0.5 %
10.00	-	76	3.4 %
11.00	-	13	0.6 %
11.50	-	1	0.0 %
12.00	-	23	1.0 %
12.50	-	1	0.0 %
13.00	-	12	0.5 %
13.50	-	1	0.0 %
14.00	-	6	0.3 %
14.35	-	1	0.0 %
14.50	-	1	0.0 %
15.00	-	28	1.2 %
15.50	-	1	0.0 %
16.00	-	11	0.5 %
17.00	-	7	0.3 %
18.00	-	9	0.4 %
20.00	-	50	2.2 %
21.00	-	3	0.1 %
22.00	-	4	0.2 %
23.00	-	4	0.2 %
25.00	-	5	0.2 %
26.00	-	1	0.0 %
27.00	-	1	0.0 %
30.00	-	13	0.6 %

Value	Label	Unweighted Frequency	%
31.00	-	1	0.0 %
33.00	-	1	0.0 %
35.00	-	2	0.1 %
36.85	-	1	0.0 %
38.00	-	2	0.1 %
39.00	-	1	0.0 %
40.00	-	9	0.4 %
42.00	-	1	0.0 %
43.70	-	1	0.0 %
44.00	-	1	0.0 %
46.00	-	1	0.0 %
47.00	-	1	0.0 %
50.00	-	3	0.1 %
<b>Missing Data</b>			
999.00	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 3.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 8.82

*Location:* 372-377 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A4\_68: Land area rented (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00	-	1355	60.1 %
1.00	-	2	0.1 %
1.20	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	7	0.3 %
2.50	-	1	0.0 %
3.00	-	8	0.4 %

Value	Label	Unweighted Frequency	%
3.50	-	1	0.0 %
4.00	-	19	0.8 %
4.50	-	1	0.0 %
5.00	-	43	1.9 %
6.00	-	36	1.6 %
7.00	-	14	0.6 %
8.00	-	16	0.7 %
9.00	-	12	0.5 %
10.00	-	82	3.6 %
11.00	-	13	0.6 %
11.50	-	1	0.0 %
12.00	-	21	0.9 %
12.50	-	2	0.1 %
13.00	-	10	0.4 %
13.50	-	1	0.0 %
14.00	-	7	0.3 %
14.35	-	1	0.0 %
14.50	-	1	0.0 %
15.00	-	26	1.2 %
16.00	-	9	0.4 %
17.00	-	6	0.3 %
18.00	-	13	0.6 %
20.00	-	52	2.3 %
21.00	-	3	0.1 %
22.00	-	4	0.2 %
23.00	-	4	0.2 %
25.00	-	6	0.3 %
27.00	-	1	0.0 %
30.00	-	14	0.6 %
31.00	-	1	0.0 %
33.00	-	1	0.0 %
35.00	-	1	0.0 %
36.85	-	1	0.0 %
37.00	-	1	0.0 %
38.00	-	2	0.1 %
39.00	-	1	0.0 %
40.00	-	7	0.3 %
42.00	-	1	0.0 %
43.70	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44.00	-	1	0.0 %
46.00	-	1	0.0 %
47.00	-	1	0.0 %
50.00	-	3	0.1 %
<b>Missing Data</b>			
999.00	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 3.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 8.56

*Location:* 378-383 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

---

#### A4\_69: Land area rented (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00	-	1460	64.7 %
1.00	-	3	0.1 %
1.20	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	9	0.4 %
2.50	-	1	0.0 %
3.00	-	8	0.4 %
3.50	-	1	0.0 %
4.00	-	16	0.7 %
4.50	-	1	0.0 %
5.00	-	42	1.9 %
6.00	-	35	1.6 %
7.00	-	13	0.6 %
8.00	-	20	0.9 %
9.00	-	16	0.7 %
10.00	-	91	4.0 %

Value	Label	Unweighted Frequency	%
11.00	-	11	0.5 %
11.50	-	1	0.0 %
12.00	-	20	0.9 %
12.50	-	2	0.1 %
13.00	-	14	0.6 %
14.00	-	6	0.3 %
14.35	-	1	0.0 %
14.50	-	1	0.0 %
15.00	-	32	1.4 %
16.00	-	8	0.4 %
17.00	-	9	0.4 %
18.00	-	13	0.6 %
20.00	-	55	2.4 %
21.00	-	3	0.1 %
22.00	-	4	0.2 %
23.00	-	3	0.1 %
25.00	-	7	0.3 %
27.00	-	1	0.0 %
29.00	-	1	0.0 %
30.00	-	13	0.6 %
32.00	-	1	0.0 %
33.00	-	2	0.1 %
35.00	-	1	0.0 %
36.85	-	1	0.0 %
38.00	-	2	0.1 %
39.00	-	1	0.0 %
40.00	-	6	0.3 %
42.00	-	1	0.0 %
47.00	-	1	0.0 %
50.00	-	3	0.1 %
54.00	-	1	0.0 %
60.00	-	4	0.2 %
70.00	-	1	0.0 %
90.00	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 3.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 146.00
- Standard Deviation: 8.84

*Location:* 384-389 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A4\_70: Land area rented (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00	-	1473	65.3 %
1.00	-	5	0.2 %
1.20	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	12	0.5 %
2.50	-	2	0.1 %
3.00	-	12	0.5 %
3.50	-	1	0.0 %
4.00	-	25	1.1 %
4.50	-	2	0.1 %
5.00	-	51	2.3 %
5.50	-	1	0.0 %
6.00	-	35	1.6 %
6.10	-	1	0.0 %
7.00	-	16	0.7 %
8.00	-	26	1.2 %
9.00	-	15	0.7 %
10.00	-	106	4.7 %
11.00	-	12	0.5 %
12.00	-	19	0.8 %
12.50	-	2	0.1 %
13.00	-	15	0.7 %
14.00	-	8	0.4 %
14.35	-	1	0.0 %
14.50	-	1	0.0 %
15.00	-	29	1.3 %

Value	Label	Unweighted Frequency	%
16.00	-	8	0.4 %
17.00	-	13	0.6 %
18.00	-	16	0.7 %
20.00	-	63	2.8 %
21.00	-	3	0.1 %
22.00	-	4	0.2 %
23.00	-	3	0.1 %
24.00	-	1	0.0 %
25.00	-	7	0.3 %
27.00	-	1	0.0 %
28.00	-	1	0.0 %
29.00	-	1	0.0 %
30.00	-	13	0.6 %
36.85	-	1	0.0 %
38.00	-	1	0.0 %
39.00	-	1	0.0 %
40.00	-	5	0.2 %
47.00	-	1	0.0 %
50.00	-	4	0.2 %
54.00	-	1	0.0 %
60.00	-	3	0.1 %
70.00	-	1	0.0 %
90.00	-	1	0.0 %
100.00	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 3.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 146.00
- Standard Deviation: 9.06

*Location:* 390-395 (*width:* 6; *decimal:* 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A4\_71: Land area rented (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.00	-	1566	69.4 %
1.00	-	6	0.3 %
1.20	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	11	0.5 %
2.50	-	2	0.1 %
3.00	-	14	0.6 %
3.50	-	2	0.1 %
4.00	-	26	1.2 %
4.50	-	3	0.1 %
5.00	-	61	2.7 %
5.50	-	1	0.0 %
6.00	-	39	1.7 %
6.10	-	1	0.0 %
7.00	-	16	0.7 %
8.00	-	31	1.4 %
9.00	-	16	0.7 %
9.50	-	1	0.0 %
10.00	-	122	5.4 %
10.50	-	1	0.0 %
11.00	-	12	0.5 %
12.00	-	23	1.0 %
12.50	-	1	0.0 %
13.00	-	18	0.8 %
14.00	-	9	0.4 %
14.35	-	1	0.0 %
14.50	-	2	0.1 %
15.00	-	29	1.3 %
16.00	-	8	0.4 %
17.00	-	12	0.5 %
18.00	-	19	0.8 %
20.00	-	66	2.9 %
21.00	-	2	0.1 %
22.00	-	5	0.2 %
23.00	-	3	0.1 %
24.00	-	2	0.1 %
25.00	-	4	0.2 %

Value	Label	Unweighted Frequency	%
26.00	-	1	0.0 %
28.00	-	2	0.1 %
29.00	-	1	0.0 %
30.00	-	15	0.7 %
33.00	-	1	0.0 %
36.85	-	1	0.0 %
38.00	-	1	0.0 %
39.00	-	1	0.0 %
40.00	-	5	0.2 %
41.00	-	1	0.0 %
42.50	-	1	0.0 %
46.00	-	1	0.0 %
50.00	-	4	0.2 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 3.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 12.09

*Location:* 396-401 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A4\_72: Land area rented (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.00	-	1620	71.8 %
0.95	-	1	0.0 %
1.00	-	5	0.2 %
1.20	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	14	0.6 %
2.50	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.00	-	22	1.0 %
3.50	-	3	0.1 %
4.00	-	28	1.2 %
4.50	-	2	0.1 %
5.00	-	70	3.1 %
5.50	-	1	0.0 %
6.00	-	36	1.6 %
6.10	-	1	0.0 %
7.00	-	19	0.8 %
8.00	-	29	1.3 %
9.00	-	17	0.8 %
9.50	-	1	0.0 %
10.00	-	119	5.3 %
10.50	-	1	0.0 %
11.00	-	15	0.7 %
11.50	-	1	0.0 %
12.00	-	20	0.9 %
12.50	-	1	0.0 %
13.00	-	21	0.9 %
14.00	-	11	0.5 %
14.35	-	1	0.0 %
14.50	-	3	0.1 %
15.00	-	30	1.3 %
15.50	-	1	0.0 %
16.00	-	8	0.4 %
17.00	-	11	0.5 %
18.00	-	18	0.8 %
19.00	-	1	0.0 %
20.00	-	56	2.5 %
21.00	-	3	0.1 %
22.00	-	4	0.2 %
23.00	-	2	0.1 %
24.00	-	1	0.0 %
25.00	-	3	0.1 %
26.00	-	2	0.1 %
28.00	-	2	0.1 %
29.00	-	2	0.1 %
30.00	-	13	0.6 %
31.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
33.00	-	2	0.1 %
39.00	-	2	0.1 %
40.00	-	9	0.4 %
42.00	-	1	0.0 %
	<b>Missing Data</b>		
998.00	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 3.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 12.00

*Location:* 402-407 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

### A5\_63: Land area kept fallow (in Katha) in 2063

Value	Label	Unweighted Frequency	%
0.00	-	1376	61.0 %
0.25	-	1	0.0 %
1.00	-	6	0.3 %
1.50	-	2	0.1 %
2.00	-	6	0.3 %
2.35	-	1	0.0 %
3.00	-	2	0.1 %
4.00	-	1	0.0 %
5.00	-	4	0.2 %
6.00	-	2	0.1 %
7.00	-	1	0.0 %
7.90	-	1	0.0 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
9.30	-	1	0.0 %
10.00	-	2	0.1 %
12.00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
15.00	-	1	0.0 %
25.00	-	1	0.0 %
48.60	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.60
- Standard Deviation: 1.75

*Location:* 408-413 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A5\_64: Land area kept fallow (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	1409	62.5 %
0.15	-	1	0.0 %
0.30	-	1	0.0 %
0.35	-	2	0.1 %
0.50	-	6	0.3 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.70	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	21	0.9 %
1.05	-	1	0.0 %
1.10	-	1	0.0 %
1.30	-	1	0.0 %
1.50	-	6	0.3 %
2.00	-	11	0.5 %
2.35	-	1	0.0 %
3.00	-	6	0.3 %
3.30	-	1	0.0 %
3.60	-	1	0.0 %
4.00	-	8	0.4 %

Value	Label	Unweighted Frequency	%
5.00	-	7	0.3 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
9.30	-	1	0.0 %
10.00	-	5	0.2 %
12.00	-	2	0.1 %
13.00	-	1	0.0 %
15.00	-	1	0.0 %
16.92	-	1	0.0 %
17.00	-	1	0.0 %
20.00	-	1	0.0 %
48.60	-	1	0.0 %
80.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 2.79

*Location:* 414-419 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of Missing Values:* 998.00 , 999.00 , .

## A5\_65: Land area kept fallow (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.00	-	1482	65.7 %
0.15	-	1	0.0 %
0.30	-	1	0.0 %
0.35	-	2	0.1 %
0.50	-	6	0.3 %
0.55	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.56	-	1	0.0 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	21	0.9 %
1.05	-	1	0.0 %
1.10	-	1	0.0 %
1.30	-	1	0.0 %
1.50	-	6	0.3 %
2.00	-	13	0.6 %
2.35	-	1	0.0 %
2.50	-	1	0.0 %
3.00	-	5	0.2 %
3.30	-	1	0.0 %
3.60	-	1	0.0 %
4.00	-	8	0.4 %
4.50	-	1	0.0 %
5.00	-	7	0.3 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
9.30	-	1	0.0 %
10.00	-	5	0.2 %
11.08	-	1	0.0 %
12.00	-	2	0.1 %
13.00	-	1	0.0 %
15.00	-	2	0.1 %
16.92	-	1	0.0 %
17.00	-	1	0.0 %
20.00	-	1	0.0 %
44.31	-	1	0.0 %
48.60	-	1	0.0 %
80.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 2.97

*Location:* 420-425 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

---

## A5\_66: Land area kept fallow (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.00	-	1570	69.6 %
0.15	-	1	0.0 %
0.30	-	1	0.0 %
0.35	-	2	0.1 %
0.50	-	8	0.4 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
0.73	-	1	0.0 %
0.80	-	1	0.0 %
0.93	-	1	0.0 %
1.00	-	21	0.9 %
1.05	-	1	0.0 %
1.10	-	1	0.0 %
1.11	-	1	0.0 %
1.15	-	1	0.0 %
1.30	-	1	0.0 %
1.50	-	7	0.3 %
2.00	-	13	0.6 %
2.35	-	1	0.0 %
2.50	-	1	0.0 %
2.77	-	1	0.0 %
3.00	-	6	0.3 %
3.30	-	1	0.0 %
3.60	-	1	0.0 %
4.00	-	8	0.4 %
4.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.00	-	8	0.4 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
9.30	-	1	0.0 %
10.00	-	5	0.2 %
11.08	-	1	0.0 %
12.00	-	1	0.0 %
13.00	-	1	0.0 %
15.00	-	2	0.1 %
16.92	-	1	0.0 %
17.00	-	1	0.0 %
20.00	-	1	0.0 %
44.31	-	1	0.0 %
48.60	-	1	0.0 %
80.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 2.87

*Location:* 426-431 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A5\_67: Land area kept fallow (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.00	-	1637	72.6 %
0.15	-	1	0.0 %
0.30	-	1	0.0 %
0.35	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.50	-	12	0.5 %
0.55	-	1	0.0 %
0.56	-	1	0.0 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
0.73	-	1	0.0 %
0.75	-	2	0.1 %
0.77	-	1	0.0 %
0.80	-	1	0.0 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
1.00	-	23	1.0 %
1.05	-	1	0.0 %
1.10	-	1	0.0 %
1.11	-	1	0.0 %
1.15	-	1	0.0 %
1.30	-	1	0.0 %
1.50	-	7	0.3 %
1.55	-	1	0.0 %
2.00	-	12	0.5 %
2.50	-	1	0.0 %
2.77	-	1	0.0 %
3.00	-	6	0.3 %
3.30	-	1	0.0 %
3.60	-	1	0.0 %
4.00	-	9	0.4 %
4.50	-	1	0.0 %
5.00	-	7	0.3 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	3	0.1 %
9.00	-	1	0.0 %
9.30	-	1	0.0 %
10.00	-	6	0.3 %
11.08	-	1	0.0 %
12.00	-	2	0.1 %
13.00	-	1	0.0 %
15.00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
16.92	-	1	0.0 %
19.39	-	1	0.0 %
20.00	-	1	0.0 %
26.00	-	1	0.0 %
44.31	-	1	0.0 %
48.60	-	1	0.0 %
80.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	486	21.6 %
.	.	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 2.91

*Location:* 432-437 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

## A5\_68: Land area kept fallow (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00	-	1670	74.1 %
0.15	-	1	0.0 %
0.30	-	2	0.1 %
0.35	-	3	0.1 %
0.45	-	2	0.1 %
0.50	-	20	0.9 %
0.55	-	1	0.0 %
0.56	-	1	0.0 %
0.60	-	4	0.2 %
0.70	-	1	0.0 %
0.73	-	1	0.0 %
0.75	-	2	0.1 %
0.77	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.80	-	2	0.1 %
0.83	-	1	0.0 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
1.00	-	25	1.1 %
1.05	-	1	0.0 %
1.10	-	1	0.0 %
1.11	-	1	0.0 %
1.15	-	1	0.0 %
1.30	-	1	0.0 %
1.50	-	7	0.3 %
1.55	-	1	0.0 %
2.00	-	13	0.6 %
2.50	-	1	0.0 %
2.77	-	1	0.0 %
2.80	-	1	0.0 %
3.00	-	6	0.3 %
3.30	-	1	0.0 %
3.60	-	1	0.0 %
4.00	-	9	0.4 %
4.50	-	1	0.0 %
5.00	-	7	0.3 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	3	0.1 %
9.00	-	2	0.1 %
9.30	-	1	0.0 %
9.75	-	1	0.0 %
10.00	-	7	0.3 %
11.08	-	1	0.0 %
12.80	-	1	0.0 %
13.00	-	1	0.0 %
15.00	-	2	0.1 %
16.92	-	1	0.0 %
19.39	-	1	0.0 %
20.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	428	19.0 %

Value	Label	Unweighted Frequency	%
-	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 3.47

*Location:* 438-443 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A5\_69: Land area kept fallow (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00	-	1768	78.4 %
0.15	-	1	0.0 %
0.30	-	3	0.1 %
0.35	-	4	0.2 %
0.45	-	2	0.1 %
0.50	-	24	1.1 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.60	-	4	0.2 %
0.69	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	3	0.1 %
0.80	-	2	0.1 %
0.83	-	1	0.0 %
0.85	-	1	0.0 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
1.00	-	28	1.2 %
1.05	-	1	0.0 %
1.10	-	1	0.0 %
1.11	-	1	0.0 %
1.15	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.30	-	1	0.0 %
1.37	-	1	0.0 %
1.40	-	1	0.0 %
1.50	-	9	0.4 %
1.55	-	1	0.0 %
2.00	-	14	0.6 %
2.50	-	3	0.1 %
2.77	-	1	0.0 %
2.80	-	1	0.0 %
3.00	-	8	0.4 %
3.30	-	1	0.0 %
3.60	-	1	0.0 %
4.00	-	10	0.4 %
4.50	-	2	0.1 %
5.00	-	7	0.3 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
7.50	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	3	0.1 %
8.50	-	1	0.0 %
9.00	-	2	0.1 %
9.75	-	1	0.0 %
10.00	-	6	0.3 %
11.00	-	1	0.0 %
11.08	-	1	0.0 %
12.80	-	1	0.0 %
13.00	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 0.46
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 3.44

*Location:* 444-449 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A5\_70: Land area kept fallow (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00	-	1816	80.5 %
0.15	-	1	0.0 %
0.29	-	1	0.0 %
0.30	-	2	0.1 %
0.35	-	5	0.2 %
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.45	-	3	0.1 %
0.50	-	33	1.5 %
0.55	-	3	0.1 %
0.56	-	1	0.0 %
0.60	-	3	0.1 %
0.65	-	1	0.0 %
0.69	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	5	0.2 %
0.80	-	3	0.1 %
0.83	-	1	0.0 %
0.85	-	1	0.0 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
1.00	-	34	1.5 %
1.05	-	1	0.0 %
1.10	-	1	0.0 %
1.11	-	1	0.0 %
1.15	-	2	0.1 %
1.25	-	1	0.0 %
1.30	-	2	0.1 %
1.37	-	1	0.0 %
1.40	-	1	0.0 %
1.50	-	11	0.5 %

Value	Label	Unweighted Frequency	%
1.55	-	1	0.0 %
1.60	-	1	0.0 %
2.00	-	15	0.7 %
2.50	-	3	0.1 %
2.77	-	1	0.0 %
2.80	-	1	0.0 %
3.00	-	8	0.4 %
3.30	-	1	0.0 %
3.60	-	1	0.0 %
4.00	-	9	0.4 %
4.50	-	3	0.1 %
5.00	-	9	0.4 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
7.50	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	3	0.1 %
8.50	-	1	0.0 %
9.00	-	2	0.1 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 3.36

*Location:* 450-455 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of Missing Values:* 998.00 , 999.00

## A5\_71: Land area kept fallow (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.00	-	1908	84.6 %

Value	Label	Unweighted Frequency	%
0.15	-	1	0.0 %
0.19	-	1	0.0 %
0.25	-	1	0.0 %
0.29	-	2	0.1 %
0.30	-	2	0.1 %
0.35	-	3	0.1 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.40	-	2	0.1 %
0.45	-	6	0.3 %
0.50	-	53	2.4 %
0.55	-	5	0.2 %
0.56	-	1	0.0 %
0.60	-	5	0.2 %
0.65	-	1	0.0 %
0.69	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	7	0.3 %
0.80	-	3	0.1 %
0.83	-	1	0.0 %
0.85	-	1	0.0 %
0.90	-	2	0.1 %
0.93	-	1	0.0 %
1.00	-	44	2.0 %
1.05	-	1	0.0 %
1.10	-	1	0.0 %
1.11	-	1	0.0 %
1.15	-	2	0.1 %
1.25	-	3	0.1 %
1.30	-	2	0.1 %
1.37	-	1	0.0 %
1.50	-	11	0.5 %
1.55	-	1	0.0 %
1.60	-	1	0.0 %
1.80	-	1	0.0 %
2.00	-	22	1.0 %
2.20	-	1	0.0 %
2.50	-	4	0.2 %
2.77	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.80	-	1	0.0 %
2.85	-	1	0.0 %
3.00	-	12	0.5 %
3.60	-	1	0.0 %
4.00	-	7	0.3 %
4.50	-	3	0.1 %
5.00	-	9	0.4 %
5.50	-	1	0.0 %
6.00	-	3	0.1 %
6.50	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 3.39

*Location:* 456-461 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

## A5\_72: Land area kept fallow (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.00	-	1951	86.5 %
0.15	-	1	0.0 %
0.19	-	1	0.0 %
0.29	-	2	0.1 %
0.30	-	2	0.1 %
0.35	-	4	0.2 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.40	-	2	0.1 %
0.41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.45	-	6	0.3 %
0.50	-	58	2.6 %
0.55	-	5	0.2 %
0.56	-	1	0.0 %
0.60	-	8	0.4 %
0.65	-	1	0.0 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.75	-	10	0.4 %
0.80	-	4	0.2 %
0.83	-	1	0.0 %
0.85	-	3	0.1 %
0.90	-	2	0.1 %
0.93	-	1	0.0 %
1.00	-	48	2.1 %
1.05	-	1	0.0 %
1.10	-	2	0.1 %
1.11	-	1	0.0 %
1.15	-	2	0.1 %
1.25	-	2	0.1 %
1.30	-	2	0.1 %
1.35	-	1	0.0 %
1.37	-	1	0.0 %
1.50	-	12	0.5 %
1.55	-	1	0.0 %
1.60	-	1	0.0 %
1.80	-	1	0.0 %
2.00	-	26	1.2 %
2.50	-	2	0.1 %
2.77	-	1	0.0 %
2.85	-	1	0.0 %
3.00	-	14	0.6 %
3.50	-	1	0.0 %
3.60	-	1	0.0 %
4.00	-	6	0.3 %
4.50	-	2	0.1 %
5.00	-	13	0.6 %
5.50	-	1	0.0 %
6.00	-	3	0.1 %

Value	Label	Unweighted Frequency	%
7.00	-	1	0.0 %
	<b>Missing Data</b>		
998.00	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 3.71

*Location:* 462-467 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of Missing Values:* 998.00 , 999.00

#### A6\_63: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2063

Value	Label	Unweighted Frequency	%
0.00	-	1340	59.4 %
0.15	-	1	0.0 %
0.50	-	7	0.3 %
1.00	-	17	0.8 %
1.50	-	3	0.1 %
2.00	-	15	0.7 %
3.00	-	6	0.3 %
4.00	-	6	0.3 %
5.00	-	6	0.3 %
9.00	-	2	0.1 %
10.00	-	4	0.2 %
12.00	-	3	0.1 %
16.00	-	1	0.0 %
20.00	-	1	0.0 %
30.00	-	1	0.0 %
40.00	-	1	0.0 %
	<b>Missing Data</b>		
999.00	Household does not exist	841	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 1.78

*Location:* 468-473 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A6\_64: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	1378	61.1 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.50	-	13	0.6 %
1.00	-	29	1.3 %
1.50	-	7	0.3 %
2.00	-	28	1.2 %
2.46	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	18	0.8 %
4.00	-	10	0.4 %
5.00	-	10	0.4 %
6.00	-	1	0.0 %
7.00	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	5	0.2 %
12.00	-	1	0.0 %
16.00	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	1	0.0 %
29.00	-	1	0.0 %
31.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 1.73

*Location:* 474-479 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A6\_65: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.00	-	1453	64.4 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.50	-	14	0.6 %
1.00	-	30	1.3 %
1.50	-	7	0.3 %
2.00	-	28	1.2 %
2.46	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	19	0.8 %
4.00	-	11	0.5 %
5.00	-	10	0.4 %
6.00	-	1	0.0 %
7.00	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	5	0.2 %
13.85	-	1	0.0 %
16.00	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	1	0.0 %
25.00	-	1	0.0 %
29.00	-	1	0.0 %
31.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 1.81

*Location:* 480-485 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A6\_66: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2006

Value	Label	Unweighted Frequency	%
0.00	-	1549	68.7 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.50	-	14	0.6 %
1.00	-	29	1.3 %
1.50	-	8	0.4 %
2.00	-	26	1.2 %
2.46	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	19	0.8 %
4.00	-	12	0.5 %
5.00	-	10	0.4 %
6.00	-	1	0.0 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	5	0.2 %
13.85	-	1	0.0 %
16.00	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	1	0.0 %
22.00	-	1	0.0 %
25.00	-	1	0.0 %
29.00	-	1	0.0 %
31.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 1.85

*Location:* 486-491 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

## A6\_67: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.00	-	1619	71.8 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.50	-	14	0.6 %
1.00	-	32	1.4 %
1.50	-	9	0.4 %
2.00	-	28	1.2 %
2.46	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	20	0.9 %
3.50	-	1	0.0 %
4.00	-	13	0.6 %
5.00	-	9	0.4 %
6.00	-	1	0.0 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	2	0.1 %
10.00	-	6	0.3 %
13.85	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	1	0.0 %
22.00	-	1	0.0 %
25.00	-	1	0.0 %
29.00	-	1	0.0 %
31.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	486	21.6 %

Value	Label	Unweighted Frequency	%
-	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 1.80

*Location:* 492-497 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A6\_68: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00	-	1673	74.2 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.50	-	16	0.7 %
1.00	-	33	1.5 %
1.50	-	10	0.4 %
2.00	-	27	1.2 %
2.46	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	19	0.8 %
3.50	-	1	0.0 %
4.00	-	13	0.6 %
5.00	-	11	0.5 %
6.00	-	1	0.0 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	2	0.1 %
10.00	-	6	0.3 %
13.85	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	1	0.0 %
22.00	-	1	0.0 %
25.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
29.00	-	1	0.0 %
31.00	-	1	0.0 %
	<b>Missing Data</b>		
999.00	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 1.77

*Location:* 498-503 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A6\_69: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00	-	1789	79.3 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.50	-	16	0.7 %
0.75	-	1	0.0 %
1.00	-	36	1.6 %
1.50	-	10	0.4 %
2.00	-	29	1.3 %
2.46	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	19	0.8 %
3.50	-	1	0.0 %
4.00	-	13	0.6 %
5.00	-	13	0.6 %
6.00	-	1	0.0 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	2	0.1 %
10.00	-	6	0.3 %
13.85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	1	0.0 %
22.00	-	1	0.0 %
25.00	-	1	0.0 %
29.00	-	1	0.0 %
31.00	-	1	0.0 %
49.23	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 49.23
- Standard Deviation: 2.05

*Location:* 504-509 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A6\_70: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00	-	1854	82.2 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.50	-	17	0.8 %
0.75	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	38	1.7 %
1.50	-	11	0.5 %
2.00	-	29	1.3 %
2.46	-	1	0.0 %
2.50	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	19	0.8 %

Value	Label	Unweighted Frequency	%
3.50	-	1	0.0 %
4.00	-	14	0.6 %
5.00	-	13	0.6 %
6.00	-	2	0.1 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
10.00	-	7	0.3 %
13.00	-	1	0.0 %
13.85	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	2	0.1 %
22.00	-	1	0.0 %
25.00	-	1	0.0 %
29.00	-	1	0.0 %
31.00	-	1	0.0 %
49.23	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 49.23
- Standard Deviation: 2.10

*Location:* 510-515 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A6\_71: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.00	-	1991	88.3 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.50	-	18	0.8 %
0.73	-	1	0.0 %
0.75	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	40	1.8 %
1.50	-	14	0.6 %
2.00	-	31	1.4 %
2.46	-	1	0.0 %
2.50	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	18	0.8 %
3.50	-	1	0.0 %
4.00	-	16	0.7 %
5.00	-	14	0.6 %
6.00	-	2	0.1 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	3	0.1 %
9.00	-	2	0.1 %
10.00	-	7	0.3 %
13.00	-	1	0.0 %
13.85	-	1	0.0 %
15.00	-	1	0.0 %
16.00	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	2	0.1 %
22.00	-	1	0.0 %
25.00	-	1	0.0 %
29.00	-	1	0.0 %
31.00	-	1	0.0 %
49.23	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 0.35

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 49.23
- Standard Deviation: 2.10

*Location:* 516-521 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

### A6\_72: Land area used for plantation (fruit, fodder and tree) (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.00	-	2055	91.1 %
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.50	-	18	0.8 %
0.73	-	1	0.0 %
0.75	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	43	1.9 %
1.50	-	14	0.6 %
1.54	-	1	0.0 %
2.00	-	32	1.4 %
2.46	-	1	0.0 %
2.50	-	1	0.0 %
2.60	-	1	0.0 %
3.00	-	19	0.8 %
3.50	-	2	0.1 %
4.00	-	15	0.7 %
5.00	-	15	0.7 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	3	0.1 %
9.00	-	2	0.1 %
10.00	-	6	0.3 %
13.00	-	1	0.0 %
13.85	-	1	0.0 %
15.00	-	1	0.0 %
16.00	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.00	-	2	0.1 %
22.00	-	1	0.0 %
25.00	-	1	0.0 %
29.00	-	1	0.0 %
30.00	-	1	0.0 %
31.00	-	1	0.0 %
49.23	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 49.23
- Standard Deviation: 2.16

*Location:* 522-527 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

### A7\_63: Land area used for other purposes (in Katha) in 2063

Value	Label	Unweighted Frequency	%
0.00	-	1394	61.8 %
0.25	-	1	0.0 %
0.50	-	3	0.1 %
1.00	-	4	0.2 %
1.50	-	2	0.1 %
2.00	-	3	0.1 %
4.00	-	2	0.1 %
15.00	-	3	0.1 %
20.00	-	1	0.0 %
28.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 0.08

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 28.00
- Standard Deviation: 1.16

*Location:* 528-533 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A7\_64: Land area used for other purposes (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	1473	65.3 %
0.15	-	1	0.0 %
0.20	-	1	0.0 %
0.25	-	1	0.0 %
0.35	-	2	0.1 %
0.50	-	6	0.3 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
1.00	-	5	0.2 %
1.10	-	1	0.0 %
1.50	-	3	0.1 %
2.00	-	4	0.2 %
2.50	-	1	0.0 %
3.00	-	4	0.2 %
3.50	-	1	0.0 %
4.00	-	1	0.0 %
7.00	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	1	0.0 %
15.00	-	1	0.0 %
20.00	-	1	0.0 %
28.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 28.00
- Standard Deviation: 1.06

*Location:* 534-539 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A7\_65: Land area used for other purposes (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.00	-	1544	68.5 %
0.15	-	1	0.0 %
0.20	-	1	0.0 %
0.25	-	3	0.1 %
0.35	-	2	0.1 %
0.50	-	8	0.4 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	7	0.3 %
1.10	-	1	0.0 %
1.50	-	4	0.2 %
2.00	-	4	0.2 %
2.50	-	1	0.0 %
3.00	-	4	0.2 %
3.50	-	1	0.0 %
4.00	-	2	0.1 %
7.00	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	1	0.0 %
15.00	-	1	0.0 %
20.00	-	1	0.0 %
28.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 28.00
- Standard Deviation: 1.04

*Location:* 540-545 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A7\_66: Land area used for other purposes (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.00	-	1632	72.4 %
0.15	-	1	0.0 %
0.20	-	1	0.0 %
0.25	-	3	0.1 %
0.35	-	2	0.1 %
0.50	-	13	0.6 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	8	0.4 %
1.10	-	1	0.0 %
1.50	-	4	0.2 %
2.00	-	6	0.3 %
2.50	-	1	0.0 %
3.00	-	4	0.2 %
3.50	-	1	0.0 %
4.00	-	3	0.1 %
7.00	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	1	0.0 %
15.00	-	1	0.0 %
20.00	-	1	0.0 %
28.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 28.00
- Standard Deviation: 1.02

*Location:* 546-551 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A7\_67: Land area used for other purposes (in Katha) in 2006

Value	Label	Unweighted Frequency	%
0.00	-	1706	75.7 %
0.15	-	1	0.0 %
0.20	-	1	0.0 %
0.25	-	4	0.2 %
0.35	-	2	0.1 %
0.50	-	12	0.5 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	7	0.3 %
1.50	-	5	0.2 %
2.00	-	6	0.3 %
2.50	-	1	0.0 %
3.00	-	5	0.2 %
3.50	-	1	0.0 %
3.85	-	1	0.0 %
4.00	-	3	0.1 %
5.00	-	1	0.0 %
6.00	-	1	0.0 %
8.00	-	2	0.1 %
10.00	-	1	0.0 %
15.00	-	2	0.1 %
20.00	-	1	0.0 %
28.00	-	1	0.0 %
33.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 0.13

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 1.34

*Location:* 552-557 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A7\_68: Land area used for other purposes (in Katha) in 2006

Value	Label	Unweighted Frequency	%
0.00	-	1750	77.6 %
0.15	-	2	0.1 %
0.20	-	1	0.0 %
0.25	-	6	0.3 %
0.35	-	2	0.1 %
0.50	-	15	0.7 %
0.60	-	1	0.0 %
0.70	-	2	0.1 %
0.75	-	1	0.0 %
1.00	-	9	0.4 %
1.50	-	6	0.3 %
2.00	-	6	0.3 %
2.50	-	1	0.0 %
3.00	-	6	0.3 %
3.85	-	1	0.0 %
4.00	-	3	0.1 %
4.50	-	1	0.0 %
5.00	-	1	0.0 %
6.00	-	1	0.0 %
7.00	-	2	0.1 %
8.00	-	3	0.1 %
10.00	-	1	0.0 %
15.00	-	2	0.1 %
20.00	-	1	0.0 %
28.00	-	1	0.0 %
33.00	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 1.35

*Location:* 558-563 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

---

#### A7\_69: Land area used for other purposes (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00	-	1853	82.2 %
0.10	-	1	0.0 %
0.15	-	2	0.1 %
0.20	-	2	0.1 %
0.25	-	9	0.4 %
0.35	-	2	0.1 %
0.50	-	20	0.9 %
0.60	-	1	0.0 %
0.70	-	2	0.1 %
0.75	-	1	0.0 %
1.00	-	17	0.8 %
1.50	-	5	0.2 %
2.00	-	8	0.4 %
2.50	-	1	0.0 %
3.00	-	6	0.3 %
3.85	-	1	0.0 %
4.00	-	2	0.1 %
4.50	-	1	0.0 %
5.00	-	1	0.0 %
6.00	-	1	0.0 %
7.00	-	2	0.1 %
8.00	-	3	0.1 %
8.50	-	1	0.0 %
9.00	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	1	0.0 %
15.00	-	2	0.1 %
15.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.00	-	1	0.0 %
28.00	-	1	0.0 %
33.00	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 1.40

*Location:* 564-569 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A7\_70: Land area used for other purposes (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00	-	1918	85.1 %
0.10	-	1	0.0 %
0.15	-	2	0.1 %
0.20	-	3	0.1 %
0.25	-	11	0.5 %
0.35	-	2	0.1 %
0.50	-	20	0.9 %
0.60	-	1	0.0 %
0.70	-	2	0.1 %
0.75	-	1	0.0 %
1.00	-	19	0.8 %
1.50	-	5	0.2 %
2.00	-	9	0.4 %
2.50	-	2	0.1 %
3.00	-	7	0.3 %
3.85	-	1	0.0 %
4.00	-	3	0.1 %
4.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.00	-	2	0.1 %
6.00	-	2	0.1 %
7.00	-	2	0.1 %
8.00	-	3	0.1 %
8.50	-	1	0.0 %
9.00	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	1	0.0 %
15.00	-	3	0.1 %
15.50	-	1	0.0 %
20.00	-	1	0.0 %
28.00	-	1	0.0 %
33.00	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 1.43

*Location:* 570-575 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A7\_71: Land area used for other purposes (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.00	-	2052	91.0 %
0.10	-	2	0.1 %
0.15	-	3	0.1 %
0.20	-	3	0.1 %
0.25	-	14	0.6 %
0.35	-	3	0.1 %
0.50	-	18	0.8 %
0.60	-	1	0.0 %
0.70	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.75	-	1	0.0 %
1.00	-	27	1.2 %
1.50	-	5	0.2 %
2.00	-	10	0.4 %
2.50	-	2	0.1 %
3.00	-	9	0.4 %
3.85	-	1	0.0 %
4.00	-	5	0.2 %
4.50	-	1	0.0 %
5.00	-	2	0.1 %
6.00	-	2	0.1 %
7.00	-	2	0.1 %
8.00	-	3	0.1 %
8.50	-	1	0.0 %
9.00	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	1	0.0 %
15.00	-	3	0.1 %
15.50	-	1	0.0 %
20.00	-	1	0.0 %
20.50	-	1	0.0 %
28.00	-	1	0.0 %
33.00	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 1.45

*Location:* 576-581 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

## A7\_72: Land area used for other purposes (in Katha) in 2007

Value	Label	Unweighted Frequency	%
0.00	-	2116	93.8 %
0.10	-	1	0.0 %
0.15	-	3	0.1 %
0.20	-	3	0.1 %
0.25	-	14	0.6 %
0.35	-	3	0.1 %
0.50	-	20	0.9 %
0.60	-	1	0.0 %
0.70	-	2	0.1 %
0.75	-	1	0.0 %
1.00	-	29	1.3 %
1.50	-	5	0.2 %
2.00	-	10	0.4 %
2.50	-	2	0.1 %
3.00	-	10	0.4 %
3.85	-	1	0.0 %
4.00	-	7	0.3 %
4.50	-	1	0.0 %
5.00	-	3	0.1 %
6.00	-	2	0.1 %
7.00	-	2	0.1 %
8.00	-	3	0.1 %
8.50	-	1	0.0 %
9.00	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	3	0.1 %
15.00	-	2	0.1 %
15.50	-	1	0.0 %
20.00	-	1	0.0 %
20.50	-	1	0.0 %
28.00	-	1	0.0 %
33.00	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 0.18
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 1.43

*Location:* 582-587 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

### A8\_63: Own house plot in 2063

Value	Label	Unweighted Frequency	%
0	No	125	5.5 %
1	Yes	1289	57.2 %
	<b>Missing Data</b>		
999	Household does not exist	841	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 588-590 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### A8\_64: Own house plot in 2064

Value	Label	Unweighted Frequency	%
0	No	157	7.0 %
1	Yes	1355	60.1 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 591-593 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### A8\_65: Own house plot in 2065

Value	Label	Unweighted Frequency	%
0	No	174	7.7 %
1	Yes	1418	62.9 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 594-596 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### A8\_66: Own house plot in 2066

Value	Label	Unweighted Frequency	%
0	No	189	8.4 %
1	Yes	1500	66.5 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 597-599 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### A8\_67: Own house plot in 2067

Value	Label	Unweighted Frequency	%
0	No	215	9.5 %
1	Yes	1553	68.9 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 600-602 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### A8\_68: Own house plot in 2068

Value	Label	Unweighted Frequency	%
0	No	222	9.8 %
1	Yes	1604	71.1 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 603-605 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### A8\_69: Own house plot in 2069

Value	Label	Unweighted Frequency	%
0	No	262	11.6 %
1	Yes	1689	74.9 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 606-608 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### A8\_70: Own house plot in 2070

Value	Label	Unweighted Frequency	%
0	No	290	12.9 %
1	Yes	1738	77.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 609-611 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## A8\_71: Own house plot in 2071

Value	Label	Unweighted Frequency	%
0	No	361	16.0 %
1	Yes	1819	80.7 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 612-614 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## A8\_72: Own house plot in 2072

Value	Label	Unweighted Frequency	%
0	No	396	17.6 %
1	Yes	1856	82.3 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 615-617 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### A9\_63: Bought new house plot in 2063

Value	Label	Unweighted Frequency	%
0	No	1414	62.7 %
1	Yes	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 0.00

*Location:* 618-620 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### A9\_64: Bought new house plot in 2064

Value	Label	Unweighted Frequency	%
0	No	1495	66.3 %
1	Yes	17	0.8 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 621-623 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### A9\_65: Bought new house plot in 2065

Value	Label	Unweighted Frequency	%
0	No	1582	70.2 %
1	Yes	10	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 624-626 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### A9\_66: Bought new house plot in 2066

Value	Label	Unweighted Frequency	%
0	No	1668	74.0 %
1	Yes	21	0.9 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 627-629 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### A9\_67: Bought new house plot in 2067

Value	Label	Unweighted Frequency	%
0	No	1745	77.4 %
1	Yes	23	1.0 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00

- Maximum: 1.00

*Location:* 630-632 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### A9\_68: Bought new house plot in 2068

Value	Label	Unweighted Frequency	%
0	No	1784	79.1 %
1	Yes	42	1.9 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 633-635 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### A9\_69: Bought new house plot in 2069

Value	Label	Unweighted Frequency	%
0	No	1915	84.9 %
1	Yes	36	1.6 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 636-638 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### A9\_70: Bought new house plot in 2070

Value	Label	Unweighted Frequency	%
0	No	1979	87.8 %
1	Yes	49	2.2 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 639-641 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### A9\_71: Bought new house plot in 2071

Value	Label	Unweighted Frequency	%
0	No	2097	93.0 %
1	Yes	83	3.7 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 642-644 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### A9\_72: Bought new house plot in 2072

Value	Label	Unweighted Frequency	%
0	No	2203	97.7 %
1	Yes	49	2.2 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 645-647 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### A10\_63: Total land the household owned (in Katha) in 2063

Value	Label	Unweighted Frequency	%
0.00	-	64	2.8 %
0.25	-	1	0.0 %
0.30	-	6	0.3 %
0.40	-	1	0.0 %
0.50	-	18	0.8 %
0.55	-	1	0.0 %
0.60	-	8	0.4 %
0.65	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	3	0.1 %
0.80	-	3	0.1 %
0.90	-	1	0.0 %
1.00	-	75	3.3 %
1.10	-	1	0.0 %
1.25	-	1	0.0 %
1.30	-	2	0.1 %
1.40	-	6	0.3 %
1.50	-	31	1.4 %
1.55	-	1	0.0 %
1.60	-	3	0.1 %
1.70	-	1	0.0 %
1.80	-	1	0.0 %
2.00	-	53	2.4 %
2.01	-	1	0.0 %
2.10	-	3	0.1 %
2.20	-	1	0.0 %
2.25	-	1	0.0 %
2.30	-	4	0.2 %
2.40	-	3	0.1 %
2.50	-	8	0.4 %
2.60	-	3	0.1 %
2.75	-	1	0.0 %
3.00	-	48	2.1 %

Value	Label	Unweighted Frequency	%
3.15	-	3	0.1 %
3.25	-	1	0.0 %
3.30	-	2	0.1 %
3.40	-	1	0.0 %
3.50	-	6	0.3 %
3.80	-	1	0.0 %
4.00	-	31	1.4 %
4.20	-	2	0.1 %
4.25	-	2	0.1 %
4.30	-	1	0.0 %
4.45	-	1	0.0 %
4.50	-	6	0.3 %
4.80	-	1	0.0 %
5.00	-	52	2.3 %
5.50	-	7	0.3 %
5.60	-	1	0.0 %
6.00	-	40	1.8 %
<b>Missing Data</b>			
999.00	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 16.17
- Median: 10.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 260.00
- Standard Deviation: 21.03

*Location:* 648-653 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A10\_64: Total land the household owned (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	86	3.8 %
0.20	-	1	0.0 %
0.25	-	3	0.1 %
0.30	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.35	-	1	0.0 %
0.40	-	2	0.1 %
0.50	-	26	1.2 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.60	-	6	0.3 %
0.65	-	2	0.1 %
0.70	-	1	0.0 %
0.75	-	7	0.3 %
0.80	-	2	0.1 %
0.85	-	1	0.0 %
0.90	-	1	0.0 %
1.00	-	80	3.5 %
1.10	-	1	0.0 %
1.15	-	4	0.2 %
1.25	-	2	0.1 %
1.30	-	2	0.1 %
1.40	-	9	0.4 %
1.45	-	1	0.0 %
1.50	-	37	1.6 %
1.60	-	2	0.1 %
1.70	-	1	0.0 %
1.75	-	1	0.0 %
1.78	-	1	0.0 %
1.80	-	1	0.0 %
1.85	-	2	0.1 %
2.00	-	51	2.3 %
2.05	-	1	0.0 %
2.10	-	4	0.2 %
2.15	-	1	0.0 %
2.25	-	1	0.0 %
2.30	-	3	0.1 %
2.35	-	2	0.1 %
2.40	-	4	0.2 %
2.50	-	8	0.4 %
2.60	-	1	0.0 %
2.70	-	2	0.1 %
2.75	-	2	0.1 %
2.85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.00	-	50	2.2 %
3.25	-	2	0.1 %
3.35	-	4	0.2 %
3.40	-	2	0.1 %
3.50	-	15	0.7 %
3.55	-	1	0.0 %
3.65	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 14.45
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 18.28

*Location:* 654-659 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A10\_65: Total land the household owned (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.00	-	93	4.1 %
0.20	-	1	0.0 %
0.25	-	6	0.3 %
0.30	-	3	0.1 %
0.35	-	2	0.1 %
0.40	-	3	0.1 %
0.50	-	32	1.4 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.60	-	6	0.3 %
0.65	-	3	0.1 %
0.70	-	1	0.0 %
0.75	-	8	0.4 %
0.80	-	3	0.1 %
0.85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.90	-	1	0.0 %
1.00	-	85	3.8 %
1.10	-	2	0.1 %
1.15	-	4	0.2 %
1.20	-	1	0.0 %
1.25	-	2	0.1 %
1.30	-	2	0.1 %
1.35	-	1	0.0 %
1.40	-	9	0.4 %
1.45	-	1	0.0 %
1.50	-	39	1.7 %
1.60	-	2	0.1 %
1.70	-	2	0.1 %
1.75	-	1	0.0 %
1.78	-	1	0.0 %
1.80	-	1	0.0 %
1.85	-	2	0.1 %
2.00	-	54	2.4 %
2.05	-	1	0.0 %
2.10	-	4	0.2 %
2.15	-	1	0.0 %
2.25	-	1	0.0 %
2.30	-	3	0.1 %
2.35	-	3	0.1 %
2.40	-	4	0.2 %
2.50	-	8	0.4 %
2.60	-	1	0.0 %
2.65	-	1	0.0 %
2.70	-	1	0.0 %
2.75	-	2	0.1 %
2.85	-	1	0.0 %
3.00	-	54	2.4 %
3.25	-	2	0.1 %
3.35	-	4	0.2 %
3.40	-	2	0.1 %
<b>Missing Data</b>			
999.00	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 13.99
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 18.03

*Location:* 660-665 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A10\_66: Total land the household owned (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.00	-	103	4.6 %
0.15	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	6	0.3 %
0.30	-	3	0.1 %
0.35	-	2	0.1 %
0.40	-	3	0.1 %
0.45	-	1	0.0 %
0.50	-	33	1.5 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.60	-	6	0.3 %
0.65	-	6	0.3 %
0.70	-	1	0.0 %
0.75	-	8	0.4 %
0.80	-	3	0.1 %
0.85	-	1	0.0 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
1.00	-	95	4.2 %
1.10	-	2	0.1 %
1.15	-	4	0.2 %
1.20	-	1	0.0 %
1.25	-	2	0.1 %
1.30	-	1	0.0 %
1.35	-	1	0.0 %
1.40	-	10	0.4 %
1.45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.50	-	43	1.9 %
1.60	-	2	0.1 %
1.70	-	2	0.1 %
1.75	-	1	0.0 %
1.78	-	1	0.0 %
1.80	-	1	0.0 %
1.85	-	2	0.1 %
2.00	-	55	2.4 %
2.05	-	1	0.0 %
2.10	-	4	0.2 %
2.15	-	1	0.0 %
2.25	-	1	0.0 %
2.30	-	3	0.1 %
2.35	-	3	0.1 %
2.40	-	4	0.2 %
2.50	-	11	0.5 %
2.60	-	1	0.0 %
2.65	-	1	0.0 %
2.70	-	1	0.0 %
2.73	-	1	0.0 %
2.75	-	2	0.1 %
2.85	-	1	0.0 %
<b>Missing Data</b>			
999.00	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 13.55
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 17.71

*Location:* 666-671 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

---

## A10\_67: Total land the household owned (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.00	-	114	5.1 %
0.15	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	7	0.3 %
0.30	-	3	0.1 %
0.35	-	2	0.1 %
0.40	-	3	0.1 %
0.45	-	1	0.0 %
0.50	-	36	1.6 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.60	-	6	0.3 %
0.65	-	6	0.3 %
0.70	-	1	0.0 %
0.75	-	9	0.4 %
0.80	-	3	0.1 %
0.85	-	1	0.0 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
1.00	-	103	4.6 %
1.10	-	2	0.1 %
1.15	-	4	0.2 %
1.20	-	3	0.1 %
1.25	-	2	0.1 %
1.30	-	2	0.1 %
1.35	-	1	0.0 %
1.40	-	10	0.4 %
1.45	-	1	0.0 %
1.50	-	46	2.0 %
1.60	-	2	0.1 %
1.65	-	1	0.0 %
1.70	-	2	0.1 %
1.75	-	2	0.1 %
1.78	-	1	0.0 %
1.80	-	2	0.1 %
1.85	-	2	0.1 %
2.00	-	57	2.5 %
2.05	-	1	0.0 %
2.10	-	3	0.1 %

Value	Label	Unweighted Frequency	%
2.15	-	2	0.1 %
2.25	-	1	0.0 %
2.30	-	2	0.1 %
2.35	-	3	0.1 %
2.40	-	4	0.2 %
2.50	-	13	0.6 %
2.60	-	1	0.0 %
2.65	-	1	0.0 %
2.70	-	1	0.0 %
2.73	-	1	0.0 %
2.75	-	2	0.1 %
<b>Missing Data</b>			
999.00	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 13.05
- Minimum: 0.00
- Maximum: 191.25
- Standard Deviation: 16.76

*Location:* 672-677 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

#### A10\_68: Total land the household owned (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00	-	114	5.1 %
0.15	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	6	0.3 %
0.28	-	1	0.0 %
0.30	-	4	0.2 %
0.35	-	2	0.1 %
0.40	-	3	0.1 %
0.45	-	2	0.1 %
0.50	-	43	1.9 %
0.55	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.56	-	1	0.0 %
0.60	-	7	0.3 %
0.65	-	7	0.3 %
0.70	-	1	0.0 %
0.75	-	9	0.4 %
0.80	-	4	0.2 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
0.95	-	1	0.0 %
1.00	-	104	4.6 %
1.10	-	2	0.1 %
1.15	-	4	0.2 %
1.20	-	3	0.1 %
1.25	-	3	0.1 %
1.30	-	2	0.1 %
1.35	-	2	0.1 %
1.40	-	10	0.4 %
1.45	-	1	0.0 %
1.50	-	51	2.3 %
1.60	-	2	0.1 %
1.65	-	1	0.0 %
1.70	-	2	0.1 %
1.75	-	2	0.1 %
1.78	-	1	0.0 %
1.80	-	3	0.1 %
1.85	-	2	0.1 %
2.00	-	56	2.5 %
2.05	-	1	0.0 %
2.10	-	3	0.1 %
2.15	-	2	0.1 %
2.25	-	1	0.0 %
2.30	-	2	0.1 %
2.35	-	3	0.1 %
2.40	-	4	0.2 %
2.50	-	14	0.6 %
2.60	-	1	0.0 %
2.65	-	1	0.0 %
2.70	-	1	0.0 %
2.73	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
999.00	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 12.68
- Minimum: 0.00
- Maximum: 191.25
- Standard Deviation: 16.17

*Location:* 678-683 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A10\_69: Total land the household owned (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00	-	131	5.8 %
0.15	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	8	0.4 %
0.28	-	1	0.0 %
0.30	-	6	0.3 %
0.35	-	3	0.1 %
0.40	-	3	0.1 %
0.45	-	2	0.1 %
0.50	-	52	2.3 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.60	-	7	0.3 %
0.65	-	7	0.3 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.75	-	12	0.5 %
0.80	-	4	0.2 %
0.85	-	1	0.0 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
0.95	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.00	-	116	5.1 %
1.10	-	2	0.1 %
1.15	-	4	0.2 %
1.20	-	4	0.2 %
1.25	-	3	0.1 %
1.30	-	2	0.1 %
1.35	-	2	0.1 %
1.40	-	10	0.4 %
1.45	-	1	0.0 %
1.50	-	53	2.4 %
1.60	-	2	0.1 %
1.65	-	2	0.1 %
1.70	-	2	0.1 %
1.75	-	2	0.1 %
1.78	-	1	0.0 %
1.80	-	4	0.2 %
1.85	-	2	0.1 %
2.00	-	63	2.8 %
2.05	-	1	0.0 %
2.10	-	3	0.1 %
2.15	-	2	0.1 %
2.25	-	2	0.1 %
2.30	-	3	0.1 %
2.35	-	3	0.1 %
2.40	-	5	0.2 %
2.50	-	14	0.6 %
2.60	-	1	0.0 %
2.65	-	1	0.0 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 12.18
- Minimum: 0.00

- Maximum: 191.25
- Standard Deviation: 15.79

*Location:* 684-689 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00 , .

### A10\_70: Total land the household owned (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00	-	141	6.3 %
0.15	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	7	0.3 %
0.28	-	1	0.0 %
0.30	-	6	0.3 %
0.35	-	5	0.2 %
0.40	-	4	0.2 %
0.45	-	3	0.1 %
0.50	-	58	2.6 %
0.55	-	1	0.0 %
0.56	-	1	0.0 %
0.60	-	8	0.4 %
0.63	-	1	0.0 %
0.65	-	8	0.4 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.75	-	13	0.6 %
0.80	-	5	0.2 %
0.85	-	2	0.1 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
0.95	-	1	0.0 %
1.00	-	120	5.3 %
1.05	-	1	0.0 %
1.10	-	3	0.1 %
1.15	-	3	0.1 %
1.20	-	4	0.2 %
1.25	-	3	0.1 %
1.30	-	2	0.1 %
1.35	-	2	0.1 %
1.40	-	10	0.4 %
1.45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.50	-	62	2.7 %
1.60	-	2	0.1 %
1.65	-	2	0.1 %
1.70	-	2	0.1 %
1.75	-	2	0.1 %
1.78	-	1	0.0 %
1.80	-	4	0.2 %
1.85	-	2	0.1 %
2.00	-	71	3.1 %
2.04	-	1	0.0 %
2.05	-	1	0.0 %
2.10	-	3	0.1 %
2.15	-	2	0.1 %
2.25	-	2	0.1 %
2.30	-	3	0.1 %
2.35	-	3	0.1 %
2.40	-	5	0.2 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 11.76
- Minimum: 0.00
- Maximum: 191.25
- Standard Deviation: 15.41

*Location:* 690-695 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

#### A10\_71: Total land the household owned (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.00	-	172	7.6 %
0.15	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	7	0.3 %
0.28	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.30	-	8	0.4 %
0.35	-	6	0.3 %
0.40	-	5	0.2 %
0.45	-	3	0.1 %
0.50	-	74	3.3 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.60	-	11	0.5 %
0.63	-	2	0.1 %
0.65	-	9	0.4 %
0.69	-	1	0.0 %
0.70	-	3	0.1 %
0.75	-	16	0.7 %
0.80	-	5	0.2 %
0.85	-	1	0.0 %
0.90	-	2	0.1 %
0.93	-	1	0.0 %
0.95	-	1	0.0 %
1.00	-	136	6.0 %
1.05	-	1	0.0 %
1.10	-	3	0.1 %
1.15	-	3	0.1 %
1.20	-	4	0.2 %
1.25	-	5	0.2 %
1.30	-	2	0.1 %
1.35	-	3	0.1 %
1.40	-	10	0.4 %
1.45	-	1	0.0 %
1.50	-	64	2.8 %
1.60	-	2	0.1 %
1.65	-	2	0.1 %
1.70	-	2	0.1 %
1.75	-	2	0.1 %
1.78	-	1	0.0 %
1.80	-	5	0.2 %
1.85	-	2	0.1 %
2.00	-	77	3.4 %
2.04	-	1	0.0 %
2.05	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.10	-	3	0.1 %
2.15	-	2	0.1 %
2.25	-	4	0.2 %
2.30	-	2	0.1 %
2.35	-	3	0.1 %
2.40	-	5	0.2 %
<b>Missing Data</b>			
998.00	Household merge	1	0.0 %
999.00	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 11.17
- Minimum: 0.00
- Maximum: 191.25
- Standard Deviation: 14.95

*Location:* 696-701 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

## A10\_72: Total land the household owned (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.00	-	173	7.7 %
0.15	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	8	0.4 %
0.28	-	1	0.0 %
0.30	-	8	0.4 %
0.35	-	6	0.3 %
0.40	-	5	0.2 %
0.41	-	1	0.0 %
0.45	-	3	0.1 %
0.50	-	81	3.6 %
0.55	-	4	0.2 %
0.56	-	1	0.0 %
0.60	-	12	0.5 %
0.63	-	2	0.1 %
0.65	-	9	0.4 %

Value	Label	Unweighted Frequency	%
0.69	-	1	0.0 %
0.70	-	3	0.1 %
0.75	-	21	0.9 %
0.80	-	6	0.3 %
0.85	-	1	0.0 %
0.90	-	2	0.1 %
0.93	-	1	0.0 %
0.95	-	1	0.0 %
1.00	-	143	6.3 %
1.05	-	1	0.0 %
1.10	-	3	0.1 %
1.15	-	3	0.1 %
1.20	-	4	0.2 %
1.25	-	6	0.3 %
1.30	-	2	0.1 %
1.35	-	3	0.1 %
1.40	-	9	0.4 %
1.45	-	1	0.0 %
1.50	-	68	3.0 %
1.60	-	2	0.1 %
1.65	-	2	0.1 %
1.70	-	2	0.1 %
1.75	-	2	0.1 %
1.78	-	1	0.0 %
1.80	-	4	0.2 %
1.85	-	3	0.1 %
1.90	-	1	0.0 %
2.00	-	80	3.5 %
2.04	-	1	0.0 %
2.05	-	1	0.0 %
2.10	-	2	0.1 %
2.15	-	2	0.1 %
2.25	-	4	0.2 %
2.30	-	2	0.1 %
<b>Missing Data</b>			
998.00	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 10.99
- Minimum: 0.00
- Maximum: 191.25
- Standard Deviation: 14.81

*Location:* 702-707 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.00 , 999.00

---

### B11\_63: Rice planting in 2063

Value	Label	Unweighted Frequency	%
0	No	272	12.1 %
1	Yes	1142	50.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	841	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 708-710 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B11\_64: Rice planting in 2064

Value	Label	Unweighted Frequency	%
0	No	263	11.7 %
1	Yes	1153	51.1 %
2	Planting by self and some part by other	37	1.6 %
3	Planting by other in rent	59	2.6 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00

- Maximum: 3.00

*Location:* 711-713 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B11\_65: Rice planting in 2065

Value	Label	Unweighted Frequency	%
0	No	299	13.3 %
1	Yes	1188	52.7 %
2	Planting by self and some part by other	40	1.8 %
3	Planting by other in rent	65	2.9 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00

- Maximum: 3.00

*Location:* 714-716 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B11\_66: Rice planting in 2066

Value	Label	Unweighted Frequency	%
0	No	338	15.0 %
1	Yes	1237	54.9 %
2	Planting by self and some part by other	42	1.9 %
3	Planting by other in rent	72	3.2 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00

- Maximum: 3.00

*Location:* 717-719 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B11\_67: Rice planting in 2067

Value	Label	Unweighted Frequency	%
0	No	384	17.0 %
1	Yes	1264	56.1 %
2	Planting by self and some part by other	42	1.9 %
3	Planting by other in rent	78	3.5 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 720-722 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B11\_68: Rice planting in 2068

Value	Label	Unweighted Frequency	%
0	No	408	18.1 %
1	Yes	1287	57.1 %
2	Planting by self and some part by other	46	2.0 %
3	Planting by other in rent	85	3.8 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 723-725 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B11\_69: Rice planting in 2069

Value	Label	Unweighted Frequency	%
0	No	472	20.9 %

Value	Label	Unweighted Frequency	%
1	Yes	1340	59.4 %
2	Planting by self and some part by other	48	2.1 %
3	Planting by other in rent	91	4.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 726-728 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B11\_70: Rice planting in 2070

Value	Label	Unweighted Frequency	%
0	No	503	22.3 %
1	Yes	1371	60.8 %
2	Planting by self and some part by other	54	2.4 %
3	Planting by other in rent	100	4.4 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 729-731 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B11\_71: Rice planting in 2071

Value	Label	Unweighted Frequency	%
0	No	589	26.1 %
1	Yes	1438	63.8 %
2	Planting by self and some part by other	52	2.3 %

Value	Label	Unweighted Frequency	%
3	Planting by other in rent	101	4.5 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 732-734 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B11\_72: Rice planting in 2072

Value	Label	Unweighted Frequency	%
0	No	817	36.2 %
1	Yes	1431	63.5 %
2	Planting by self and some part by other	4	0.2 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 735-737 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B11A\_63: Rice planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 738-738 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B11A\_64: Rice planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.000000000000	-	59	2.6 %
0.34999999404	-	1	0.0 %
0.500000000000	-	6	0.3 %
1.000000000000	-	6	0.3 %
1.500000000000	-	2	0.1 %
1.60000002384	-	1	0.0 %
2.000000000000	-	23	1.0 %
2.40000009537	-	1	0.0 %
2.500000000000	-	2	0.1 %
2.750000000000	-	2	0.1 %
3.000000000000	-	25	1.1 %
3.250000000000	-	1	0.0 %
3.500000000000	-	5	0.2 %
4.000000000000	-	37	1.6 %
4.500000000000	-	6	0.3 %
5.000000000000	-	62	2.7 %
5.34999990464	-	1	0.0 %
5.500000000000	-	1	0.0 %
5.750000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	43	1.9 %
6.500000000000	-	6	0.3 %
6.92999982834	-	1	0.0 %
7.000000000000	-	49	2.2 %
7.19999980927	-	1	0.0 %
7.500000000000	-	5	0.2 %
8.000000000000	-	59	2.6 %
8.44999980927	-	1	0.0 %
8.500000000000	-	3	0.1 %
9.000000000000	-	37	1.6 %
9.500000000000	-	3	0.1 %
10.000000000000	-	116	5.1 %
10.14999961854	-	1	0.0 %
10.500000000000	-	5	0.2 %
10.69999980927	-	1	0.0 %
10.94999980927	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11.000000000000	-	25	1.1 %
11.500000000000	-	4	0.2 %
11.750000000000	-	1	0.0 %
12.000000000000	-	40	1.8 %
12.500000000000	-	3	0.1 %
12.69999980927	-	1	0.0 %
12.750000000000	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.000000000000	-	36	1.6 %
13.500000000000	-	5	0.2 %
14.000000000000	-	34	1.5 %
14.500000000000	-	3	0.1 %
15.000000000000	-	51	2.3 %
	Missing Data		
.	-	1006	44.6 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,249 valid cases out of 2,255 total cases.

- Mean: 15.67140112024
- Median: 12.00000000000
- Mode: 10.00000000000
- Minimum: 0.00000000000
- Maximum: 118.00000000000
- Standard Deviation: 13.71921171096

*Location:* 739-753 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11A\_65: Rice planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.000000000000	-	65	2.9 %
0.34999999404	-	1	0.0 %
0.500000000000	-	6	0.3 %
1.000000000000	-	8	0.4 %
1.500000000000	-	1	0.0 %
1.60000002384	-	1	0.0 %
2.000000000000	-	23	1.0 %

Value	Label	Unweighted Frequency	%
2.40000009537	-	1	0.0 %
2.500000000000	-	2	0.1 %
2.750000000000	-	2	0.1 %
3.000000000000	-	28	1.2 %
3.250000000000	-	1	0.0 %
3.500000000000	-	7	0.3 %
3.59999990464	-	1	0.0 %
4.000000000000	-	41	1.8 %
4.500000000000	-	6	0.3 %
5.000000000000	-	65	2.9 %
5.500000000000	-	3	0.1 %
5.750000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	49	2.2 %
6.500000000000	-	7	0.3 %
6.92999982834	-	1	0.0 %
7.000000000000	-	54	2.4 %
7.19999980927	-	1	0.0 %
7.500000000000	-	6	0.3 %
8.000000000000	-	61	2.7 %
8.44999980927	-	1	0.0 %
8.500000000000	-	3	0.1 %
9.000000000000	-	39	1.7 %
9.500000000000	-	3	0.1 %
10.000000000000	-	120	5.3 %
10.14999961854	-	1	0.0 %
10.500000000000	-	5	0.2 %
10.69999980927	-	1	0.0 %
10.94999980927	-	1	0.0 %
11.000000000000	-	26	1.2 %
11.500000000000	-	3	0.1 %
11.750000000000	-	1	0.0 %
12.000000000000	-	41	1.8 %
12.500000000000	-	3	0.1 %
12.69999980927	-	1	0.0 %
12.750000000000	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.000000000000	-	36	1.6 %

Value	Label	Unweighted Frequency	%
13.500000000000	-	5	0.2 %
14.000000000000	-	33	1.5 %
14.500000000000	-	3	0.1 %
15.000000000000	-	57	2.5 %
	Missing Data		
.	-	962	42.7 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,293 valid cases out of 2,255 total cases.

- Mean: 15.18354988336
- Median: 11.50000000000
- Mode: 10.00000000000
- Minimum: 0.00000000000
- Maximum: 145.00000000000
- Standard Deviation: 13.53963274468

*Location:* 754-768 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B11A\_66: Rice planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.00000000000	-	72	3.2 %
0.3499999404	-	1	0.0 %
0.50000000000	-	6	0.3 %
1.00000000000	-	7	0.3 %
1.50000000000	-	1	0.0 %
1.60000002384	-	1	0.0 %
2.00000000000	-	27	1.2 %
2.40000009537	-	1	0.0 %
2.50000000000	-	3	0.1 %
2.75000000000	-	2	0.1 %
3.00000000000	-	31	1.4 %
3.25000000000	-	1	0.0 %
3.50000000000	-	7	0.3 %
3.59999990464	-	1	0.0 %
4.00000000000	-	43	1.9 %
4.50000000000	-	9	0.4 %

Value	Label	Unweighted Frequency	%
5.000000000000	-	71	3.1 %
5.34999990464	-	1	0.0 %
5.500000000000	-	5	0.2 %
5.750000000000	-	2	0.1 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	57	2.5 %
6.500000000000	-	8	0.4 %
6.65000009537	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	55	2.4 %
7.19999980927	-	1	0.0 %
7.500000000000	-	7	0.3 %
8.000000000000	-	62	2.7 %
8.44999980927	-	1	0.0 %
8.500000000000	-	3	0.1 %
9.000000000000	-	41	1.8 %
9.500000000000	-	3	0.1 %
10.000000000000	-	130	5.8 %
10.14999961854	-	1	0.0 %
10.500000000000	-	6	0.3 %
10.69999980927	-	1	0.0 %
10.94999980927	-	1	0.0 %
11.000000000000	-	28	1.2 %
11.500000000000	-	4	0.2 %
11.750000000000	-	1	0.0 %
12.000000000000	-	47	2.1 %
12.500000000000	-	2	0.1 %
12.69999980927	-	1	0.0 %
12.750000000000	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.000000000000	-	36	1.6 %
13.500000000000	-	5	0.2 %
14.000000000000	-	32	1.4 %
	Missing Data		
.	-	904	40.1 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,351 valid cases out of 2,255 total cases.

- Mean: 14.59243523199
- Median: 11.0000000000000
- Mode: 10.0000000000000
- Minimum: 0.0000000000000
- Maximum: 145.0000000000000
- Standard Deviation: 13.11065509984

*Location:* 769-783 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11A\_67: Rice planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.00000000000	-	78	3.5 %
0.34999999404	-	1	0.0 %
0.50000000000	-	6	0.3 %
1.00000000000	-	8	0.4 %
1.50000000000	-	2	0.1 %
1.60000002384	-	1	0.0 %
2.00000000000	-	30	1.3 %
2.40000009537	-	1	0.0 %
2.50000000000	-	4	0.2 %
2.75000000000	-	2	0.1 %
3.00000000000	-	32	1.4 %
3.25000000000	-	1	0.0 %
3.50000000000	-	6	0.3 %
3.59999990464	-	1	0.0 %
4.00000000000	-	48	2.1 %
4.50000000000	-	9	0.4 %
5.00000000000	-	75	3.3 %
5.50000000000	-	5	0.2 %
5.75000000000	-	2	0.1 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.00000000000	-	59	2.6 %
6.50000000000	-	7	0.3 %
6.65000009537	-	1	0.0 %
6.75000000000	-	1	0.0 %
6.92999982834	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.000000000000	-	56	2.5 %
7.19999980927	-	1	0.0 %
7.500000000000	-	7	0.3 %
8.000000000000	-	67	3.0 %
8.44999980927	-	1	0.0 %
8.500000000000	-	3	0.1 %
9.000000000000	-	43	1.9 %
9.500000000000	-	3	0.1 %
10.000000000000	-	131	5.8 %
10.14999961854	-	1	0.0 %
10.500000000000	-	6	0.3 %
10.69999980927	-	1	0.0 %
10.94999980927	-	1	0.0 %
11.000000000000	-	28	1.2 %
11.500000000000	-	6	0.3 %
11.750000000000	-	1	0.0 %
12.000000000000	-	46	2.0 %
12.500000000000	-	2	0.1 %
12.69999980927	-	1	0.0 %
12.750000000000	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.000000000000	-	36	1.6 %
13.500000000000	-	4	0.2 %
14.000000000000	-	33	1.5 %
	Missing Data		
.	-	871	38.6 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,384 valid cases out of 2,255 total cases.

- Mean: 14.22816473881
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.00000000000
- Maximum: 145.00000000000
- Standard Deviation: 12.86703758646

*Location:* 784-798 (*width:* 15; *decimal:* 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B11A\_68: Rice planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.000000000000	-	85	3.8 %
0.34999999404	-	1	0.0 %
0.500000000000	-	6	0.3 %
1.000000000000	-	8	0.4 %
1.500000000000	-	3	0.1 %
2.000000000000	-	35	1.6 %
2.40000009537	-	1	0.0 %
2.500000000000	-	4	0.2 %
2.750000000000	-	1	0.0 %
3.000000000000	-	36	1.6 %
3.250000000000	-	1	0.0 %
3.500000000000	-	7	0.3 %
3.59999990464	-	1	0.0 %
4.000000000000	-	54	2.4 %
4.500000000000	-	10	0.4 %
5.000000000000	-	73	3.2 %
5.34999990464	-	1	0.0 %
5.500000000000	-	6	0.3 %
5.750000000000	-	2	0.1 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	61	2.7 %
6.30000019074	-	1	0.0 %
6.500000000000	-	7	0.3 %
6.59999990464	-	1	0.0 %
6.65000009537	-	1	0.0 %
6.750000000000	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	55	2.4 %
7.19999980927	-	1	0.0 %
7.500000000000	-	8	0.4 %
8.000000000000	-	74	3.3 %
8.44999980927	-	1	0.0 %
8.500000000000	-	5	0.2 %
9.000000000000	-	47	2.1 %
9.500000000000	-	4	0.2 %
10.000000000000	-	139	6.2 %

Value	Label	Unweighted Frequency	%
10.14999961854	-	1	0.0 %
10.500000000000	-	6	0.3 %
10.69999980927	-	1	0.0 %
10.94999980927	-	1	0.0 %
11.000000000000	-	33	1.5 %
11.500000000000	-	5	0.2 %
11.750000000000	-	1	0.0 %
12.000000000000	-	45	2.0 %
12.500000000000	-	2	0.1 %
12.69999980927	-	1	0.0 %
12.750000000000	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.000000000000	-	36	1.6 %
	Missing Data		
.	-	837	37.1 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,418 valid cases out of 2,255 total cases.

- Mean: 13.67205923810
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.00000000000
- Maximum: 145.00000000000
- Standard Deviation: 12.40365804318

*Location:* 799-813 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11A\_69: Rice planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00000000000	-	90	4.0 %
0.34999999404	-	1	0.0 %
0.50000000000	-	7	0.3 %
1.00000000000	-	11	0.5 %
1.50000000000	-	5	0.2 %
2.00000000000	-	37	1.6 %
2.40000009537	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.500000000000	-	6	0.3 %
2.750000000000	-	1	0.0 %
3.000000000000	-	38	1.7 %
3.250000000000	-	1	0.0 %
3.34999990464	-	1	0.0 %
3.500000000000	-	7	0.3 %
3.59999990464	-	1	0.0 %
4.000000000000	-	58	2.6 %
4.500000000000	-	9	0.4 %
5.000000000000	-	78	3.5 %
5.500000000000	-	6	0.3 %
5.750000000000	-	2	0.1 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
5.90000009537	-	1	0.0 %
6.000000000000	-	63	2.8 %
6.30000019074	-	1	0.0 %
6.500000000000	-	7	0.3 %
6.59999990464	-	1	0.0 %
6.65000009537	-	1	0.0 %
6.750000000000	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	60	2.7 %
7.19999980927	-	1	0.0 %
7.500000000000	-	6	0.3 %
8.000000000000	-	76	3.4 %
8.14999961854	-	1	0.0 %
8.44999980927	-	1	0.0 %
8.500000000000	-	4	0.2 %
9.000000000000	-	51	2.3 %
9.10000038147	-	1	0.0 %
9.500000000000	-	5	0.2 %
10.000000000000	-	154	6.8 %
10.14999961854	-	1	0.0 %
10.500000000000	-	6	0.3 %
10.69999980927	-	1	0.0 %
11.000000000000	-	35	1.6 %
11.500000000000	-	5	0.2 %
11.750000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12.000000000000	-	50	2.2 %
12.500000000000	-	3	0.1 %
12.60000038147	-	1	0.0 %
12.69999980927	-	1	0.0 %
	Missing Data		
.	-	776	34.4 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,479 valid cases out of 2,255 total cases.

- Mean: 13.13643002049
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.00000000000
- Maximum: 145.00000000000
- Standard Deviation: 11.88765175527

*Location:* 814-828 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B11A\_70: Rice planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00000000000	-	99	4.4 %
0.3499999404	-	1	0.0 %
0.50000000000	-	6	0.3 %
0.6999998808	-	1	0.0 %
1.00000000000	-	11	0.5 %
1.50000000000	-	6	0.3 %
2.00000000000	-	38	1.7 %
2.50000000000	-	7	0.3 %
2.75000000000	-	1	0.0 %
3.00000000000	-	41	1.8 %
3.25000000000	-	1	0.0 %
3.34999990464	-	1	0.0 %
3.50000000000	-	7	0.3 %
3.59999990464	-	1	0.0 %
4.00000000000	-	59	2.6 %
4.34999990464	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.500000000000	-	8	0.4 %
4.65000009537	-	1	0.0 %
5.000000000000	-	78	3.5 %
5.34999990464	-	1	0.0 %
5.500000000000	-	6	0.3 %
5.750000000000	-	2	0.1 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
5.90000009537	-	1	0.0 %
6.000000000000	-	67	3.0 %
6.30000019074	-	1	0.0 %
6.500000000000	-	7	0.3 %
6.59999990464	-	1	0.0 %
6.65000009537	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	68	3.0 %
7.19999980927	-	1	0.0 %
7.40000009537	-	1	0.0 %
7.500000000000	-	5	0.2 %
7.750000000000	-	1	0.0 %
8.000000000000	-	82	3.6 %
8.14999961854	-	1	0.0 %
8.44999980927	-	1	0.0 %
8.500000000000	-	5	0.2 %
9.000000000000	-	48	2.1 %
9.500000000000	-	4	0.2 %
10.000000000000	-	161	7.1 %
10.05000019074	-	1	0.0 %
10.14999961854	-	1	0.0 %
10.500000000000	-	6	0.3 %
10.69999980927	-	1	0.0 %
11.000000000000	-	37	1.6 %
11.500000000000	-	5	0.2 %
11.750000000000	-	1	0.0 %
	Missing Data		
.	-	730	32.4 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,525 valid cases out of 2,255 total cases.

- Mean: 12.76346229508
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.00000000000
- Maximum: 145.00000000000
- Standard Deviation: 11.36124622190

*Location:* 829-843 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11A\_71: Rice planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.00000000000	-	100	4.4 %
0.34999999404	-	1	0.0 %
0.50000000000	-	6	0.3 %
0.69999998808	-	1	0.0 %
1.00000000000	-	14	0.6 %
1.50000000000	-	6	0.3 %
1.60000002384	-	1	0.0 %
2.00000000000	-	37	1.6 %
2.50000000000	-	5	0.2 %
2.75000000000	-	1	0.0 %
3.00000000000	-	43	1.9 %
3.25000000000	-	1	0.0 %
3.34999990464	-	1	0.0 %
3.50000000000	-	7	0.3 %
3.59999990464	-	1	0.0 %
3.75000000000	-	1	0.0 %
4.00000000000	-	63	2.8 %
4.34999990464	-	1	0.0 %
4.50000000000	-	8	0.4 %
4.65000009537	-	1	0.0 %
5.00000000000	-	87	3.9 %
5.50000000000	-	9	0.4 %
5.75000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
5.90000009537	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.000000000000	-	76	3.4 %
6.30000019074	-	1	0.0 %
6.500000000000	-	7	0.3 %
6.65000009537	-	1	0.0 %
6.750000000000	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	73	3.2 %
7.19999980927	-	1	0.0 %
7.40000009537	-	1	0.0 %
7.500000000000	-	4	0.2 %
7.750000000000	-	1	0.0 %
8.000000000000	-	79	3.5 %
8.14999961854	-	1	0.0 %
8.44999980927	-	1	0.0 %
8.500000000000	-	4	0.2 %
9.000000000000	-	51	2.3 %
9.10000038147	-	1	0.0 %
9.500000000000	-	6	0.3 %
10.000000000000	-	186	8.2 %
10.05000019074	-	1	0.0 %
10.14999961854	-	1	0.0 %
10.500000000000	-	4	0.2 %
11.000000000000	-	36	1.6 %
11.500000000000	-	6	0.3 %
	Missing Data		
.	-	664	29.4 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,591 valid cases out of 2,255 total cases.

- Mean: 12.34904462532
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.00000000000
- Maximum: 145.00000000000
- Standard Deviation: 10.55533144724

*Location:* 844-858 (*width:* 15; *decimal:* 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B11A\_72: Rice planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.34999999404	-	1	0.0 %
0.500000000000	-	6	0.3 %
0.69999998808	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	16	0.7 %
1.500000000000	-	6	0.3 %
1.79999995232	-	1	0.0 %
2.000000000000	-	35	1.6 %
2.500000000000	-	8	0.4 %
2.750000000000	-	1	0.0 %
3.000000000000	-	53	2.4 %
3.250000000000	-	1	0.0 %
3.34999990464	-	1	0.0 %
3.500000000000	-	10	0.4 %
3.59999990464	-	1	0.0 %
3.750000000000	-	1	0.0 %
4.000000000000	-	56	2.5 %
4.250000000000	-	1	0.0 %
4.500000000000	-	7	0.3 %
4.59999990464	-	1	0.0 %
4.65000009537	-	1	0.0 %
4.90000009537	-	1	0.0 %
5.000000000000	-	96	4.3 %
5.34999990464	-	1	0.0 %
5.500000000000	-	8	0.4 %
5.750000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	70	3.1 %
6.500000000000	-	6	0.3 %
6.65000009537	-	1	0.0 %
6.92999982834	-	1	0.0 %
7.000000000000	-	68	3.0 %
7.19999980927	-	1	0.0 %
7.40000009537	-	1	0.0 %
7.500000000000	-	5	0.2 %
8.000000000000	-	78	3.5 %

Value	Label	Unweighted Frequency	%
8.14999961854	-	1	0.0 %
8.25000000000	-	2	0.1 %
8.44999980927	-	1	0.0 %
8.50000000000	-	6	0.3 %
9.00000000000	-	42	1.9 %
9.50000000000	-	3	0.1 %
10.00000000000	-	183	8.1 %
10.05000019074	-	1	0.0 %
10.14999961854	-	2	0.1 %
10.50000000000	-	3	0.1 %
11.00000000000	-	33	1.5 %
11.50000000000	-	4	0.2 %
11.75000000000	-	1	0.0 %
	Missing Data		
.	-	820	36.4 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,435 valid cases out of 2,255 total cases.

- Mean: 12.92570034687
- Median: 10.00000000000
- Mode: 10.00000000000
- Minimum: 0.34999999404
- Maximum: 145.00000000000
- Standard Deviation: 10.59158769089

*Location:* 859-873 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11B\_63: Production of rice (in KG) in 2063

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2255	100.0 %
	Total	2,255	100%

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 874-874 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B11B\_64: Production of rice (in KG) in 2064

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
22	-	1	0.0 %
31	-	1	0.0 %
49	-	3	0.1 %
61	-	1	0.0 %
73	-	1	0.0 %
98	-	3	0.1 %
100	-	1	0.0 %
122	-	1	0.0 %
146	-	3	0.1 %
195	-	12	0.5 %
200	-	2	0.1 %
202	-	1	0.0 %
244	-	11	0.5 %
293	-	19	0.8 %
300	-	2	0.1 %
317	-	1	0.0 %
322	-	1	0.0 %
342	-	16	0.7 %
354	-	1	0.0 %
366	-	6	0.3 %
382	-	1	0.0 %
390	-	10	0.4 %
400	-	1	0.0 %
414	-	1	0.0 %
415	-	2	0.1 %
426	-	2	0.1 %
439	-	19	0.8 %
450	-	1	0.0 %
458	-	1	0.0 %
463	-	1	0.0 %
464	-	2	0.1 %
488	-	27	1.2 %
500	-	1	0.0 %
524	-	1	0.0 %
537	-	16	0.7 %
561	-	3	0.1 %

Value	Label	Unweighted Frequency	%
586	-	23	1.0 %
598	-	1	0.0 %
600	-	1	0.0 %
610	-	2	0.1 %
634	-	15	0.7 %
640	-	1	0.0 %
659	-	1	0.0 %
670	-	1	0.0 %
683	-	29	1.3 %
684	-	1	0.0 %
700	-	1	0.0 %
707	-	1	0.0 %
708	-	1	0.0 %
<b>Missing Data</b>			
.	-	1006	44.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,249 valid cases out of 2,255 total cases.

- Mean: 1661.80
- Median: 1314.00
- Minimum: 14.00
- Maximum: 12151.00
- Standard Deviation: 1372.08

*Location:* 875-879 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B11B\_65: Production of rice (in KG) in 2065

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
24	-	1	0.0 %
31	-	1	0.0 %
43	-	1	0.0 %
49	-	3	0.1 %
58	-	1	0.0 %
85	-	1	0.0 %
98	-	3	0.1 %
100	-	1	0.0 %

Value	Label	Unweighted Frequency	%
110	-	1	0.0 %
122	-	1	0.0 %
146	-	2	0.1 %
170	-	2	0.1 %
182	-	1	0.0 %
195	-	3	0.1 %
200	-	3	0.1 %
207	-	1	0.0 %
219	-	3	0.1 %
244	-	11	0.5 %
293	-	19	0.8 %
300	-	2	0.1 %
317	-	3	0.1 %
329	-	1	0.0 %
342	-	14	0.6 %
366	-	3	0.1 %
378	-	1	0.0 %
380	-	1	0.0 %
390	-	23	1.0 %
397	-	1	0.0 %
400	-	1	0.0 %
402	-	1	0.0 %
415	-	1	0.0 %
439	-	23	1.0 %
446	-	1	0.0 %
464	-	3	0.1 %
480	-	1	0.0 %
488	-	13	0.6 %
500	-	2	0.1 %
511	-	1	0.0 %
512	-	1	0.0 %
537	-	11	0.5 %
561	-	9	0.4 %
586	-	28	1.2 %
600	-	2	0.1 %
603	-	1	0.0 %
610	-	5	0.2 %
634	-	18	0.8 %
658	-	1	0.0 %

Value	Label	Unweighted Frequency	%
659	-	3	0.1 %
683	-	23	1.0 %
	<b>Missing Data</b>		
.	-	962	42.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,293 valid cases out of 2,255 total cases.

- Mean: 1639.36
- Median: 1314.00
- Mode: 732.00
- Minimum: 16.00
- Maximum: 16500.00
- Standard Deviation: 1380.06

*Location:* 880-884 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B11B\_66: Production of rice (in KG) in 2066

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
22	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
46	-	1	0.0 %
49	-	2	0.1 %
73	-	1	0.0 %
98	-	3	0.1 %
100	-	2	0.1 %
102	-	1	0.0 %
122	-	1	0.0 %
146	-	5	0.2 %
158	-	1	0.0 %
170	-	1	0.0 %
195	-	7	0.3 %
200	-	3	0.1 %
219	-	1	0.0 %
235	-	1	0.0 %

Value	Label	Unweighted Frequency	%
244	-	10	0.4 %
250	-	1	0.0 %
256	-	2	0.1 %
268	-	3	0.1 %
293	-	9	0.4 %
300	-	1	0.0 %
305	-	1	0.0 %
317	-	3	0.1 %
334	-	1	0.0 %
342	-	15	0.7 %
349	-	1	0.0 %
354	-	1	0.0 %
366	-	5	0.2 %
378	-	1	0.0 %
390	-	20	0.9 %
400	-	2	0.1 %
414	-	5	0.2 %
415	-	1	0.0 %
426	-	1	0.0 %
439	-	24	1.1 %
463	-	1	0.0 %
464	-	5	0.2 %
488	-	20	0.9 %
512	-	5	0.2 %
537	-	20	0.9 %
550	-	1	0.0 %
556	-	1	0.0 %
561	-	4	0.2 %
586	-	26	1.2 %
600	-	1	0.0 %
605	-	1	0.0 %
<b>Missing Data</b>			
.	-	904	40.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,351 valid cases out of 2,255 total cases.

- Mean: 1590.50

- Median: 1269.00
- Mode: 976.00
- Minimum: 12.00
- Maximum: 17000.00
- Standard Deviation: 1333.69

*Location:* 885-889 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11B\_67: Production of rice (in KG) in 2067

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
24	-	1	0.0 %
29	-	2	0.1 %
43	-	1	0.0 %
49	-	2	0.1 %
53	-	1	0.0 %
61	-	1	0.0 %
98	-	1	0.0 %
100	-	2	0.1 %
103	-	1	0.0 %
122	-	2	0.1 %
146	-	5	0.2 %
170	-	2	0.1 %
195	-	6	0.3 %
200	-	3	0.1 %
219	-	1	0.0 %
231	-	1	0.0 %
244	-	9	0.4 %
250	-	1	0.0 %
268	-	3	0.1 %
293	-	19	0.8 %
300	-	1	0.0 %
317	-	5	0.2 %
329	-	2	0.1 %
342	-	16	0.7 %
354	-	1	0.0 %
366	-	9	0.4 %
378	-	1	0.0 %
390	-	23	1.0 %
415	-	1	0.0 %

Value	Label	Unweighted Frequency	%
439	-	21	0.9 %
450	-	2	0.1 %
463	-	3	0.1 %
464	-	1	0.0 %
475	-	1	0.0 %
488	-	30	1.3 %
500	-	1	0.0 %
512	-	4	0.2 %
537	-	21	0.9 %
561	-	2	0.1 %
573	-	1	0.0 %
586	-	29	1.3 %
600	-	2	0.1 %
610	-	2	0.1 %
634	-	26	1.2 %
646	-	1	0.0 %
658	-	1	0.0 %
659	-	1	0.0 %
683	-	33	1.5 %
700	-	3	0.1 %
<b>Missing Data</b>			
.	-	871	38.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,384 valid cases out of 2,255 total cases.

- Mean: 1570.67
- Median: 1269.00
- Mode: 1464.00
- Minimum: 14.00
- Maximum: 17200.00
- Standard Deviation: 1284.99

*Location:* 890-894 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B11B\_68: Production of rice (in KG) in 2068

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %

Value	Label	Unweighted Frequency	%
26	-	1	0.0 %
31	-	1	0.0 %
34	-	1	0.0 %
49	-	3	0.1 %
54	-	1	0.0 %
58	-	1	0.0 %
73	-	1	0.0 %
98	-	5	0.2 %
100	-	2	0.1 %
104	-	1	0.0 %
146	-	6	0.3 %
171	-	1	0.0 %
182	-	2	0.1 %
195	-	18	0.8 %
200	-	2	0.1 %
220	-	1	0.0 %
244	-	14	0.6 %
268	-	1	0.0 %
293	-	21	0.9 %
300	-	2	0.1 %
317	-	4	0.2 %
322	-	1	0.0 %
338	-	1	0.0 %
342	-	16	0.7 %
350	-	1	0.0 %
366	-	2	0.1 %
390	-	36	1.6 %
400	-	3	0.1 %
414	-	1	0.0 %
415	-	6	0.3 %
439	-	15	0.7 %
488	-	48	2.1 %
500	-	2	0.1 %
512	-	2	0.1 %
537	-	19	0.8 %
550	-	1	0.0 %
561	-	1	0.0 %
563	-	1	0.0 %
586	-	41	1.8 %

Value	Label	Unweighted Frequency	%
600	-	3	0.1 %
610	-	2	0.1 %
615	-	1	0.0 %
622	-	1	0.0 %
634	-	21	0.9 %
658	-	1	0.0 %
659	-	1	0.0 %
675	-	1	0.0 %
683	-	25	1.1 %
695	-	1	0.0 %
<b>Missing Data</b>			
.	-	837	37.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,418 valid cases out of 2,255 total cases.

- Mean: 1446.93
- Median: 1122.00
- Mode: 976.00
- Minimum: 12.00
- Maximum: 17200.00
- Standard Deviation: 1225.84

*Location:* 895-899 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B11B\_69: Production of rice (in KG) in 2069

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
22	-	1	0.0 %
29	-	1	0.0 %
43	-	1	0.0 %
49	-	4	0.2 %
60	-	1	0.0 %
87	-	1	0.0 %
98	-	2	0.1 %
100	-	2	0.1 %
122	-	2	0.1 %
146	-	10	0.4 %

Value	Label	Unweighted Frequency	%
170	-	3	0.1 %
195	-	6	0.3 %
200	-	3	0.1 %
220	-	2	0.1 %
244	-	12	0.5 %
249	-	1	0.0 %
250	-	1	0.0 %
268	-	1	0.0 %
293	-	23	1.0 %
300	-	2	0.1 %
317	-	4	0.2 %
329	-	1	0.0 %
339	-	1	0.0 %
342	-	22	1.0 %
354	-	1	0.0 %
366	-	7	0.3 %
390	-	20	0.9 %
395	-	1	0.0 %
400	-	2	0.1 %
414	-	5	0.2 %
415	-	1	0.0 %
439	-	24	1.1 %
450	-	2	0.1 %
464	-	3	0.1 %
488	-	37	1.6 %
500	-	3	0.1 %
511	-	1	0.0 %
512	-	2	0.1 %
537	-	19	0.8 %
561	-	4	0.2 %
586	-	34	1.5 %
600	-	2	0.1 %
610	-	8	0.4 %
634	-	21	0.9 %
646	-	1	0.0 %
650	-	1	0.0 %
658	-	1	0.0 %
659	-	2	0.1 %
683	-	29	1.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	776	34.4 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,479 valid cases out of 2,255 total cases.

- Mean: 1499.60
- Median: 1220.00
- Mode: 878.00
- Minimum: 12.00
- Maximum: 17000.00
- Standard Deviation: 1251.66

*Location:* 900-904 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11B\_70: Production of rice (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
14	-	1	0.0 %
29	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
49	-	1	0.0 %
72	-	1	0.0 %
73	-	4	0.2 %
85	-	1	0.0 %
98	-	5	0.2 %
100	-	3	0.1 %
122	-	1	0.0 %
134	-	1	0.0 %
146	-	2	0.1 %
171	-	1	0.0 %
182	-	2	0.1 %
195	-	12	0.5 %
200	-	2	0.1 %
219	-	1	0.0 %
220	-	1	0.0 %
231	-	1	0.0 %

Value	Label	Unweighted Frequency	%
244	-	12	0.5 %
250	-	1	0.0 %
268	-	2	0.1 %
293	-	24	1.1 %
300	-	3	0.1 %
317	-	3	0.1 %
324	-	1	0.0 %
342	-	14	0.6 %
350	-	1	0.0 %
366	-	5	0.2 %
390	-	30	1.3 %
397	-	1	0.0 %
400	-	3	0.1 %
414	-	1	0.0 %
415	-	2	0.1 %
439	-	22	1.0 %
463	-	2	0.1 %
464	-	2	0.1 %
488	-	32	1.4 %
500	-	1	0.0 %
537	-	35	1.6 %
550	-	2	0.1 %
561	-	3	0.1 %
586	-	44	2.0 %
600	-	5	0.2 %
610	-	2	0.1 %
634	-	35	1.6 %
650	-	1	0.0 %
658	-	1	0.0 %
<b>Missing Data</b>			
.	-	730	32.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,525 valid cases out of 2,255 total cases.

- Mean: 1476.38
- Median: 1171.00
- Mode: 732.00
- Minimum: 0.00

- Maximum: 18300.00
- Standard Deviation: 1243.70

*Location:* 905-909 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11B\_71: Production of rice (in KG) in 2071

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
24	-	1	0.0 %
29	-	1	0.0 %
36	-	1	0.0 %
49	-	5	0.2 %
61	-	1	0.0 %
73	-	3	0.1 %
85	-	1	0.0 %
98	-	6	0.3 %
100	-	4	0.2 %
146	-	10	0.4 %
170	-	1	0.0 %
195	-	13	0.6 %
200	-	2	0.1 %
244	-	15	0.7 %
293	-	16	0.7 %
300	-	4	0.2 %
317	-	2	0.1 %
331	-	1	0.0 %
342	-	17	0.8 %
350	-	1	0.0 %
366	-	5	0.2 %
378	-	1	0.0 %
390	-	33	1.5 %
400	-	5	0.2 %
415	-	1	0.0 %
439	-	24	1.1 %
448	-	1	0.0 %
464	-	3	0.1 %
488	-	43	1.9 %
500	-	2	0.1 %
512	-	1	0.0 %
537	-	25	1.1 %

Value	Label	Unweighted Frequency	%
583	-	1	0.0 %
586	-	54	2.4 %
600	-	4	0.2 %
610	-	7	0.3 %
634	-	42	1.9 %
654	-	1	0.0 %
659	-	1	0.0 %
683	-	33	1.5 %
700	-	5	0.2 %
707	-	1	0.0 %
732	-	69	3.1 %
733	-	1	0.0 %
757	-	1	0.0 %
780	-	3	0.1 %
781	-	41	1.8 %
800	-	4	0.2 %
830	-	23	1.0 %
<b>Missing Data</b>			
.	-	664	29.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,591 valid cases out of 2,255 total cases.

- Mean: 1456.68
- Median: 1171.00
- Mode: 1464.00
- Minimum: 12.00
- Maximum: 17500.00
- Standard Deviation: 1218.25

*Location:* 910-914 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B11B\_72: Production of rice (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	1414	62.7 %
73	-	1	0.0 %
171	-	1	0.0 %
293	-	1	0.0 %

Value	Label	Unweighted Frequency	%
342	-	1	0.0 %
488	-	1	0.0 %
634	-	1	0.0 %
680	-	1	0.0 %
683	-	1	0.0 %
732	-	1	0.0 %
878	-	2	0.1 %
1100	-	2	0.1 %
1171	-	1	0.0 %
1400	-	1	0.0 %
1464	-	2	0.1 %
1708	-	1	0.0 %
1854	-	1	0.0 %
3200	-	1	0.0 %
3416	-	1	0.0 %
<b>Missing Data</b>			
.	-	820	36.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,435 valid cases out of 2,255 total cases.

- Mean: 16.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3416.00
- Standard Deviation: 170.72

*Location:* 915-918 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11C\_63: Sold rice (in KG) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 919-919 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B11C\_64: Sold rice (in KG) in 2064

Value	Label	Unweighted Frequency	%
0	-	779	34.5 %
49	-	1	0.0 %
100	-	6	0.3 %
146	-	3	0.1 %
195	-	4	0.2 %
200	-	25	1.1 %
244	-	5	0.2 %
253	-	1	0.0 %
293	-	6	0.3 %
300	-	19	0.8 %
342	-	5	0.2 %
350	-	1	0.0 %
390	-	10	0.4 %
400	-	16	0.7 %
438	-	1	0.0 %
439	-	3	0.1 %
488	-	13	0.6 %
500	-	30	1.3 %
537	-	5	0.2 %
586	-	2	0.1 %
600	-	15	0.7 %
625	-	1	0.0 %
634	-	6	0.3 %
683	-	5	0.2 %
700	-	16	0.7 %
732	-	14	0.6 %
750	-	1	0.0 %
781	-	1	0.0 %
800	-	18	0.8 %
830	-	1	0.0 %
850	-	1	0.0 %
878	-	4	0.2 %
900	-	5	0.2 %
927	-	2	0.1 %
976	-	21	0.9 %
1000	-	26	1.2 %
1022	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1074	-	4	0.2 %
1100	-	5	0.2 %
1122	-	2	0.1 %
1171	-	1	0.0 %
1200	-	15	0.7 %
1220	-	11	0.5 %
1250	-	1	0.0 %
1269	-	3	0.1 %
1300	-	4	0.2 %
1314	-	2	0.1 %
1400	-	3	0.1 %
1415	-	1	0.0 %
1464	-	21	0.9 %
<b>Missing Data</b>			
.	-	1006	44.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,249 valid cases out of 2,255 total cases.

- Mean: 441.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8491.00
- Standard Deviation: 926.79

*Location:* 920-923 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11C\_65: Sold rice (in KG) in 2065

Value	Label	Unweighted Frequency	%
0	-	813	36.1 %
49	-	1	0.0 %
100	-	9	0.4 %
146	-	2	0.1 %
150	-	1	0.0 %
195	-	3	0.1 %
200	-	18	0.8 %
244	-	4	0.2 %

Value	Label	Unweighted Frequency	%
250	-	1	0.0 %
253	-	1	0.0 %
270	-	1	0.0 %
293	-	8	0.4 %
300	-	19	0.8 %
342	-	5	0.2 %
350	-	3	0.1 %
390	-	7	0.3 %
400	-	23	1.0 %
439	-	5	0.2 %
450	-	1	0.0 %
488	-	15	0.7 %
500	-	23	1.0 %
537	-	2	0.1 %
586	-	5	0.2 %
600	-	15	0.7 %
634	-	8	0.4 %
683	-	3	0.1 %
700	-	20	0.9 %
725	-	1	0.0 %
732	-	13	0.6 %
750	-	2	0.1 %
781	-	3	0.1 %
800	-	15	0.7 %
830	-	2	0.1 %
878	-	3	0.1 %
900	-	7	0.3 %
927	-	1	0.0 %
976	-	18	0.8 %
1000	-	20	0.9 %
1022	-	3	0.1 %
1074	-	6	0.3 %
1100	-	9	0.4 %
1122	-	4	0.2 %
1171	-	3	0.1 %
1200	-	15	0.7 %
1220	-	8	0.4 %
1225	-	1	0.0 %
1269	-	4	0.2 %

Value	Label	Unweighted Frequency	%
1300	-	4	0.2 %
1314	-	3	0.1 %
1350	-	1	0.0 %
<b>Missing Data</b>			
.	-	962	42.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,293 valid cases out of 2,255 total cases.

- Mean: 445.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12000.00
- Standard Deviation: 1000.74

*Location:* 924-928 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11C\_66: Sold rice (in KG) in 2066

Value	Label	Unweighted Frequency	%
0	-	871	38.6 %
98	-	1	0.0 %
100	-	6	0.3 %
146	-	1	0.0 %
150	-	3	0.1 %
195	-	3	0.1 %
200	-	23	1.0 %
244	-	8	0.4 %
250	-	2	0.1 %
253	-	1	0.0 %
293	-	6	0.3 %
300	-	19	0.8 %
317	-	1	0.0 %
342	-	5	0.2 %
350	-	4	0.2 %
390	-	5	0.2 %
400	-	18	0.8 %
412	-	1	0.0 %

Value	Label	Unweighted Frequency	%
439	-	2	0.1 %
450	-	1	0.0 %
460	-	1	0.0 %
488	-	13	0.6 %
500	-	31	1.4 %
537	-	8	0.4 %
550	-	1	0.0 %
586	-	7	0.3 %
588	-	1	0.0 %
600	-	13	0.6 %
650	-	1	0.0 %
683	-	7	0.3 %
700	-	13	0.6 %
732	-	13	0.6 %
750	-	1	0.0 %
765	-	1	0.0 %
781	-	1	0.0 %
800	-	17	0.8 %
830	-	2	0.1 %
878	-	2	0.1 %
900	-	9	0.4 %
927	-	1	0.0 %
950	-	1	0.0 %
976	-	19	0.8 %
1000	-	23	1.0 %
1022	-	3	0.1 %
1074	-	4	0.2 %
1100	-	10	0.4 %
1122	-	4	0.2 %
1171	-	2	0.1 %
1200	-	8	0.4 %
1220	-	8	0.4 %
<b>Missing Data</b>			
.	-	904	40.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,351 valid cases out of 2,255 total cases.

- Mean: 413.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11500.00
- Standard Deviation: 944.76

*Location:* 929-933 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11C\_67: Sold rice (in KG) in 2067

Value	Label	Unweighted Frequency	%
0	-	882	39.1 %
98	-	1	0.0 %
100	-	5	0.2 %
146	-	3	0.1 %
150	-	1	0.0 %
180	-	1	0.0 %
195	-	3	0.1 %
200	-	22	1.0 %
244	-	10	0.4 %
253	-	1	0.0 %
293	-	6	0.3 %
300	-	24	1.1 %
342	-	4	0.2 %
350	-	1	0.0 %
353	-	1	0.0 %
390	-	2	0.1 %
400	-	20	0.9 %
439	-	4	0.2 %
450	-	1	0.0 %
488	-	16	0.7 %
500	-	38	1.7 %
537	-	5	0.2 %
550	-	1	0.0 %
586	-	6	0.3 %
600	-	15	0.7 %
634	-	5	0.2 %
650	-	1	0.0 %
683	-	2	0.1 %
690	-	1	0.0 %
700	-	17	0.8 %

Value	Label	Unweighted Frequency	%
732	-	13	0.6 %
750	-	1	0.0 %
781	-	4	0.2 %
800	-	15	0.7 %
830	-	1	0.0 %
878	-	3	0.1 %
882	-	1	0.0 %
900	-	10	0.4 %
927	-	2	0.1 %
941	-	1	0.0 %
976	-	18	0.8 %
1000	-	28	1.2 %
1022	-	5	0.2 %
1074	-	4	0.2 %
1100	-	12	0.5 %
1122	-	3	0.1 %
1200	-	11	0.5 %
1220	-	15	0.7 %
1250	-	1	0.0 %
1269	-	3	0.1 %
<b>Missing Data</b>			
.	-	871	38.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,384 valid cases out of 2,255 total cases.

- Mean: 404.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11300.00
- Standard Deviation: 868.07

*Location:* 934-938 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B11C\_68: Sold rice (in KG) in 2006

Value	Label	Unweighted Frequency	%
0	-	942	41.8 %

Value	Label	Unweighted Frequency	%
98	-	1	0.0 %
100	-	8	0.4 %
130	-	1	0.0 %
146	-	3	0.1 %
150	-	2	0.1 %
195	-	9	0.4 %
200	-	19	0.8 %
244	-	7	0.3 %
250	-	3	0.1 %
253	-	1	0.0 %
293	-	5	0.2 %
300	-	23	1.0 %
342	-	2	0.1 %
350	-	2	0.1 %
390	-	7	0.3 %
400	-	26	1.2 %
439	-	3	0.1 %
450	-	3	0.1 %
488	-	15	0.7 %
500	-	34	1.5 %
520	-	1	0.0 %
537	-	3	0.1 %
586	-	7	0.3 %
600	-	13	0.6 %
634	-	3	0.1 %
683	-	5	0.2 %
700	-	16	0.7 %
732	-	8	0.4 %
781	-	4	0.2 %
800	-	13	0.6 %
830	-	2	0.1 %
878	-	3	0.1 %
900	-	8	0.4 %
927	-	6	0.3 %
976	-	15	0.7 %
1000	-	28	1.2 %
1022	-	3	0.1 %
1074	-	4	0.2 %
1100	-	7	0.3 %

Value	Label	Unweighted Frequency	%
1122	-	1	0.0 %
1171	-	5	0.2 %
1200	-	14	0.6 %
1220	-	16	0.7 %
1250	-	1	0.0 %
1269	-	3	0.1 %
1300	-	3	0.1 %
1400	-	2	0.1 %
1415	-	1	0.0 %
1464	-	14	0.6 %
<b>Missing Data</b>			
.	-	837	37.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,418 valid cases out of 2,255 total cases.

- Mean: 360.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11000.00
- Standard Deviation: 825.72

*Location:* 939-943 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B11C\_69: Sold rice (in KG) in 2069

Value	Label	Unweighted Frequency	%
0	-	961	42.6 %
100	-	5	0.2 %
146	-	3	0.1 %
150	-	3	0.1 %
195	-	3	0.1 %
200	-	22	1.0 %
244	-	14	0.6 %
250	-	3	0.1 %
293	-	4	0.2 %
300	-	29	1.3 %
342	-	2	0.1 %

Value	Label	Unweighted Frequency	%
350	-	2	0.1 %
390	-	5	0.2 %
400	-	22	1.0 %
439	-	3	0.1 %
450	-	3	0.1 %
488	-	20	0.9 %
500	-	41	1.8 %
537	-	4	0.2 %
586	-	8	0.4 %
600	-	21	0.9 %
634	-	4	0.2 %
683	-	4	0.2 %
700	-	17	0.8 %
732	-	8	0.4 %
750	-	1	0.0 %
781	-	6	0.3 %
800	-	7	0.3 %
830	-	2	0.1 %
850	-	2	0.1 %
878	-	5	0.2 %
900	-	10	0.4 %
927	-	2	0.1 %
976	-	16	0.7 %
1000	-	27	1.2 %
1074	-	8	0.4 %
1100	-	12	0.5 %
1122	-	5	0.2 %
1150	-	1	0.0 %
1171	-	1	0.0 %
1200	-	10	0.4 %
1220	-	12	0.5 %
1250	-	1	0.0 %
1269	-	3	0.1 %
1300	-	5	0.2 %
1314	-	1	0.0 %
1366	-	5	0.2 %
1400	-	6	0.3 %
1415	-	1	0.0 %
1450	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	776	34.4 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,479 valid cases out of 2,255 total cases.

- Mean: 384.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12000.00
- Standard Deviation: 880.58

*Location:* 944-948 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11C\_70: Sold rice (in KG) in 2007

Value	Label	Unweighted Frequency	%
0	-	999	44.3 %
98	-	3	0.1 %
100	-	2	0.1 %
150	-	1	0.0 %
195	-	8	0.4 %
200	-	29	1.3 %
244	-	6	0.3 %
250	-	2	0.1 %
253	-	1	0.0 %
293	-	7	0.3 %
300	-	32	1.4 %
320	-	1	0.0 %
342	-	2	0.1 %
400	-	24	1.1 %
439	-	2	0.1 %
488	-	17	0.8 %
500	-	33	1.5 %
537	-	7	0.3 %
550	-	2	0.1 %
586	-	10	0.4 %
600	-	24	1.1 %

Value	Label	Unweighted Frequency	%
634	-	3	0.1 %
683	-	6	0.3 %
700	-	9	0.4 %
732	-	14	0.6 %
750	-	1	0.0 %
781	-	1	0.0 %
800	-	20	0.9 %
830	-	5	0.2 %
878	-	3	0.1 %
880	-	1	0.0 %
900	-	18	0.8 %
927	-	2	0.1 %
976	-	19	0.8 %
1000	-	27	1.2 %
1022	-	4	0.2 %
1074	-	5	0.2 %
1100	-	10	0.4 %
1122	-	2	0.1 %
1125	-	1	0.0 %
1171	-	6	0.3 %
1200	-	14	0.6 %
1220	-	6	0.3 %
1269	-	1	0.0 %
1280	-	1	0.0 %
1300	-	4	0.2 %
1314	-	2	0.1 %
1366	-	1	0.0 %
1400	-	8	0.4 %
1415	-	1	0.0 %
<b>Missing Data</b>			
.	-	731	32.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,524 valid cases out of 2,255 total cases.

- Mean: 377.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 11500.00
- Standard Deviation: 856.88

*Location:* 949-953 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B11C\_71: Sold rice (in KG) in 2071

Value	Label	Unweighted Frequency	%
0	-	1045	46.3 %
49	-	1	0.0 %
98	-	2	0.1 %
100	-	3	0.1 %
120	-	1	0.0 %
146	-	5	0.2 %
150	-	2	0.1 %
195	-	4	0.2 %
200	-	32	1.4 %
240	-	1	0.0 %
244	-	8	0.4 %
250	-	2	0.1 %
253	-	1	0.0 %
293	-	5	0.2 %
300	-	27	1.2 %
320	-	1	0.0 %
342	-	5	0.2 %
350	-	1	0.0 %
390	-	3	0.1 %
400	-	30	1.3 %
439	-	3	0.1 %
440	-	1	0.0 %
460	-	1	0.0 %
480	-	2	0.1 %
488	-	26	1.2 %
500	-	38	1.7 %
537	-	1	0.0 %
586	-	10	0.4 %
600	-	22	1.0 %
620	-	1	0.0 %
634	-	3	0.1 %
650	-	1	0.0 %
680	-	1	0.0 %

Value	Label	Unweighted Frequency	%
683	-	1	0.0 %
700	-	19	0.8 %
720	-	1	0.0 %
732	-	12	0.5 %
750	-	1	0.0 %
781	-	4	0.2 %
800	-	11	0.5 %
830	-	1	0.0 %
876	-	1	0.0 %
878	-	4	0.2 %
883	-	1	0.0 %
900	-	7	0.3 %
927	-	1	0.0 %
950	-	1	0.0 %
976	-	21	0.9 %
1000	-	33	1.5 %
1022	-	3	0.1 %
<b>Missing Data</b>			
.	-	664	29.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,591 valid cases out of 2,255 total cases.

- Mean: 370.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12800.00
- Standard Deviation: 855.49

*Location:* 954-958 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## B11C\_72: Sold rice (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	13	0.6 %
195	-	1	0.0 %
500	-	1	0.0 %
620	-	1	0.0 %

Value	Label	Unweighted Frequency	%
800	-	1	0.0 %
878	-	1	0.0 %
1100	-	2	0.1 %
2000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2234	99.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 21 valid cases out of 2,255 total cases.

- Mean: 342.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 549.52

*Location:* 959-962 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12\_63: Maize planting in 2063

Value	Label	Unweighted Frequency	%
0	No	228	10.1 %
1	Yes	1186	52.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 963-965 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B12\_64: Maize planting in 2064

Value	Label	Unweighted Frequency	%
0	No	304	13.5 %
1	Yes	1186	52.6 %

Value	Label	Unweighted Frequency	%
2	Planting by self and some part by other	4	0.2 %
3	Planting by other in rent	18	0.8 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 966-968 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B12\_65: Maize planting in 2065

Value	Label	Unweighted Frequency	%
0	No	348	15.4 %
1	Yes	1222	54.2 %
2	Planting by self and some part by other	4	0.2 %
3	Planting by other in rent	18	0.8 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 969-971 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B12\_66: Maize planting in 2066

Value	Label	Unweighted Frequency	%
0	No	400	17.7 %
1	Yes	1269	56.3 %
2	Planting by self and some part by other	3	0.1 %
3	Planting by other in rent	17	0.8 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 972-974 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B12\_67: Maize planting in 2067

Value	Label	Unweighted Frequency	%
0	No	449	19.9 %
1	Yes	1298	57.6 %
2	Planting by self and some part by other	3	0.1 %
3	Planting by other in rent	18	0.8 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 975-977 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B12\_68: Maize planting in 2068

Value	Label	Unweighted Frequency	%
0	No	490	21.7 %
1	Yes	1314	58.3 %
2	Planting by self and some part by other	3	0.1 %
3	Planting by other in rent	19	0.8 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 978-980 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

---

## B12\_69: Maize planting in 2069

Value	Label	Unweighted Frequency	%
0	No	574	25.5 %
1	Yes	1354	60.0 %
2	Planting by self and some part by other	2	0.1 %
3	Planting by other in rent	21	0.9 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 981-983 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

---

## B12\_70: Maize planting in 2070

Value	Label	Unweighted Frequency	%
0	No	647	28.7 %
1	Yes	1356	60.1 %
2	Planting by self and some part by other	1	0.0 %
3	Planting by other in rent	24	1.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 984-986 (width: 3; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* 998 , 999

---

### B12\_71: Maize planting in 2071

Value	Label	Unweighted Frequency	%
0	No	762	33.8 %
1	Yes	1396	61.9 %
2	Planting by self and some part by other	1	0.0 %
3	Planting by other in rent	21	0.9 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 987-989 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B12\_72: Maize planting in 2072

Value	Label	Unweighted Frequency	%
0	No	844	37.4 %
1	Yes	1387	61.5 %
2	Planting by self and some part by other	1	0.0 %
3	Planting by other in rent	20	0.9 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 990-992 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B12A\_63: Maize planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 993-993 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12A\_64: Maize planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.000000000000	-	18	0.8 %
0.34999999404	-	1	0.0 %
0.40000000596	-	1	0.0 %
0.500000000000	-	7	0.3 %
0.60000002384	-	1	0.0 %
0.750000000000	-	1	0.0 %
0.80000001192	-	1	0.0 %
1.000000000000	-	27	1.2 %
1.500000000000	-	8	0.4 %
1.60000002384	-	1	0.0 %
2.000000000000	-	49	2.2 %
2.40000009537	-	1	0.0 %
2.500000000000	-	7	0.3 %
2.750000000000	-	2	0.1 %
3.000000000000	-	49	2.2 %
3.250000000000	-	1	0.0 %
3.500000000000	-	9	0.4 %
3.65000009537	-	1	0.0 %
4.000000000000	-	64	2.8 %
4.34999990464	-	1	0.0 %
4.500000000000	-	7	0.3 %
5.000000000000	-	103	4.6 %
5.500000000000	-	1	0.0 %
5.80000019074	-	1	0.0 %
5.84999990464	-	1	0.0 %
6.000000000000	-	59	2.6 %
6.34999990464	-	1	0.0 %
6.500000000000	-	9	0.4 %
6.92999982834	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.000000000000	-	52	2.3 %
7.1999980927	-	1	0.0 %
7.500000000000	-	5	0.2 %
8.000000000000	-	62	2.7 %
8.30000019074	-	1	0.0 %
8.500000000000	-	4	0.2 %
9.000000000000	-	40	1.8 %
9.30000019074	-	1	0.0 %
9.500000000000	-	4	0.2 %
10.000000000000	-	130	5.8 %
10.1499961854	-	1	0.0 %
10.500000000000	-	3	0.1 %
10.9499980927	-	1	0.0 %
11.000000000000	-	23	1.0 %
11.500000000000	-	2	0.1 %
12.000000000000	-	46	2.0 %
12.500000000000	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.000000000000	-	24	1.1 %
13.500000000000	-	3	0.1 %
14.000000000000	-	27	1.2 %
	Missing Data		
.	-	1047	46.4 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,208 valid cases out of 2,255 total cases.

- Mean: 11.74994205249
- Median: 10.000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 109.000000000000
- Standard Deviation: 10.49876269571

*Location:* 994-1008 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12A\_65: Maize planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.0000000000000	-	18	0.8 %
0.349999994040	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.5000000000000	-	7	0.3 %
0.600000023842	-	1	0.0 %
0.7500000000000	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.0000000000000	-	28	1.2 %
1.5000000000000	-	8	0.4 %
1.600000023842	-	1	0.0 %
2.0000000000000	-	52	2.3 %
2.400000095367	-	1	0.0 %
2.5000000000000	-	7	0.3 %
2.7500000000000	-	2	0.1 %
3.0000000000000	-	56	2.5 %
3.2500000000000	-	1	0.0 %
3.5000000000000	-	12	0.5 %
3.650000095367	-	1	0.0 %
4.0000000000000	-	68	3.0 %
4.349999904633	-	1	0.0 %
4.5000000000000	-	7	0.3 %
5.0000000000000	-	111	4.9 %
5.5000000000000	-	3	0.1 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.0000000000000	-	64	2.8 %
6.5000000000000	-	9	0.4 %
6.929999828339	-	1	0.0 %
7.0000000000000	-	58	2.6 %
7.199999809265	-	1	0.0 %
7.5000000000000	-	6	0.3 %
8.0000000000000	-	65	2.9 %
8.5000000000000	-	4	0.2 %
9.0000000000000	-	41	1.8 %
9.300000190735	-	1	0.0 %
9.5000000000000	-	4	0.2 %
10.0000000000000	-	126	5.6 %
10.149999618530	-	1	0.0 %
10.5000000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
10.949999809265	-	1	0.0 %
11.0000000000000	-	25	1.1 %
11.5000000000000	-	1	0.0 %
12.0000000000000	-	45	2.0 %
12.5000000000000	-	1	0.0 %
12.800000190735	-	1	0.0 %
13.0000000000000	-	24	1.1 %
13.5000000000000	-	3	0.1 %
14.0000000000000	-	27	1.2 %
14.5000000000000	-	1	0.0 %
15.0000000000000	-	49	2.2 %
	Missing Data		
.	-	1011	44.8 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,244 valid cases out of 2,255 total cases.

- Mean: 11.447974275977
- Median: 9.000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 77.000000000000
- Standard Deviation: 10.101983002129

*Location:* 1009-1023 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12A\_66: Maize planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.000000000000	-	17	0.8 %
0.349999994040	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.500000000000	-	8	0.4 %
0.600000023842	-	1	0.0 %
0.750000000000	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.000000000000	-	29	1.3 %
1.500000000000	-	7	0.3 %

Value	Label	Unweighted Frequency	%
1.600000023842	-	1	0.0 %
2.000000000000	-	56	2.5 %
2.400000095367	-	1	0.0 %
2.500000000000	-	7	0.3 %
2.650000095367	-	1	0.0 %
2.750000000000	-	2	0.1 %
3.000000000000	-	62	2.7 %
3.250000000000	-	1	0.0 %
3.500000000000	-	10	0.4 %
3.650000095367	-	1	0.0 %
4.000000000000	-	68	3.0 %
4.349999904633	-	1	0.0 %
4.500000000000	-	11	0.5 %
5.000000000000	-	117	5.2 %
5.500000000000	-	5	0.2 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.000000000000	-	70	3.1 %
6.250000000000	-	1	0.0 %
6.500000000000	-	10	0.4 %
6.650000095367	-	1	0.0 %
6.929999828339	-	1	0.0 %
7.000000000000	-	59	2.6 %
7.199999809265	-	1	0.0 %
7.500000000000	-	7	0.3 %
8.000000000000	-	68	3.0 %
8.500000000000	-	4	0.2 %
9.000000000000	-	42	1.9 %
9.300000190735	-	1	0.0 %
9.500000000000	-	4	0.2 %
10.000000000000	-	138	6.1 %
10.149999618530	-	1	0.0 %
10.500000000000	-	3	0.1 %
10.949999809265	-	1	0.0 %
11.000000000000	-	25	1.1 %
11.500000000000	-	1	0.0 %
12.000000000000	-	46	2.0 %
12.500000000000	-	1	0.0 %
12.800000190735	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.0000000000000	-	24	1.1 %
13.5000000000000	-	3	0.1 %
	Missing Data		
.	-	966	42.8 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,289 valid cases out of 2,255 total cases.

- Mean: 11.045484871019
- Median: 9.000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 77.000000000000
- Standard Deviation: 9.440745785075

*Location:* 1024-1038 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12A\_67: Maize planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.000000000000	-	18	0.8 %
0.349999994040	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.500000000000	-	8	0.4 %
0.600000023842	-	1	0.0 %
0.750000000000	-	3	0.1 %
0.800000011921	-	1	0.0 %
1.000000000000	-	29	1.3 %
1.500000000000	-	9	0.4 %
1.600000023842	-	1	0.0 %
1.750000000000	-	1	0.0 %
2.000000000000	-	66	2.9 %
2.400000095367	-	1	0.0 %
2.500000000000	-	10	0.4 %
2.650000095367	-	1	0.0 %
2.750000000000	-	2	0.1 %
3.000000000000	-	67	3.0 %
3.250000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.50000000000000	-	10	0.4 %
4.00000000000000	-	75	3.3 %
4.34999904633	-	1	0.0 %
4.50000000000000	-	10	0.4 %
5.00000000000000	-	116	5.1 %
5.150000095367	-	1	0.0 %
5.50000000000000	-	5	0.2 %
5.800000190735	-	1	0.0 %
5.84999904633	-	1	0.0 %
6.00000000000000	-	70	3.1 %
6.25000000000000	-	1	0.0 %
6.50000000000000	-	8	0.4 %
6.650000095367	-	1	0.0 %
6.75000000000000	-	1	0.0 %
6.929999828339	-	1	0.0 %
7.00000000000000	-	63	2.8 %
7.199999809265	-	1	0.0 %
7.25000000000000	-	1	0.0 %
7.50000000000000	-	6	0.3 %
8.00000000000000	-	72	3.2 %
8.50000000000000	-	4	0.2 %
9.00000000000000	-	43	1.9 %
9.300000190735	-	1	0.0 %
9.50000000000000	-	4	0.2 %
10.00000000000000	-	139	6.2 %
10.149999618530	-	1	0.0 %
10.50000000000000	-	3	0.1 %
10.949999809265	-	1	0.0 %
11.00000000000000	-	26	1.2 %
11.50000000000000	-	1	0.0 %
12.00000000000000	-	45	2.0 %
12.50000000000000	-	1	0.0 %
	Missing Data		
.	-	936	41.5 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,319 valid cases out of 2,255 total cases.

- Mean: 10.649833206022
- Median: 8.000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 77.000000000000
- Standard Deviation: 9.058980501385

*Location:* 1039-1053 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12A\_68: Maize planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.000000000000	-	19	0.8 %
0.349999994040	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.500000000000	-	8	0.4 %
0.600000023842	-	1	0.0 %
0.750000000000	-	3	0.1 %
0.800000011921	-	1	0.0 %
1.000000000000	-	33	1.5 %
1.500000000000	-	11	0.5 %
1.750000000000	-	1	0.0 %
2.000000000000	-	69	3.1 %
2.400000095367	-	1	0.0 %
2.500000000000	-	10	0.4 %
2.650000095367	-	1	0.0 %
2.750000000000	-	2	0.1 %
3.000000000000	-	70	3.1 %
3.250000000000	-	1	0.0 %
3.500000000000	-	10	0.4 %
4.000000000000	-	86	3.8 %
4.349999904633	-	1	0.0 %
4.500000000000	-	10	0.4 %
5.000000000000	-	119	5.3 %
5.150000095367	-	1	0.0 %
5.250000000000	-	1	0.0 %
5.500000000000	-	5	0.2 %
5.750000000000	-	1	0.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.000000000000	-	71	3.1 %
6.250000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.300000190735	-	1	0.0 %
6.5000000000000	-	8	0.4 %
6.599999904633	-	1	0.0 %
6.650000095367	-	1	0.0 %
6.929999828339	-	1	0.0 %
7.0000000000000	-	69	3.1 %
7.199999809265	-	1	0.0 %
7.2500000000000	-	1	0.0 %
7.5000000000000	-	5	0.2 %
8.0000000000000	-	78	3.5 %
8.149999618530	-	1	0.0 %
8.5000000000000	-	4	0.2 %
9.0000000000000	-	48	2.1 %
9.300000190735	-	1	0.0 %
9.5000000000000	-	3	0.1 %
10.0000000000000	-	139	6.2 %
10.149999618530	-	1	0.0 %
10.5000000000000	-	3	0.1 %
10.949999809265	-	1	0.0 %
11.0000000000000	-	27	1.2 %
	Missing Data		
.	-	919	40.8 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,336 valid cases out of 2,255 total cases.

- Mean: 10.230636227229
- Median: 8.000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 75.000000000000
- Standard Deviation: 8.805884734498

*Location:* 1054-1068 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12A\_69: Maize planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00000000000000	-	21	0.9 %
0.349999994040	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.50000000000000	-	8	0.4 %
0.600000023842	-	1	0.0 %
0.75000000000000	-	2	0.1 %
0.800000011921	-	1	0.0 %
1.00000000000000	-	40	1.8 %
1.299999952316	-	1	0.0 %
1.50000000000000	-	11	0.5 %
1.75000000000000	-	1	0.0 %
2.00000000000000	-	78	3.5 %
2.400000095367	-	1	0.0 %
2.50000000000000	-	11	0.5 %
2.650000095367	-	1	0.0 %
2.75000000000000	-	2	0.1 %
3.00000000000000	-	75	3.3 %
3.25000000000000	-	1	0.0 %
3.349999904633	-	1	0.0 %
3.50000000000000	-	12	0.5 %
3.599999904633	-	1	0.0 %
4.00000000000000	-	93	4.1 %
4.349999904633	-	1	0.0 %
4.50000000000000	-	10	0.4 %
5.00000000000000	-	122	5.4 %
5.150000095367	-	1	0.0 %
5.25000000000000	-	1	0.0 %
5.50000000000000	-	5	0.2 %
5.75000000000000	-	1	0.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
5.900000095367	-	1	0.0 %
6.00000000000000	-	76	3.4 %
6.25000000000000	-	1	0.0 %
6.300000190735	-	1	0.0 %
6.50000000000000	-	8	0.4 %
6.599999904633	-	2	0.1 %
6.650000095367	-	1	0.0 %
6.929999828339	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.0000000000000	-	72	3.2 %
7.199999809265	-	1	0.0 %
7.2500000000000	-	1	0.0 %
7.5000000000000	-	4	0.2 %
8.0000000000000	-	76	3.4 %
8.149999618530	-	2	0.1 %
8.5000000000000	-	5	0.2 %
9.0000000000000	-	47	2.1 %
9.100000381470	-	1	0.0 %
9.300000190735	-	1	0.0 %
9.5000000000000	-	3	0.1 %
	Missing Data		
.	-	878	38.9 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,377 valid cases out of 2,255 total cases.

- Mean: 9.786005809806
- Median: 8.000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 62.000000000000
- Standard Deviation: 8.283814697289

*Location:* 1069-1083 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12A\_70: Maize planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.0000000000000	-	24	1.1 %
0.349999994040	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.5000000000000	-	7	0.3 %
0.600000023842	-	1	0.0 %
0.7500000000000	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.0000000000000	-	41	1.8 %
1.29999952316	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.5000000000000	-	13	0.6 %
1.7500000000000	-	1	0.0 %
2.0000000000000	-	77	3.4 %
2.5000000000000	-	11	0.5 %
2.650000095367	-	1	0.0 %
2.7500000000000	-	2	0.1 %
3.0000000000000	-	80	3.5 %
3.2500000000000	-	1	0.0 %
3.349999904633	-	1	0.0 %
3.5000000000000	-	14	0.6 %
4.0000000000000	-	93	4.1 %
4.349999904633	-	1	0.0 %
4.5000000000000	-	12	0.5 %
4.7500000000000	-	1	0.0 %
5.0000000000000	-	128	5.7 %
5.150000095367	-	1	0.0 %
5.2500000000000	-	1	0.0 %
5.5000000000000	-	5	0.2 %
5.7500000000000	-	1	0.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
5.900000095367	-	1	0.0 %
6.0000000000000	-	74	3.3 %
6.2500000000000	-	1	0.0 %
6.300000190735	-	1	0.0 %
6.5000000000000	-	7	0.3 %
6.599999904633	-	2	0.1 %
6.650000095367	-	1	0.0 %
6.929999828339	-	1	0.0 %
7.0000000000000	-	74	3.3 %
7.199999809265	-	1	0.0 %
7.2500000000000	-	1	0.0 %
7.400000095367	-	1	0.0 %
7.5000000000000	-	4	0.2 %
8.0000000000000	-	87	3.9 %
8.149999618530	-	2	0.1 %
8.5000000000000	-	7	0.3 %
9.0000000000000	-	43	1.9 %
9.300000190735	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.5000000000000	-	3	0.1 %
10.0000000000000	-	145	6.4 %
	Missing Data		
.	-	874	38.8 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,381 valid cases out of 2,255 total cases.

- Mean: 9.415734974523
- Median: 7.500000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 60.000000000000
- Standard Deviation: 7.778256530066

*Location:* 1084-1098 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12A\_71: Maize planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.000000000000	-	21	0.9 %
0.349999994040	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.500000000000	-	9	0.4 %
0.600000023842	-	2	0.1 %
0.750000000000	-	3	0.1 %
0.800000011921	-	1	0.0 %
1.000000000000	-	48	2.1 %
1.299999952316	-	1	0.0 %
1.500000000000	-	15	0.7 %
1.600000023842	-	1	0.0 %
1.679999947548	-	1	0.0 %
1.799999952316	-	1	0.0 %
2.000000000000	-	82	3.6 %
2.500000000000	-	12	0.5 %
2.650000095367	-	1	0.0 %
2.750000000000	-	4	0.2 %
3.000000000000	-	85	3.8 %

Value	Label	Unweighted Frequency	%
3.2500000000000	-	1	0.0 %
3.349999904633	-	1	0.0 %
3.5000000000000	-	13	0.6 %
3.7500000000000	-	1	0.0 %
4.0000000000000	-	92	4.1 %
4.349999904633	-	1	0.0 %
4.5000000000000	-	9	0.4 %
4.7500000000000	-	1	0.0 %
5.0000000000000	-	133	5.9 %
5.150000095367	-	1	0.0 %
5.2500000000000	-	1	0.0 %
5.5000000000000	-	8	0.4 %
5.7500000000000	-	1	0.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
5.900000095367	-	1	0.0 %
6.0000000000000	-	71	3.1 %
6.300000190735	-	1	0.0 %
6.5000000000000	-	6	0.3 %
6.599999904633	-	1	0.0 %
6.650000095367	-	1	0.0 %
6.929999828339	-	1	0.0 %
7.0000000000000	-	80	3.5 %
7.199999809265	-	1	0.0 %
7.2500000000000	-	1	0.0 %
7.400000095367	-	1	0.0 %
7.5000000000000	-	3	0.1 %
8.0000000000000	-	89	3.9 %
8.149999618530	-	2	0.1 %
8.5000000000000	-	8	0.4 %
9.0000000000000	-	44	2.0 %
9.100000381470	-	1	0.0 %
	Missing Data		
.	-	837	37.1 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,418 valid cases out of 2,255 total cases.

- Mean: 9.118660084662
- Median: 7.0000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 60.000000000000
- Standard Deviation: 7.590847759795

*Location:* 1099-1113 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12A\_72: Maize planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.000000000000	-	20	0.9 %
0.349999994040	-	1	0.0 %
0.400000005960	-	1	0.0 %
0.500000000000	-	14	0.6 %
0.600000023842	-	2	0.1 %
0.699999988079	-	1	0.0 %
0.750000000000	-	3	0.1 %
0.800000011921	-	1	0.0 %
1.000000000000	-	54	2.4 %
1.299999952316	-	1	0.0 %
1.500000000000	-	16	0.7 %
1.799999952316	-	2	0.1 %
2.000000000000	-	82	3.6 %
2.500000000000	-	16	0.7 %
2.650000095367	-	1	0.0 %
2.750000000000	-	3	0.1 %
3.000000000000	-	94	4.2 %
3.250000000000	-	1	0.0 %
3.349999904633	-	1	0.0 %
3.500000000000	-	16	0.7 %
3.750000000000	-	1	0.0 %
4.000000000000	-	100	4.4 %
4.250000000000	-	1	0.0 %
4.349999904633	-	1	0.0 %
4.500000000000	-	9	0.4 %
4.599999904633	-	1	0.0 %
4.750000000000	-	1	0.0 %
4.900000095367	-	1	0.0 %
5.000000000000	-	144	6.4 %
5.150000095367	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.2500000000000	-	1	0.0 %
5.5000000000000	-	9	0.4 %
5.7500000000000	-	1	0.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.0000000000000	-	80	3.5 %
6.300000190735	-	1	0.0 %
6.5000000000000	-	6	0.3 %
6.599999904633	-	1	0.0 %
6.650000095367	-	1	0.0 %
6.699999809265	-	1	0.0 %
6.929999828339	-	1	0.0 %
7.0000000000000	-	82	3.6 %
7.199999809265	-	1	0.0 %
7.400000095367	-	1	0.0 %
7.5000000000000	-	2	0.1 %
8.0000000000000	-	89	3.9 %
8.149999618530	-	2	0.1 %
8.5000000000000	-	7	0.3 %
9.0000000000000	-	42	1.9 %
	Missing Data		
.	-	847	37.6 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,408 valid cases out of 2,255 total cases.

- Mean: 8.519339486957
- Median: 7.000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 60.000000000000
- Standard Deviation: 7.221073128331

*Location:* 1114-1128 (*width:* 15; *decimal:* 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12B\_63: Production of maize (in KG) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1129-1129 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12B\_64: Production of maize (in KG) in 2064

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
3	-	1	0.0 %
6	-	1	0.0 %
10	-	3	0.1 %
13	-	1	0.0 %
15	-	2	0.1 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	3	0.1 %
20	-	4	0.2 %
22	-	3	0.1 %
25	-	2	0.1 %
26	-	3	0.1 %
29	-	3	0.1 %
30	-	4	0.2 %
32	-	7	0.3 %
35	-	2	0.1 %
38	-	5	0.2 %
40	-	1	0.0 %
45	-	4	0.2 %
46	-	1	0.0 %
48	-	2	0.1 %
50	-	13	0.6 %
51	-	1	0.0 %
53	-	1	0.0 %
55	-	2	0.1 %
58	-	2	0.1 %

Value	Label	Unweighted Frequency	%
60	-	5	0.2 %
63	-	11	0.5 %
64	-	2	0.1 %
65	-	2	0.1 %
66	-	1	0.0 %
67	-	3	0.1 %
70	-	1	0.0 %
75	-	1	0.0 %
79	-	1	0.0 %
80	-	5	0.2 %
86	-	1	0.0 %
90	-	3	0.1 %
95	-	4	0.2 %
100	-	58	2.6 %
102	-	1	0.0 %
105	-	1	0.0 %
110	-	5	0.2 %
111	-	1	0.0 %
120	-	6	0.3 %
124	-	1	0.0 %
125	-	1	0.0 %
126	-	20	0.9 %
<b>Missing Data</b>			
.	-	1048	46.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,207 valid cases out of 2,255 total cases.

- Mean: 539.05
- Median: 400.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 10500.00
- Standard Deviation: 624.27

*Location:* 1130-1134 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## B12B\_65: Production of maize (in KG) in 2005

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
3	-	1	0.0 %
6	-	2	0.1 %
10	-	3	0.1 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	7	0.3 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	4	0.2 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	3	0.1 %
29	-	2	0.1 %
30	-	1	0.0 %
32	-	8	0.4 %
33	-	1	0.0 %
35	-	3	0.1 %
37	-	1	0.0 %
38	-	5	0.2 %
40	-	4	0.2 %
42	-	4	0.2 %
45	-	2	0.1 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	10	0.4 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	4	0.2 %
55	-	3	0.1 %
57	-	2	0.1 %
60	-	7	0.3 %
61	-	3	0.1 %
63	-	3	0.1 %
64	-	1	0.0 %
70	-	8	0.4 %

Value	Label	Unweighted Frequency	%
74	-	1	0.0 %
75	-	1	0.0 %
77	-	1	0.0 %
80	-	4	0.2 %
88	-	1	0.0 %
90	-	3	0.1 %
95	-	11	0.5 %
100	-	38	1.7 %
103	-	1	0.0 %
105	-	2	0.1 %
110	-	8	0.4 %
<b>Missing Data</b>			
.	-	1012	44.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,243 valid cases out of 2,255 total cases.

- Mean: 532.83
- Median: 379.00
- Mode: 300.00
- Minimum: 0.00
- Maximum: 10000.00
- Standard Deviation: 631.81

*Location:* 1135-1139 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12B\_66: Production of maize (in KG) in 2006

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
5	-	1	0.0 %
6	-	1	0.0 %
9	-	1	0.0 %
10	-	4	0.2 %
11	-	2	0.1 %
13	-	1	0.0 %
15	-	1	0.0 %
16	-	2	0.1 %
19	-	7	0.3 %

Value	Label	Unweighted Frequency	%
20	-	3	0.1 %
22	-	1	0.0 %
26	-	7	0.3 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	2	0.1 %
32	-	3	0.1 %
35	-	4	0.2 %
38	-	6	0.3 %
40	-	5	0.2 %
42	-	2	0.1 %
45	-	3	0.1 %
48	-	4	0.2 %
49	-	1	0.0 %
50	-	9	0.4 %
51	-	2	0.1 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	3	0.1 %
56	-	1	0.0 %
58	-	2	0.1 %
60	-	4	0.2 %
61	-	3	0.1 %
63	-	8	0.4 %
65	-	1	0.0 %
66	-	1	0.0 %
67	-	1	0.0 %
69	-	1	0.0 %
70	-	6	0.3 %
74	-	1	0.0 %
77	-	1	0.0 %
80	-	5	0.2 %
86	-	1	0.0 %
90	-	7	0.3 %
95	-	10	0.4 %
100	-	35	1.6 %
104	-	1	0.0 %
105	-	1	0.0 %

Value	Label	Unweighted Frequency	%
110	-	7	0.3 %
	<b>Missing Data</b>		
-	-	967	42.9 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,288 valid cases out of 2,255 total cases.

- Mean: 523.14
- Median: 370.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 11000.00
- Standard Deviation: 640.64

*Location:* 1140-1144 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12B\_67: Production of maize (in KG) in 2006

Value	Label	Unweighted Frequency	%
0	-	8	0.4 %
3	-	1	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
10	-	3	0.1 %
12	-	1	0.0 %
13	-	3	0.1 %
16	-	8	0.4 %
19	-	5	0.2 %
20	-	4	0.2 %
21	-	1	0.0 %
22	-	3	0.1 %
25	-	2	0.1 %
26	-	3	0.1 %
29	-	1	0.0 %
30	-	2	0.1 %
32	-	8	0.4 %
34	-	1	0.0 %
35	-	5	0.2 %
38	-	5	0.2 %

Value	Label	Unweighted Frequency	%
40	-	2	0.1 %
42	-	2	0.1 %
43	-	1	0.0 %
45	-	4	0.2 %
48	-	6	0.3 %
50	-	19	0.8 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
58	-	2	0.1 %
60	-	8	0.4 %
61	-	1	0.0 %
63	-	6	0.3 %
64	-	3	0.1 %
65	-	1	0.0 %
67	-	2	0.1 %
70	-	2	0.1 %
75	-	1	0.0 %
79	-	1	0.0 %
80	-	7	0.3 %
84	-	2	0.1 %
85	-	1	0.0 %
90	-	4	0.2 %
95	-	10	0.4 %
100	-	50	2.2 %
105	-	1	0.0 %
110	-	7	0.3 %
111	-	1	0.0 %
115	-	1	0.0 %
<b>Missing Data</b>			
.	-	937	41.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,318 valid cases out of 2,255 total cases.

- Mean: 511.41
- Median: 350.00

- Mode: 200.00
- Minimum: 0.00
- Maximum: 8300.00
- Standard Deviation: 580.94

*Location:* 1145-1148 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12B\_68: Production of maize (in KG) in 2008

Value	Label	Unweighted Frequency	%
0	-	21	0.9 %
3	-	1	0.0 %
6	-	3	0.1 %
8	-	1	0.0 %
10	-	6	0.3 %
13	-	6	0.3 %
16	-	10	0.4 %
19	-	9	0.4 %
20	-	3	0.1 %
22	-	3	0.1 %
25	-	1	0.0 %
26	-	3	0.1 %
29	-	5	0.2 %
30	-	13	0.6 %
32	-	10	0.4 %
35	-	3	0.1 %
38	-	5	0.2 %
40	-	9	0.4 %
42	-	2	0.1 %
45	-	3	0.1 %
48	-	6	0.3 %
50	-	23	1.0 %
52	-	1	0.0 %
54	-	2	0.1 %
55	-	2	0.1 %
58	-	3	0.1 %
59	-	1	0.0 %
60	-	7	0.3 %
61	-	1	0.0 %
63	-	14	0.6 %
66	-	1	0.0 %

Value	Label	Unweighted Frequency	%
67	-	1	0.0 %
69	-	1	0.0 %
70	-	5	0.2 %
75	-	1	0.0 %
79	-	1	0.0 %
80	-	10	0.4 %
85	-	2	0.1 %
90	-	12	0.5 %
95	-	10	0.4 %
100	-	90	4.0 %
110	-	3	0.1 %
111	-	2	0.1 %
120	-	8	0.4 %
124	-	1	0.0 %
125	-	1	0.0 %
126	-	19	0.8 %
128	-	1	0.0 %
129	-	1	0.0 %
130	-	7	0.3 %
<b>Missing Data</b>			
.	-	920	40.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,335 valid cases out of 2,255 total cases.

- Mean: 437.35
- Median: 300.00
- Mode: 300.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 510.13

*Location:* 1149-1152 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12B\_69: Production of maize (in KG) in 2006

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6	-	2	0.1 %
8	-	1	0.0 %
10	-	7	0.3 %
13	-	5	0.2 %
15	-	1	0.0 %
16	-	6	0.3 %
19	-	5	0.2 %
20	-	3	0.1 %
21	-	1	0.0 %
22	-	7	0.3 %
25	-	4	0.2 %
26	-	4	0.2 %
29	-	2	0.1 %
30	-	5	0.2 %
32	-	7	0.3 %
35	-	7	0.3 %
38	-	9	0.4 %
40	-	4	0.2 %
42	-	1	0.0 %
45	-	7	0.3 %
48	-	3	0.1 %
49	-	1	0.0 %
50	-	16	0.7 %
51	-	1	0.0 %
52	-	2	0.1 %
53	-	1	0.0 %
54	-	2	0.1 %
55	-	4	0.2 %
58	-	1	0.0 %
60	-	8	0.4 %
61	-	3	0.1 %
63	-	6	0.3 %
64	-	1	0.0 %
66	-	1	0.0 %
70	-	3	0.1 %
73	-	1	0.0 %
74	-	1	0.0 %
75	-	2	0.1 %
79	-	1	0.0 %

Value	Label	Unweighted Frequency	%
80	-	11	0.5 %
81	-	1	0.0 %
83	-	1	0.0 %
86	-	1	0.0 %
89	-	1	0.0 %
90	-	6	0.3 %
95	-	7	0.3 %
100	-	54	2.4 %
105	-	2	0.1 %
<b>Missing Data</b>			
.	-	879	39.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,376 valid cases out of 2,255 total cases.

- Mean: 487.68
- Median: 310.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 8800.00
- Standard Deviation: 574.62

*Location:* 1153-1156 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B12B\_70: Production of maize (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	21	0.9 %
5	-	2	0.1 %
6	-	5	0.2 %
9	-	1	0.0 %
10	-	3	0.1 %
12	-	1	0.0 %
13	-	4	0.2 %
15	-	2	0.1 %
16	-	8	0.4 %
19	-	8	0.4 %
20	-	3	0.1 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22	-	3	0.1 %
25	-	2	0.1 %
26	-	4	0.2 %
27	-	1	0.0 %
29	-	3	0.1 %
30	-	10	0.4 %
32	-	10	0.4 %
35	-	4	0.2 %
36	-	1	0.0 %
38	-	2	0.1 %
40	-	7	0.3 %
42	-	2	0.1 %
43	-	1	0.0 %
45	-	2	0.1 %
48	-	11	0.5 %
50	-	18	0.8 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.1 %
58	-	2	0.1 %
60	-	8	0.4 %
62	-	1	0.0 %
63	-	15	0.7 %
64	-	1	0.0 %
66	-	2	0.1 %
67	-	1	0.0 %
70	-	8	0.4 %
75	-	1	0.0 %
80	-	5	0.2 %
83	-	2	0.1 %
85	-	2	0.1 %
90	-	9	0.4 %
95	-	10	0.4 %
96	-	1	0.0 %
100	-	76	3.4 %
105	-	1	0.0 %
110	-	9	0.4 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-	-	875	38.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,380 valid cases out of 2,255 total cases.

- Mean: 470.28
- Median: 300.00
- Mode: 300.00
- Minimum: 0.00
- Maximum: 8500.00
- Standard Deviation: 563.71

*Location:* 1157-1160 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12B\_71: Production of maize (in KG) in 2071

Value	Label	Unweighted Frequency	%
0	-	103	4.6 %
3	-	2	0.1 %
6	-	7	0.3 %
8	-	1	0.0 %
10	-	7	0.3 %
13	-	7	0.3 %
15	-	1	0.0 %
16	-	13	0.6 %
17	-	1	0.0 %
19	-	8	0.4 %
20	-	6	0.3 %
21	-	1	0.0 %
22	-	4	0.2 %
25	-	9	0.4 %
26	-	2	0.1 %
28	-	1	0.0 %
29	-	4	0.2 %
30	-	3	0.1 %
32	-	8	0.4 %
33	-	2	0.1 %
35	-	4	0.2 %
38	-	9	0.4 %

Value	Label	Unweighted Frequency	%
40	-	6	0.3 %
45	-	1	0.0 %
48	-	7	0.3 %
50	-	33	1.5 %
51	-	4	0.2 %
54	-	1	0.0 %
55	-	1	0.0 %
58	-	6	0.3 %
60	-	8	0.4 %
63	-	21	0.9 %
65	-	1	0.0 %
67	-	2	0.1 %
69	-	1	0.0 %
70	-	8	0.4 %
76	-	1	0.0 %
77	-	1	0.0 %
80	-	6	0.3 %
90	-	10	0.4 %
95	-	4	0.2 %
100	-	93	4.1 %
110	-	7	0.3 %
111	-	1	0.0 %
112	-	1	0.0 %
120	-	5	0.2 %
125	-	3	0.1 %
126	-	20	0.9 %
130	-	3	0.1 %
134	-	1	0.0 %
<b>Missing Data</b>			
.	-	838	37.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,417 valid cases out of 2,255 total cases.

- Mean: 406.67
- Median: 250.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 6700.00

- Standard Deviation: 533.56

*Location:* 1161-1164 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12B\_72: Production of maize (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	35	1.6 %
1	-	1	0.0 %
3	-	2	0.1 %
5	-	2	0.1 %
6	-	5	0.2 %
10	-	6	0.3 %
12	-	1	0.0 %
13	-	6	0.3 %
15	-	3	0.1 %
16	-	10	0.4 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	6	0.3 %
20	-	8	0.4 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	2	0.1 %
30	-	8	0.4 %
32	-	23	1.0 %
33	-	2	0.1 %
35	-	5	0.2 %
38	-	8	0.4 %
40	-	4	0.2 %
42	-	1	0.0 %
48	-	12	0.5 %
50	-	43	1.9 %
51	-	1	0.0 %
52	-	1	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	4	0.2 %
63	-	31	1.4 %

Value	Label	Unweighted Frequency	%
64	-	3	0.1 %
70	-	4	0.2 %
72	-	1	0.0 %
75	-	1	0.0 %
77	-	1	0.0 %
80	-	6	0.3 %
81	-	1	0.0 %
90	-	3	0.1 %
94	-	1	0.0 %
95	-	5	0.2 %
96	-	2	0.1 %
100	-	125	5.5 %
110	-	3	0.1 %
115	-	1	0.0 %
120	-	6	0.3 %
125	-	1	0.0 %
126	-	35	1.6 %
<b>Missing Data</b>			
.	-	848	37.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,407 valid cases out of 2,255 total cases.

- Mean: 403.87
- Median: 285.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 474.03

*Location:* 1165-1168 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B12C\_63: Sold maize (in KG) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1169-1169 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B12C\_64: Sold maize (in KG) in 2064

Value	Label	Unweighted Frequency	%
0	-	571	25.3 %
25	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
38	-	2	0.1 %
50	-	6	0.3 %
55	-	1	0.0 %
63	-	2	0.1 %
80	-	2	0.1 %
90	-	1	0.0 %
100	-	53	2.4 %
120	-	1	0.0 %
126	-	5	0.2 %
127	-	1	0.0 %
150	-	28	1.2 %
180	-	1	0.0 %
189	-	2	0.1 %
200	-	70	3.1 %
220	-	1	0.0 %
225	-	1	0.0 %
240	-	1	0.0 %
250	-	19	0.8 %
252	-	1	0.0 %
253	-	4	0.2 %
290	-	1	0.0 %
300	-	87	3.9 %
315	-	1	0.0 %
316	-	9	0.4 %
350	-	4	0.2 %
379	-	2	0.1 %
380	-	1	0.0 %
400	-	64	2.8 %
442	-	2	0.1 %

Value	Label	Unweighted Frequency	%
450	-	3	0.1 %
460	-	1	0.0 %
500	-	50	2.2 %
505	-	1	0.0 %
568	-	1	0.0 %
580	-	1	0.0 %
600	-	30	1.3 %
631	-	2	0.1 %
650	-	1	0.0 %
682	-	1	0.0 %
700	-	19	0.8 %
758	-	2	0.1 %
800	-	28	1.2 %
900	-	17	0.8 %
947	-	1	0.0 %
950	-	1	0.0 %
1000	-	30	1.3 %
<b>Missing Data</b>			
.	-	1050	46.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,205 valid cases out of 2,255 total cases.

- Mean: 291.80
- Median: 100.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10500.00
- Standard Deviation: 552.53

*Location:* 1170-1174 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12C\_65: Sold maize (in KG) in 2065

Value	Label	Unweighted Frequency	%
0	-	587	26.0 %
26	-	1	0.0 %
37	-	1	0.0 %
38	-	2	0.1 %

Value	Label	Unweighted Frequency	%
45	-	2	0.1 %
50	-	6	0.3 %
57	-	1	0.0 %
60	-	1	0.0 %
63	-	4	0.2 %
70	-	1	0.0 %
75	-	1	0.0 %
80	-	2	0.1 %
85	-	1	0.0 %
90	-	2	0.1 %
100	-	49	2.2 %
120	-	4	0.2 %
126	-	2	0.1 %
140	-	1	0.0 %
150	-	22	1.0 %
180	-	1	0.0 %
189	-	6	0.3 %
190	-	1	0.0 %
200	-	92	4.1 %
220	-	1	0.0 %
225	-	1	0.0 %
240	-	1	0.0 %
250	-	16	0.7 %
252	-	1	0.0 %
253	-	4	0.2 %
280	-	1	0.0 %
284	-	1	0.0 %
300	-	80	3.5 %
310	-	1	0.0 %
315	-	1	0.0 %
316	-	4	0.2 %
320	-	1	0.0 %
340	-	1	0.0 %
350	-	6	0.3 %
375	-	1	0.0 %
379	-	1	0.0 %
380	-	1	0.0 %
400	-	64	2.8 %
410	-	2	0.1 %

Value	Label	Unweighted Frequency	%
442	-	3	0.1 %
450	-	4	0.2 %
474	-	1	0.0 %
500	-	40	1.8 %
505	-	2	0.1 %
530	-	1	0.0 %
550	-	1	0.0 %
<b>Missing Data</b>			
.	-	1015	45.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,240 valid cases out of 2,255 total cases.

- Mean: 287.06
- Median: 100.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10000.00
- Standard Deviation: 557.08

*Location:* 1175-1179 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B12C\_66: Sold maize (in KG) in 2066

Value	Label	Unweighted Frequency	%
0	-	618	27.4 %
27	-	1	0.0 %
32	-	1	0.0 %
38	-	2	0.1 %
40	-	1	0.0 %
50	-	6	0.3 %
52	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
63	-	5	0.2 %
80	-	2	0.1 %
90	-	1	0.0 %
100	-	65	2.9 %
110	-	2	0.1 %

Value	Label	Unweighted Frequency	%
120	-	3	0.1 %
126	-	4	0.2 %
130	-	1	0.0 %
150	-	24	1.1 %
158	-	1	0.0 %
180	-	1	0.0 %
189	-	7	0.3 %
200	-	79	3.5 %
210	-	1	0.0 %
250	-	22	1.0 %
253	-	4	0.2 %
300	-	87	3.9 %
315	-	1	0.0 %
316	-	2	0.1 %
326	-	1	0.0 %
340	-	1	0.0 %
350	-	10	0.4 %
379	-	2	0.1 %
400	-	64	2.8 %
415	-	1	0.0 %
425	-	1	0.0 %
435	-	1	0.0 %
442	-	3	0.1 %
450	-	3	0.1 %
480	-	1	0.0 %
500	-	49	2.2 %
530	-	1	0.0 %
537	-	1	0.0 %
550	-	3	0.1 %
600	-	32	1.4 %
631	-	3	0.1 %
650	-	2	0.1 %
670	-	1	0.0 %
700	-	17	0.8 %
750	-	1	0.0 %
758	-	1	0.0 %
<b>Missing Data</b>			
.	-	972	43.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,283 valid cases out of 2,255 total cases.

- Mean: 279.71
- Median: 100.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11000.00
- Standard Deviation: 579.46

*Location:* 1180-1184 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B12C\_67: Sold maize (in KG) in 2007

Value	Label	Unweighted Frequency	%
0	-	633	28.1 %
25	-	1	0.0 %
32	-	1	0.0 %
35	-	2	0.1 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	9	0.4 %
52	-	1	0.0 %
58	-	1	0.0 %
63	-	1	0.0 %
70	-	1	0.0 %
80	-	3	0.1 %
85	-	1	0.0 %
90	-	1	0.0 %
100	-	50	2.2 %
110	-	5	0.2 %
120	-	2	0.1 %
126	-	5	0.2 %
150	-	30	1.3 %
170	-	1	0.0 %
175	-	1	0.0 %
189	-	5	0.2 %
192	-	1	0.0 %
200	-	88	3.9 %
220	-	4	0.2 %
250	-	13	0.6 %

Value	Label	Unweighted Frequency	%
253	-	7	0.3 %
260	-	1	0.0 %
269	-	1	0.0 %
280	-	2	0.1 %
300	-	79	3.5 %
316	-	4	0.2 %
326	-	1	0.0 %
350	-	16	0.7 %
370	-	1	0.0 %
378	-	1	0.0 %
379	-	1	0.0 %
400	-	65	2.9 %
410	-	1	0.0 %
442	-	1	0.0 %
450	-	4	0.2 %
474	-	1	0.0 %
480	-	1	0.0 %
500	-	58	2.6 %
530	-	1	0.0 %
550	-	2	0.1 %
568	-	2	0.1 %
600	-	27	1.2 %
605	-	1	0.0 %
631	-	2	0.1 %
<b>Missing Data</b>			
.	-	945	41.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,310 valid cases out of 2,255 total cases.

- Mean: 272.12
- Median: 82.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8000.00
- Standard Deviation: 503.80

*Location:* 1185-1188 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12C\_68: Sold maize (in KG) in 2068

Value	Label	Unweighted Frequency	%
0	-	689	30.6 %
20	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.1 %
35	-	1	0.0 %
38	-	2	0.1 %
42	-	1	0.0 %
50	-	16	0.7 %
54	-	1	0.0 %
55	-	1	0.0 %
63	-	1	0.0 %
69	-	1	0.0 %
70	-	5	0.2 %
80	-	2	0.1 %
90	-	2	0.1 %
95	-	1	0.0 %
100	-	69	3.1 %
110	-	1	0.0 %
120	-	4	0.2 %
126	-	3	0.1 %
140	-	1	0.0 %
150	-	27	1.2 %
160	-	1	0.0 %
174	-	1	0.0 %
180	-	1	0.0 %
189	-	8	0.4 %
200	-	75	3.3 %
212	-	1	0.0 %
221	-	1	0.0 %
230	-	1	0.0 %
240	-	1	0.0 %
250	-	23	1.0 %
253	-	5	0.2 %
300	-	74	3.3 %
308	-	1	0.0 %
316	-	2	0.1 %
326	-	1	0.0 %

Value	Label	Unweighted Frequency	%
350	-	9	0.4 %
378	-	1	0.0 %
379	-	1	0.0 %
400	-	61	2.7 %
442	-	1	0.0 %
450	-	2	0.1 %
480	-	1	0.0 %
500	-	35	1.6 %
505	-	4	0.2 %
538	-	1	0.0 %
550	-	1	0.0 %
560	-	1	0.0 %
600	-	35	1.6 %
<b>Missing Data</b>			
.	-	941	41.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,314 valid cases out of 2,255 total cases.

- Mean: 230.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4000.00
- Standard Deviation: 434.40

*Location:* 1189-1192 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12C\_69: Sold maize (in KG) in 2069

Value	Label	Unweighted Frequency	%
0	-	687	30.5 %
1	-	1	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %
32	-	1	0.0 %
35	-	1	0.0 %
40	-	2	0.1 %

Value	Label	Unweighted Frequency	%
45	-	2	0.1 %
50	-	7	0.3 %
52	-	1	0.0 %
60	-	3	0.1 %
61	-	1	0.0 %
63	-	4	0.2 %
70	-	3	0.1 %
75	-	1	0.0 %
80	-	4	0.2 %
85	-	1	0.0 %
90	-	2	0.1 %
95	-	2	0.1 %
100	-	64	2.8 %
110	-	1	0.0 %
120	-	3	0.1 %
126	-	2	0.1 %
130	-	1	0.0 %
150	-	25	1.1 %
158	-	1	0.0 %
175	-	1	0.0 %
180	-	2	0.1 %
185	-	2	0.1 %
189	-	6	0.3 %
190	-	1	0.0 %
200	-	91	4.0 %
222	-	1	0.0 %
230	-	2	0.1 %
250	-	13	0.6 %
253	-	7	0.3 %
259	-	1	0.0 %
260	-	1	0.0 %
280	-	1	0.0 %
284	-	1	0.0 %
300	-	82	3.6 %
315	-	1	0.0 %
316	-	1	0.0 %
350	-	8	0.4 %
370	-	2	0.1 %
380	-	1	0.0 %

Value	Label	Unweighted Frequency	%
400	-	65	2.9 %
414	-	1	0.0 %
420	-	1	0.0 %
	<b>Missing Data</b>		
.	-	886	39.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,369 valid cases out of 2,255 total cases.

- Mean: 263.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8400.00
- Standard Deviation: 524.07

*Location:* 1193-1196 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12C\_70: Sold maize (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	700	31.0 %
2	-	1	0.0 %
6	-	1	0.0 %
25	-	2	0.1 %
30	-	1	0.0 %
35	-	1	0.0 %
44	-	1	0.0 %
48	-	1	0.0 %
50	-	10	0.4 %
52	-	1	0.0 %
58	-	1	0.0 %
63	-	5	0.2 %
70	-	4	0.2 %
75	-	2	0.1 %
80	-	5	0.2 %
90	-	2	0.1 %
95	-	1	0.0 %
100	-	52	2.3 %

Value	Label	Unweighted Frequency	%
110	-	2	0.1 %
126	-	5	0.2 %
130	-	2	0.1 %
138	-	1	0.0 %
150	-	24	1.1 %
158	-	1	0.0 %
170	-	2	0.1 %
172	-	1	0.0 %
180	-	1	0.0 %
189	-	5	0.2 %
190	-	1	0.0 %
200	-	79	3.5 %
250	-	14	0.6 %
252	-	1	0.0 %
253	-	3	0.1 %
259	-	1	0.0 %
260	-	2	0.1 %
270	-	1	0.0 %
290	-	1	0.0 %
300	-	92	4.1 %
310	-	1	0.0 %
316	-	1	0.0 %
330	-	1	0.0 %
350	-	8	0.4 %
378	-	1	0.0 %
379	-	1	0.0 %
400	-	74	3.3 %
442	-	1	0.0 %
450	-	1	0.0 %
480	-	1	0.0 %
500	-	49	2.2 %
505	-	1	0.0 %
<b>Missing Data</b>			
.	-	896	39.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,359 valid cases out of 2,255 total cases.

- Mean: 256.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8000.00
- Standard Deviation: 507.37

*Location:* 1197-1200 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B12C\_71: Sold maize (in KG) in 2071

Value	Label	Unweighted Frequency	%
0	-	737	32.7 %
10	-	1	0.0 %
13	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
30	-	2	0.1 %
33	-	1	0.0 %
35	-	1	0.0 %
48	-	1	0.0 %
50	-	10	0.4 %
53	-	1	0.0 %
60	-	2	0.1 %
62	-	1	0.0 %
80	-	2	0.1 %
90	-	3	0.1 %
95	-	2	0.1 %
100	-	58	2.6 %
110	-	1	0.0 %
112	-	1	0.0 %
120	-	1	0.0 %
125	-	1	0.0 %
126	-	4	0.2 %
130	-	1	0.0 %
133	-	1	0.0 %
146	-	1	0.0 %
150	-	30	1.3 %
165	-	1	0.0 %
189	-	5	0.2 %
200	-	83	3.7 %

Value	Label	Unweighted Frequency	%
250	-	11	0.5 %
253	-	2	0.1 %
267	-	2	0.1 %
270	-	1	0.0 %
279	-	1	0.0 %
300	-	65	2.9 %
315	-	1	0.0 %
316	-	3	0.1 %
340	-	2	0.1 %
350	-	4	0.2 %
370	-	1	0.0 %
379	-	1	0.0 %
400	-	52	2.3 %
420	-	1	0.0 %
442	-	1	0.0 %
450	-	3	0.1 %
474	-	1	0.0 %
480	-	1	0.0 %
500	-	37	1.6 %
550	-	1	0.0 %
<b>Missing Data</b>			
.	-	941	41.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,314 valid cases out of 2,255 total cases.

- Mean: 227.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 476.96

*Location:* 1201-1204 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B12C\_72: Sold maize (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	829	36.8 %

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
20	-	2	0.1 %
22	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
35	-	2	0.1 %
44	-	1	0.0 %
47	-	1	0.0 %
50	-	9	0.4 %
60	-	4	0.2 %
63	-	1	0.0 %
70	-	2	0.1 %
77	-	1	0.0 %
80	-	3	0.1 %
85	-	1	0.0 %
95	-	1	0.0 %
100	-	63	2.8 %
112	-	1	0.0 %
120	-	3	0.1 %
125	-	1	0.0 %
126	-	9	0.4 %
130	-	1	0.0 %
142	-	1	0.0 %
150	-	23	1.0 %
158	-	1	0.0 %
160	-	3	0.1 %
170	-	1	0.0 %
174	-	1	0.0 %
180	-	1	0.0 %
189	-	3	0.1 %
194	-	1	0.0 %
200	-	66	2.9 %
210	-	1	0.0 %
221	-	1	0.0 %
250	-	15	0.7 %
253	-	2	0.1 %
280	-	1	0.0 %
290	-	1	0.0 %
300	-	58	2.6 %

Value	Label	Unweighted Frequency	%
315	-	1	0.0 %
316	-	2	0.1 %
344	-	1	0.0 %
350	-	2	0.1 %
379	-	1	0.0 %
380	-	1	0.0 %
400	-	41	1.8 %
419	-	1	0.0 %
450	-	5	0.2 %
484	-	1	0.0 %
<b>Missing Data</b>			
.	-	883	39.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,372 valid cases out of 2,255 total cases.

- Mean: 190.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4000.00
- Standard Deviation: 387.57

*Location:* 1205-1208 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B13\_63: Wheat planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1072	47.5 %
1	Yes	342	15.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1209-1211 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B13\_64: Wheat planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1266	56.1 %
1	Yes	242	10.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	4	0.2 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1212-1214 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### B13\_65: Wheat planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1329	58.9 %
1	Yes	259	11.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	4	0.2 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1215-1217 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### B13\_66: Wheat planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1425	63.2 %
1	Yes	262	11.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	2	0.1 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1218-1220 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B13\_67: Wheat planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1502	66.6 %
1	Yes	263	11.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	3	0.1 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1221-1223 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B13\_68: Wheat planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1568	69.5 %
1	Yes	255	11.3 %
2	Planting by self and some part by other	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Planting by other in rent	3	0.1 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1224-1226 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B13\_69: Wheat planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1657	73.5 %
1	Yes	291	12.9 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	3	0.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1227-1229 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B13\_70: Wheat planting in 2070

Value	Label	Unweighted Frequency	%
0	No	1731	76.8 %
1	Yes	294	13.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	3	0.1 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1230-1232 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B13\_71: Wheat planting in 2071

Value	Label	Unweighted Frequency	%
0	No	1818	80.6 %
1	Yes	357	15.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	5	0.2 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1233-1235 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B13\_72: Wheat planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2244	99.5 %
1	Yes	8	0.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1236-1238 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B13A\_63: Wheat planting land area (Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1239-1239 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B13A\_64: Wheat planting land area (Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	4	0.2 %
1.00	-	13	0.6 %
1.50	-	3	0.1 %
2.00	-	27	1.2 %
2.50	-	2	0.1 %
3.00	-	27	1.2 %
4.00	-	31	1.4 %
4.50	-	1	0.0 %
4.75	-	1	0.0 %
5.00	-	53	2.4 %
6.00	-	10	0.4 %
7.00	-	8	0.4 %
8.00	-	9	0.4 %
9.00	-	5	0.2 %
10.00	-	26	1.2 %
11.00	-	1	0.0 %
12.00	-	1	0.0 %
15.00	-	4	0.2 %
16.00	-	3	0.1 %
17.00	-	2	0.1 %
18.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.00	-	7	0.3 %
21.00	-	1	0.0 %
23.00	-	1	0.0 %
30.00	-	4	0.2 %
40.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2009	89.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 246 valid cases out of 2,255 total cases.

- Mean: 6.41
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 5.82

*Location:* 1240-1244 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13A\_65: Wheat planting land area (Katha) in 2065

Value	Label	Unweighted Frequency	%
0.000000000000	-	4	0.2 %
0.500000000000	-	1	0.0 %
1.000000000000	-	15	0.7 %
1.500000000000	-	3	0.1 %
2.000000000000	-	29	1.3 %
2.500000000000	-	3	0.1 %
3.000000000000	-	31	1.4 %
3.500000000000	-	1	0.0 %
4.000000000000	-	35	1.6 %
4.500000000000	-	1	0.0 %
5.000000000000	-	56	2.5 %
6.000000000000	-	9	0.4 %
6.929999828339	-	1	0.0 %
7.000000000000	-	7	0.3 %
8.000000000000	-	10	0.4 %
9.000000000000	-	5	0.2 %
10.000000000000	-	27	1.2 %
11.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12.00000000000000	-	2	0.1 %
14.00000000000000	-	1	0.0 %
15.00000000000000	-	4	0.2 %
16.00000000000000	-	2	0.1 %
17.00000000000000	-	1	0.0 %
18.00000000000000	-	1	0.0 %
20.00000000000000	-	6	0.3 %
21.00000000000000	-	1	0.0 %
23.00000000000000	-	1	0.0 %
30.00000000000000	-	4	0.2 %
40.00000000000000	-	1	0.0 %
Missing Data			
.	-	1992	88.3 %
Total		2,255	100%

Based upon 263 valid cases out of 2,255 total cases.

- Mean: 6.127110265507
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 5.599504341316

*Location:* 1245-1259 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13A\_66: Wheat planting land area (Katha) in 2066

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.5	-	1	0.0 %
1.0	-	16	0.7 %
1.5	-	3	0.1 %
2.0	-	29	1.3 %
2.5	-	4	0.2 %
3.0	-	29	1.3 %
3.5	-	1	0.0 %
4.0	-	32	1.4 %
4.5	-	1	0.0 %
5.0	-	61	2.7 %

Value	Label	Unweighted Frequency	%
5.5	-	1	0.0 %
6.0	-	11	0.5 %
7.0	-	5	0.2 %
7.5	-	1	0.0 %
8.0	-	10	0.4 %
9.0	-	4	0.2 %
10.0	-	28	1.2 %
11.0	-	1	0.0 %
12.0	-	2	0.1 %
14.0	-	1	0.0 %
15.0	-	4	0.2 %
16.0	-	2	0.1 %
17.0	-	1	0.0 %
18.0	-	1	0.0 %
20.0	-	6	0.3 %
21.0	-	1	0.0 %
23.0	-	1	0.0 %
30.0	-	4	0.2 %
40.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	1991	88.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 264 valid cases out of 2,255 total cases.

- Mean: 6.16
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 5.57

*Location:* 1260-1263 (*width:* 4; *decimal:* 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13A\_67: Wheat planting land area (Katha) in 2067

Value	Label	Unweighted Frequency	%
0.000000000000	-	3	0.1 %
0.500000000000	-	1	0.0 %
1.000000000000	-	14	0.6 %
1.500000000000	-	5	0.2 %

Value	Label	Unweighted Frequency	%
2.00000000000000	-	29	1.3 %
2.50000000000000	-	4	0.2 %
3.00000000000000	-	34	1.5 %
3.50000000000000	-	1	0.0 %
4.00000000000000	-	32	1.4 %
4.50000000000000	-	2	0.1 %
5.00000000000000	-	54	2.4 %
5.50000000000000	-	1	0.0 %
6.00000000000000	-	10	0.4 %
6.929999828339	-	1	0.0 %
7.00000000000000	-	5	0.2 %
7.50000000000000	-	1	0.0 %
8.00000000000000	-	11	0.5 %
9.00000000000000	-	3	0.1 %
10.00000000000000	-	25	1.1 %
11.00000000000000	-	1	0.0 %
12.00000000000000	-	3	0.1 %
14.00000000000000	-	2	0.1 %
15.00000000000000	-	3	0.1 %
16.00000000000000	-	1	0.0 %
18.00000000000000	-	2	0.1 %
19.00000000000000	-	1	0.0 %
20.00000000000000	-	7	0.3 %
20.049999237061	-	1	0.0 %
21.00000000000000	-	1	0.0 %
23.00000000000000	-	1	0.0 %
26.00000000000000	-	1	0.0 %
30.00000000000000	-	4	0.2 %
38.00000000000000	-	1	0.0 %
40.00000000000000	-	1	0.0 %
	Missing Data		
.	-	1989	88.2 %
	Total	2,255	100%

Based upon 266 valid cases out of 2,255 total cases.

- Mean: 6.396541349870
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000

- Maximum: 40.000000000000
- Standard Deviation: 6.163553923664

*Location:* 1264-1278 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13A\_68: Wheat planting land area (Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00	-	3	0.1 %
0.50	-	1	0.0 %
1.00	-	14	0.6 %
1.50	-	6	0.3 %
2.00	-	29	1.3 %
2.50	-	4	0.2 %
2.75	-	1	0.0 %
3.00	-	28	1.2 %
4.00	-	30	1.3 %
4.50	-	2	0.1 %
5.00	-	61	2.7 %
5.50	-	1	0.0 %
6.00	-	9	0.4 %
7.00	-	7	0.3 %
7.50	-	1	0.0 %
8.00	-	10	0.4 %
8.50	-	1	0.0 %
9.00	-	4	0.2 %
10.00	-	20	0.9 %
11.00	-	2	0.1 %
12.00	-	1	0.0 %
13.00	-	1	0.0 %
14.00	-	2	0.1 %
15.00	-	2	0.1 %
16.00	-	2	0.1 %
18.00	-	3	0.1 %
20.00	-	5	0.2 %
21.00	-	1	0.0 %
23.00	-	1	0.0 %
25.00	-	1	0.0 %
26.00	-	1	0.0 %
30.00	-	3	0.1 %
38.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1997	88.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 258 valid cases out of 2,255 total cases.

- Mean: 6.07
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 38.00
- Standard Deviation: 5.60

*Location:* 1279-1283 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13A\_69: Wheat planting land area (Katha) in 2069

Value	Label	Unweighted Frequency	%
0.000000000000	-	3	0.1 %
0.500000000000	-	2	0.1 %
1.000000000000	-	18	0.8 %
1.500000000000	-	5	0.2 %
2.000000000000	-	39	1.7 %
2.500000000000	-	2	0.1 %
3.000000000000	-	38	1.7 %
4.000000000000	-	31	1.4 %
4.500000000000	-	1	0.0 %
5.000000000000	-	59	2.6 %
6.000000000000	-	12	0.5 %
6.929999828339	-	1	0.0 %
7.000000000000	-	9	0.4 %
7.500000000000	-	1	0.0 %
8.000000000000	-	11	0.5 %
8.500000000000	-	1	0.0 %
9.000000000000	-	5	0.2 %
10.000000000000	-	26	1.2 %
11.000000000000	-	1	0.0 %
11.500000000000	-	1	0.0 %
12.000000000000	-	3	0.1 %
13.000000000000	-	2	0.1 %
14.000000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
15.0000000000000	-	3	0.1 %
16.0000000000000	-	1	0.0 %
18.0000000000000	-	3	0.1 %
20.0000000000000	-	7	0.3 %
21.0000000000000	-	1	0.0 %
25.0000000000000	-	1	0.0 %
26.0000000000000	-	1	0.0 %
30.0000000000000	-	3	0.1 %
38.0000000000000	-	1	0.0 %
	Missing Data		
.	-	1961	87.0 %
	Total	2,255	100%

Based upon 294 valid cases out of 2,255 total cases.

- Mean: 6.004863944994
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 38.000000000000
- Standard Deviation: 5.446954230568

*Location:* 1284-1298 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B13A\_70: Wheat planting land area (Katha) in 2070

Value	Label	Unweighted Frequency	%
0.0	-	3	0.1 %
0.5	-	3	0.1 %
1.0	-	24	1.1 %
1.5	-	5	0.2 %
2.0	-	42	1.9 %
2.5	-	4	0.2 %
3.0	-	32	1.4 %
4.0	-	34	1.5 %
5.0	-	55	2.4 %
6.0	-	10	0.4 %
7.0	-	10	0.4 %
7.5	-	1	0.0 %
8.0	-	7	0.3 %

Value	Label	Unweighted Frequency	%
9.0	-	5	0.2 %
10.0	-	30	1.3 %
11.0	-	2	0.1 %
12.0	-	5	0.2 %
13.0	-	2	0.1 %
15.0	-	6	0.3 %
16.0	-	2	0.1 %
18.0	-	2	0.1 %
20.0	-	7	0.3 %
22.0	-	1	0.0 %
28.0	-	1	0.0 %
30.0	-	3	0.1 %
45.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	1958	86.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 297 valid cases out of 2,255 total cases.

- Mean: 5.94
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 5.61

*Location:* 1299-1302 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13A\_71: Wheat planting land area (Katha) in 2071

Value	Label	Unweighted Frequency	%
0.000000000000	-	5	0.2 %
0.500000000000	-	3	0.1 %
1.000000000000	-	28	1.2 %
1.500000000000	-	9	0.4 %
2.000000000000	-	47	2.1 %
2.500000000000	-	6	0.3 %
2.750000000000	-	1	0.0 %
3.000000000000	-	39	1.7 %
3.500000000000	-	2	0.1 %
4.000000000000	-	37	1.6 %

Value	Label	Unweighted Frequency	%
4.349999904633	-	1	0.0 %
4.5000000000000	-	2	0.1 %
5.0000000000000	-	63	2.8 %
5.5000000000000	-	1	0.0 %
6.0000000000000	-	13	0.6 %
6.929999828339	-	1	0.0 %
7.0000000000000	-	16	0.7 %
7.5000000000000	-	1	0.0 %
8.0000000000000	-	16	0.7 %
9.0000000000000	-	7	0.3 %
10.0000000000000	-	30	1.3 %
11.0000000000000	-	1	0.0 %
12.0000000000000	-	7	0.3 %
13.0000000000000	-	4	0.2 %
14.0000000000000	-	1	0.0 %
15.0000000000000	-	4	0.2 %
16.0000000000000	-	1	0.0 %
18.0000000000000	-	1	0.0 %
20.0000000000000	-	10	0.4 %
22.0000000000000	-	1	0.0 %
25.0000000000000	-	1	0.0 %
30.0000000000000	-	3	0.1 %
	Missing Data		
.	-	1893	83.9 %
	Total	2,255	100%

Based upon 362 valid cases out of 2,255 total cases.

- Mean: 5.657541435726
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 30.000000000000
- Standard Deviation: 4.870823109179

*Location:* 1303-1317 (*width:* 15; *decimal:* 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B13A\_72: Wheat planting land area (Katha) in 2072

Value	Label	Unweighted Frequency	%
1.5	-	2	0.1 %
2.0	-	1	0.0 %
2.5	-	1	0.0 %
3.0	-	2	0.1 %
5.0	-	2	0.1 %
<b>Missing Data</b>			
.	-	2247	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 8 valid cases out of 2,255 total cases.

- Mean: 2.94
- Median: 2.75
- Minimum: 1.50
- Maximum: 5.00
- Standard Deviation: 1.40

*Location:* 1318-1320 (width: 3; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13B\_63: Production of wheat (in KG) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1321-1321 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13B\_64: Production of wheat (in KG) in 2064

Value	Label	Unweighted Frequency	%
22	-	2	0.1 %
26	-	2	0.1 %
32	-	3	0.1 %
34	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
45	-	1	0.0 %
48	-	2	0.1 %

Value	Label	Unweighted Frequency	%
50	-	5	0.2 %
51	-	5	0.2 %
55	-	1	0.0 %
58	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
63	-	9	0.4 %
66	-	1	0.0 %
67	-	1	0.0 %
73	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
80	-	2	0.1 %
85	-	1	0.0 %
90	-	1	0.0 %
93	-	1	0.0 %
95	-	6	0.3 %
96	-	5	0.2 %
99	-	1	0.0 %
100	-	16	0.7 %
112	-	1	0.0 %
115	-	1	0.0 %
125	-	1	0.0 %
127	-	11	0.5 %
137	-	1	0.0 %
149	-	1	0.0 %
150	-	6	0.3 %
158	-	4	0.2 %
160	-	1	0.0 %
180	-	1	0.0 %
189	-	1	0.0 %
190	-	7	0.3 %
200	-	27	1.2 %
206	-	1	0.0 %
220	-	1	0.0 %
222	-	3	0.1 %
238	-	1	0.0 %
250	-	7	0.3 %
253	-	8	0.4 %

Value	Label	Unweighted Frequency	%
275	-	1	0.0 %
280	-	1	0.0 %
300	-	19	0.8 %
	<b>Missing Data</b>		
.	-	2009	89.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 246 valid cases out of 2,255 total cases.

- Mean: 303.51
- Median: 200.00
- Mode: 200.00
- Minimum: 22.00
- Maximum: 3500.00
- Standard Deviation: 374.18

*Location:* 1322-1325 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13B\_65: Production of wheat (in KG) in 2065

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
24	-	1	0.0 %
26	-	2	0.1 %
29	-	1	0.0 %
32	-	2	0.1 %
35	-	2	0.1 %
36	-	1	0.0 %
38	-	3	0.1 %
42	-	1	0.0 %
48	-	10	0.4 %
50	-	5	0.2 %
51	-	2	0.1 %
58	-	1	0.0 %
60	-	1	0.0 %
63	-	3	0.1 %
64	-	1	0.0 %
65	-	3	0.1 %
68	-	1	0.0 %

Value	Label	Unweighted Frequency	%
70	-	2	0.1 %
79	-	2	0.1 %
80	-	2	0.1 %
83	-	1	0.0 %
90	-	2	0.1 %
93	-	2	0.1 %
95	-	5	0.2 %
96	-	1	0.0 %
99	-	1	0.0 %
100	-	14	0.6 %
105	-	1	0.0 %
109	-	1	0.0 %
110	-	1	0.0 %
116	-	1	0.0 %
118	-	1	0.0 %
120	-	1	0.0 %
127	-	14	0.6 %
137	-	1	0.0 %
143	-	1	0.0 %
150	-	14	0.6 %
158	-	4	0.2 %
165	-	1	0.0 %
166	-	1	0.0 %
175	-	1	0.0 %
190	-	11	0.5 %
192	-	1	0.0 %
194	-	1	0.0 %
200	-	20	0.9 %
210	-	1	0.0 %
222	-	2	0.1 %
225	-	1	0.0 %
240	-	1	0.0 %
<b>Missing Data</b>			
.	-	1992	88.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 263 valid cases out of 2,255 total cases.

- Mean: 282.18
- Median: 200.00
- Mode: 200.00
- Minimum: 16.00
- Maximum: 3300.00
- Standard Deviation: 334.98

*Location:* 1326-1329 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13B\_66: Production of wheat (in KG) in 2006

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
19	-	2	0.1 %
26	-	2	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
35	-	2	0.1 %
38	-	4	0.2 %
41	-	1	0.0 %
45	-	1	0.0 %
48	-	3	0.1 %
49	-	1	0.0 %
50	-	5	0.2 %
51	-	3	0.1 %
54	-	3	0.1 %
55	-	2	0.1 %
58	-	2	0.1 %
60	-	2	0.1 %
61	-	1	0.0 %
63	-	4	0.2 %
64	-	1	0.0 %
65	-	1	0.0 %
76	-	1	0.0 %
79	-	1	0.0 %
80	-	2	0.1 %
88	-	1	0.0 %
90	-	3	0.1 %
93	-	1	0.0 %
95	-	5	0.2 %
96	-	3	0.1 %

Value	Label	Unweighted Frequency	%
100	-	16	0.7 %
102	-	1	0.0 %
110	-	1	0.0 %
111	-	1	0.0 %
112	-	1	0.0 %
119	-	1	0.0 %
120	-	1	0.0 %
121	-	1	0.0 %
127	-	9	0.4 %
130	-	1	0.0 %
143	-	1	0.0 %
150	-	8	0.4 %
158	-	4	0.2 %
160	-	1	0.0 %
170	-	1	0.0 %
175	-	1	0.0 %
177	-	1	0.0 %
180	-	1	0.0 %
190	-	12	0.5 %
195	-	1	0.0 %
<b>Missing Data</b>			
.	-	1991	88.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264 valid cases out of 2,255 total cases.

- Mean: 283.44
- Median: 200.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 3200.00
- Standard Deviation: 337.56

*Location:* 1330-1333 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B13B\_67: Production of wheat (in KG) in 2067

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
16	-	1	0.0 %
22	-	2	0.1 %
23	-	1	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
38	-	4	0.2 %
40	-	3	0.1 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	5	0.2 %
50	-	6	0.3 %
53	-	1	0.0 %
54	-	1	0.0 %
60	-	5	0.2 %
61	-	1	0.0 %
63	-	4	0.2 %
65	-	1	0.0 %
70	-	1	0.0 %
76	-	1	0.0 %
80	-	2	0.1 %
90	-	3	0.1 %
95	-	7	0.3 %
96	-	1	0.0 %
100	-	14	0.6 %
102	-	1	0.0 %
105	-	1	0.0 %
106	-	1	0.0 %
111	-	2	0.1 %
115	-	1	0.0 %
125	-	1	0.0 %
127	-	10	0.4 %
128	-	1	0.0 %
130	-	1	0.0 %
143	-	3	0.1 %
150	-	10	0.4 %
152	-	1	0.0 %
158	-	3	0.1 %

Value	Label	Unweighted Frequency	%
159	-	2	0.1 %
170	-	2	0.1 %
175	-	1	0.0 %
176	-	1	0.0 %
180	-	1	0.0 %
190	-	8	0.4 %
198	-	1	0.0 %
200	-	17	0.8 %
205	-	1	0.0 %
206	-	1	0.0 %
<b>Missing Data</b>			
.	-	1989	88.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 266 valid cases out of 2,255 total cases.

- Mean: 325.82
- Median: 200.00
- Mode: 300.00
- Minimum: 6.00
- Maximum: 4400.00
- Standard Deviation: 453.28

*Location:* 1334-1337 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B13B\_68: Production of wheat (in KG) in 2068

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	2	0.1 %
29	-	1	0.0 %
30	-	3	0.1 %
32	-	4	0.2 %
38	-	2	0.1 %
40	-	2	0.1 %
42	-	2	0.1 %
45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	3	0.1 %
50	-	5	0.2 %
51	-	2	0.1 %
52	-	1	0.0 %
54	-	2	0.1 %
55	-	2	0.1 %
58	-	2	0.1 %
63	-	7	0.3 %
64	-	2	0.1 %
70	-	2	0.1 %
72	-	1	0.0 %
79	-	1	0.0 %
80	-	1	0.0 %
85	-	2	0.1 %
86	-	1	0.0 %
90	-	4	0.2 %
95	-	5	0.2 %
96	-	2	0.1 %
100	-	15	0.7 %
102	-	2	0.1 %
111	-	1	0.0 %
119	-	1	0.0 %
120	-	2	0.1 %
124	-	1	0.0 %
125	-	1	0.0 %
127	-	8	0.4 %
128	-	1	0.0 %
130	-	1	0.0 %
136	-	1	0.0 %
150	-	5	0.2 %
158	-	3	0.1 %
159	-	2	0.1 %
160	-	3	0.1 %
170	-	1	0.0 %
175	-	1	0.0 %
180	-	1	0.0 %
190	-	8	0.4 %
194	-	1	0.0 %
200	-	25	1.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1997	88.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 258 valid cases out of 2,255 total cases.

- Mean: 283.27
- Median: 200.00
- Mode: 200.00
- Minimum: 13.00
- Maximum: 4200.00
- Standard Deviation: 385.56

*Location:* 1338-1341 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13B\_69: Production of wheat (in KG) in 2069

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
5	-	1	0.0 %
10	-	1	0.0 %
16	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
26	-	4	0.2 %
32	-	1	0.0 %
35	-	4	0.2 %
38	-	4	0.2 %
40	-	1	0.0 %
45	-	1	0.0 %
48	-	2	0.1 %
50	-	7	0.3 %
51	-	1	0.0 %
53	-	1	0.0 %
54	-	2	0.1 %
55	-	1	0.0 %
58	-	3	0.1 %
60	-	3	0.1 %
63	-	11	0.5 %

Value	Label	Unweighted Frequency	%
66	-	1	0.0 %
70	-	3	0.1 %
80	-	1	0.0 %
90	-	1	0.0 %
93	-	1	0.0 %
95	-	1	0.0 %
96	-	2	0.1 %
99	-	1	0.0 %
100	-	20	0.9 %
102	-	1	0.0 %
110	-	2	0.1 %
112	-	1	0.0 %
116	-	1	0.0 %
120	-	1	0.0 %
126	-	1	0.0 %
127	-	11	0.5 %
130	-	1	0.0 %
142	-	1	0.0 %
150	-	17	0.8 %
159	-	1	0.0 %
160	-	1	0.0 %
170	-	1	0.0 %
190	-	14	0.6 %
192	-	1	0.0 %
196	-	2	0.1 %
200	-	24	1.1 %
206	-	2	0.1 %
210	-	2	0.1 %
220	-	1	0.0 %
<b>Missing Data</b>			
.	-	1961	87.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 294 valid cases out of 2,255 total cases.

- Mean: 293.53
- Median: 200.00
- Mode: 200.00
- Minimum: 0.00

- Maximum: 2500.00
- Standard Deviation: 347.73

*Location:* 1342-1345 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13B\_70: Production of wheat (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
3	-	1	0.0 %
16	-	1	0.0 %
19	-	2	0.1 %
22	-	2	0.1 %
25	-	2	0.1 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	2	0.1 %
32	-	3	0.1 %
38	-	3	0.1 %
42	-	2	0.1 %
45	-	3	0.1 %
48	-	5	0.2 %
50	-	7	0.3 %
51	-	1	0.0 %
52	-	1	0.0 %
55	-	2	0.1 %
58	-	1	0.0 %
60	-	4	0.2 %
61	-	2	0.1 %
63	-	9	0.4 %
65	-	2	0.1 %
70	-	1	0.0 %
72	-	1	0.0 %
75	-	3	0.1 %
80	-	2	0.1 %
90	-	3	0.1 %
95	-	2	0.1 %
96	-	6	0.3 %
100	-	18	0.8 %
110	-	1	0.0 %
111	-	1	0.0 %

Value	Label	Unweighted Frequency	%
115	-	1	0.0 %
120	-	1	0.0 %
126	-	3	0.1 %
127	-	12	0.5 %
150	-	9	0.4 %
158	-	4	0.2 %
159	-	1	0.0 %
160	-	2	0.1 %
166	-	1	0.0 %
181	-	1	0.0 %
189	-	1	0.0 %
190	-	9	0.4 %
194	-	1	0.0 %
200	-	30	1.3 %
202	-	1	0.0 %
215	-	3	0.1 %
220	-	1	0.0 %
<b>Missing Data</b>			
.	-	1958	86.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 297 valid cases out of 2,255 total cases.

- Mean: 296.83
- Median: 200.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 380.21

*Location:* 1346-1349 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B13B\_71: Production of wheat (in KG) in 2071

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
3	-	1	0.0 %
6	-	1	0.0 %
10	-	3	0.1 %

Value	Label	Unweighted Frequency	%
13	-	2	0.1 %
15	-	1	0.0 %
16	-	5	0.2 %
19	-	1	0.0 %
25	-	3	0.1 %
26	-	2	0.1 %
30	-	4	0.2 %
32	-	3	0.1 %
33	-	1	0.0 %
35	-	1	0.0 %
38	-	2	0.1 %
40	-	1	0.0 %
45	-	3	0.1 %
48	-	2	0.1 %
50	-	19	0.8 %
51	-	2	0.1 %
58	-	1	0.0 %
60	-	2	0.1 %
63	-	18	0.8 %
64	-	1	0.0 %
70	-	2	0.1 %
75	-	1	0.0 %
80	-	3	0.1 %
82	-	1	0.0 %
95	-	5	0.2 %
96	-	4	0.2 %
100	-	33	1.5 %
105	-	1	0.0 %
109	-	1	0.0 %
112	-	2	0.1 %
120	-	2	0.1 %
125	-	1	0.0 %
126	-	1	0.0 %
127	-	15	0.7 %
128	-	1	0.0 %
143	-	1	0.0 %
144	-	1	0.0 %
150	-	18	0.8 %
158	-	1	0.0 %

Value	Label	Unweighted Frequency	%
160	-	1	0.0 %
170	-	1	0.0 %
174	-	1	0.0 %
190	-	14	0.6 %
192	-	1	0.0 %
200	-	31	1.4 %
220	-	1	0.0 %
<b>Missing Data</b>			
.	-	1893	83.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 362 valid cases out of 2,255 total cases.

- Mean: 249.53
- Median: 190.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 271.39

*Location:* 1350-1353 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13B\_72: Production of wheat (in KG) in 2072

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
63	-	1	0.0 %
100	-	2	0.1 %
125	-	1	0.0 %
127	-	1	0.0 %
300	-	2	0.1 %
<b>Missing Data</b>			
.	-	2247	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 8 valid cases out of 2,255 total cases.

- Mean: 143.38
- Median: 112.50
- Minimum: 32.00
- Maximum: 300.00

- Standard Deviation: 101.63

*Location:* 1354-1356 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13C\_63: Sold wheat (in KG) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1357-1357 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13C\_64: Sold wheat (in KG) in 2064

Value	Label	Unweighted Frequency	%
0	-	137	6.1 %
32	-	1	0.0 %
40	-	1	0.0 %
48	-	1	0.0 %
50	-	2	0.1 %
63	-	3	0.1 %
80	-	1	0.0 %
95	-	1	0.0 %
100	-	20	0.9 %
127	-	4	0.2 %
150	-	11	0.5 %
190	-	2	0.1 %
200	-	12	0.5 %
250	-	4	0.2 %
280	-	1	0.0 %
285	-	1	0.0 %
300	-	8	0.4 %
317	-	3	0.1 %
350	-	1	0.0 %
380	-	1	0.0 %
400	-	7	0.3 %
450	-	1	0.0 %
500	-	4	0.2 %

Value	Label	Unweighted Frequency	%
600	-	4	0.2 %
633	-	1	0.0 %
696	-	1	0.0 %
700	-	1	0.0 %
750	-	1	0.0 %
800	-	3	0.1 %
1000	-	2	0.1 %
1393	-	1	0.0 %
1400	-	1	0.0 %
1500	-	1	0.0 %
1600	-	1	0.0 %
1900	-	1	0.0 %
3300	-	1	0.0 %
<b>Missing Data</b>			
.	-	2009	89.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 246 valid cases out of 2,255 total cases.

- Mean: 158.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3300.00
- Standard Deviation: 346.52

*Location:* 1358-1361 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13C\_65: Sold wheat (in KG) in 2065

Value	Label	Unweighted Frequency	%
0	-	150	6.7 %
32	-	2	0.1 %
48	-	1	0.0 %
50	-	4	0.2 %
63	-	3	0.1 %
90	-	2	0.1 %
100	-	17	0.8 %
127	-	3	0.1 %
150	-	5	0.2 %
158	-	2	0.1 %

Value	Label	Unweighted Frequency	%
160	-	1	0.0 %
190	-	3	0.1 %
200	-	20	0.9 %
250	-	3	0.1 %
253	-	1	0.0 %
270	-	1	0.0 %
285	-	1	0.0 %
300	-	7	0.3 %
350	-	1	0.0 %
380	-	3	0.1 %
400	-	6	0.3 %
425	-	1	0.0 %
430	-	1	0.0 %
500	-	7	0.3 %
506	-	1	0.0 %
550	-	3	0.1 %
600	-	2	0.1 %
696	-	1	0.0 %
700	-	2	0.1 %
800	-	1	0.0 %
823	-	1	0.0 %
850	-	1	0.0 %
900	-	1	0.0 %
1000	-	1	0.0 %
1393	-	1	0.0 %
1400	-	1	0.0 %
2000	-	1	0.0 %
3100	-	1	0.0 %
<b>Missing Data</b>			
.	-	1992	88.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 263 valid cases out of 2,255 total cases.

- Mean: 145.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3100.00
- Standard Deviation: 310.07

*Location:* 1362-1365 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

(Range of) Missing Values: .

### B13C\_66: Sold wheat (in KG) in 2066

Value	Label	Unweighted Frequency	%
0	-	149	6.6 %
48	-	2	0.1 %
50	-	3	0.1 %
60	-	1	0.0 %
63	-	3	0.1 %
80	-	1	0.0 %
100	-	18	0.8 %
127	-	6	0.3 %
130	-	1	0.0 %
150	-	14	0.6 %
180	-	1	0.0 %
200	-	10	0.4 %
220	-	1	0.0 %
222	-	1	0.0 %
250	-	4	0.2 %
280	-	1	0.0 %
300	-	7	0.3 %
317	-	3	0.1 %
320	-	1	0.0 %
350	-	1	0.0 %
380	-	1	0.0 %
400	-	8	0.4 %
440	-	1	0.0 %
443	-	1	0.0 %
450	-	2	0.1 %
500	-	5	0.2 %
600	-	5	0.2 %
700	-	2	0.1 %
760	-	2	0.1 %
800	-	2	0.1 %
1100	-	1	0.0 %
1329	-	1	0.0 %
1400	-	2	0.1 %
1900	-	1	0.0 %
3000	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	1992	88.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 263 valid cases out of 2,255 total cases.

- Mean: 146.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 310.21

*Location:* 1366-1369 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13C\_67: Sold wheat (in KG) in 2067

Value	Label	Unweighted Frequency	%
0	-	151	6.7 %
40	-	1	0.0 %
50	-	3	0.1 %
63	-	2	0.1 %
80	-	1	0.0 %
100	-	13	0.6 %
110	-	1	0.0 %
120	-	1	0.0 %
127	-	1	0.0 %
150	-	9	0.4 %
190	-	4	0.2 %
200	-	14	0.6 %
250	-	9	0.4 %
253	-	3	0.1 %
290	-	1	0.0 %
300	-	5	0.2 %
317	-	2	0.1 %
350	-	3	0.1 %
380	-	2	0.1 %
400	-	7	0.3 %
450	-	2	0.1 %
500	-	9	0.4 %
550	-	3	0.1 %
600	-	1	0.0 %

Value	Label	Unweighted Frequency	%
633	-	1	0.0 %
696	-	1	0.0 %
700	-	2	0.1 %
760	-	1	0.0 %
800	-	1	0.0 %
850	-	1	0.0 %
1000	-	2	0.1 %
1300	-	1	0.0 %
1393	-	1	0.0 %
1500	-	1	0.0 %
1600	-	3	0.1 %
2000	-	1	0.0 %
3200	-	1	0.0 %
4000	-	1	0.0 %
<b>Missing Data</b>			
.	-	1989	88.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 266 valid cases out of 2,255 total cases.

- Mean: 187.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4000.00
- Standard Deviation: 427.82

*Location:* 1370-1373 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B13C\_68: Sold wheat (in KG) in 2068

Value	Label	Unweighted Frequency	%
0	-	150	6.7 %
50	-	2	0.1 %
60	-	1	0.0 %
63	-	1	0.0 %
70	-	1	0.0 %
77	-	1	0.0 %
95	-	1	0.0 %
100	-	14	0.6 %
126	-	1	0.0 %

Value	Label	Unweighted Frequency	%
127	-	5	0.2 %
140	-	1	0.0 %
150	-	7	0.3 %
160	-	1	0.0 %
170	-	1	0.0 %
175	-	1	0.0 %
190	-	1	0.0 %
200	-	24	1.1 %
250	-	7	0.3 %
253	-	2	0.1 %
300	-	5	0.2 %
350	-	2	0.1 %
380	-	1	0.0 %
400	-	4	0.2 %
443	-	1	0.0 %
470	-	1	0.0 %
500	-	7	0.3 %
600	-	4	0.2 %
696	-	1	0.0 %
700	-	2	0.1 %
1100	-	2	0.1 %
1300	-	2	0.1 %
1329	-	1	0.0 %
1400	-	1	0.0 %
1800	-	1	0.0 %
3800	-	1	0.0 %
<b>Missing Data</b>			
.	-	1997	88.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 258 valid cases out of 2,255 total cases.

- Mean: 146.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3800.00
- Standard Deviation: 343.46

*Location:* 1374-1377 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13C\_69: Sold wheat (in KG) in 2069

Value	Label	Unweighted Frequency	%
0	-	170	7.5 %
48	-	1	0.0 %
50	-	2	0.1 %
60	-	1	0.0 %
64	-	1	0.0 %
74	-	1	0.0 %
80	-	1	0.0 %
95	-	2	0.1 %
100	-	18	0.8 %
110	-	1	0.0 %
126	-	1	0.0 %
127	-	2	0.1 %
150	-	9	0.4 %
158	-	2	0.1 %
190	-	2	0.1 %
200	-	18	0.8 %
220	-	1	0.0 %
222	-	2	0.1 %
250	-	5	0.2 %
265	-	1	0.0 %
300	-	8	0.4 %
313	-	1	0.0 %
317	-	3	0.1 %
380	-	1	0.0 %
400	-	6	0.3 %
450	-	1	0.0 %
480	-	1	0.0 %
500	-	9	0.4 %
550	-	1	0.0 %
600	-	7	0.3 %
696	-	1	0.0 %
750	-	1	0.0 %
760	-	1	0.0 %
850	-	1	0.0 %
900	-	1	0.0 %
1000	-	1	0.0 %
1100	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1139	-	1	0.0 %
1393	-	1	0.0 %
1400	-	1	0.0 %
1500	-	1	0.0 %
2000	-	3	0.1 %
<b>Missing Data</b>			
.	-	1962	87.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 293 valid cases out of 2,255 total cases.

- Mean: 153.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 307.11

*Location:* 1378-1381 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13C\_70: Sold wheat (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	167	7.4 %
32	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	4	0.2 %
60	-	1	0.0 %
63	-	2	0.1 %
70	-	1	0.0 %
75	-	2	0.1 %
95	-	1	0.0 %
97	-	1	0.0 %
100	-	20	0.9 %
127	-	2	0.1 %
140	-	1	0.0 %
150	-	3	0.1 %
165	-	1	0.0 %
170	-	2	0.1 %
189	-	1	0.0 %

Value	Label	Unweighted Frequency	%
190	-	1	0.0 %
200	-	19	0.8 %
250	-	3	0.1 %
258	-	1	0.0 %
260	-	1	0.0 %
300	-	9	0.4 %
310	-	1	0.0 %
317	-	3	0.1 %
350	-	1	0.0 %
400	-	9	0.4 %
443	-	1	0.0 %
450	-	7	0.3 %
500	-	4	0.2 %
600	-	6	0.3 %
620	-	1	0.0 %
700	-	2	0.1 %
760	-	1	0.0 %
800	-	3	0.1 %
850	-	1	0.0 %
1000	-	1	0.0 %
1139	-	1	0.0 %
1393	-	1	0.0 %
1400	-	1	0.0 %
1500	-	1	0.0 %
1900	-	1	0.0 %
2000	-	1	0.0 %
2300	-	1	0.0 %
3000	-	1	0.0 %
<b>Missing Data</b>			
.	-	1960	86.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 295 valid cases out of 2,255 total cases.

- Mean: 164.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 350.54

*Location:* 1382-1385 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

(Range of) Missing Values: .

---

### B13C\_71: Sold wheat (in KG) in 2071

Value	Label	Unweighted Frequency	%
0	-	217	9.6 %
25	-	3	0.1 %
35	-	1	0.0 %
40	-	1	0.0 %
50	-	7	0.3 %
60	-	1	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
80	-	1	0.0 %
94	-	1	0.0 %
100	-	21	0.9 %
110	-	1	0.0 %
127	-	2	0.1 %
138	-	1	0.0 %
150	-	9	0.4 %
170	-	2	0.1 %
180	-	1	0.0 %
190	-	2	0.1 %
200	-	18	0.8 %
250	-	2	0.1 %
253	-	2	0.1 %
300	-	16	0.7 %
312	-	1	0.0 %
380	-	1	0.0 %
400	-	12	0.5 %
419	-	1	0.0 %
450	-	2	0.1 %
500	-	10	0.4 %
550	-	2	0.1 %
600	-	6	0.3 %
650	-	1	0.0 %
700	-	3	0.1 %
760	-	1	0.0 %
1000	-	2	0.1 %
1139	-	1	0.0 %
1200	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1400	-	1	0.0 %
1456	-	1	0.0 %
1500	-	1	0.0 %
2000	-	1	0.0 %
<b>Missing Data</b>			
.	-	1896	84.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 359 valid cases out of 2,255 total cases.

- Mean: 127.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2000.00
- Standard Deviation: 252.33

*Location:* 1386-1389 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B13C\_72: Sold wheat (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	6	0.3 %
95	-	1	0.0 %
150	-	1	0.0 %
<b>Missing Data</b>			
.	-	2247	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 8 valid cases out of 2,255 total cases.

- Mean: 30.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 58.58

*Location:* 1390-1392 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14\_63: Mustard planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1128	50.0 %
1	Yes	286	12.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	841	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1393-1395 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B14\_64: Mustard planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1194	52.9 %
1	Yes	314	13.9 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	4	0.2 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1396-1398 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B14\_65: Mustard planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1260	55.9 %
1	Yes	328	14.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	4	0.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1399-1401 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B14\_66: Mustard planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1341	59.5 %
1	Yes	342	15.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	6	0.3 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1402-1404 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B14\_67: Mustard planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1412	62.6 %
1	Yes	350	15.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	6	0.3 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1405-1407 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B14\_68: Mustard planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1450	64.3 %
1	Yes	371	16.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	5	0.2 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1408-1410 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B14\_69: Mustard planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1521	67.5 %
1	Yes	425	18.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	5	0.2 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1411-1413 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998, 999, .

---

## B14\_70: Mustard planting in 2070

Value	Label	Unweighted Frequency	%
0	No	1484	65.8 %
1	Yes	537	23.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	7	0.3 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1414-1416 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998, 999

---

## B14\_71: Mustard planting in 2071

Value	Label	Unweighted Frequency	%
0	No	1551	68.8 %
1	Yes	621	27.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	8	0.4 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1417-1419 (width: 3; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 998 , 999

## B14\_72: Mustard planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2243	99.5 %
1	Yes	8	0.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1420-1422 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999

## B14A\_63: Mustard planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

Location: 1423-1423 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

## B14A\_64: Mustard planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.000000000000	-	3	0.1 %
1.000000000000	-	9	0.4 %
1.500000000000	-	4	0.2 %
2.000000000000	-	21	0.9 %
2.500000000000	-	2	0.1 %
2.54999995232	-	1	0.0 %
2.750000000000	-	1	0.0 %
3.000000000000	-	27	1.2 %
3.500000000000	-	5	0.2 %

Value	Label	Unweighted Frequency	%
4.000000000000	-	31	1.4 %
4.34999990464	-	1	0.0 %
4.500000000000	-	1	0.0 %
5.000000000000	-	34	1.5 %
6.000000000000	-	19	0.8 %
6.500000000000	-	1	0.0 %
7.000000000000	-	23	1.0 %
8.000000000000	-	25	1.1 %
8.30000019074	-	1	0.0 %
8.500000000000	-	1	0.0 %
9.000000000000	-	9	0.4 %
10.000000000000	-	32	1.4 %
10.14999961854	-	1	0.0 %
11.000000000000	-	1	0.0 %
12.000000000000	-	10	0.4 %
13.000000000000	-	4	0.2 %
14.000000000000	-	6	0.3 %
15.000000000000	-	9	0.4 %
15.14999961854	-	1	0.0 %
16.000000000000	-	2	0.1 %
17.000000000000	-	3	0.1 %
17.500000000000	-	1	0.0 %
18.000000000000	-	2	0.1 %
18.500000000000	-	1	0.0 %
20.000000000000	-	11	0.5 %
21.000000000000	-	1	0.0 %
22.000000000000	-	2	0.1 %
27.000000000000	-	1	0.0 %
28.000000000000	-	1	0.0 %
29.000000000000	-	1	0.0 %
30.000000000000	-	3	0.1 %
40.000000000000	-	4	0.2 %
74.000000000000	-	1	0.0 %
109.000000000000	-	1	0.0 %
	Missing Data		
.	-	1937	85.9 %
	Total	2,255	100%

Based upon 318 valid cases out of 2,255 total cases.

- Mean: 8.65487421159
- Median: 6.25000000000
- Mode: 5.00000000000
- Minimum: 0.00000000000
- Maximum: 109.00000000000
- Standard Deviation: 9.49631257344

*Location:* 1424-1438 (width: 15; decimal: 11)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14A\_65: Mustard planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.0000000000000	-	3	0.1 %
1.0000000000000	-	11	0.5 %
1.5000000000000	-	3	0.1 %
2.0000000000000	-	24	1.1 %
2.5000000000000	-	3	0.1 %
2.549999952316	-	1	0.0 %
2.7500000000000	-	1	0.0 %
3.0000000000000	-	27	1.2 %
3.5000000000000	-	5	0.2 %
4.0000000000000	-	33	1.5 %
4.349999904633	-	1	0.0 %
4.5000000000000	-	1	0.0 %
5.0000000000000	-	36	1.6 %
5.5000000000000	-	1	0.0 %
6.0000000000000	-	18	0.8 %
6.300000190735	-	1	0.0 %
6.5000000000000	-	1	0.0 %
7.0000000000000	-	25	1.1 %
8.0000000000000	-	26	1.2 %
8.5000000000000	-	1	0.0 %
9.0000000000000	-	9	0.4 %
10.0000000000000	-	34	1.5 %
10.149999618530	-	1	0.0 %
11.0000000000000	-	2	0.1 %
12.0000000000000	-	10	0.4 %
13.0000000000000	-	4	0.2 %
14.0000000000000	-	5	0.2 %
15.0000000000000	-	11	0.5 %

Value	Label	Unweighted Frequency	%
15.149999618530	-	1	0.0 %
16.0000000000000	-	2	0.1 %
17.0000000000000	-	3	0.1 %
17.5000000000000	-	1	0.0 %
18.0000000000000	-	1	0.0 %
18.5000000000000	-	1	0.0 %
20.0000000000000	-	9	0.4 %
21.0000000000000	-	1	0.0 %
22.0000000000000	-	2	0.1 %
27.0000000000000	-	1	0.0 %
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
30.0000000000000	-	3	0.1 %
39.0000000000000	-	1	0.0 %
40.0000000000000	-	5	0.2 %
74.0000000000000	-	1	0.0 %
Missing Data			
.	-	1923	85.3 %
	Total	2,255	100%

Based upon 332 valid cases out of 2,255 total cases.

- Mean: 8.306475901460
- Median: 6.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 74.000000000000
- Standard Deviation: 7.854086351644

*Location:* 1439-1453 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### B14A\_66: Mustard planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.000000000000	-	5	0.2 %
0.500000000000	-	2	0.1 %
1.000000000000	-	11	0.5 %
1.500000000000	-	3	0.1 %
2.000000000000	-	26	1.2 %
2.500000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
2.549999952316	-	1	0.0 %
2.7500000000000	-	1	0.0 %
3.0000000000000	-	30	1.3 %
3.5000000000000	-	5	0.2 %
4.0000000000000	-	34	1.5 %
4.349999904633	-	1	0.0 %
4.5000000000000	-	1	0.0 %
5.0000000000000	-	36	1.6 %
5.5000000000000	-	1	0.0 %
6.0000000000000	-	21	0.9 %
6.2500000000000	-	1	0.0 %
6.300000190735	-	1	0.0 %
6.5000000000000	-	1	0.0 %
7.0000000000000	-	25	1.1 %
8.0000000000000	-	24	1.1 %
8.5000000000000	-	1	0.0 %
9.0000000000000	-	10	0.4 %
10.0000000000000	-	37	1.6 %
10.149999618530	-	1	0.0 %
11.0000000000000	-	2	0.1 %
12.0000000000000	-	10	0.4 %
13.0000000000000	-	3	0.1 %
14.0000000000000	-	5	0.2 %
15.0000000000000	-	11	0.5 %
15.149999618530	-	1	0.0 %
16.0000000000000	-	2	0.1 %
17.0000000000000	-	4	0.2 %
17.5000000000000	-	1	0.0 %
18.0000000000000	-	1	0.0 %
18.5000000000000	-	1	0.0 %
20.0000000000000	-	9	0.4 %
21.0000000000000	-	1	0.0 %
22.0000000000000	-	2	0.1 %
27.0000000000000	-	1	0.0 %
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
30.0000000000000	-	4	0.2 %
40.0000000000000	-	5	0.2 %
74.0000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	1907	84.6 %
	Total	2,255	100%

Based upon 348 valid cases out of 2,255 total cases.

- Mean: 8.097701147370
- Median: 6.000000000000
- Mode: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 74.000000000000
- Standard Deviation: 7.678089856593

*Location:* 1454-1468 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### B14A\_67: Mustard planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.000000000000	-	5	0.2 %
0.500000000000	-	1	0.0 %
1.000000000000	-	11	0.5 %
1.500000000000	-	4	0.2 %
2.000000000000	-	34	1.5 %
2.500000000000	-	4	0.2 %
2.549999952316	-	1	0.0 %
2.750000000000	-	1	0.0 %
3.000000000000	-	31	1.4 %
3.500000000000	-	5	0.2 %
4.000000000000	-	35	1.6 %
4.349999904633	-	1	0.0 %
4.500000000000	-	1	0.0 %
5.000000000000	-	38	1.7 %
5.500000000000	-	1	0.0 %
6.000000000000	-	21	0.9 %
6.250000000000	-	1	0.0 %
6.300000190735	-	1	0.0 %
6.500000000000	-	1	0.0 %
7.000000000000	-	25	1.1 %
8.000000000000	-	25	1.1 %
8.500000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.0000000000000	-	10	0.4 %
10.0000000000000	-	32	1.4 %
10.149999618530	-	1	0.0 %
11.0000000000000	-	2	0.1 %
12.0000000000000	-	9	0.4 %
13.0000000000000	-	3	0.1 %
14.0000000000000	-	6	0.3 %
15.0000000000000	-	12	0.5 %
15.149999618530	-	1	0.0 %
16.0000000000000	-	2	0.1 %
17.0000000000000	-	4	0.2 %
17.5000000000000	-	1	0.0 %
18.0000000000000	-	1	0.0 %
18.5000000000000	-	1	0.0 %
20.0000000000000	-	9	0.4 %
22.0000000000000	-	2	0.1 %
27.0000000000000	-	1	0.0 %
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
30.0000000000000	-	4	0.2 %
40.0000000000000	-	4	0.2 %
74.0000000000000	-	1	0.0 %
	Missing Data		
.	-	1899	84.2 %
	Total	2,255	100%

Based upon 356 valid cases out of 2,255 total cases.

- Mean: 7.776685391249
- Median: 6.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 74.000000000000
- Standard Deviation: 7.442082754425

*Location:* 1469-1483 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

#### B14A\_68: Mustard planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00000000000000	-	4	0.2 %
0.50000000000000	-	1	0.0 %
1.00000000000000	-	11	0.5 %
1.50000000000000	-	4	0.2 %
2.00000000000000	-	35	1.6 %
2.50000000000000	-	5	0.2 %
2.549999952316	-	1	0.0 %
2.75000000000000	-	1	0.0 %
3.00000000000000	-	32	1.4 %
3.50000000000000	-	5	0.2 %
4.00000000000000	-	39	1.7 %
4.25000000000000	-	1	0.0 %
4.349999904633	-	1	0.0 %
4.50000000000000	-	2	0.1 %
5.00000000000000	-	42	1.9 %
5.50000000000000	-	1	0.0 %
6.00000000000000	-	21	0.9 %
6.300000190735	-	1	0.0 %
6.50000000000000	-	1	0.0 %
7.00000000000000	-	29	1.3 %
8.00000000000000	-	27	1.2 %
8.149999618530	-	1	0.0 %
8.50000000000000	-	1	0.0 %
9.00000000000000	-	9	0.4 %
10.00000000000000	-	35	1.6 %
10.149999618530	-	1	0.0 %
11.00000000000000	-	2	0.1 %
12.00000000000000	-	8	0.4 %
13.00000000000000	-	4	0.2 %
14.00000000000000	-	7	0.3 %
15.00000000000000	-	13	0.6 %
16.00000000000000	-	4	0.2 %
17.00000000000000	-	4	0.2 %
17.50000000000000	-	1	0.0 %
18.00000000000000	-	1	0.0 %
18.50000000000000	-	1	0.0 %
20.00000000000000	-	8	0.4 %
22.00000000000000	-	1	0.0 %
27.00000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
30.0000000000000	-	4	0.2 %
40.0000000000000	-	3	0.1 %
74.0000000000000	-	1	0.0 %
	Missing Data		
.	-	1879	83.3 %
	Total	2,255	100%

Based upon 376 valid cases out of 2,255 total cases.

- Mean: 7.586436168310
- Median: 6.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 74.000000000000
- Standard Deviation: 7.040336322021

*Location:* 1484-1498 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### B14A\_69: Mustard planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.000000000000	-	4	0.2 %
0.400000005960	-	1	0.0 %
0.500000000000	-	1	0.0 %
1.000000000000	-	15	0.7 %
1.500000000000	-	8	0.4 %
2.000000000000	-	41	1.8 %
2.400000095367	-	1	0.0 %
2.500000000000	-	4	0.2 %
2.549999952316	-	1	0.0 %
2.750000000000	-	1	0.0 %
3.000000000000	-	35	1.6 %
3.500000000000	-	7	0.3 %
4.000000000000	-	47	2.1 %
4.349999904633	-	1	0.0 %
4.500000000000	-	2	0.1 %
5.000000000000	-	51	2.3 %
5.500000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6.0000000000000	-	25	1.1 %
6.2500000000000	-	1	0.0 %
6.300000190735	-	1	0.0 %
6.5000000000000	-	2	0.1 %
7.0000000000000	-	33	1.5 %
8.0000000000000	-	29	1.3 %
8.149999618530	-	1	0.0 %
8.5000000000000	-	1	0.0 %
9.0000000000000	-	10	0.4 %
10.0000000000000	-	37	1.6 %
10.149999618530	-	1	0.0 %
11.0000000000000	-	2	0.1 %
12.0000000000000	-	8	0.4 %
13.0000000000000	-	3	0.1 %
14.0000000000000	-	7	0.3 %
15.0000000000000	-	14	0.6 %
16.0000000000000	-	4	0.2 %
17.0000000000000	-	4	0.2 %
17.5000000000000	-	1	0.0 %
18.5000000000000	-	1	0.0 %
20.0000000000000	-	8	0.4 %
22.0000000000000	-	4	0.2 %
27.0000000000000	-	2	0.1 %
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
30.0000000000000	-	4	0.2 %
40.0000000000000	-	3	0.1 %
	Missing Data		
.	-	1825	80.9 %
	Total	2,255	100%

Based upon 430 valid cases out of 2,255 total cases.

- Mean: 7.166976742758
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 6.080494640503

Location: 1499-1513 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

## B14A\_70: Mustard planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.000000000000	-	6	0.3 %
0.500000000000	-	2	0.1 %
0.800000011921	-	1	0.0 %
1.000000000000	-	20	0.9 %
1.500000000000	-	6	0.3 %
2.000000000000	-	52	2.3 %
2.400000095367	-	1	0.0 %
2.500000000000	-	6	0.3 %
2.549999952316	-	1	0.0 %
2.750000000000	-	1	0.0 %
3.000000000000	-	57	2.5 %
3.500000000000	-	8	0.4 %
4.000000000000	-	59	2.6 %
4.349999904633	-	1	0.0 %
4.500000000000	-	3	0.1 %
5.000000000000	-	70	3.1 %
5.500000000000	-	2	0.1 %
5.900000095367	-	1	0.0 %
6.000000000000	-	32	1.4 %
6.300000190735	-	1	0.0 %
6.500000000000	-	1	0.0 %
7.000000000000	-	35	1.6 %
8.000000000000	-	36	1.6 %
8.149999618530	-	1	0.0 %
8.500000000000	-	1	0.0 %
9.000000000000	-	11	0.5 %
9.500000000000	-	1	0.0 %
10.000000000000	-	51	2.3 %
10.149999618530	-	1	0.0 %
11.000000000000	-	5	0.2 %
12.000000000000	-	11	0.5 %
13.000000000000	-	3	0.1 %
14.000000000000	-	7	0.3 %
15.000000000000	-	14	0.6 %
16.000000000000	-	4	0.2 %
17.000000000000	-	5	0.2 %

Value	Label	Unweighted Frequency	%
17.5000000000000	-	1	0.0 %
18.5000000000000	-	1	0.0 %
20.0000000000000	-	11	0.5 %
21.0000000000000	-	1	0.0 %
22.0000000000000	-	1	0.0 %
27.0000000000000	-	2	0.1 %
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
30.0000000000000	-	5	0.2 %
40.0000000000000	-	3	0.1 %
	Missing Data		
.	-	1711	75.9 %
	Total	2,255	100%

Based upon 544 valid cases out of 2,255 total cases.

- Mean: 6.844393381411
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 5.743963184751

Location: 1514-1528 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

#### B14A\_71: Mustard planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.000000000000	-	7	0.3 %
0.400000005960	-	1	0.0 %
0.600000023842	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.000000000000	-	23	1.0 %
1.500000000000	-	13	0.6 %
2.000000000000	-	60	2.7 %
2.400000095367	-	1	0.0 %
2.500000000000	-	10	0.4 %
2.549999952316	-	1	0.0 %
2.750000000000	-	2	0.1 %
3.000000000000	-	62	2.7 %

Value	Label	Unweighted Frequency	%
3.50000000000000	-	8	0.4 %
4.00000000000000	-	74	3.3 %
4.34999904633	-	1	0.0 %
4.50000000000000	-	3	0.1 %
5.00000000000000	-	81	3.6 %
5.50000000000000	-	4	0.2 %
5.900000095367	-	1	0.0 %
6.00000000000000	-	40	1.8 %
6.300000190735	-	1	0.0 %
6.50000000000000	-	2	0.1 %
7.00000000000000	-	47	2.1 %
8.00000000000000	-	37	1.6 %
8.149999618530	-	1	0.0 %
8.50000000000000	-	1	0.0 %
9.00000000000000	-	17	0.8 %
9.50000000000000	-	2	0.1 %
10.00000000000000	-	42	1.9 %
10.149999618530	-	1	0.0 %
10.50000000000000	-	1	0.0 %
10.649999618530	-	1	0.0 %
11.00000000000000	-	2	0.1 %
12.00000000000000	-	16	0.7 %
13.00000000000000	-	8	0.4 %
13.50000000000000	-	1	0.0 %
14.00000000000000	-	5	0.2 %
15.00000000000000	-	13	0.6 %
16.00000000000000	-	5	0.2 %
17.00000000000000	-	5	0.2 %
17.50000000000000	-	1	0.0 %
18.00000000000000	-	1	0.0 %
18.50000000000000	-	1	0.0 %
20.00000000000000	-	12	0.5 %
22.00000000000000	-	1	0.0 %
23.00000000000000	-	1	0.0 %
27.00000000000000	-	2	0.1 %
28.00000000000000	-	1	0.0 %
29.00000000000000	-	1	0.0 %
30.00000000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	1626	72.1 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 629 valid cases out of 2,255 total cases.

- Mean: 6.548887121042
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 43.000000000000
- Standard Deviation: 5.499433122666

*Location:* 1529-1543 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14A\_72: Mustard planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
17	-	1	0.0 %
28	-	1	0.0 %
	Missing Data		
.	-	2246	99.6 %
	Total	2,255	100%

Based upon 9 valid cases out of 2,255 total cases.

- Mean: 9.56
- Median: 7.00
- Mode: 5.00
- Minimum: 2.00
- Maximum: 28.00
- Standard Deviation: 8.17

*Location:* 1544-1545 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B14B\_63: Production of mustard (in KG) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-		2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1546-1546 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B14B\_64: Production of mustard (in KG) in 2064

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
6	-	2	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	3	0.1 %
13	-	1	0.0 %
15	-	7	0.3 %
17	-	1	0.0 %
18	-	4	0.2 %
21	-	6	0.3 %
25	-	1	0.0 %
27	-	4	0.2 %
30	-	15	0.7 %
32	-	1	0.0 %
33	-	1	0.0 %
36	-	5	0.2 %
38	-	1	0.0 %
39	-	3	0.1 %
40	-	4	0.2 %
41	-	1	0.0 %
42	-	6	0.3 %
44	-	1	0.0 %
45	-	5	0.2 %
48	-	6	0.3 %
49	-	2	0.1 %
50	-	7	0.3 %

Value	Label	Unweighted Frequency	%
51	-	4	0.2 %
54	-	3	0.1 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	20	0.9 %
61	-	1	0.0 %
66	-	1	0.0 %
69	-	2	0.1 %
70	-	2	0.1 %
72	-	1	0.0 %
75	-	1	0.0 %
80	-	4	0.2 %
81	-	1	0.0 %
84	-	1	0.0 %
90	-	12	0.5 %
96	-	1	0.0 %
100	-	23	1.0 %
110	-	2	0.1 %
120	-	16	0.7 %
130	-	3	0.1 %
135	-	1	0.0 %
140	-	2	0.1 %
150	-	24	1.1 %
<b>Missing Data</b>			
.	-	1937	85.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 318 valid cases out of 2,255 total cases.

- Mean: 153.58
- Median: 100.00
- Mode: 150.00
- Minimum: 3.00
- Maximum: 2400.00
- Standard Deviation: 194.26

*Location:* 1547-1550 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B14B\_65: Production of mustard (in KG) in 2065

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
3	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	3	0.1 %
13	-	2	0.1 %
15	-	6	0.3 %
18	-	7	0.3 %
21	-	2	0.1 %
24	-	5	0.2 %
25	-	1	0.0 %
26	-	1	0.0 %
29	-	1	0.0 %
30	-	8	0.4 %
33	-	7	0.3 %
34	-	1	0.0 %
35	-	3	0.1 %
36	-	8	0.4 %
39	-	4	0.2 %
40	-	2	0.1 %
41	-	1	0.0 %
42	-	1	0.0 %
45	-	9	0.4 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	9	0.4 %
49	-	2	0.1 %
50	-	7	0.3 %
51	-	3	0.1 %
54	-	2	0.1 %
55	-	1	0.0 %
57	-	3	0.1 %
60	-	11	0.5 %
61	-	1	0.0 %
63	-	2	0.1 %
65	-	2	0.1 %

Value	Label	Unweighted Frequency	%
66	-	4	0.2 %
70	-	6	0.3 %
75	-	5	0.2 %
80	-	3	0.1 %
87	-	2	0.1 %
90	-	12	0.5 %
95	-	1	0.0 %
99	-	1	0.0 %
100	-	23	1.0 %
105	-	2	0.1 %
115	-	2	0.1 %
<b>Missing Data</b>			
.	-	1923	85.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 332 valid cases out of 2,255 total cases.

- Mean: 149.77
- Median: 100.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 2400.00
- Standard Deviation: 191.55

*Location:* 1551-1554 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B14B\_66: Production of mustard (in KG) in 2066

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
6	-	2	0.1 %
8	-	1	0.0 %
9	-	5	0.2 %
10	-	1	0.0 %
12	-	2	0.1 %
15	-	5	0.2 %
17	-	1	0.0 %
18	-	4	0.2 %
20	-	4	0.2 %

Value	Label	Unweighted Frequency	%
21	-	3	0.1 %
23	-	2	0.1 %
24	-	3	0.1 %
27	-	6	0.3 %
28	-	1	0.0 %
30	-	7	0.3 %
32	-	1	0.0 %
33	-	2	0.1 %
35	-	4	0.2 %
36	-	3	0.1 %
38	-	2	0.1 %
39	-	3	0.1 %
40	-	2	0.1 %
42	-	5	0.2 %
44	-	1	0.0 %
45	-	12	0.5 %
46	-	1	0.0 %
48	-	2	0.1 %
49	-	1	0.0 %
50	-	9	0.4 %
51	-	6	0.3 %
53	-	1	0.0 %
54	-	4	0.2 %
55	-	3	0.1 %
56	-	1	0.0 %
60	-	20	0.9 %
65	-	4	0.2 %
66	-	2	0.1 %
70	-	3	0.1 %
72	-	1	0.0 %
75	-	2	0.1 %
80	-	4	0.2 %
84	-	3	0.1 %
85	-	1	0.0 %
90	-	17	0.8 %
95	-	1	0.0 %
96	-	1	0.0 %
100	-	22	1.0 %
102	-	1	0.0 %

Value	Label	Unweighted Frequency	%
106	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1907	84.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 348 valid cases out of 2,255 total cases.

- Mean: 150.52
- Median: 100.00
- Mode: 100.00
- Minimum: 3.00
- Maximum: 2460.00
- Standard Deviation: 193.31

*Location:* 1555-1558 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values):* .

### B14B\_67: Production of mustard (in KG) in 2067

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
2	-	1	0.0 %
6	-	3	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	2	0.1 %
10	-	1	0.0 %
12	-	1	0.0 %
15	-	5	0.2 %
18	-	5	0.2 %
20	-	1	0.0 %
21	-	6	0.3 %
22	-	1	0.0 %
24	-	7	0.3 %
25	-	2	0.1 %
27	-	3	0.1 %
30	-	8	0.4 %
33	-	3	0.1 %
36	-	9	0.4 %
39	-	5	0.2 %

Value	Label	Unweighted Frequency	%
40	-	4	0.2 %
42	-	6	0.3 %
43	-	1	0.0 %
45	-	11	0.5 %
46	-	1	0.0 %
47	-	2	0.1 %
48	-	3	0.1 %
49	-	1	0.0 %
50	-	7	0.3 %
51	-	3	0.1 %
52	-	2	0.1 %
54	-	5	0.2 %
55	-	3	0.1 %
56	-	1	0.0 %
60	-	23	1.0 %
63	-	1	0.0 %
65	-	2	0.1 %
66	-	2	0.1 %
68	-	1	0.0 %
75	-	8	0.4 %
80	-	3	0.1 %
85	-	1	0.0 %
87	-	1	0.0 %
90	-	13	0.6 %
93	-	1	0.0 %
95	-	1	0.0 %
100	-	23	1.0 %
105	-	1	0.0 %
110	-	4	0.2 %
120	-	12	0.5 %
<b>Missing Data</b>			
.	-	1899	84.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 356 valid cases out of 2,255 total cases.

- Mean: 147.89
- Median: 100.00

- Mode: 150.00
- Minimum: 0.00
- Maximum: 2400.00
- Standard Deviation: 190.89

*Location:* 1559-1562 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14B\_68: Production of mustard (in KG) in 2068

Value	Label	Unweighted Frequency	%
0	-	4	0.2 %
2	-	2	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	2	0.1 %
8	-	2	0.1 %
9	-	3	0.1 %
10	-	1	0.0 %
12	-	2	0.1 %
15	-	5	0.2 %
17	-	2	0.1 %
18	-	7	0.3 %
21	-	5	0.2 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	3	0.1 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	3	0.1 %
30	-	15	0.7 %
32	-	1	0.0 %
33	-	5	0.2 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	11	0.5 %
38	-	1	0.0 %
39	-	2	0.1 %
40	-	8	0.4 %
42	-	3	0.1 %
45	-	10	0.4 %

Value	Label	Unweighted Frequency	%
48	-	3	0.1 %
50	-	13	0.6 %
51	-	8	0.4 %
52	-	1	0.0 %
54	-	4	0.2 %
55	-	3	0.1 %
57	-	1	0.0 %
60	-	17	0.8 %
62	-	2	0.1 %
65	-	1	0.0 %
70	-	4	0.2 %
75	-	3	0.1 %
80	-	5	0.2 %
81	-	1	0.0 %
84	-	1	0.0 %
85	-	1	0.0 %
87	-	1	0.0 %
90	-	12	0.5 %
96	-	1	0.0 %
<b>Missing Data</b>			
.	-	1879	83.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 376 valid cases out of 2,255 total cases.

- Mean: 130.38
- Median: 98.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 2460.00
- Standard Deviation: 180.92

*Location:* 1563-1566 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B14B\_69: Production of mustard (in KG) in 2069

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
9	-	5	0.2 %
12	-	8	0.4 %
15	-	5	0.2 %
16	-	1	0.0 %
18	-	8	0.4 %
20	-	5	0.2 %
21	-	6	0.3 %
23	-	1	0.0 %
24	-	5	0.2 %
27	-	5	0.2 %
30	-	17	0.8 %
33	-	8	0.4 %
35	-	2	0.1 %
36	-	7	0.3 %
39	-	5	0.2 %
40	-	3	0.1 %
42	-	6	0.3 %
45	-	13	0.6 %
48	-	4	0.2 %
49	-	2	0.1 %
50	-	16	0.7 %
54	-	4	0.2 %
55	-	2	0.1 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	27	1.2 %
63	-	2	0.1 %
65	-	3	0.1 %
66	-	3	0.1 %
67	-	1	0.0 %
69	-	1	0.0 %
70	-	5	0.2 %
72	-	1	0.0 %
75	-	2	0.1 %
80	-	7	0.3 %
81	-	2	0.1 %

Value	Label	Unweighted Frequency	%
84	-	2	0.1 %
90	-	7	0.3 %
93	-	1	0.0 %
95	-	2	0.1 %
100	-	30	1.3 %
105	-	2	0.1 %
110	-	5	0.2 %
114	-	1	0.0 %
115	-	2	0.1 %
<b>Missing Data</b>			
.	-	1825	80.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 430 valid cases out of 2,255 total cases.

- Mean: 134.37
- Median: 100.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 137.21

*Location:* 1567-1569 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### B14B\_70: Production of mustard (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	1	0.0 %
6	-	6	0.3 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	5	0.2 %
10	-	4	0.2 %
12	-	4	0.2 %
13	-	2	0.1 %
14	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15	-	19	0.8 %
18	-	5	0.2 %
20	-	2	0.1 %
21	-	4	0.2 %
24	-	8	0.4 %
25	-	5	0.2 %
27	-	5	0.2 %
28	-	1	0.0 %
30	-	29	1.3 %
32	-	1	0.0 %
33	-	4	0.2 %
35	-	7	0.3 %
36	-	8	0.4 %
39	-	2	0.1 %
40	-	9	0.4 %
41	-	1	0.0 %
42	-	2	0.1 %
45	-	24	1.1 %
48	-	5	0.2 %
50	-	22	1.0 %
51	-	2	0.1 %
52	-	1	0.0 %
54	-	9	0.4 %
55	-	3	0.1 %
57	-	1	0.0 %
60	-	41	1.8 %
61	-	1	0.0 %
63	-	3	0.1 %
65	-	4	0.2 %
66	-	2	0.1 %
68	-	1	0.0 %
70	-	4	0.2 %
72	-	1	0.0 %
75	-	5	0.2 %
78	-	1	0.0 %
80	-	2	0.1 %
81	-	3	0.1 %
85	-	1	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-	-	1711	75.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 544 valid cases out of 2,255 total cases.

- Mean: 122.60
- Median: 76.50
- Mode: 100.00
- Minimum: 0.00
- Maximum: 1150.00
- Standard Deviation: 137.72

*Location:* 1570-1573 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### B14B\_71: Production of mustard (in KG) in 2071

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	1	0.0 %
2	-	3	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	11	0.5 %
8	-	1	0.0 %
9	-	8	0.4 %
11	-	1	0.0 %
12	-	8	0.4 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	17	0.8 %
16	-	2	0.1 %
17	-	1	0.0 %
18	-	18	0.8 %
20	-	6	0.3 %
21	-	11	0.5 %
24	-	5	0.2 %
25	-	5	0.2 %
27	-	5	0.2 %

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
30	-	37	1.6 %
31	-	1	0.0 %
33	-	2	0.1 %
35	-	3	0.1 %
36	-	18	0.8 %
39	-	4	0.2 %
40	-	8	0.4 %
42	-	1	0.0 %
45	-	21	0.9 %
47	-	1	0.0 %
48	-	8	0.4 %
50	-	36	1.6 %
51	-	1	0.0 %
54	-	1	0.0 %
57	-	2	0.1 %
60	-	58	2.6 %
63	-	1	0.0 %
65	-	1	0.0 %
66	-	3	0.1 %
70	-	10	0.4 %
72	-	1	0.0 %
73	-	1	0.0 %
75	-	6	0.3 %
78	-	1	0.0 %
80	-	4	0.2 %
82	-	1	0.0 %
90	-	16	0.7 %
<b>Missing Data</b>			
.	-	1626	72.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 629 valid cases out of 2,255 total cases.

- Mean: 107.53
- Median: 60.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 1200.00

- Standard Deviation: 121.16

*Location:* 1574-1577 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14B\_72: Production of mustard (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
50	-	1	0.0 %
150	-	1	0.0 %
240	-	1	0.0 %
500	-	1	0.0 %
<b>Missing Data</b>			
.	-	2246	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 9 valid cases out of 2,255 total cases.

- Mean: 104.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 171.18

*Location:* 1578-1580 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14C\_63: Sold mustard (in KG) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1581-1581 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14C\_64: Sold mustard (in KG) in 2064

Value	Label	Unweighted Frequency	%
0	-	277	12.3 %
20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25	-	1	0.0 %
50	-	2	0.1 %
60	-	1	0.0 %
75	-	2	0.1 %
100	-	14	0.6 %
120	-	1	0.0 %
150	-	2	0.1 %
180	-	1	0.0 %
200	-	4	0.2 %
250	-	1	0.0 %
300	-	3	0.1 %
400	-	2	0.1 %
450	-	1	0.0 %
500	-	1	0.0 %
600	-	2	0.1 %
700	-	1	0.0 %
2280	-	1	0.0 %
<b>Missing Data</b>			
.	-	1937	85.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 318 valid cases out of 2,255 total cases.

- Mean: 32.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2280.00
- Standard Deviation: 154.80

*Location:* 1582-1585 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B14C\_65: Sold mustard (in KG) in 2065

Value	Label	Unweighted Frequency	%
0	-	290	12.9 %
30	-	1	0.0 %
50	-	2	0.1 %
60	-	1	0.0 %
70	-	1	0.0 %
100	-	5	0.2 %

Value	Label	Unweighted Frequency	%
110	-	1	0.0 %
120	-	1	0.0 %
150	-	6	0.3 %
200	-	9	0.4 %
210	-	1	0.0 %
250	-	1	0.0 %
300	-	3	0.1 %
400	-	5	0.2 %
500	-	1	0.0 %
700	-	1	0.0 %
900	-	1	0.0 %
2280	-	1	0.0 %
<b>Missing Data</b>			
-		1924	85.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 331 valid cases out of 2,255 total cases.

- Mean: 34.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2280.00
- Standard Deviation: 156.83

*Location:* 1586-1589 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B14C\_66: Sold mustard (in KG) in 2066

Value	Label	Unweighted Frequency	%
0	-	305	13.5 %
25	-	1	0.0 %
50	-	4	0.2 %
60	-	2	0.1 %
90	-	2	0.1 %
100	-	6	0.3 %
130	-	1	0.0 %
150	-	4	0.2 %
180	-	1	0.0 %
200	-	9	0.4 %
250	-	1	0.0 %

Value	Label	Unweighted Frequency	%
300	-	5	0.2 %
350	-	3	0.1 %
600	-	2	0.1 %
800	-	1	0.0 %
2340	-	1	0.0 %
<b>Missing Data</b>			
.	-	1907	84.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 348 valid cases out of 2,255 total cases.

- Mean: 31.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2340.00
- Standard Deviation: 151.48

*Location:* 1590-1593 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14C\_67: Sold mustard (in KG) in 2067

Value	Label	Unweighted Frequency	%
0	-	310	13.7 %
50	-	3	0.1 %
60	-	2	0.1 %
100	-	12	0.5 %
120	-	1	0.0 %
150	-	4	0.2 %
200	-	9	0.4 %
210	-	1	0.0 %
250	-	2	0.1 %
300	-	2	0.1 %
400	-	5	0.2 %
500	-	1	0.0 %
700	-	1	0.0 %
800	-	1	0.0 %
2280	-	1	0.0 %
<b>Missing Data</b>			
.	-	1900	84.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 355 valid cases out of 2,255 total cases.

- Mean: 32.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2280.00
- Standard Deviation: 149.85

*Location:* 1594-1597 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B14C\_68: Sold mustard (in KG) in 2068

Value	Label	Unweighted Frequency	%
0	-	333	14.8 %
5	-	1	0.0 %
12	-	1	0.0 %
50	-	6	0.3 %
60	-	2	0.1 %
100	-	8	0.4 %
130	-	1	0.0 %
150	-	3	0.1 %
180	-	1	0.0 %
200	-	7	0.3 %
250	-	1	0.0 %
300	-	4	0.2 %
400	-	1	0.0 %
500	-	1	0.0 %
600	-	1	0.0 %
2340	-	1	0.0 %
<b>Missing Data</b>			
.	-	1883	83.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 372 valid cases out of 2,255 total cases.

- Mean: 23.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2340.00
- Standard Deviation: 137.01

*Location:* 1598-1601 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B14C\_69: Sold mustard (in KG) in 2069

Value	Label	Unweighted Frequency	%
0	-	387	17.2 %
20	-	1	0.0 %
50	-	2	0.1 %
60	-	1	0.0 %
93	-	1	0.0 %
100	-	9	0.4 %
120	-	1	0.0 %
150	-	3	0.1 %
200	-	8	0.4 %
300	-	5	0.2 %
310	-	1	0.0 %
400	-	3	0.1 %
500	-	2	0.1 %
550	-	1	0.0 %
600	-	2	0.1 %
700	-	1	0.0 %
<b>Missing Data</b>			
.	-	1827	81.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 428 valid cases out of 2,255 total cases.

- Mean: 22.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 700.00
- Standard Deviation: 88.23

*Location:* 1602-1604 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B14C\_70: Sold mustard (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	497	22.0 %
31	-	1	0.0 %
50	-	4	0.2 %
100	-	10	0.4 %
120	-	1	0.0 %
150	-	1	0.0 %

Value	Label	Unweighted Frequency	%
200	-	9	0.4 %
250	-	3	0.1 %
300	-	5	0.2 %
310	-	1	0.0 %
350	-	1	0.0 %
400	-	2	0.1 %
500	-	3	0.1 %
800	-	2	0.1 %
1000	-	1	0.0 %
<b>Missing Data</b>			
-		1714	76.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 541 valid cases out of 2,255 total cases.

- Mean: 20.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 91.14

*Location:* 1605-1608 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B14C\_71: Sold mustard (in KG) in 2071

Value	Label	Unweighted Frequency	%
0	-	586	26.0 %
50	-	4	0.2 %
55	-	1	0.0 %
60	-	1	0.0 %
100	-	10	0.4 %
140	-	1	0.0 %
150	-	3	0.1 %
200	-	7	0.3 %
250	-	1	0.0 %
300	-	3	0.1 %
320	-	1	0.0 %
350	-	1	0.0 %
400	-	1	0.0 %
500	-	1	0.0 %

Value	Label	Unweighted Frequency	%
600	-	2	0.1 %
1000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1631	72.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 624 valid cases out of 2,255 total cases.

- Mean: 13.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 70.11

*Location:* 1609-1612 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B14C\_72: Sold mustard (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	4	0.2 %
	<b>Missing Data</b>		
.	-	2251	99.8 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 4 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 1613-1613 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15\_63: Red lentil planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1019	45.2 %
1	Yes	395	17.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
999	Household does not exist	841	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1614-1616 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B15\_64: Red lentil planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1029	45.6 %
1	Yes	477	21.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	6	0.3 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1617-1619 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B15\_65: Red lentil planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1086	48.2 %
1	Yes	500	22.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	6	0.3 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1620-1622 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998, 999, .

---

### B15\_66: Red lentil planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1163	51.6 %
1	Yes	519	23.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	7	0.3 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1623-1625 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998, 999, .

---

### B15\_67: Red lentil planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1218	54.0 %
1	Yes	542	24.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	8	0.4 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1626-1628 (width: 3; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 998 , 999 , .

## B15\_68: Red lentil planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1254	55.6 %
1	Yes	565	25.1 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	7	0.3 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1629-1631 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999 , .

## B15\_69: Red lentil planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1344	59.6 %
1	Yes	599	26.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	8	0.4 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1632-1634 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999 , .

## B15\_70: Red lentil planting in 2070

Value	Label	Unweighted Frequency	%
0	No	1349	59.8 %
1	Yes	668	29.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	11	0.5 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1635-1637 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B15\_71: Red lentil planting in 2071

Value	Label	Unweighted Frequency	%
0	No	1430	63.4 %
1	Yes	738	32.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	12	0.5 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1638-1640 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B15\_72: Red lentil planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2237	99.2 %
1	Yes	15	0.7 %
2	Planting by self and some part by other	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1641-1643 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B15A\_63: Red lentil planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1644-1644 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15A\_64: Red lentil planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00000000000000	-	6	0.3 %
0.25000000000000	-	1	0.0 %
0.50000000000000	-	1	0.0 %
0.600000023842	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.00000000000000	-	38	1.7 %
1.50000000000000	-	9	0.4 %
1.600000023842	-	1	0.0 %
2.00000000000000	-	72	3.2 %
2.25000000000000	-	1	0.0 %
2.400000095367	-	1	0.0 %
2.50000000000000	-	1	0.0 %
3.00000000000000	-	54	2.4 %
3.50000000000000	-	4	0.2 %

Value	Label	Unweighted Frequency	%
4.00000000000000	-	38	1.7 %
4.349999904633	-	1	0.0 %
4.50000000000000	-	5	0.2 %
5.00000000000000	-	68	3.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.00000000000000	-	26	1.2 %
7.00000000000000	-	20	0.9 %
7.50000000000000	-	3	0.1 %
8.00000000000000	-	17	0.8 %
9.00000000000000	-	12	0.5 %
10.00000000000000	-	48	2.1 %
10.50000000000000	-	1	0.0 %
11.00000000000000	-	5	0.2 %
11.50000000000000	-	1	0.0 %
12.00000000000000	-	8	0.4 %
13.00000000000000	-	5	0.2 %
14.00000000000000	-	3	0.1 %
15.00000000000000	-	7	0.3 %
16.00000000000000	-	1	0.0 %
17.00000000000000	-	1	0.0 %
19.00000000000000	-	1	0.0 %
20.00000000000000	-	7	0.3 %
20.299999237061	-	1	0.0 %
23.00000000000000	-	1	0.0 %
24.00000000000000	-	1	0.0 %
25.00000000000000	-	1	0.0 %
27.00000000000000	-	1	0.0 %
28.00000000000000	-	1	0.0 %
29.00000000000000	-	1	0.0 %
29.50000000000000	-	1	0.0 %
35.00000000000000	-	1	0.0 %
40.00000000000000	-	2	0.1 %
53.00000000000000	-	1	0.0 %
	Missing Data		
.	-	1772	78.6 %
	Total	2,255	100%

Based upon 483 valid cases out of 2,255 total cases.

- Mean: 6.016977224414
- Median: 5.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 53.000000000000
- Standard Deviation: 5.792089462372

*Location:* 1645-1659 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15A\_65: Red lentil planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.000000000000	-	6	0.3 %
0.500000000000	-	2	0.1 %
0.600000023842	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.000000000000	-	43	1.9 %
1.500000000000	-	9	0.4 %
1.600000023842	-	1	0.0 %
2.000000000000	-	75	3.3 %
2.250000000000	-	1	0.0 %
2.400000095367	-	1	0.0 %
2.500000000000	-	2	0.1 %
3.000000000000	-	56	2.5 %
3.500000000000	-	4	0.2 %
4.000000000000	-	43	1.9 %
4.349999904633	-	1	0.0 %
4.500000000000	-	5	0.2 %
5.000000000000	-	68	3.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.000000000000	-	30	1.3 %
7.000000000000	-	21	0.9 %
7.500000000000	-	3	0.1 %
8.000000000000	-	19	0.8 %
9.000000000000	-	12	0.5 %
10.000000000000	-	45	2.0 %
10.500000000000	-	1	0.0 %
11.000000000000	-	4	0.2 %
11.500000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12.0000000000000	-	9	0.4 %
13.0000000000000	-	5	0.2 %
14.0000000000000	-	3	0.1 %
15.0000000000000	-	8	0.4 %
16.0000000000000	-	4	0.2 %
17.0000000000000	-	1	0.0 %
19.0000000000000	-	1	0.0 %
20.0000000000000	-	6	0.3 %
20.299999237061	-	1	0.0 %
23.0000000000000	-	1	0.0 %
24.0000000000000	-	1	0.0 %
25.0000000000000	-	1	0.0 %
27.0000000000000	-	1	0.0 %
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
29.5000000000000	-	1	0.0 %
35.0000000000000	-	1	0.0 %
40.0000000000000	-	3	0.1 %
	Missing Data		
.	-	1749	77.6 %
	Total	2,255	100%

Based upon 506 valid cases out of 2,255 total cases.

- Mean: 5.916897232000
- Median: 5.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 5.538588840848

*Location:* 1660-1674 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15A\_66: Red lentil planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.000000000000	-	7	0.3 %
0.500000000000	-	2	0.1 %
0.600000023842	-	1	0.0 %
0.800000011921	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.00000000000000	-	44	2.0 %
1.50000000000000	-	11	0.5 %
1.600000023842	-	1	0.0 %
2.00000000000000	-	76	3.4 %
2.25000000000000	-	1	0.0 %
2.400000095367	-	1	0.0 %
2.50000000000000	-	2	0.1 %
3.00000000000000	-	64	2.8 %
3.50000000000000	-	4	0.2 %
4.00000000000000	-	43	1.9 %
4.349999904633	-	1	0.0 %
4.50000000000000	-	6	0.3 %
5.00000000000000	-	73	3.2 %
5.50000000000000	-	1	0.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.00000000000000	-	30	1.3 %
7.00000000000000	-	23	1.0 %
7.50000000000000	-	3	0.1 %
8.00000000000000	-	18	0.8 %
9.00000000000000	-	16	0.7 %
10.00000000000000	-	45	2.0 %
10.50000000000000	-	1	0.0 %
11.00000000000000	-	5	0.2 %
11.50000000000000	-	1	0.0 %
12.00000000000000	-	8	0.4 %
13.00000000000000	-	4	0.2 %
14.00000000000000	-	1	0.0 %
15.00000000000000	-	6	0.3 %
16.00000000000000	-	3	0.1 %
16.299999237061	-	1	0.0 %
17.00000000000000	-	2	0.1 %
19.00000000000000	-	1	0.0 %
20.00000000000000	-	5	0.2 %
23.00000000000000	-	1	0.0 %
24.00000000000000	-	1	0.0 %
25.00000000000000	-	1	0.0 %
27.00000000000000	-	1	0.0 %
27.299999237061	-	1	0.0 %

Value	Label	Unweighted Frequency	%
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
29.5000000000000	-	1	0.0 %
35.0000000000000	-	1	0.0 %
40.0000000000000	-	3	0.1 %
	Missing Data		
.	-	1729	76.7 %
	Total	2,255	100%

Based upon 526 valid cases out of 2,255 total cases.

- Mean: 5.766634978382
- Median: 4.500000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 5.438399956228

*Location:* 1675-1689 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15A\_67: Red lentil planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.000000000000	-	8	0.4 %
0.500000000000	-	3	0.1 %
0.600000023842	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.000000000000	-	45	2.0 %
1.500000000000	-	10	0.4 %
1.600000023842	-	1	0.0 %
1.750000000000	-	1	0.0 %
2.000000000000	-	81	3.6 %
2.250000000000	-	1	0.0 %
2.400000095367	-	1	0.0 %
2.500000000000	-	4	0.2 %
3.000000000000	-	70	3.1 %
3.500000000000	-	4	0.2 %
4.000000000000	-	43	1.9 %
4.349999904633	-	1	0.0 %
4.500000000000	-	7	0.3 %

Value	Label	Unweighted Frequency	%
5.0000000000000	-	72	3.2 %
5.5000000000000	-	1	0.0 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.0000000000000	-	37	1.6 %
6.7500000000000	-	1	0.0 %
7.0000000000000	-	19	0.8 %
7.5000000000000	-	3	0.1 %
8.0000000000000	-	20	0.9 %
9.0000000000000	-	15	0.7 %
10.0000000000000	-	48	2.1 %
10.5000000000000	-	1	0.0 %
11.0000000000000	-	5	0.2 %
11.5000000000000	-	1	0.0 %
12.0000000000000	-	10	0.4 %
13.0000000000000	-	4	0.2 %
14.0000000000000	-	1	0.0 %
15.0000000000000	-	6	0.3 %
16.0000000000000	-	3	0.1 %
16.299999237061	-	1	0.0 %
17.0000000000000	-	2	0.1 %
19.0000000000000	-	1	0.0 %
20.0000000000000	-	6	0.3 %
23.0000000000000	-	1	0.0 %
24.0000000000000	-	1	0.0 %
25.0000000000000	-	1	0.0 %
27.0000000000000	-	1	0.0 %
27.299999237061	-	1	0.0 %
29.0000000000000	-	1	0.0 %
35.0000000000000	-	1	0.0 %
40.0000000000000	-	2	0.1 %
	Missing Data		
.	-	1705	75.6 %
	Total	2,255	100%

Based upon 550 valid cases out of 2,255 total cases.

- Mean: 5.58499997507
- Median: 4.424999952317

- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 5.019007351047

*Location:* 1690-1704 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15A\_68: Red lentil planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.000000000000	-	7	0.3 %
0.500000000000	-	3	0.1 %
0.600000023842	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.000000000000	-	53	2.4 %
1.500000000000	-	11	0.5 %
1.750000000000	-	1	0.0 %
2.000000000000	-	95	4.2 %
2.250000000000	-	1	0.0 %
2.400000095367	-	1	0.0 %
2.500000000000	-	5	0.2 %
3.000000000000	-	71	3.1 %
3.500000000000	-	4	0.2 %
4.000000000000	-	50	2.2 %
4.349999904633	-	1	0.0 %
4.500000000000	-	8	0.4 %
5.000000000000	-	72	3.2 %
5.800000190735	-	1	0.0 %
5.849999904633	-	1	0.0 %
6.000000000000	-	35	1.6 %
6.599999904633	-	1	0.0 %
6.750000000000	-	1	0.0 %
7.000000000000	-	20	0.9 %
7.500000000000	-	3	0.1 %
8.000000000000	-	20	0.9 %
9.000000000000	-	16	0.7 %
10.000000000000	-	46	2.0 %
10.500000000000	-	1	0.0 %
11.000000000000	-	5	0.2 %
11.500000000000	-	1	0.0 %
12.000000000000	-	10	0.4 %

Value	Label	Unweighted Frequency	%
13.0000000000000	-	3	0.1 %
14.0000000000000	-	1	0.0 %
15.0000000000000	-	7	0.3 %
16.0000000000000	-	1	0.0 %
17.0000000000000	-	2	0.1 %
20.0000000000000	-	5	0.2 %
23.0000000000000	-	1	0.0 %
25.0000000000000	-	1	0.0 %
25.299999237061	-	1	0.0 %
27.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
40.0000000000000	-	2	0.1 %
	Missing Data		
.	-	1683	74.6 %
	Total	2,255	100%

Based upon 572 valid cases out of 2,255 total cases.

- Mean: 5.217569928799
- Median: 4.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 4.604746255200

Location: 1705-1719 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

## B15A\_69: Red lentil planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.000000000000	-	8	0.4 %
0.500000000000	-	3	0.1 %
0.600000023842	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.000000000000	-	55	2.4 %
1.500000000000	-	12	0.5 %
1.750000000000	-	1	0.0 %
2.000000000000	-	100	4.4 %
2.250000000000	-	1	0.0 %
2.500000000000	-	6	0.3 %

Value	Label	Unweighted Frequency	%
3.00000000000000	-	80	3.5 %
3.50000000000000	-	4	0.2 %
4.00000000000000	-	53	2.4 %
4.349999904633	-	1	0.0 %
4.50000000000000	-	5	0.2 %
5.00000000000000	-	84	3.7 %
5.849999904633	-	1	0.0 %
6.00000000000000	-	39	1.7 %
6.599999904633	-	1	0.0 %
6.75000000000000	-	1	0.0 %
7.00000000000000	-	24	1.1 %
7.50000000000000	-	3	0.1 %
8.00000000000000	-	18	0.8 %
8.50000000000000	-	1	0.0 %
9.00000000000000	-	16	0.7 %
10.00000000000000	-	51	2.3 %
10.50000000000000	-	1	0.0 %
11.00000000000000	-	2	0.1 %
11.50000000000000	-	1	0.0 %
12.00000000000000	-	10	0.4 %
13.00000000000000	-	2	0.1 %
14.00000000000000	-	1	0.0 %
15.00000000000000	-	6	0.3 %
16.00000000000000	-	1	0.0 %
17.00000000000000	-	3	0.1 %
18.00000000000000	-	1	0.0 %
20.00000000000000	-	4	0.2 %
23.00000000000000	-	1	0.0 %
25.00000000000000	-	2	0.1 %
40.00000000000000	-	1	0.0 %
51.00000000000000	-	1	0.0 %
	Missing Data		
.	-	1648	73.1 %
	Total	2,255	100%

Based upon 607 valid cases out of 2,255 total cases.

- Mean: 5.075700164332
- Median: 4.000000000000

- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 51.000000000000
- Standard Deviation: 4.460389302966

*Location:* 1720-1734 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15A\_70: Red lentil planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.000000000000	-	11	0.5 %
0.300000011921	-	1	0.0 %
0.500000000000	-	7	0.3 %
0.600000023842	-	1	0.0 %
0.800000011921	-	1	0.0 %
1.000000000000	-	66	2.9 %
1.500000000000	-	13	0.6 %
1.750000000000	-	1	0.0 %
2.000000000000	-	110	4.9 %
2.250000000000	-	1	0.0 %
2.500000000000	-	4	0.2 %
3.000000000000	-	93	4.1 %
3.500000000000	-	4	0.2 %
4.000000000000	-	59	2.6 %
4.250000000000	-	1	0.0 %
4.349999904633	-	1	0.0 %
4.500000000000	-	4	0.2 %
5.000000000000	-	97	4.3 %
5.849999904633	-	1	0.0 %
6.000000000000	-	37	1.6 %
6.599999904633	-	1	0.0 %
7.000000000000	-	26	1.2 %
7.500000000000	-	3	0.1 %
7.750000000000	-	1	0.0 %
8.000000000000	-	20	0.9 %
9.000000000000	-	16	0.7 %
10.000000000000	-	57	2.5 %
10.500000000000	-	1	0.0 %
11.000000000000	-	2	0.1 %
12.000000000000	-	9	0.4 %
13.000000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
13.5000000000000	-	1	0.0 %
15.0000000000000	-	6	0.3 %
16.0000000000000	-	2	0.1 %
17.0000000000000	-	3	0.1 %
18.0000000000000	-	1	0.0 %
20.0000000000000	-	9	0.4 %
25.0000000000000	-	1	0.0 %
30.0000000000000	-	2	0.1 %
32.0000000000000	-	1	0.0 %
40.0000000000000	-	1	0.0 %
	Missing Data		
.	-	1576	69.9 %
	Total	2,255	100%

Based upon 679 valid cases out of 2,255 total cases.

- Mean: 5.017673048250
- Median: 4.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 4.391780154365

Location: 1735-1749 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

### B15A\_71: Red lentil planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.000000000000	-	12	0.5 %
0.250000000000	-	1	0.0 %
0.300000011921	-	1	0.0 %
0.500000000000	-	7	0.3 %
0.600000023842	-	1	0.0 %
0.69999988079	-	2	0.1 %
0.750000000000	-	3	0.1 %
0.800000011921	-	1	0.0 %
1.000000000000	-	80	3.5 %
1.200000047684	-	1	0.0 %
1.500000000000	-	13	0.6 %
1.600000023842	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.00000000000000	-	107	4.7 %
2.25000000000000	-	1	0.0 %
2.50000000000000	-	9	0.4 %
2.650000095367	-	1	0.0 %
3.00000000000000	-	101	4.5 %
3.50000000000000	-	5	0.2 %
4.00000000000000	-	73	3.2 %
4.25000000000000	-	1	0.0 %
4.349999904633	-	1	0.0 %
4.50000000000000	-	3	0.1 %
5.00000000000000	-	108	4.8 %
5.849999904633	-	1	0.0 %
6.00000000000000	-	46	2.0 %
7.00000000000000	-	28	1.2 %
7.50000000000000	-	2	0.1 %
8.00000000000000	-	19	0.8 %
9.00000000000000	-	15	0.7 %
9.50000000000000	-	1	0.0 %
10.00000000000000	-	59	2.6 %
11.00000000000000	-	3	0.1 %
12.00000000000000	-	13	0.6 %
13.00000000000000	-	2	0.1 %
14.00000000000000	-	1	0.0 %
15.00000000000000	-	9	0.4 %
16.00000000000000	-	2	0.1 %
17.00000000000000	-	3	0.1 %
18.00000000000000	-	1	0.0 %
20.00000000000000	-	6	0.3 %
25.00000000000000	-	2	0.1 %
30.00000000000000	-	1	0.0 %
32.00000000000000	-	1	0.0 %
40.00000000000000	-	1	0.0 %
50.00000000000000	-	1	0.0 %
	Missing Data		
.	-	1505	66.7 %
	Total	2,255	100%

Based upon 750 valid cases out of 2,255 total cases.

- Mean: 4.925000000000
- Median: 4.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 50.000000000000
- Standard Deviation: 4.493935053831

*Location:* 1750-1764 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15A\_72: Red lentil planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.0	-	1	0.0 %
1.0	-	1	0.0 %
2.0	-	3	0.1 %
3.0	-	4	0.2 %
3.5	-	1	0.0 %
4.0	-	1	0.0 %
5.0	-	1	0.0 %
6.0	-	2	0.1 %
8.0	-	1	0.0 %
12.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2239	99.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 16 valid cases out of 2,255 total cases.

- Mean: 3.97
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.95

*Location:* 1765-1768 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15B\_63: Production of red lentil (in KG) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1769-1769 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

#### B15B\_64: Production of red lentil (in KG) in 2064

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	1	0.0 %
2	-	1	0.0 %
3	-	4	0.2 %
4	-	1	0.0 %
5	-	4	0.2 %
6	-	1	0.0 %
7	-	15	0.7 %
8	-	1	0.0 %
10	-	15	0.7 %
11	-	2	0.1 %
12	-	3	0.1 %
13	-	22	1.0 %
15	-	3	0.1 %
16	-	1	0.0 %
17	-	16	0.7 %
18	-	1	0.0 %
20	-	18	0.8 %
22	-	3	0.1 %
23	-	18	0.8 %
25	-	7	0.3 %
26	-	15	0.7 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	12	0.5 %
31	-	3	0.1 %
32	-	2	0.1 %
33	-	23	1.0 %
35	-	3	0.1 %
36	-	11	0.5 %
40	-	28	1.2 %
41	-	1	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43	-	3	0.1 %
45	-	3	0.1 %
46	-	3	0.1 %
48	-	1	0.0 %
49	-	2	0.1 %
50	-	28	1.2 %
52	-	1	0.0 %
53	-	3	0.1 %
54	-	1	0.0 %
55	-	4	0.2 %
56	-	4	0.2 %
59	-	1	0.0 %
60	-	14	0.6 %
63	-	4	0.2 %
65	-	20	0.9 %
66	-	1	0.0 %
70	-	4	0.2 %
<b>Missing Data</b>			
.	-	1772	78.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 483 valid cases out of 2,255 total cases.

- Mean: 74.33
- Median: 43.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 88.31

*Location:* 1770-1772 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B15B\_65: Production of red lentil (in KG) in 2065

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
3	-	4	0.2 %
4	-	2	0.1 %
5	-	4	0.2 %

Value	Label	Unweighted Frequency	%
6	-	2	0.1 %
7	-	9	0.4 %
8	-	4	0.2 %
9	-	2	0.1 %
10	-	22	1.0 %
11	-	2	0.1 %
12	-	3	0.1 %
13	-	14	0.6 %
14	-	4	0.2 %
15	-	2	0.1 %
16	-	3	0.1 %
17	-	14	0.6 %
18	-	2	0.1 %
19	-	1	0.0 %
20	-	16	0.7 %
21	-	5	0.2 %
22	-	1	0.0 %
23	-	16	0.7 %
24	-	3	0.1 %
25	-	5	0.2 %
26	-	14	0.6 %
28	-	1	0.0 %
29	-	2	0.1 %
30	-	18	0.8 %
31	-	2	0.1 %
32	-	4	0.2 %
33	-	20	0.9 %
35	-	2	0.1 %
36	-	12	0.5 %
37	-	1	0.0 %
40	-	22	1.0 %
42	-	1	0.0 %
43	-	7	0.3 %
44	-	1	0.0 %
45	-	6	0.3 %
46	-	10	0.4 %
49	-	1	0.0 %
50	-	25	1.1 %
52	-	1	0.0 %

Value	Label	Unweighted Frequency	%
53	-	5	0.2 %
54	-	1	0.0 %
55	-	10	0.4 %
56	-	3	0.1 %
58	-	1	0.0 %
59	-	3	0.1 %
60	-	8	0.4 %
<b>Missing Data</b>			
.	-	1749	77.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 506 valid cases out of 2,255 total cases.

- Mean: 78.92
- Median: 45.00
- Mode: 100.00
- Minimum: 2.00
- Maximum: 1500.00
- Standard Deviation: 109.03

*Location:* 1773-1776 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B15B\_66: Production of red lentil (in KG) in 2066

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.1 %
5	-	6	0.3 %
7	-	14	0.6 %
8	-	5	0.2 %
9	-	1	0.0 %
10	-	19	0.8 %
11	-	2	0.1 %
12	-	7	0.3 %
13	-	18	0.8 %
15	-	4	0.2 %

Value	Label	Unweighted Frequency	%
17	-	17	0.8 %
18	-	2	0.1 %
20	-	22	1.0 %
21	-	3	0.1 %
22	-	1	0.0 %
23	-	13	0.6 %
24	-	2	0.1 %
25	-	5	0.2 %
26	-	19	0.8 %
27	-	1	0.0 %
28	-	3	0.1 %
29	-	1	0.0 %
30	-	20	0.9 %
31	-	3	0.1 %
33	-	22	1.0 %
34	-	1	0.0 %
35	-	3	0.1 %
36	-	12	0.5 %
37	-	1	0.0 %
40	-	24	1.1 %
43	-	7	0.3 %
44	-	2	0.1 %
45	-	2	0.1 %
46	-	7	0.3 %
48	-	3	0.1 %
49	-	1	0.0 %
50	-	30	1.3 %
51	-	1	0.0 %
53	-	3	0.1 %
55	-	4	0.2 %
56	-	6	0.3 %
58	-	2	0.1 %
59	-	3	0.1 %
60	-	16	0.7 %
61	-	1	0.0 %
63	-	1	0.0 %
<b>Missing Data</b>			
.	-	1729	76.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 526 valid cases out of 2,255 total cases.

- Mean: 74.24
- Median: 43.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 1300.00
- Standard Deviation: 97.21

*Location:* 1777-1780 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B15B\_67: Production of red lentil (in KG) in 2067

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
2	-	2	0.1 %
3	-	4	0.2 %
5	-	7	0.3 %
6	-	1	0.0 %
7	-	16	0.7 %
8	-	3	0.1 %
9	-	2	0.1 %
10	-	19	0.8 %
11	-	4	0.2 %
12	-	6	0.3 %
13	-	17	0.8 %
14	-	1	0.0 %
17	-	20	0.9 %
18	-	4	0.2 %
19	-	1	0.0 %
20	-	20	0.9 %
21	-	2	0.1 %
22	-	3	0.1 %
23	-	13	0.6 %
24	-	1	0.0 %
25	-	5	0.2 %
26	-	19	0.8 %
27	-	1	0.0 %
28	-	3	0.1 %
30	-	21	0.9 %

Value	Label	Unweighted Frequency	%
31	-	2	0.1 %
32	-	7	0.3 %
33	-	26	1.2 %
35	-	4	0.2 %
36	-	13	0.6 %
39	-	1	0.0 %
40	-	19	0.8 %
43	-	10	0.4 %
44	-	1	0.0 %
45	-	5	0.2 %
46	-	8	0.4 %
47	-	1	0.0 %
48	-	2	0.1 %
50	-	38	1.7 %
51	-	2	0.1 %
52	-	2	0.1 %
53	-	1	0.0 %
55	-	5	0.2 %
56	-	3	0.1 %
57	-	2	0.1 %
58	-	1	0.0 %
59	-	3	0.1 %
60	-	11	0.5 %
62	-	1	0.0 %
<b>Missing Data</b>			
.	-	1705	75.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 550 valid cases out of 2,255 total cases.

- Mean: 72.35
- Median: 43.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 1100.00
- Standard Deviation: 98.49

*Location:* 1781-1784 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B15B\_68: Production of red lentil (in KG) in 2068

Value	Label	Unweighted Frequency	%
0	-	4	0.2 %
1	-	1	0.0 %
2	-	5	0.2 %
3	-	10	0.4 %
4	-	2	0.1 %
5	-	5	0.2 %
6	-	2	0.1 %
7	-	19	0.8 %
8	-	1	0.0 %
9	-	7	0.3 %
10	-	26	1.2 %
12	-	4	0.2 %
13	-	17	0.8 %
14	-	1	0.0 %
15	-	6	0.3 %
16	-	5	0.2 %
17	-	30	1.3 %
18	-	3	0.1 %
19	-	1	0.0 %
20	-	23	1.0 %
21	-	3	0.1 %
22	-	1	0.0 %
23	-	13	0.6 %
24	-	2	0.1 %
25	-	6	0.3 %
26	-	24	1.1 %
28	-	2	0.1 %
29	-	1	0.0 %
30	-	17	0.8 %
31	-	1	0.0 %
32	-	3	0.1 %
33	-	23	1.0 %
35	-	2	0.1 %
36	-	11	0.5 %
40	-	35	1.6 %
41	-	1	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43	-	10	0.4 %
45	-	7	0.3 %
46	-	6	0.3 %
47	-	1	0.0 %
50	-	30	1.3 %
52	-	1	0.0 %
53	-	6	0.3 %
55	-	3	0.1 %
56	-	2	0.1 %
59	-	5	0.2 %
60	-	8	0.4 %
63	-	3	0.1 %
64	-	1	0.0 %
<b>Missing Data</b>			
.	-	1683	74.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 572 valid cases out of 2,255 total cases.

- Mean: 62.83
- Median: 40.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 1100.00
- Standard Deviation: 84.90

*Location:* 1785-1788 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B15B\_69: Production of red lentil (in KG) in 2069

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	4	0.2 %
2	-	3	0.1 %
3	-	7	0.3 %
5	-	6	0.3 %
6	-	1	0.0 %
7	-	12	0.5 %
8	-	5	0.2 %

Value	Label	Unweighted Frequency	%
9	-	3	0.1 %
10	-	28	1.2 %
11	-	2	0.1 %
12	-	5	0.2 %
13	-	28	1.2 %
14	-	1	0.0 %
15	-	4	0.2 %
16	-	3	0.1 %
17	-	31	1.4 %
18	-	2	0.1 %
19	-	1	0.0 %
20	-	21	0.9 %
21	-	1	0.0 %
22	-	2	0.1 %
23	-	19	0.8 %
24	-	1	0.0 %
25	-	9	0.4 %
26	-	7	0.3 %
27	-	2	0.1 %
28	-	3	0.1 %
30	-	24	1.1 %
31	-	1	0.0 %
32	-	2	0.1 %
33	-	28	1.2 %
34	-	1	0.0 %
35	-	4	0.2 %
36	-	13	0.6 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	26	1.2 %
42	-	1	0.0 %
43	-	11	0.5 %
44	-	1	0.0 %
45	-	7	0.3 %
46	-	4	0.2 %
47	-	1	0.0 %
50	-	42	1.9 %
52	-	1	0.0 %
53	-	8	0.4 %

Value	Label	Unweighted Frequency	%
55	-	5	0.2 %
56	-	2	0.1 %
59	-	6	0.3 %
<b>Missing Data</b>			
.	-	1648	73.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 607 valid cases out of 2,255 total cases.

- Mean: 65.25
- Median: 40.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 1200.00
- Standard Deviation: 92.03

*Location:* 1789-1792 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15B\_70: Production of red lentil (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	10	0.4 %
1	-	1	0.0 %
2	-	6	0.3 %
3	-	12	0.5 %
5	-	9	0.4 %
6	-	5	0.2 %
7	-	31	1.4 %
8	-	2	0.1 %
9	-	3	0.1 %
10	-	36	1.6 %
11	-	2	0.1 %
12	-	5	0.2 %
13	-	33	1.5 %
14	-	1	0.0 %
15	-	8	0.4 %
16	-	3	0.1 %
17	-	35	1.6 %
20	-	30	1.3 %

Value	Label	Unweighted Frequency	%
21	-	5	0.2 %
22	-	3	0.1 %
23	-	24	1.1 %
25	-	7	0.3 %
26	-	14	0.6 %
27	-	2	0.1 %
28	-	1	0.0 %
30	-	23	1.0 %
32	-	2	0.1 %
33	-	38	1.7 %
34	-	1	0.0 %
35	-	2	0.1 %
36	-	11	0.5 %
38	-	1	0.0 %
40	-	24	1.1 %
41	-	1	0.0 %
43	-	9	0.4 %
44	-	1	0.0 %
45	-	6	0.3 %
46	-	11	0.5 %
49	-	2	0.1 %
50	-	39	1.7 %
52	-	2	0.1 %
53	-	4	0.2 %
55	-	5	0.2 %
56	-	2	0.1 %
59	-	4	0.2 %
60	-	11	0.5 %
63	-	2	0.1 %
65	-	13	0.6 %
70	-	9	0.4 %
73	-	3	0.1 %
<b>Missing Data</b>			
.	-	1576	69.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 679 valid cases out of 2,255 total cases.

- Mean: 64.46
- Median: 33.00
- Minimum: 0.00
- Maximum: 1300.00
- Standard Deviation: 95.43

*Location:* 1793-1796 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15B\_71: Production of red lentil (in KG) in 2071

Value	Label	Unweighted Frequency	%
0.0000000000	-	64	2.8 %
0.8000000119	-	1	0.0 %
1.0000000000	-	16	0.7 %
2.0000000000	-	15	0.7 %
3.0000000000	-	29	1.3 %
4.0000000000	-	2	0.1 %
5.0000000000	-	16	0.7 %
6.0000000000	-	1	0.0 %
7.0000000000	-	45	2.0 %
8.0000000000	-	1	0.0 %
9.0000000000	-	1	0.0 %
10.0000000000	-	43	1.9 %
12.0000000000	-	4	0.2 %
13.0000000000	-	36	1.6 %
15.0000000000	-	9	0.4 %
16.0000000000	-	2	0.1 %
17.0000000000	-	43	1.9 %
19.0000000000	-	1	0.0 %
20.0000000000	-	42	1.9 %
21.0000000000	-	2	0.1 %
22.0000000000	-	1	0.0 %
23.0000000000	-	12	0.5 %
25.0000000000	-	12	0.5 %
26.0000000000	-	13	0.6 %
27.0000000000	-	1	0.0 %
30.0000000000	-	26	1.2 %
31.0000000000	-	1	0.0 %
33.0000000000	-	39	1.7 %
35.0000000000	-	7	0.3 %
36.0000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
40.00000000000	-	26	1.2 %
43.00000000000	-	6	0.3 %
45.00000000000	-	3	0.1 %
46.00000000000	-	2	0.1 %
48.00000000000	-	1	0.0 %
50.00000000000	-	62	2.7 %
52.00000000000	-	1	0.0 %
53.00000000000	-	2	0.1 %
55.00000000000	-	1	0.0 %
56.00000000000	-	2	0.1 %
59.00000000000	-	2	0.1 %
60.00000000000	-	13	0.6 %
65.00000000000	-	15	0.7 %
66.00000000000	-	1	0.0 %
70.00000000000	-	1	0.0 %
72.00000000000	-	1	0.0 %
80.00000000000	-	3	0.1 %
83.00000000000	-	2	0.1 %
85.00000000000	-	2	0.1 %
90.00000000000	-	1	0.0 %
Missing Data			
.	-	1505	66.7 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 750 valid cases out of 2,255 total cases.

- Mean: 45.4224000000
- Median: 23.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 1200.0000000000
- Standard Deviation: 75.6828004235

*Location:* 1797-1811 (*width:* 15; *decimal:* 10)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B15B\_72: Production of red lentil (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	8	0.4 %
2	-	1	0.0 %
3	-	1	0.0 %
10	-	1	0.0 %
17	-	2	0.1 %
33	-	1	0.0 %
50	-	1	0.0 %
<b>Missing Data</b>			
.	-	2240	99.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 15 valid cases out of 2,255 total cases.

- Mean: 8.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 14.92

*Location:* 1812-1813 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15C\_63: Sold red lentil (in KG) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1814-1814 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15C\_64: Sold red lentil (in KG) in 2064

Value	Label	Unweighted Frequency	%
0	-	368	16.3 %
5	-	1	0.0 %
10	-	2	0.1 %
13	-	1	0.0 %
15	-	3	0.1 %

Value	Label	Unweighted Frequency	%
17	-	3	0.1 %
20	-	4	0.2 %
22	-	1	0.0 %
30	-	3	0.1 %
33	-	1	0.0 %
36	-	1	0.0 %
39	-	1	0.0 %
40	-	8	0.4 %
45	-	1	0.0 %
50	-	19	0.8 %
55	-	1	0.0 %
59	-	1	0.0 %
60	-	3	0.1 %
65	-	2	0.1 %
70	-	2	0.1 %
75	-	1	0.0 %
80	-	2	0.1 %
99	-	1	0.0 %
100	-	21	0.9 %
130	-	1	0.0 %
150	-	4	0.2 %
160	-	1	0.0 %
163	-	1	0.0 %
190	-	1	0.0 %
200	-	8	0.4 %
250	-	1	0.0 %
261	-	1	0.0 %
300	-	6	0.3 %
304	-	1	0.0 %
326	-	1	0.0 %
400	-	4	0.2 %
<b>Missing Data</b>			
.	-	1774	78.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 481 valid cases out of 2,255 total cases.

- Mean: 25.22
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 65.59

*Location:* 1815-1817 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15C\_65: Sold red lentil (in KG) in 2065

Value	Label	Unweighted Frequency	%
0	-	383	17.0 %
6	-	1	0.0 %
10	-	2	0.1 %
12	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.1 %
20	-	4	0.2 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
30	-	2	0.1 %
33	-	3	0.1 %
35	-	2	0.1 %
36	-	2	0.1 %
40	-	6	0.3 %
43	-	1	0.0 %
50	-	21	0.9 %
56	-	1	0.0 %
60	-	3	0.1 %
65	-	2	0.1 %
66	-	1	0.0 %
70	-	2	0.1 %
75	-	1	0.0 %
80	-	1	0.0 %
99	-	1	0.0 %
100	-	21	0.9 %
110	-	1	0.0 %
120	-	1	0.0 %
130	-	4	0.2 %
150	-	10	0.4 %
196	-	1	0.0 %

Value	Label	Unweighted Frequency	%
200	-	5	0.2 %
250	-	3	0.1 %
300	-	6	0.3 %
326	-	1	0.0 %
400	-	4	0.2 %
500	-	1	0.0 %
1300	-	1	0.0 %
<b>Missing Data</b>			
.	-	1749	77.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 506 valid cases out of 2,255 total cases.

- Mean: 28.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1300.00
- Standard Deviation: 87.89

*Location:* 1818-1821 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15C\_66: Sold red lentil (in KG) in 2066

Value	Label	Unweighted Frequency	%
0	-	399	17.7 %
7	-	2	0.1 %
10	-	1	0.0 %
13	-	1	0.0 %
15	-	2	0.1 %
16	-	1	0.0 %
17	-	3	0.1 %
19	-	1	0.0 %
20	-	4	0.2 %
21	-	1	0.0 %
23	-	1	0.0 %
25	-	2	0.1 %
26	-	1	0.0 %
30	-	2	0.1 %
33	-	2	0.1 %
35	-	2	0.1 %

Value	Label	Unweighted Frequency	%
40	-	9	0.4 %
45	-	1	0.0 %
50	-	19	0.8 %
56	-	1	0.0 %
60	-	4	0.2 %
65	-	4	0.2 %
66	-	1	0.0 %
70	-	3	0.1 %
80	-	2	0.1 %
98	-	1	0.0 %
100	-	21	0.9 %
150	-	6	0.3 %
163	-	2	0.1 %
200	-	13	0.6 %
250	-	2	0.1 %
260	-	1	0.0 %
300	-	3	0.1 %
391	-	1	0.0 %
400	-	2	0.1 %
500	-	1	0.0 %
1200	-	1	0.0 %
<b>Missing Data</b>			
.	-	1732	76.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 523 valid cases out of 2,255 total cases.

- Mean: 25.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1200.00
- Standard Deviation: 80.11

*Location:* 1822-1825 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15C\_67: Sold red lentil (in KG) in 2067

Value	Label	Unweighted Frequency	%
0	-	422	18.7 %
7	-	3	0.1 %

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
13	-	2	0.1 %
15	-	6	0.3 %
17	-	1	0.0 %
20	-	4	0.2 %
22	-	1	0.0 %
25	-	3	0.1 %
26	-	2	0.1 %
30	-	5	0.2 %
33	-	2	0.1 %
35	-	3	0.1 %
36	-	1	0.0 %
40	-	8	0.4 %
43	-	1	0.0 %
50	-	18	0.8 %
53	-	1	0.0 %
55	-	2	0.1 %
59	-	1	0.0 %
60	-	2	0.1 %
65	-	3	0.1 %
66	-	1	0.0 %
70	-	2	0.1 %
75	-	1	0.0 %
80	-	4	0.2 %
98	-	1	0.0 %
100	-	19	0.8 %
110	-	1	0.0 %
130	-	2	0.1 %
150	-	5	0.2 %
163	-	1	0.0 %
200	-	6	0.3 %
250	-	1	0.0 %
280	-	1	0.0 %
300	-	3	0.1 %
326	-	1	0.0 %
400	-	2	0.1 %
450	-	1	0.0 %
500	-	1	0.0 %
800	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1000	-	1	0.0 %
	<b>Missing Data</b>		
-	-	1708	75.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 547 valid cases out of 2,255 total cases.

- Mean: 23.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 78.97

*Location:* 1826-1829 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15C\_68: Sold red lentil (in KG) in 2068

Value	Label	Unweighted Frequency	%
0	-	447	19.8 %
8	-	1	0.0 %
10	-	7	0.3 %
12	-	1	0.0 %
16	-	2	0.1 %
17	-	4	0.2 %
20	-	2	0.1 %
23	-	1	0.0 %
25	-	4	0.2 %
26	-	1	0.0 %
30	-	6	0.3 %
33	-	6	0.3 %
35	-	2	0.1 %
40	-	10	0.4 %
50	-	18	0.8 %
53	-	1	0.0 %
55	-	1	0.0 %
60	-	3	0.1 %
63	-	1	0.0 %
65	-	1	0.0 %
80	-	1	0.0 %
90	-	1	0.0 %

Value	Label	Unweighted Frequency	%
99	-	1	0.0 %
100	-	23	1.0 %
130	-	2	0.1 %
150	-	6	0.3 %
160	-	1	0.0 %
163	-	1	0.0 %
196	-	1	0.0 %
200	-	4	0.2 %
300	-	4	0.2 %
397	-	1	0.0 %
400	-	1	0.0 %
500	-	1	0.0 %
900	-	1	0.0 %
<b>Missing Data</b>			
.	-	1687	74.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 568 valid cases out of 2,255 total cases.

- Mean: 19.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 63.77

*Location:* 1830-1832 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B15C\_69: Sold red lentil (in KG) in 2069

Value	Label	Unweighted Frequency	%
0	-	472	20.9 %
4	-	1	0.0 %
7	-	1	0.0 %
10	-	6	0.3 %
12	-	1	0.0 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	3	0.1 %
18	-	2	0.1 %
20	-	13	0.6 %

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
25	-	2	0.1 %
26	-	1	0.0 %
30	-	3	0.1 %
33	-	4	0.2 %
40	-	4	0.2 %
43	-	1	0.0 %
45	-	2	0.1 %
50	-	22	1.0 %
55	-	1	0.0 %
56	-	2	0.1 %
60	-	2	0.1 %
65	-	3	0.1 %
66	-	1	0.0 %
70	-	1	0.0 %
75	-	1	0.0 %
80	-	2	0.1 %
90	-	1	0.0 %
100	-	21	0.9 %
110	-	1	0.0 %
115	-	1	0.0 %
130	-	2	0.1 %
150	-	5	0.2 %
196	-	1	0.0 %
200	-	4	0.2 %
210	-	1	0.0 %
250	-	2	0.1 %
350	-	1	0.0 %
400	-	4	0.2 %
450	-	1	0.0 %
800	-	1	0.0 %
1000	-	1	0.0 %
<b>Missing Data</b>			
.	-	1653	73.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 602 valid cases out of 2,255 total cases.

- Mean: 20.53
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 73.54

*Location:* 1833-1836 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B15C\_70: Sold red lentil (in KG) in 2070

Value	Label	Unweighted Frequency	%
0	-	540	23.9 %
5	-	3	0.1 %
7	-	1	0.0 %
10	-	2	0.1 %
14	-	2	0.1 %
15	-	1	0.0 %
17	-	4	0.2 %
20	-	5	0.2 %
23	-	1	0.0 %
25	-	2	0.1 %
26	-	1	0.0 %
30	-	3	0.1 %
33	-	3	0.1 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	3	0.1 %
42	-	1	0.0 %
46	-	1	0.0 %
50	-	24	1.1 %
59	-	1	0.0 %
60	-	3	0.1 %
63	-	1	0.0 %
65	-	3	0.1 %
80	-	3	0.1 %
99	-	2	0.1 %
100	-	22	1.0 %
120	-	1	0.0 %
130	-	2	0.1 %
150	-	9	0.4 %
165	-	1	0.0 %
200	-	4	0.2 %

Value	Label	Unweighted Frequency	%
228	-	1	0.0 %
250	-	4	0.2 %
255	-	1	0.0 %
260	-	1	0.0 %
300	-	5	0.2 %
350	-	2	0.1 %
400	-	2	0.1 %
500	-	1	0.0 %
1200	-	1	0.0 %
<b>Missing Data</b>			
.	-	1586	70.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 669 valid cases out of 2,255 total cases.

- Mean: 21.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1200.00
- Standard Deviation: 73.87

*Location:* 1837-1840 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B15C\_71: Sold red lentil (in KG) in 2071

Value	Label	Unweighted Frequency	%
0	-	592	26.3 %
4	-	1	0.0 %
10	-	3	0.1 %
14	-	1	0.0 %
17	-	3	0.1 %
20	-	4	0.2 %
24	-	1	0.0 %
25	-	2	0.1 %
26	-	1	0.0 %
27	-	2	0.1 %
30	-	6	0.3 %
33	-	2	0.1 %
37	-	1	0.0 %
40	-	2	0.1 %

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %
44	-	1	0.0 %
50	-	17	0.8 %
60	-	1	0.0 %
65	-	3	0.1 %
66	-	1	0.0 %
80	-	3	0.1 %
88	-	2	0.1 %
99	-	1	0.0 %
100	-	18	0.8 %
112	-	1	0.0 %
150	-	2	0.1 %
160	-	1	0.0 %
196	-	1	0.0 %
200	-	3	0.1 %
250	-	2	0.1 %
300	-	3	0.1 %
350	-	2	0.1 %
400	-	1	0.0 %
1100	-	1	0.0 %
<b>Missing Data</b>			
.	-	1569	69.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 686 valid cases out of 2,255 total cases.

- Mean: 13.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1100.00
- Standard Deviation: 59.65

*Location:* 1841-1844 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B15C\_72: Sold red lentil (in KG) in 2072

Value	Label	Unweighted Frequency	%
0	-	6	0.3 %
30	-	1	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
.	-	2248	99.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 4.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 11.34

*Location:* 1845-1846 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16\_63: Vegetable farming as cash crop in 2063

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	0	0.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1847-1849 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B16\_64: Vegetable farming as cash crop in 2064

Value	Label	Unweighted Frequency	%
0	No	1484	65.8 %
1	Yes	28	1.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1850-1852 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B16\_65: Vegetable farming as cash crop in 2065

Value	Label	Unweighted Frequency	%
0	No	1561	69.2 %
1	Yes	31	1.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1853-1855 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B16\_66: Vegetable farming as cash crop in 2066

Value	Label	Unweighted Frequency	%
0	No	1655	73.4 %
1	Yes	34	1.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1856-1858 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B16\_67: Vegetable farming as cash crop in 2067

Value	Label	Unweighted Frequency	%
0	No	1728	76.6 %
1	Yes	40	1.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1859-1861 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B16\_68: Vegetable farming as cash crop in 2068

Value	Label	Unweighted Frequency	%
0	No	1774	78.7 %
1	Yes	52	2.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1862-1864 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B16\_69: Vegetable farming as cash crop in 2069

Value	Label	Unweighted Frequency	%
0	No	1885	83.6 %

Value	Label	Unweighted Frequency	%
1	Yes	66	2.9 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1865-1867 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B16\_70: Vegetable farming as cash crop in 2070

Value	Label	Unweighted Frequency	%
0	No	1953	86.6 %
1	Yes	75	3.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1868-1870 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B16\_71: Vegetable farming as cash crop in 2071

Value	Label	Unweighted Frequency	%
0	No	2099	93.1 %
1	Yes	81	3.6 %
2	Planting by self and some part by other	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1871-1873 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B16\_72: Vegetable farming as cash crop in 2072

Value	Label	Unweighted Frequency	%
0	No	2218	98.4 %
1	Yes	34	1.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1874-1876 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B16A\_63: Vegetable farming as cash crop land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1877-1877 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B16A\_64: Vegetable farming as cash crop land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
1.0	-	2	0.1 %
2.0	-	4	0.2 %
3.0	-	3	0.1 %
4.0	-	4	0.2 %
5.0	-	2	0.1 %
6.0	-	1	0.0 %
6.5	-	1	0.0 %
10.0	-	5	0.2 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
15.0	-	1	0.0 %
17.0	-	1	0.0 %
22.0	-	1	0.0 %
40.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2227	98.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 28 valid cases out of 2,255 total cases.

- Mean: 8.09
- Median: 5.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.20

*Location:* 1878-1881 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B16A\_65: Vegetable farming as cash crop land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
1.0	-	2	0.1 %
2.0	-	6	0.3 %
3.0	-	2	0.1 %
4.0	-	3	0.1 %
5.0	-	4	0.2 %
6.0	-	1	0.0 %
6.5	-	1	0.0 %
10.0	-	3	0.1 %

Value	Label	Unweighted Frequency	%
12.0	-	1	0.0 %
13.0	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	1	0.0 %
17.0	-	1	0.0 %
18.0	-	1	0.0 %
20.0	-	1	0.0 %
22.0	-	1	0.0 %
40.0	-	1	0.0 %
<b>Missing Data</b>			
.	.	2224	98.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 31 valid cases out of 2,255 total cases.

- Mean: 8.56
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.42

*Location:* 1882-1885 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B16A\_66: Vegetable farming as cash crop land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
1.0	-	2	0.1 %
2.0	-	6	0.3 %
3.0	-	4	0.2 %
4.0	-	3	0.1 %
5.0	-	3	0.1 %
6.0	-	1	0.0 %
6.5	-	1	0.0 %
8.0	-	1	0.0 %
10.0	-	4	0.2 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
15.0	-	2	0.1 %
17.0	-	1	0.0 %
18.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.0	-	1	0.0 %
22.0	-	1	0.0 %
40.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2221	98.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 34 valid cases out of 2,255 total cases.

- Mean: 8.40
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.15

*Location:* 1886-1889 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16A\_67: Vegetable farming as cash crop land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
1.0	-	2	0.1 %
2.0	-	6	0.3 %
3.0	-	5	0.2 %
4.0	-	4	0.2 %
5.0	-	4	0.2 %
6.0	-	1	0.0 %
6.5	-	1	0.0 %
7.0	-	2	0.1 %
8.0	-	1	0.0 %
10.0	-	5	0.2 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
15.0	-	2	0.1 %
17.0	-	1	0.0 %
18.0	-	1	0.0 %
20.0	-	1	0.0 %
22.0	-	1	0.0 %
40.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2215	98.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 8.04
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 7.60

*Location:* 1890-1893 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16A\_68: Vegetable farming as cash crop land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
1.0	-	3	0.1 %
1.5	-	2	0.1 %
2.0	-	7	0.3 %
3.0	-	6	0.3 %
4.0	-	4	0.2 %
5.0	-	6	0.3 %
6.5	-	1	0.0 %
7.0	-	3	0.1 %
8.0	-	2	0.1 %
9.0	-	1	0.0 %
10.0	-	7	0.3 %
12.0	-	2	0.1 %
13.0	-	1	0.0 %
15.0	-	2	0.1 %
17.0	-	1	0.0 %
18.0	-	1	0.0 %
20.0	-	1	0.0 %
40.0	-	2	0.1 %
<b>Missing Data</b>			
.	-	2203	97.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 52 valid cases out of 2,255 total cases.

- Mean: 7.86
- Median: 5.00

- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.06

*Location:* 1894-1897 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16A\_69: Vegetable farming as cash crop land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
1.0	-	4	0.2 %
1.5	-	1	0.0 %
2.0	-	11	0.5 %
3.0	-	8	0.4 %
3.5	-	1	0.0 %
4.0	-	4	0.2 %
5.0	-	8	0.4 %
6.0	-	1	0.0 %
7.0	-	3	0.1 %
8.0	-	1	0.0 %
9.0	-	1	0.0 %
10.0	-	8	0.4 %
10.5	-	1	0.0 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
15.0	-	3	0.1 %
17.0	-	1	0.0 %
18.0	-	1	0.0 %
20.0	-	2	0.1 %
22.0	-	1	0.0 %
23.0	-	1	0.0 %
40.0	-	2	0.1 %
56.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2189	97.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 66 valid cases out of 2,255 total cases.

- Mean: 8.66
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 56.00

- Standard Deviation: 9.95

*Location:* 1898-1901 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16A\_70: Vegetable farming as cash crop land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
1.0	-	4	0.2 %
1.5	-	2	0.1 %
2.0	-	14	0.6 %
2.5	-	2	0.1 %
3.0	-	7	0.3 %
3.5	-	1	0.0 %
4.0	-	5	0.2 %
5.0	-	9	0.4 %
6.0	-	2	0.1 %
7.0	-	4	0.2 %
10.0	-	7	0.3 %
11.0	-	1	0.0 %
12.0	-	2	0.1 %
13.0	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	3	0.1 %
17.0	-	2	0.1 %
18.0	-	1	0.0 %
20.0	-	3	0.1 %
23.0	-	1	0.0 %
40.0	-	3	0.1 %
<b>Missing Data</b>			
.	-	2180	96.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 75 valid cases out of 2,255 total cases.

- Mean: 8.02
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.61

*Location:* 1902-1905 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B16A\_71: Vegetable farming as cash crop land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
1.0	-	6	0.3 %
1.5	-	3	0.1 %
2.0	-	12	0.5 %
2.5	-	2	0.1 %
3.0	-	6	0.3 %
3.5	-	1	0.0 %
4.0	-	8	0.4 %
4.5	-	1	0.0 %
5.0	-	9	0.4 %
6.0	-	2	0.1 %
7.0	-	5	0.2 %
10.0	-	7	0.3 %
11.0	-	1	0.0 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
15.0	-	4	0.2 %
17.0	-	1	0.0 %
20.0	-	4	0.2 %
23.0	-	1	0.0 %
32.0	-	1	0.0 %
38.0	-	1	0.0 %
40.0	-	3	0.1 %
41.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2174	96.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 81 valid cases out of 2,255 total cases.

- Mean: 8.72
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 41.00
- Standard Deviation: 10.04

*Location:* 1906-1909 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B16A\_72: Vegetable farming as cash crop land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
1.0	-	3	0.1 %
1.5	-	2	0.1 %
2.0	-	2	0.1 %
2.5	-	3	0.1 %
3.0	-	2	0.1 %
3.5	-	1	0.0 %
4.0	-	1	0.0 %
4.5	-	1	0.0 %
5.0	-	4	0.2 %
6.0	-	1	0.0 %
7.0	-	1	0.0 %
10.0	-	2	0.1 %
11.0	-	1	0.0 %
12.0	-	1	0.0 %
15.0	-	2	0.1 %
17.0	-	1	0.0 %
20.0	-	2	0.1 %
23.0	-	1	0.0 %
25.0	-	1	0.0 %
31.0	-	1	0.0 %
32.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2221	98.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 34 valid cases out of 2,255 total cases.

- Mean: 9.10
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 32.00
- Standard Deviation: 8.90

*Location:* 1910-1913 (*width:* 4; *decimal:* 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16B\_63: Sold vegetable (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1914-1914 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16B\_64: Sold vegetable (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
1000	-	1	0.0 %
3000	-	1	0.0 %
9000	-	1	0.0 %
10000	-	1	0.0 %
13000	-	1	0.0 %
15000	-	1	0.0 %
18000	-	3	0.1 %
19000	-	1	0.0 %
25000	-	1	0.0 %
40000	-	2	0.1 %
41000	-	2	0.1 %
50000	-	1	0.0 %
55000	-	1	0.0 %
60000	-	1	0.0 %
70000	-	1	0.0 %
80000	-	1	0.0 %
107000	-	1	0.0 %
148000	-	1	0.0 %
150000	-	1	0.0 %
200000	-	2	0.1 %
250000	-	1	0.0 %
300000	-	1	0.0 %
500000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2227	98.8 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 28 valid cases out of 2,255 total cases.

- Mean: 88607.14
- Median: 41000.00
- Mode: 18000.00

- Minimum: 1000.00
- Maximum: 500000.00
- Standard Deviation: 113537.18

*Location:* 1915-1920 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16B\_65: Sold vegetable (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
1200	-	1	0.0 %
2000	-	1	0.0 %
3500	-	1	0.0 %
7000	-	1	0.0 %
10000	-	1	0.0 %
12000	-	1	0.0 %
13000	-	1	0.0 %
17000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	2	0.1 %
22000	-	1	0.0 %
35000	-	1	0.0 %
40000	-	1	0.0 %
42000	-	1	0.0 %
45000	-	2	0.1 %
50000	-	1	0.0 %
60000	-	2	0.1 %
80000	-	3	0.1 %
88000	-	1	0.0 %
147000	-	1	0.0 %
150000	-	1	0.0 %
200000	-	1	0.0 %
280000	-	1	0.0 %
300000	-	1	0.0 %
500000	-	1	0.0 %
800000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2224	98.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 31 valid cases out of 2,255 total cases.

- Mean: 104151.61

- Median: 45000.00
- Mode: 80000.00
- Minimum: 1200.00
- Maximum: 800000.00
- Standard Deviation: 168713.90

*Location:* 1921-1926 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B16B\_66: Sold vegetable (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
1200	-	1	0.0 %
2000	-	1	0.0 %
3500	-	1	0.0 %
8000	-	1	0.0 %
11000	-	1	0.0 %
15000	-	3	0.1 %
16000	-	2	0.1 %
20000	-	2	0.1 %
25000	-	1	0.0 %
30000	-	1	0.0 %
30500	-	1	0.0 %
39000	-	1	0.0 %
40000	-	1	0.0 %
51000	-	1	0.0 %
55000	-	2	0.1 %
60000	-	1	0.0 %
70000	-	1	0.0 %
75000	-	1	0.0 %
80000	-	1	0.0 %
91000	-	1	0.0 %
94500	-	1	0.0 %
100000	-	1	0.0 %
140000	-	1	0.0 %
150000	-	1	0.0 %
200000	-	1	0.0 %
300000	-	1	0.0 %
400000	-	1	0.0 %
450000	-	1	0.0 %
700000	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		2221	98.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 34 valid cases out of 2,255 total cases.

- Mean: 99373.53
- Median: 45500.00
- Mode: 15000.00
- Minimum: 1200.00
- Maximum: 700000.00
- Standard Deviation: 151056.87

*Location:* 1927-1932 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16B\_67: Sold vegetable (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
1500	-	1	0.0 %
3000	-	1	0.0 %
4000	-	2	0.1 %
5000	-	1	0.0 %
8000	-	1	0.0 %
10000	-	1	0.0 %
12000	-	1	0.0 %
16000	-	1	0.0 %
17000	-	1	0.0 %
18000	-	1	0.0 %
20000	-	2	0.1 %
24000	-	1	0.0 %
25000	-	1	0.0 %
28300	-	1	0.0 %
35000	-	2	0.1 %
41000	-	1	0.0 %
43000	-	1	0.0 %
55000	-	1	0.0 %
60000	-	3	0.1 %
69000	-	1	0.0 %
80000	-	2	0.1 %
95000	-	1	0.0 %
100000	-	2	0.1 %
108000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
120000	-	1	0.0 %
125000	-	1	0.0 %
142000	-	1	0.0 %
150000	-	1	0.0 %
170000	-	1	0.0 %
250000	-	1	0.0 %
400000	-	1	0.0 %
500000	-	1	0.0 %
900000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2215	98.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 99845.00
- Median: 49000.00
- Mode: 60000.00
- Minimum: 1500.00
- Maximum: 900000.00
- Standard Deviation: 165438.82

*Location:* 1933-1938 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B16B\_68: Sold vegetable (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1200	-	1	0.0 %
3000	-	1	0.0 %
4000	-	2	0.1 %
5000	-	1	0.0 %
7000	-	1	0.0 %
10000	-	1	0.0 %
11000	-	2	0.1 %
15000	-	1	0.0 %
17000	-	1	0.0 %
18000	-	1	0.0 %
20900	-	1	0.0 %
21000	-	1	0.0 %
22000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25000	-	1	0.0 %
28000	-	1	0.0 %
30000	-	2	0.1 %
38000	-	1	0.0 %
40000	-	1	0.0 %
50000	-	5	0.2 %
51000	-	1	0.0 %
60000	-	3	0.1 %
70000	-	1	0.0 %
80000	-	3	0.1 %
90000	-	1	0.0 %
100000	-	1	0.0 %
117000	-	1	0.0 %
120000	-	1	0.0 %
145000	-	1	0.0 %
150000	-	2	0.1 %
160000	-	1	0.0 %
167000	-	1	0.0 %
200000	-	2	0.1 %
300000	-	2	0.1 %
500000	-	1	0.0 %
800000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2203	97.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 52 valid cases out of 2,255 total cases.

- Mean: 89444.23
- Median: 50000.00
- Mode: 50000.00
- Minimum: 0.00
- Maximum: 800000.00
- Standard Deviation: 137098.88

*Location:* 1939-1944 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B16B\_69: Sold vegetable (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1000	-	1	0.0 %
1500	-	1	0.0 %
3500	-	1	0.0 %
4000	-	1	0.0 %
4500	-	1	0.0 %
5000	-	1	0.0 %
6000	-	1	0.0 %
9000	-	1	0.0 %
10000	-	2	0.1 %
11000	-	1	0.0 %
12000	-	2	0.1 %
14000	-	2	0.1 %
16000	-	3	0.1 %
17000	-	1	0.0 %
20000	-	4	0.2 %
21000	-	1	0.0 %
25000	-	1	0.0 %
26000	-	1	0.0 %
28000	-	1	0.0 %
35000	-	1	0.0 %
40000	-	3	0.1 %
43000	-	1	0.0 %
50000	-	1	0.0 %
55000	-	1	0.0 %
60000	-	7	0.3 %
65000	-	1	0.0 %
90000	-	1	0.0 %
100000	-	1	0.0 %
110000	-	1	0.0 %
115000	-	1	0.0 %
120000	-	1	0.0 %
130000	-	1	0.0 %
140000	-	1	0.0 %
150000	-	4	0.2 %
152000	-	1	0.0 %
165000	-	1	0.0 %
200000	-	2	0.1 %
250000	-	3	0.1 %
300000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
350000	-	1	0.0 %
400000	-	1	0.0 %
420000	-	1	0.0 %
900000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2189	97.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 66 valid cases out of 2,255 total cases.

- Mean: 96856.06
- Median: 46500.00
- Mode: 60000.00
- Minimum: 0.00
- Maximum: 900000.00
- Standard Deviation: 140936.61

*Location:* 1945-1950 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B16B\_70: Sold vegetable (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1500	-	1	0.0 %
2500	-	1	0.0 %
3000	-	1	0.0 %
3800	-	1	0.0 %
4500	-	1	0.0 %
6000	-	1	0.0 %
7000	-	2	0.1 %
7200	-	1	0.0 %
9000	-	1	0.0 %
10000	-	2	0.1 %
11000	-	1	0.0 %
12000	-	1	0.0 %
12500	-	1	0.0 %
13000	-	1	0.0 %
15000	-	3	0.1 %
17000	-	1	0.0 %
18000	-	3	0.1 %
19000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20000	-	1	0.0 %
22000	-	1	0.0 %
23000	-	1	0.0 %
30000	-	3	0.1 %
35000	-	1	0.0 %
40000	-	1	0.0 %
41000	-	1	0.0 %
45000	-	1	0.0 %
49000	-	1	0.0 %
50000	-	4	0.2 %
62000	-	1	0.0 %
65000	-	1	0.0 %
70000	-	2	0.1 %
71000	-	1	0.0 %
80000	-	2	0.1 %
85000	-	2	0.1 %
90000	-	1	0.0 %
100000	-	3	0.1 %
110000	-	1	0.0 %
116000	-	1	0.0 %
120000	-	3	0.1 %
130000	-	2	0.1 %
138000	-	1	0.0 %
150000	-	3	0.1 %
180000	-	1	0.0 %
200000	-	2	0.1 %
300000	-	2	0.1 %
400000	-	1	0.0 %
500000	-	3	0.1 %
800000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2180	96.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 75 valid cases out of 2,255 total cases.

- Mean: 95893.33
- Median: 50000.00
- Mode: 50000.00
- Minimum: 0.00
- Maximum: 800000.00

- Standard Deviation: 140296.33

*Location:* 1951-1956 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B16B\_71: Sold vegetable (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1300	-	1	0.0 %
3000	-	1	0.0 %
4000	-	3	0.1 %
5000	-	2	0.1 %
6000	-	2	0.1 %
7000	-	3	0.1 %
8000	-	1	0.0 %
10000	-	6	0.3 %
11000	-	1	0.0 %
12000	-	2	0.1 %
13000	-	1	0.0 %
14000	-	1	0.0 %
15000	-	1	0.0 %
20000	-	2	0.1 %
21000	-	1	0.0 %
25000	-	2	0.1 %
30000	-	3	0.1 %
35000	-	2	0.1 %
39000	-	1	0.0 %
40000	-	2	0.1 %
45000	-	1	0.0 %
50000	-	1	0.0 %
60000	-	4	0.2 %
70000	-	4	0.2 %
85000	-	1	0.0 %
87000	-	1	0.0 %
90000	-	1	0.0 %
100000	-	4	0.2 %
150000	-	5	0.2 %
168000	-	1	0.0 %
180000	-	1	0.0 %
200000	-	5	0.2 %

Value	Label	Unweighted Frequency	%
246000	-	1	0.0 %
250000	-	1	0.0 %
251500	-	1	0.0 %
300000	-	1	0.0 %
350000	-	1	0.0 %
440000	-	2	0.1 %
450000	-	1	0.0 %
700000	-	2	0.1 %
900000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2174	96.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 81 valid cases out of 2,255 total cases.

- Mean: 111071.60
- Median: 40000.00
- Mode: 10000.00
- Minimum: 0.00
- Maximum: 900000.00
- Standard Deviation: 168377.36

*Location:* 1957-1962 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## B16B\_72: Sold vegetable (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	8	0.4 %
3000	-	3	0.1 %
5000	-	1	0.0 %
10000	-	1	0.0 %
14000	-	1	0.0 %
20000	-	2	0.1 %
34000	-	1	0.0 %
40000	-	2	0.1 %
50000	-	3	0.1 %
60000	-	1	0.0 %
80000	-	1	0.0 %
100000	-	2	0.1 %
115000	-	1	0.0 %
130000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
150000	-	4	0.2 %
160000	-	1	0.0 %
200000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2221	98.5 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 34 valid cases out of 2,255 total cases.

- Mean: 55500.00
- Median: 37000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 61299.19

*Location:* 1963-1968 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1\_63: Buckwheat planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1187	52.6 %
1	Yes	226	10.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	842	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,413 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1969-1971 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_1\_64: Buckwheat planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1345	59.6 %
1	Yes	166	7.4 %
2	Planting by self and some part by other	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1972-1974 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### B17\_1\_65: Buckwheat planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1427	63.3 %
1	Yes	164	7.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1975-1977 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### B17\_1\_66: Buckwheat planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1519	67.4 %
1	Yes	168	7.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	2	0.1 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %

Value	Label	Unweighted Frequency	%
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1978-1980 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B17\_1\_67: Buckwheat planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1596	70.8 %
1	Yes	170	7.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	2	0.1 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1981-1983 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B17\_1\_68: Buckwheat planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1660	73.6 %
1	Yes	163	7.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	2	0.1 %
<b>Missing Data</b>			
999	Household does not exist	429	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,825 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1984-1986 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

---

### B17\_1\_69: Buckwheat planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1800	79.8 %
1	Yes	149	6.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	2	0.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1987-1989 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

---

### B17\_1\_70: Buckwheat planting in 2070

Value	Label	Unweighted Frequency	%
0	No	1894	84.0 %
1	Yes	132	5.9 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	2	0.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1990-1992 (width: 3; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* 998 , 999

### B17\_1\_71: Buckwheat planting in 2071

Value	Label	Unweighted Frequency	%
0	No	2043	90.6 %
1	Yes	136	6.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 1993-1995 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_1\_72: Buckwheat planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2250	99.8 %
1	Yes	2	0.1 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1996-1998 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_1A\_63: Buckwheat planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 1999-1999 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1A\_64: Buckwheat planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.0	-	1	0.0 %
0.5	-	1	0.0 %
1.0	-	4	0.2 %
1.5	-	1	0.0 %
2.0	-	8	0.4 %
3.0	-	11	0.5 %
4.0	-	10	0.4 %
4.5	-	1	0.0 %
5.0	-	27	1.2 %
5.5	-	1	0.0 %
6.0	-	4	0.2 %
7.0	-	10	0.4 %
8.0	-	10	0.4 %
9.0	-	1	0.0 %
9.5	-	1	0.0 %
10.0	-	37	1.6 %
10.2	-	1	0.0 %
10.5	-	1	0.0 %
13.0	-	1	0.0 %
13.5	-	1	0.0 %
14.0	-	2	0.1 %
15.0	-	5	0.2 %
16.0	-	1	0.0 %
17.0	-	1	0.0 %
18.0	-	3	0.1 %
19.0	-	1	0.0 %
20.0	-	7	0.3 %
21.0	-	1	0.0 %
22.0	-	2	0.1 %

Value	Label	Unweighted Frequency	%
23.0	-	2	0.1 %
24.0	-	1	0.0 %
27.0	-	1	0.0 %
29.0	-	1	0.0 %
30.0	-	2	0.1 %
32.0	-	1	0.0 %
33.0	-	1	0.0 %
34.0	-	1	0.0 %
40.0	-	1	0.0 %
60.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2088	92.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 167 valid cases out of 2,255 total cases.

- Mean: 9.87
- Median: 8.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 8.34

*Location:* 2000-2003 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1A\_65: Buckwheat planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.0	-	1	0.0 %
0.5	-	1	0.0 %
1.0	-	4	0.2 %
1.5	-	1	0.0 %
2.0	-	7	0.3 %
3.0	-	10	0.4 %
3.5	-	1	0.0 %
4.0	-	9	0.4 %
4.5	-	1	0.0 %
5.0	-	24	1.1 %
5.5	-	1	0.0 %
6.0	-	4	0.2 %
7.0	-	11	0.5 %

Value	Label	Unweighted Frequency	%
8.0	-	7	0.3 %
9.0	-	2	0.1 %
9.5	-	1	0.0 %
10.0	-	40	1.8 %
10.2	-	1	0.0 %
10.5	-	1	0.0 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
13.5	-	1	0.0 %
14.0	-	2	0.1 %
15.0	-	5	0.2 %
17.0	-	1	0.0 %
18.0	-	3	0.1 %
19.0	-	1	0.0 %
20.0	-	7	0.3 %
21.0	-	1	0.0 %
22.0	-	2	0.1 %
23.0	-	2	0.1 %
24.0	-	1	0.0 %
27.0	-	1	0.0 %
29.0	-	1	0.0 %
30.0	-	2	0.1 %
32.0	-	1	0.0 %
35.0	-	1	0.0 %
38.0	-	1	0.0 %
40.0	-	1	0.0 %
50.0	-	1	0.0 %
60.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2090	92.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 165 valid cases out of 2,255 total cases.

- Mean: 10.32
- Median: 9.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 8.97

*Location:* 2004-2007 (width: 4; decimal: 1)

*Variable Type:* numeric

(Range of) Missing Values: .

### B17\_1A\_66: Buckwheat planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.5	-	1	0.0 %
1.0	-	4	0.2 %
1.5	-	1	0.0 %
2.0	-	7	0.3 %
3.0	-	11	0.5 %
4.0	-	9	0.4 %
4.5	-	2	0.1 %
5.0	-	26	1.2 %
5.5	-	1	0.0 %
6.0	-	6	0.3 %
7.0	-	11	0.5 %
8.0	-	7	0.3 %
9.0	-	2	0.1 %
9.5	-	1	0.0 %
10.0	-	38	1.7 %
10.2	-	1	0.0 %
10.5	-	1	0.0 %
11.0	-	1	0.0 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
13.5	-	1	0.0 %
14.0	-	2	0.1 %
15.0	-	5	0.2 %
17.0	-	1	0.0 %
18.0	-	3	0.1 %
19.0	-	1	0.0 %
20.0	-	8	0.4 %
21.0	-	1	0.0 %
22.0	-	3	0.1 %
23.0	-	2	0.1 %
24.0	-	1	0.0 %
27.0	-	1	0.0 %
29.0	-	1	0.0 %
30.0	-	1	0.0 %
32.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
35.0	-	1	0.0 %
40.0	-	2	0.1 %
50.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2085	92.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 170 valid cases out of 2,255 total cases.

- Mean: 9.84
- Median: 8.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 8.03

*Location:* 2008-2011 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1A\_67: Buckwheat planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.5	-	1	0.0 %
1.0	-	3	0.1 %
1.5	-	1	0.0 %
2.0	-	7	0.3 %
3.0	-	9	0.4 %
4.0	-	9	0.4 %
4.5	-	1	0.0 %
5.0	-	24	1.1 %
5.5	-	1	0.0 %
6.0	-	7	0.3 %
7.0	-	15	0.7 %
8.0	-	9	0.4 %
9.0	-	3	0.1 %
9.5	-	1	0.0 %
10.0	-	38	1.7 %
10.2	-	1	0.0 %
10.5	-	1	0.0 %
11.0	-	1	0.0 %
12.0	-	2	0.1 %

Value	Label	Unweighted Frequency	%
13.0	-	2	0.1 %
13.5	-	1	0.0 %
14.0	-	2	0.1 %
15.0	-	5	0.2 %
17.0	-	1	0.0 %
18.0	-	3	0.1 %
19.0	-	1	0.0 %
20.0	-	8	0.4 %
21.0	-	1	0.0 %
22.0	-	2	0.1 %
23.0	-	2	0.1 %
24.0	-	1	0.0 %
27.0	-	1	0.0 %
30.0	-	2	0.1 %
39.0	-	1	0.0 %
40.0	-	2	0.1 %
50.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2083	92.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 172 valid cases out of 2,255 total cases.

- Mean: 9.81
- Median: 8.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 7.78

*Location:* 2012-2015 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_1A\_68: Buckwheat planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.5	-	1	0.0 %
1.0	-	3	0.1 %
1.5	-	1	0.0 %
2.0	-	8	0.4 %
2.5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.0	-	9	0.4 %
4.0	-	11	0.5 %
5.0	-	21	0.9 %
5.5	-	1	0.0 %
6.0	-	6	0.3 %
7.0	-	15	0.7 %
8.0	-	8	0.4 %
9.0	-	4	0.2 %
10.0	-	34	1.5 %
10.2	-	1	0.0 %
10.5	-	1	0.0 %
11.0	-	1	0.0 %
12.0	-	2	0.1 %
13.0	-	2	0.1 %
13.5	-	1	0.0 %
14.0	-	2	0.1 %
15.0	-	6	0.3 %
17.0	-	1	0.0 %
18.0	-	3	0.1 %
19.0	-	1	0.0 %
20.0	-	8	0.4 %
21.0	-	1	0.0 %
22.0	-	1	0.0 %
23.0	-	2	0.1 %
24.0	-	1	0.0 %
27.0	-	1	0.0 %
30.0	-	1	0.0 %
39.0	-	1	0.0 %
50.0	-	1	0.0 %
60.0	-	1	0.0 %
515.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2090	92.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 165 valid cases out of 2,255 total cases.

- Mean: 12.63
- Median: 8.00
- Mode: 10.00

- Minimum: 0.00
- Maximum: 515.00
- Standard Deviation: 40.16

*Location:* 2016-2020 (width: 5; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1A\_69: Buckwheat planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
1.0	-	4	0.2 %
1.5	-	1	0.0 %
2.0	-	9	0.4 %
2.5	-	1	0.0 %
3.0	-	9	0.4 %
4.0	-	11	0.5 %
5.0	-	18	0.8 %
5.5	-	1	0.0 %
6.0	-	5	0.2 %
7.0	-	14	0.6 %
8.0	-	7	0.3 %
9.0	-	3	0.1 %
10.0	-	27	1.2 %
10.2	-	1	0.0 %
11.0	-	1	0.0 %
12.0	-	2	0.1 %
13.0	-	3	0.1 %
13.5	-	1	0.0 %
14.0	-	3	0.1 %
15.0	-	7	0.3 %
17.0	-	1	0.0 %
18.0	-	3	0.1 %
19.0	-	1	0.0 %
20.0	-	6	0.3 %
21.0	-	1	0.0 %
22.0	-	1	0.0 %
23.0	-	2	0.1 %
24.0	-	1	0.0 %
27.0	-	1	0.0 %
30.0	-	1	0.0 %
39.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50.0	-	1	0.0 %
60.0	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2104	93.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 151 valid cases out of 2,255 total cases.

- Mean: 9.58
- Median: 8.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 8.31

*Location:* 2021-2024 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1A\_70: Buckwheat planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.5	-	1	0.0 %
1.0	-	2	0.1 %
1.5	-	1	0.0 %
2.0	-	7	0.3 %
2.5	-	1	0.0 %
3.0	-	8	0.4 %
4.0	-	12	0.5 %
5.0	-	15	0.7 %
5.5	-	1	0.0 %
6.0	-	6	0.3 %
7.0	-	11	0.5 %
8.0	-	7	0.3 %
9.0	-	4	0.2 %
10.0	-	20	0.9 %
11.0	-	1	0.0 %
12.0	-	3	0.1 %
13.0	-	3	0.1 %
14.0	-	4	0.2 %
15.0	-	6	0.3 %
15.2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.0	-	1	0.0 %
18.0	-	4	0.2 %
19.0	-	1	0.0 %
20.0	-	5	0.2 %
22.0	-	1	0.0 %
23.0	-	1	0.0 %
24.0	-	1	0.0 %
25.0	-	1	0.0 %
27.0	-	1	0.0 %
50.0	-	1	0.0 %
60.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2121	94.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 134 valid cases out of 2,255 total cases.

- Mean: 9.43
- Median: 7.50
- Mode: 10.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 8.10

*Location:* 2025-2028 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_1A\_71: Buckwheat planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.0	-	1	0.0 %
1.0	-	4	0.2 %
2.0	-	9	0.4 %
2.5	-	2	0.1 %
3.0	-	10	0.4 %
4.0	-	12	0.5 %
5.0	-	16	0.7 %
5.5	-	1	0.0 %
6.0	-	6	0.3 %
7.0	-	12	0.5 %
8.0	-	7	0.3 %
9.0	-	5	0.2 %

Value	Label	Unweighted Frequency	%
10.0	-	20	0.9 %
12.0	-	1	0.0 %
13.0	-	3	0.1 %
13.5	-	1	0.0 %
14.0	-	3	0.1 %
15.0	-	3	0.1 %
15.2	-	1	0.0 %
16.0	-	1	0.0 %
17.0	-	1	0.0 %
18.0	-	2	0.1 %
19.0	-	2	0.1 %
20.0	-	7	0.3 %
22.0	-	1	0.0 %
23.0	-	1	0.0 %
24.0	-	1	0.0 %
27.0	-	1	0.0 %
28.0	-	1	0.0 %
35.0	-	1	0.0 %
50.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2118	93.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 137 valid cases out of 2,255 total cases.

- Mean: 9.01
- Median: 7.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 7.26

*Location:* 2029-2032 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1A\_72: Buckwheat planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
4	-	1	0.0 %
<b>Missing Data</b>			
.	-	2253	99.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2 valid cases out of 2,255 total cases.

- Mean: 2.00
- Median: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 2.83

*Location:* 2033-2033 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1B\_63: Sold buckwheat (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-		2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2034-2034 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1B\_64: Sold buckwheat (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	11	0.5 %
150	-	1	0.0 %
200	-	1	0.0 %
450	-	1	0.0 %
500	-	2	0.1 %
585	-	1	0.0 %
600	-	3	0.1 %
700	-	2	0.1 %
750	-	1	0.0 %
900	-	1	0.0 %
1000	-	2	0.1 %
1200	-	1	0.0 %
1300	-	2	0.1 %
1400	-	1	0.0 %
1500	-	4	0.2 %

Value	Label	Unweighted Frequency	%
1700	-	3	0.1 %
1800	-	3	0.1 %
1850	-	1	0.0 %
1900	-	1	0.0 %
2000	-	15	0.7 %
2200	-	2	0.1 %
2300	-	1	0.0 %
2500	-	1	0.0 %
2600	-	1	0.0 %
2700	-	1	0.0 %
3000	-	17	0.8 %
3200	-	1	0.0 %
3400	-	1	0.0 %
3500	-	5	0.2 %
3700	-	1	0.0 %
3900	-	1	0.0 %
4000	-	10	0.4 %
4200	-	1	0.0 %
4500	-	3	0.1 %
5000	-	10	0.4 %
5200	-	1	0.0 %
5500	-	1	0.0 %
5550	-	1	0.0 %
5800	-	1	0.0 %
6000	-	9	0.4 %
7000	-	6	0.3 %
7500	-	1	0.0 %
8000	-	8	0.4 %
9000	-	1	0.0 %
10000	-	5	0.2 %
11000	-	1	0.0 %
11500	-	1	0.0 %
12000	-	3	0.1 %
13000	-	1	0.0 %
14000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2088	92.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 167 valid cases out of 2,255 total cases.

- Mean: 5525.96
- Median: 3500.00
- Mode: 3000.00
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 6895.77

*Location:* 2035-2039 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_1B\_65: Sold buckwheat (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	9	0.4 %
200	-	1	0.0 %
250	-	1	0.0 %
400	-	2	0.1 %
500	-	1	0.0 %
528	-	1	0.0 %
600	-	2	0.1 %
700	-	4	0.2 %
800	-	2	0.1 %
830	-	1	0.0 %
1200	-	1	0.0 %
1300	-	1	0.0 %
1500	-	5	0.2 %
1600	-	1	0.0 %
1800	-	4	0.2 %
1850	-	1	0.0 %
1900	-	2	0.1 %
2000	-	11	0.5 %
2200	-	4	0.2 %
2300	-	4	0.2 %
2400	-	3	0.1 %
2500	-	5	0.2 %
2600	-	1	0.0 %
2800	-	1	0.0 %
3000	-	6	0.3 %
3300	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3500	-	7	0.3 %
3800	-	2	0.1 %
4000	-	11	0.5 %
4200	-	3	0.1 %
4300	-	1	0.0 %
4400	-	1	0.0 %
4500	-	3	0.1 %
5000	-	4	0.2 %
5400	-	1	0.0 %
5500	-	1	0.0 %
5850	-	1	0.0 %
6000	-	7	0.3 %
6200	-	1	0.0 %
6500	-	1	0.0 %
7000	-	7	0.3 %
7200	-	1	0.0 %
7300	-	1	0.0 %
7500	-	1	0.0 %
8000	-	7	0.3 %
8500	-	1	0.0 %
8600	-	1	0.0 %
9000	-	3	0.1 %
10000	-	3	0.1 %
11000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2090	92.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 165 valid cases out of 2,255 total cases.

- Mean: 6266.11
- Median: 3800.00
- Minimum: 0.00
- Maximum: 120000.00
- Standard Deviation: 11175.59

*Location:* 2040-2045 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_1B\_66: Sold buckwheat (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	10	0.4 %
200	-	1	0.0 %
300	-	1	0.0 %
377	-	1	0.0 %
500	-	1	0.0 %
600	-	4	0.2 %
700	-	1	0.0 %
800	-	2	0.1 %
850	-	1	0.0 %
900	-	2	0.1 %
1000	-	1	0.0 %
1200	-	2	0.1 %
1300	-	1	0.0 %
1500	-	2	0.1 %
1600	-	1	0.0 %
1800	-	3	0.1 %
1900	-	1	0.0 %
2000	-	9	0.4 %
2100	-	1	0.0 %
2200	-	3	0.1 %
2300	-	1	0.0 %
2500	-	15	0.7 %
2600	-	2	0.1 %
3000	-	13	0.6 %
3500	-	4	0.2 %
3600	-	1	0.0 %
3700	-	2	0.1 %
3800	-	2	0.1 %
3900	-	1	0.0 %
4000	-	8	0.4 %
4100	-	1	0.0 %
4200	-	1	0.0 %
4300	-	1	0.0 %
4500	-	3	0.1 %
4600	-	1	0.0 %
4900	-	1	0.0 %
5000	-	7	0.3 %
5200	-	1	0.0 %
5400	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5500	-	1	0.0 %
5600	-	1	0.0 %
6000	-	4	0.2 %
6200	-	2	0.1 %
6500	-	1	0.0 %
6700	-	1	0.0 %
6800	-	2	0.1 %
7000	-	8	0.4 %
7500	-	2	0.1 %
7600	-	1	0.0 %
8000	-	2	0.1 %
<b>Missing Data</b>			
.	-	2085	92.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 170 valid cases out of 2,255 total cases.

- Mean: 6456.63
- Median: 3700.00
- Mode: 2500.00
- Minimum: 0.00
- Maximum: 150000.00
- Standard Deviation: 12875.80

*Location:* 2046-2051 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1B\_67: Sold buckwheat (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
150	-	1	0.0 %
200	-	1	0.0 %
250	-	1	0.0 %
600	-	1	0.0 %
750	-	1	0.0 %
800	-	5	0.2 %
900	-	3	0.1 %
958	-	1	0.0 %
1000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1100	-	1	0.0 %
1200	-	1	0.0 %
1500	-	4	0.2 %
1600	-	1	0.0 %
1800	-	1	0.0 %
2000	-	11	0.5 %
2100	-	1	0.0 %
2150	-	1	0.0 %
2200	-	2	0.1 %
2280	-	1	0.0 %
2400	-	1	0.0 %
2500	-	7	0.3 %
2800	-	3	0.1 %
3000	-	11	0.5 %
3500	-	6	0.3 %
3900	-	2	0.1 %
4000	-	13	0.6 %
4150	-	1	0.0 %
4200	-	1	0.0 %
4500	-	5	0.2 %
4800	-	2	0.1 %
4900	-	1	0.0 %
5000	-	10	0.4 %
5500	-	2	0.1 %
5800	-	1	0.0 %
6000	-	7	0.3 %
6210	-	1	0.0 %
6300	-	1	0.0 %
6500	-	2	0.1 %
7000	-	4	0.2 %
7500	-	2	0.1 %
7600	-	1	0.0 %
8000	-	8	0.4 %
8550	-	1	0.0 %
9000	-	2	0.1 %
9600	-	1	0.0 %
10000	-	5	0.2 %
10500	-	1	0.0 %
11000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12000	-	1	0.0 %
	<b>Missing Data</b>		
-		2083	92.4 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 172 valid cases out of 2,255 total cases.

- Mean: 7070.63
- Median: 4000.00
- Mode: 4000.00
- Minimum: 0.00
- Maximum: 130000.00
- Standard Deviation: 12479.49

*Location:* 2052-2057 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1B\_68: Sold buckwheat (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	9	0.4 %
6	-	1	0.0 %
150	-	1	0.0 %
220	-	1	0.0 %
300	-	1	0.0 %
700	-	3	0.1 %
800	-	2	0.1 %
858	-	1	0.0 %
900	-	1	0.0 %
1000	-	5	0.2 %
1200	-	3	0.1 %
1300	-	1	0.0 %
1500	-	1	0.0 %
1700	-	2	0.1 %
1800	-	1	0.0 %
2000	-	11	0.5 %
2100	-	1	0.0 %
2200	-	3	0.1 %
2300	-	1	0.0 %
2500	-	6	0.3 %

Value	Label	Unweighted Frequency	%
2600	-	1	0.0 %
2800	-	1	0.0 %
3000	-	9	0.4 %
3200	-	1	0.0 %
3500	-	6	0.3 %
3700	-	1	0.0 %
4000	-	8	0.4 %
4100	-	1	0.0 %
4200	-	2	0.1 %
4300	-	2	0.1 %
4500	-	4	0.2 %
5000	-	13	0.6 %
5100	-	1	0.0 %
5300	-	1	0.0 %
6000	-	6	0.3 %
6200	-	1	0.0 %
6500	-	2	0.1 %
6700	-	1	0.0 %
7000	-	8	0.4 %
7500	-	1	0.0 %
8000	-	5	0.2 %
8200	-	1	0.0 %
8500	-	1	0.0 %
9000	-	5	0.2 %
10000	-	4	0.2 %
11781	-	1	0.0 %
12000	-	4	0.2 %
12500	-	1	0.0 %
13000	-	1	0.0 %
13500	-	1	0.0 %
<b>Missing Data</b>			
.	-	2090	92.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 165 valid cases out of 2,255 total cases.

- Mean: 6615.85
- Median: 4100.00

- Mode: 5000.00
- Minimum: 0.00
- Maximum: 80000.00
- Standard Deviation: 9579.10

*Location:* 2058-2062 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1B\_69: Sold buckwheat (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	9	0.4 %
200	-	1	0.0 %
250	-	1	0.0 %
360	-	1	0.0 %
400	-	1	0.0 %
455	-	1	0.0 %
500	-	1	0.0 %
800	-	2	0.1 %
900	-	1	0.0 %
1200	-	2	0.1 %
1300	-	2	0.1 %
1500	-	3	0.1 %
1550	-	1	0.0 %
1600	-	1	0.0 %
2000	-	3	0.1 %
2100	-	1	0.0 %
2300	-	2	0.1 %
2400	-	1	0.0 %
2500	-	5	0.2 %
2900	-	1	0.0 %
3000	-	12	0.5 %
3300	-	1	0.0 %
3500	-	5	0.2 %
3600	-	1	0.0 %
3900	-	1	0.0 %
4000	-	6	0.3 %
4400	-	2	0.1 %
4500	-	6	0.3 %
4800	-	2	0.1 %
5000	-	13	0.6 %
5500	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6000	-	8	0.4 %
6500	-	1	0.0 %
6800	-	1	0.0 %
7000	-	6	0.3 %
7350	-	1	0.0 %
8000	-	6	0.3 %
8500	-	2	0.1 %
9000	-	6	0.3 %
9500	-	1	0.0 %
9600	-	2	0.1 %
10000	-	3	0.1 %
11000	-	2	0.1 %
12000	-	3	0.1 %
13000	-	1	0.0 %
14000	-	1	0.0 %
14280	-	1	0.0 %
15000	-	3	0.1 %
15500	-	1	0.0 %
16000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2104	93.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 151 valid cases out of 2,255 total cases.

- Mean: 6955.93
- Median: 4800.00
- Mode: 5000.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 10068.95

*Location:* 2063-2068 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_1B\_70: Sold buckwheat (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	9	0.4 %
200	-	1	0.0 %

Value	Label	Unweighted Frequency	%
300	-	1	0.0 %
400	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %
1400	-	4	0.2 %
1500	-	2	0.1 %
1600	-	1	0.0 %
1700	-	1	0.0 %
2000	-	4	0.2 %
2100	-	1	0.0 %
2300	-	1	0.0 %
2400	-	1	0.0 %
2500	-	3	0.1 %
2800	-	2	0.1 %
3000	-	9	0.4 %
3100	-	1	0.0 %
3500	-	1	0.0 %
3600	-	2	0.1 %
3800	-	2	0.1 %
4000	-	10	0.4 %
4200	-	1	0.0 %
4500	-	2	0.1 %
4800	-	2	0.1 %
4900	-	1	0.0 %
5000	-	9	0.4 %
5500	-	3	0.1 %
5600	-	2	0.1 %
6000	-	5	0.2 %
6600	-	2	0.1 %
7000	-	5	0.2 %
8000	-	6	0.3 %
8500	-	2	0.1 %
9000	-	4	0.2 %
10000	-	11	0.5 %
11000	-	2	0.1 %
12000	-	1	0.0 %
13000	-	1	0.0 %
14000	-	1	0.0 %
15000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
15173	-	1	0.0 %
18000	-	2	0.1 %
20000	-	2	0.1 %
20500	-	1	0.0 %
21900	-	1	0.0 %
24000	-	1	0.0 %
32000	-	1	0.0 %
40000	-	1	0.0 %
55000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2121	94.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 134 valid cases out of 2,255 total cases.

- Mean: 7590.10
- Median: 5000.00
- Mode: 10000.00
- Minimum: 0.00
- Maximum: 120000.00
- Standard Deviation: 12281.16

*Location:* 2069-2074 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_1B\_71: Sold buckwheat (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	10	0.4 %
150	-	1	0.0 %
300	-	1	0.0 %
500	-	1	0.0 %
600	-	1	0.0 %
700	-	2	0.1 %
900	-	1	0.0 %
1000	-	2	0.1 %
1500	-	4	0.2 %
1800	-	2	0.1 %
2000	-	10	0.4 %
2200	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2500	-	2	0.1 %
2800	-	1	0.0 %
2850	-	1	0.0 %
3000	-	2	0.1 %
3200	-	1	0.0 %
4000	-	10	0.4 %
4300	-	1	0.0 %
4500	-	3	0.1 %
5000	-	13	0.6 %
5600	-	2	0.1 %
5700	-	1	0.0 %
5800	-	1	0.0 %
6000	-	8	0.4 %
7000	-	5	0.2 %
7500	-	2	0.1 %
8000	-	4	0.2 %
9000	-	7	0.3 %
9500	-	1	0.0 %
10000	-	7	0.3 %
10500	-	1	0.0 %
12000	-	6	0.3 %
14000	-	1	0.0 %
14050	-	1	0.0 %
15000	-	3	0.1 %
16000	-	1	0.0 %
17000	-	1	0.0 %
18000	-	1	0.0 %
20000	-	2	0.1 %
22000	-	2	0.1 %
24327	-	1	0.0 %
25000	-	1	0.0 %
30000	-	2	0.1 %
32000	-	1	0.0 %
40000	-	2	0.1 %
41000	-	1	0.0 %
50000	-	1	0.0 %
90000	-	1	0.0 %
Missing Data			
.	-	2118	93.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 137 valid cases out of 2,255 total cases.

- Mean: 8528.30
- Median: 5000.00
- Mode: 5000.00
- Minimum: 0.00
- Maximum: 90000.00
- Standard Deviation: 11282.00

*Location:* 2075-2079 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_1B\_72: Sold buckwheat (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2254	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2080-2080 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2\_63: Finger millet planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1375	61.0 %
1	Yes	38	1.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	842	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,413 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2081-2083 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_2\_64: Finger millet planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1498	66.4 %
1	Yes	14	0.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2084-2086 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_2\_65: Finger millet planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1579	70.0 %
1	Yes	13	0.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2087-2089 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B17\_2\_66: Finger millet planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1678	74.4 %
1	Yes	11	0.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2090-2092 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B17\_2\_67: Finger millet planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1757	77.9 %
1	Yes	11	0.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2093-2095 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B17\_2\_68: Finger millet planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1814	80.4 %

Value	Label	Unweighted Frequency	%
1	Yes	12	0.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2096-2098 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B17\_2\_69: Finger millet planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1941	86.1 %
1	Yes	10	0.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2099-2101 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B17\_2\_70: Finger millet planting in 2070

Value	Label	Unweighted Frequency	%
0	No	2017	89.4 %
1	Yes	11	0.5 %
2	Planting by self and some part by other	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2102-2104 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B17\_2\_71: Finger millet planting in 2071

Value	Label	Unweighted Frequency	%
0	No	2164	96.0 %
1	Yes	16	0.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2105-2107 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B17\_2\_72: Finger millet planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2242	99.4 %
1	Yes	10	0.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2108-2110 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_2A\_63: Finger millet planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2111-2111 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2A\_64: Finger millet planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.60	-	1	0.0 %
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	3	0.1 %
2.50	-	1	0.0 %
3.00	-	2	0.1 %
4.00	-	2	0.1 %
7.00	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2241	99.4 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 14 valid cases out of 2,255 total cases.

- Mean: 2.42
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25

- Maximum: 7.00
- Standard Deviation: 1.76

*Location:* 2112-2115 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2A\_65: Finger millet planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.60	-	1	0.0 %
1.00	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	3	0.1 %
2.50	-	1	0.0 %
3.00	-	2	0.1 %
4.00	-	2	0.1 %
7.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2242	99.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 13 valid cases out of 2,255 total cases.

- Mean: 2.53
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 7.00
- Standard Deviation: 1.78

*Location:* 2116-2119 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2A\_66: Finger millet planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.60	-	1	0.0 %
1.00	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	3	0.1 %
3.00	-	1	0.0 %
4.00	-	2	0.1 %
7.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2244	99.5 %

  

	<b>Total</b>	<b>2,255</b>	<b>100%</b>
--	--------------	--------------	-------------

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 2.49
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 7.00
- Standard Deviation: 1.94

*Location:* 2120-2123 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2A\_67: Finger millet planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.60	-	1	0.0 %
1.00	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	4	0.2 %
3.00	-	1	0.0 %
4.00	-	2	0.1 %
	<b>Missing Data</b>		
.	-	2244	99.5 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 4.00
- Standard Deviation: 1.24

*Location:* 2124-2127 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2A\_68: Finger millet planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.60	-	1	0.0 %
1.00	-	2	0.1 %
1.50	-	2	0.1 %
2.00	-	3	0.1 %
3.00	-	1	0.0 %
4.00	-	2	0.1 %
<b>Missing Data</b>			
.	-	2243	99.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 12 valid cases out of 2,255 total cases.

- Mean: 1.90
- Median: 1.75
- Mode: 2.00
- Minimum: 0.25
- Maximum: 4.00
- Standard Deviation: 1.22

*Location:* 2128-2131 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_2A\_69: Finger millet planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
1.00	-	2	0.1 %
1.50	-	2	0.1 %
2.00	-	3	0.1 %
4.00	-	2	0.1 %
<b>Missing Data</b>			
.	-	2245	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 10 valid cases out of 2,255 total cases.

- Mean: 1.93
- Median: 1.75
- Mode: 2.00
- Minimum: 0.25
- Maximum: 4.00
- Standard Deviation: 1.23

*Location:* 2132-2135 (width: 4; decimal: 2)

*Variable Type:* numeric

(Range of) Missing Values: .

## B17\_2A\_70: Finger millet planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
1.00	-	2	0.1 %
1.50	-	2	0.1 %
2.00	-	4	0.2 %
4.00	-	2	0.1 %
<b>Missing Data</b>			
.	-	2244	99.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 4.00
- Standard Deviation: 1.16

Location: 2136-2139 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

## B17\_2A\_71: Finger millet planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.50	-	1	0.0 %
1.00	-	3	0.1 %
1.50	-	2	0.1 %
1.68	-	1	0.0 %
2.00	-	5	0.2 %
3.00	-	1	0.0 %
4.00	-	2	0.1 %
<b>Missing Data</b>			
.	-	2239	99.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 16 valid cases out of 2,255 total cases.

- Mean: 1.84
- Median: 1.84
- Mode: 2.00

- Minimum: 0.25
- Maximum: 4.00
- Standard Deviation: 1.08

*Location:* 2140-2143 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2A\_72: Finger millet planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	4	0.2 %
1.50	-	2	0.1 %
2.00	-	1	0.0 %
3.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2245	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 10 valid cases out of 2,255 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.25
- Maximum: 3.00
- Standard Deviation: 0.76

*Location:* 2144-2147 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2B\_63: Sold finger millet (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2148-2148 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2B\_64: Sold finger millet (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	11	0.5 %
800	-	1	0.0 %
2900	-	1	0.0 %
3500	-	1	0.0 %
<b>Missing Data</b>			
.	-	2241	99.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 14 valid cases out of 2,255 total cases.

- Mean: 514.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3500.00
- Standard Deviation: 1163.45

*Location:* 2149-2152 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2B\_65: Sold finger millet (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	10	0.4 %
900	-	1	0.0 %
3000	-	1	0.0 %
3800	-	1	0.0 %
<b>Missing Data</b>			
.	-	2242	99.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 13 valid cases out of 2,255 total cases.

- Mean: 592.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3800.00
- Standard Deviation: 1280.93

*Location:* 2153-2156 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2B\_66: Sold finger millet (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	8	0.4 %
700	-	1	0.0 %
4000	-	1	0.0 %
6000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2244	99.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 972.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 2051.39

*Location:* 2157-2160 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2B\_67: Sold finger millet (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	8	0.4 %
1000	-	1	0.0 %
3500	-	1	0.0 %
5000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2244	99.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 863.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 1733.36

*Location:* 2161-2164 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2B\_68: Sold finger millet (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	9	0.4 %
1500	-	1	0.0 %
3000	-	1	0.0 %
5500	-	1	0.0 %
<b>Missing Data</b>			
.	-	2243	99.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 12 valid cases out of 2,255 total cases.

- Mean: 833.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5500.00
- Standard Deviation: 1736.42

*Location:* 2165-2168 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2B\_69: Sold finger millet (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	8	0.4 %
5500	-	1	0.0 %
15000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2245	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 10 valid cases out of 2,255 total cases.

- Mean: 2050.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15000.00
- Standard Deviation: 4867.41

*Location:* 2169-2173 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_2B\_70: Sold finger millet (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	9	0.4 %
5000	-	1	0.0 %
6000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2244	99.5 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 1000.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 2236.07

*Location:* 2174-2177 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_2B\_71: Sold finger millet (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	14	0.6 %
3000	-	1	0.0 %
7000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2239	99.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 16 valid cases out of 2,255 total cases.

- Mean: 625.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7000.00
- Standard Deviation: 1857.42

*Location:* 2178-2181 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_2B\_72: Sold finger millet (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	10	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2245	99.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 10 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2182-2182 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3\_63: Sesame planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1360	60.3 %
1	Yes	53	2.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	842	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,413 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2183-2185 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_3\_64: Sesame planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1416	62.8 %
1	Yes	95	4.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %

Value	Label	Unweighted Frequency	%
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 2186-2188 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### B17\_3\_65: Sesame planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1489	66.0 %
1	Yes	102	4.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 2189-2191 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### B17\_3\_66: Sesame planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1581	70.1 %
1	Yes	107	4.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 2192-2194 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

---

### B17\_3\_67: Sesame planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1655	73.4 %
1	Yes	112	5.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 2195-2197 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

---

### B17\_3\_68: Sesame planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1705	75.6 %
1	Yes	120	5.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 2198-2200 (width: 3; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 998 , 999 , .

### B17\_3\_69: Seseame planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1827	81.0 %
1	Yes	123	5.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 2201-2203 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999 , .

### B17\_3\_70: Seseame planting in 2070

Value	Label	Unweighted Frequency	%
0	No	1878	83.3 %
1	Yes	148	6.6 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	2	0.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 2204-2206 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999

### B17\_3\_71: Seseame planting in 2071

Value	Label	Unweighted Frequency	%
0	No	2016	89.4 %
1	Yes	163	7.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	1	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 2207-2209 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_3\_72: Sesame planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2062	91.4 %
1	Yes	187	8.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	3	0.1 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 2210-2212 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_3A\_63: Sesame planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2213-2213 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_3A\_64: Sesame planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.40	-	1	0.0 %
1.00	-	8	0.4 %
1.50	-	2	0.1 %
2.00	-	5	0.2 %
3.00	-	8	0.4 %
3.50	-	1	0.0 %
3.65	-	1	0.0 %
4.00	-	15	0.7 %
4.50	-	1	0.0 %
4.55	-	1	0.0 %
5.00	-	12	0.5 %
6.00	-	5	0.2 %
7.00	-	4	0.2 %
8.00	-	4	0.2 %
9.00	-	1	0.0 %
10.00	-	10	0.4 %
11.00	-	1	0.0 %
12.00	-	1	0.0 %
13.00	-	1	0.0 %
14.00	-	1	0.0 %
15.00	-	1	0.0 %
17.50	-	1	0.0 %
18.00	-	2	0.1 %
19.00	-	1	0.0 %
20.00	-	3	0.1 %
23.00	-	1	0.0 %
25.00	-	1	0.0 %
31.00	-	1	0.0 %
49.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2159	95.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 96 valid cases out of 2,255 total cases.

- Mean: 7.36
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 49.00
- Standard Deviation: 7.34

*Location:* 2214-2218 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_3A\_65: Sesame planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.40	-	1	0.0 %
1.00	-	9	0.4 %
1.50	-	2	0.1 %
2.00	-	5	0.2 %
3.00	-	9	0.4 %
3.50	-	1	0.0 %
3.65	-	1	0.0 %
4.00	-	13	0.6 %
4.50	-	1	0.0 %
4.55	-	1	0.0 %
4.80	-	1	0.0 %
5.00	-	14	0.6 %
6.00	-	7	0.3 %
7.00	-	4	0.2 %
8.00	-	5	0.2 %
9.00	-	1	0.0 %
10.00	-	11	0.5 %
11.00	-	1	0.0 %
12.00	-	1	0.0 %
13.00	-	1	0.0 %
14.00	-	1	0.0 %
15.00	-	2	0.1 %
17.50	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	3	0.1 %
23.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25.00	-	1	0.0 %
31.00	-	1	0.0 %
49.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2152	95.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 103 valid cases out of 2,255 total cases.

- Mean: 7.22
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 49.00
- Standard Deviation: 7.09

*Location:* 2219-2223 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3A\_66: Sesame planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.40	-	1	0.0 %
1.00	-	9	0.4 %
1.50	-	2	0.1 %
2.00	-	5	0.2 %
3.00	-	10	0.4 %
3.50	-	1	0.0 %
3.65	-	1	0.0 %
4.00	-	15	0.7 %
4.50	-	1	0.0 %
4.55	-	1	0.0 %
4.80	-	1	0.0 %
5.00	-	14	0.6 %
5.50	-	1	0.0 %
6.00	-	10	0.4 %
7.00	-	4	0.2 %
8.00	-	3	0.1 %
9.00	-	1	0.0 %
10.00	-	11	0.5 %
11.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12.00	-	1	0.0 %
13.00	-	1	0.0 %
15.00	-	3	0.1 %
17.50	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	3	0.1 %
23.00	-	1	0.0 %
25.00	-	1	0.0 %
31.00	-	1	0.0 %
49.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2147	95.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 108 valid cases out of 2,255 total cases.

- Mean: 7.07
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 49.00
- Standard Deviation: 6.96

*Location:* 2224-2228 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3A\_67: Sesame planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.40	-	1	0.0 %
1.00	-	10	0.4 %
1.50	-	2	0.1 %
2.00	-	6	0.3 %
3.00	-	12	0.5 %
3.50	-	1	0.0 %
4.00	-	16	0.7 %
4.50	-	1	0.0 %
4.55	-	1	0.0 %
4.80	-	1	0.0 %
5.00	-	15	0.7 %

Value	Label	Unweighted Frequency	%
5.50	-	1	0.0 %
6.00	-	8	0.4 %
7.00	-	3	0.1 %
8.00	-	6	0.3 %
9.00	-	1	0.0 %
10.00	-	12	0.5 %
11.00	-	1	0.0 %
12.00	-	1	0.0 %
13.00	-	1	0.0 %
15.00	-	4	0.2 %
17.50	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	3	0.1 %
25.00	-	1	0.0 %
31.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2142	95.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 113 valid cases out of 2,255 total cases.

- Mean: 6.51
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 5.43

*Location:* 2229-2233 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3A\_68: Sesame planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.40	-	1	0.0 %
1.00	-	11	0.5 %
1.50	-	2	0.1 %
2.00	-	8	0.4 %
3.00	-	12	0.5 %
3.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.00	-	17	0.8 %
4.50	-	2	0.1 %
4.55	-	1	0.0 %
4.80	-	1	0.0 %
5.00	-	16	0.7 %
5.15	-	1	0.0 %
5.50	-	1	0.0 %
6.00	-	8	0.4 %
7.00	-	3	0.1 %
8.00	-	5	0.2 %
9.00	-	1	0.0 %
10.00	-	15	0.7 %
11.00	-	1	0.0 %
12.00	-	1	0.0 %
13.00	-	2	0.1 %
15.00	-	4	0.2 %
17.50	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	2	0.1 %
25.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2134	94.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 121 valid cases out of 2,255 total cases.

- Mean: 6.14
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 4.72

*Location:* 2234-2238 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3A\_69: Sesame planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.00	-	11	0.5 %
1.50	-	3	0.1 %
2.00	-	11	0.5 %
2.50	-	1	0.0 %
3.00	-	13	0.6 %
3.50	-	1	0.0 %
4.00	-	15	0.7 %
4.50	-	2	0.1 %
4.55	-	1	0.0 %
4.80	-	1	0.0 %
5.00	-	16	0.7 %
5.15	-	1	0.0 %
5.50	-	1	0.0 %
6.00	-	8	0.4 %
7.00	-	4	0.2 %
8.00	-	6	0.3 %
10.00	-	15	0.7 %
11.00	-	1	0.0 %
13.00	-	1	0.0 %
15.00	-	4	0.2 %
17.50	-	1	0.0 %
18.00	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	2	0.1 %
25.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2131	94.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 124 valid cases out of 2,255 total cases.

- Mean: 5.88
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 4.65

*Location:* 2239-2243 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3A\_70: Sesame planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.00	-	2	0.1 %
0.40	-	1	0.0 %
1.00	-	13	0.6 %
1.50	-	3	0.1 %
2.00	-	12	0.5 %
3.00	-	18	0.8 %
3.50	-	1	0.0 %
4.00	-	21	0.9 %
4.50	-	1	0.0 %
4.55	-	1	0.0 %
4.80	-	1	0.0 %
5.00	-	20	0.9 %
5.15	-	1	0.0 %
6.00	-	11	0.5 %
7.00	-	4	0.2 %
8.00	-	6	0.3 %
9.00	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	14	0.6 %
11.00	-	1	0.0 %
12.00	-	1	0.0 %
13.00	-	1	0.0 %
15.00	-	5	0.2 %
18.00	-	1	0.0 %
18.50	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	3	0.1 %
21.00	-	1	0.0 %
23.00	-	1	0.0 %
25.00	-	1	0.0 %
32.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2105	93.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 150 valid cases out of 2,255 total cases.

- Mean: 6.20
- Median: 5.00
- Mode: 4.00

- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 5.40

*Location:* 2244-2248 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3A\_71: Sesame planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.40	-	1	0.0 %
0.50	-	2	0.1 %
1.00	-	13	0.6 %
1.50	-	4	0.2 %
2.00	-	16	0.7 %
2.55	-	1	0.0 %
3.00	-	20	0.9 %
4.00	-	23	1.0 %
4.50	-	2	0.1 %
4.80	-	1	0.0 %
5.00	-	23	1.0 %
5.15	-	1	0.0 %
6.00	-	10	0.4 %
7.00	-	4	0.2 %
8.00	-	5	0.2 %
9.50	-	1	0.0 %
10.00	-	13	0.6 %
11.00	-	2	0.1 %
12.00	-	1	0.0 %
13.00	-	2	0.1 %
15.00	-	8	0.4 %
18.00	-	1	0.0 %
18.50	-	1	0.0 %
19.00	-	1	0.0 %
20.00	-	3	0.1 %
21.00	-	1	0.0 %
23.00	-	1	0.0 %
25.00	-	1	0.0 %
28.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2091	92.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 164 valid cases out of 2,255 total cases.

- Mean: 6.10
- Median: 4.50
- Minimum: 0.00
- Maximum: 28.00
- Standard Deviation: 5.31

*Location:* 2249-2253 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3A\_72: Sesame planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.00	-	3	0.1 %
0.05	-	1	0.0 %
0.15	-	1	0.0 %
0.50	-	1	0.0 %
1.00	-	17	0.8 %
1.50	-	5	0.2 %
1.68	-	1	0.0 %
2.00	-	23	1.0 %
2.50	-	2	0.1 %
3.00	-	18	0.8 %
3.50	-	1	0.0 %
4.00	-	29	1.3 %
4.50	-	1	0.0 %
4.55	-	1	0.0 %
4.80	-	1	0.0 %
5.00	-	24	1.1 %
6.00	-	13	0.6 %
6.15	-	1	0.0 %
7.00	-	8	0.4 %
8.00	-	4	0.2 %
9.00	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	13	0.6 %
11.00	-	2	0.1 %
12.00	-	1	0.0 %
15.00	-	7	0.3 %

Value	Label	Unweighted Frequency	%
17.00	-	1	0.0 %
18.50	-	1	0.0 %
20.00	-	5	0.2 %
21.00	-	1	0.0 %
25.00	-	1	0.0 %
28.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2065	91.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 190 valid cases out of 2,255 total cases.

- Mean: 5.55
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 28.00
- Standard Deviation: 4.96

*Location:* 2254-2258 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3B\_63: Sold seseame (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			
.	-	2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2259-2259 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3B\_64: Sold seseame (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	31	1.4 %
500	-	1	0.0 %
600	-	2	0.1 %
650	-	1	0.0 %
800	-	4	0.2 %
1000	-	6	0.3 %

Value	Label	Unweighted Frequency	%
1500	-	4	0.2 %
1900	-	1	0.0 %
2000	-	7	0.3 %
2100	-	1	0.0 %
2500	-	1	0.0 %
3000	-	3	0.1 %
3200	-	1	0.0 %
4000	-	5	0.2 %
4200	-	1	0.0 %
4900	-	1	0.0 %
5000	-	4	0.2 %
5400	-	1	0.0 %
5978	-	1	0.0 %
6000	-	2	0.1 %
6500	-	1	0.0 %
8000	-	4	0.2 %
10000	-	3	0.1 %
12000	-	5	0.2 %
13000	-	1	0.0 %
14000	-	1	0.0 %
15000	-	1	0.0 %
25000	-	2	0.1 %
<b>Missing Data</b>			
.	-	2159	95.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 96 valid cases out of 2,255 total cases.

- Mean: 3575.29
- Median: 1500.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25000.00
- Standard Deviation: 5013.79

*Location:* 2260-2264 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3B\_65: Sold seseame (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	33	1.5 %

Value	Label	Unweighted Frequency	%
600	-	2	0.1 %
700	-	3	0.1 %
800	-	2	0.1 %
900	-	1	0.0 %
1000	-	2	0.1 %
1200	-	4	0.2 %
1500	-	2	0.1 %
1800	-	1	0.0 %
2000	-	6	0.3 %
2200	-	2	0.1 %
2500	-	2	0.1 %
3000	-	2	0.1 %
3400	-	1	0.0 %
3500	-	3	0.1 %
4000	-	7	0.3 %
4200	-	1	0.0 %
4500	-	1	0.0 %
5000	-	4	0.2 %
5500	-	1	0.0 %
6000	-	5	0.2 %
7000	-	1	0.0 %
7500	-	1	0.0 %
8000	-	3	0.1 %
8700	-	1	0.0 %
10000	-	2	0.1 %
11000	-	1	0.0 %
12000	-	1	0.0 %
13000	-	2	0.1 %
14000	-	2	0.1 %
15000	-	1	0.0 %
16000	-	1	0.0 %
23000	-	1	0.0 %
28000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2152	95.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 103 valid cases out of 2,255 total cases.

- Mean: 3661.17

- Median: 2000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 28000.00
- Standard Deviation: 5023.21

*Location:* 2265-2269 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3B\_66: Sold seseame (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	37	1.6 %
500	-	2	0.1 %
700	-	1	0.0 %
800	-	2	0.1 %
950	-	1	0.0 %
1000	-	2	0.1 %
1200	-	1	0.0 %
1300	-	1	0.0 %
1500	-	3	0.1 %
1800	-	1	0.0 %
2000	-	3	0.1 %
2200	-	1	0.0 %
2500	-	3	0.1 %
2700	-	1	0.0 %
3000	-	6	0.3 %
3400	-	1	0.0 %
3500	-	1	0.0 %
4000	-	5	0.2 %
4500	-	2	0.1 %
4800	-	1	0.0 %
5000	-	4	0.2 %
6000	-	1	0.0 %
7000	-	6	0.3 %
7500	-	1	0.0 %
8000	-	1	0.0 %
9000	-	2	0.1 %
10000	-	3	0.1 %
10300	-	1	0.0 %
11000	-	3	0.1 %
12000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13000	-	3	0.1 %
13500	-	1	0.0 %
15000	-	3	0.1 %
16000	-	1	0.0 %
25000	-	1	0.0 %
26000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2147	95.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 108 valid cases out of 2,255 total cases.

- Mean: 4106.02
- Median: 2100.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26000.00
- Standard Deviation: 5302.35

*Location:* 2270-2274 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_3B\_67: Sold seseame (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	39	1.7 %
40	-	1	0.0 %
500	-	2	0.1 %
600	-	1	0.0 %
800	-	3	0.1 %
1000	-	1	0.0 %
1100	-	1	0.0 %
1400	-	1	0.0 %
1500	-	1	0.0 %
1800	-	3	0.1 %
2000	-	2	0.1 %
2500	-	5	0.2 %
3000	-	6	0.3 %
3150	-	1	0.0 %
3500	-	3	0.1 %
4000	-	7	0.3 %
4400	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4500	-	2	0.1 %
5000	-	3	0.1 %
6000	-	4	0.2 %
7000	-	1	0.0 %
7236	-	1	0.0 %
7560	-	1	0.0 %
8000	-	2	0.1 %
9000	-	5	0.2 %
10000	-	2	0.1 %
12000	-	3	0.1 %
13000	-	1	0.0 %
14000	-	3	0.1 %
15000	-	2	0.1 %
17000	-	1	0.0 %
19000	-	1	0.0 %
21000	-	1	0.0 %
25000	-	1	0.0 %
27000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2142	95.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 113 valid cases out of 2,255 total cases.

- Mean: 4210.50
- Median: 2500.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 27000.00
- Standard Deviation: 5607.65

*Location:* 2275-2279 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3B\_68: Sold seseame (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	37	1.6 %
45	-	1	0.0 %
400	-	1	0.0 %
500	-	2	0.1 %
850	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1000	-	2	0.1 %
1100	-	1	0.0 %
1200	-	1	0.0 %
1400	-	1	0.0 %
1500	-	4	0.2 %
1700	-	1	0.0 %
2000	-	4	0.2 %
2200	-	1	0.0 %
2500	-	3	0.1 %
3000	-	11	0.5 %
3500	-	2	0.1 %
4000	-	2	0.1 %
4300	-	1	0.0 %
4500	-	3	0.1 %
5000	-	6	0.3 %
6000	-	7	0.3 %
6500	-	1	0.0 %
7000	-	4	0.2 %
8000	-	4	0.2 %
8400	-	1	0.0 %
9000	-	1	0.0 %
10000	-	5	0.2 %
11000	-	1	0.0 %
13000	-	1	0.0 %
14000	-	1	0.0 %
15000	-	2	0.1 %
16000	-	2	0.1 %
17000	-	1	0.0 %
18000	-	2	0.1 %
20000	-	1	0.0 %
24000	-	1	0.0 %
30000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2134	94.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 121 valid cases out of 2,255 total cases.

- Mean: 4397.48
- Median: 3000.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 30000.00
- Standard Deviation: 5599.96

*Location:* 2280-2284 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3B\_69: Sold seseame (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	41	1.8 %
47	-	1	0.0 %
400	-	1	0.0 %
600	-	1	0.0 %
700	-	1	0.0 %
950	-	1	0.0 %
1000	-	4	0.2 %
1080	-	1	0.0 %
1200	-	1	0.0 %
1300	-	1	0.0 %
1500	-	2	0.1 %
1600	-	2	0.1 %
1800	-	1	0.0 %
2000	-	4	0.2 %
2200	-	2	0.1 %
3000	-	8	0.4 %
3500	-	2	0.1 %
3600	-	1	0.0 %
3750	-	1	0.0 %
4000	-	9	0.4 %
4500	-	1	0.0 %
5000	-	7	0.3 %
6000	-	2	0.1 %
6500	-	1	0.0 %
7000	-	6	0.3 %
8000	-	3	0.1 %
8500	-	1	0.0 %
10000	-	4	0.2 %
10500	-	1	0.0 %
11000	-	1	0.0 %
11400	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12000	-	2	0.1 %
15000	-	2	0.1 %
16000	-	1	0.0 %
17000	-	1	0.0 %
19000	-	1	0.0 %
28000	-	1	0.0 %
30000	-	2	0.1 %
45000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2131	94.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 124 valid cases out of 2,255 total cases.

- Mean: 4430.86
- Median: 2100.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45000.00
- Standard Deviation: 6845.45

*Location:* 2285-2289 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3B\_70: Sold seseame (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	43	1.9 %
50	-	1	0.0 %
500	-	1	0.0 %
600	-	3	0.1 %
700	-	1	0.0 %
750	-	1	0.0 %
800	-	1	0.0 %
1000	-	4	0.2 %
1120	-	1	0.0 %
1200	-	1	0.0 %
1400	-	4	0.2 %
1500	-	1	0.0 %
2000	-	10	0.4 %
2300	-	1	0.0 %
2500	-	4	0.2 %

Value	Label	Unweighted Frequency	%
2700	-	1	0.0 %
3000	-	5	0.2 %
3200	-	1	0.0 %
3500	-	3	0.1 %
3600	-	1	0.0 %
3800	-	1	0.0 %
4000	-	5	0.2 %
5000	-	11	0.5 %
6000	-	3	0.1 %
6500	-	1	0.0 %
7000	-	6	0.3 %
7500	-	1	0.0 %
8000	-	4	0.2 %
8500	-	1	0.0 %
9000	-	3	0.1 %
10000	-	6	0.3 %
11000	-	2	0.1 %
12000	-	4	0.2 %
13000	-	1	0.0 %
15000	-	2	0.1 %
18000	-	4	0.2 %
20000	-	1	0.0 %
22000	-	1	0.0 %
23000	-	1	0.0 %
29000	-	1	0.0 %
30000	-	1	0.0 %
32000	-	1	0.0 %
50000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2105	93.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 150 valid cases out of 2,255 total cases.

- Mean: 5044.13
- Median: 2500.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 7252.88

*Location:* 2290-2294 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

(Range of) Missing Values: .

### B17\_3B\_71: Sold seseame (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	61	2.7 %
50	-	1	0.0 %
420	-	1	0.0 %
500	-	3	0.1 %
800	-	1	0.0 %
900	-	1	0.0 %
1000	-	3	0.1 %
1100	-	1	0.0 %
1200	-	2	0.1 %
1400	-	1	0.0 %
1500	-	2	0.1 %
1850	-	1	0.0 %
2000	-	2	0.1 %
2500	-	4	0.2 %
3000	-	11	0.5 %
3500	-	2	0.1 %
4000	-	7	0.3 %
4200	-	1	0.0 %
4500	-	1	0.0 %
4800	-	1	0.0 %
5000	-	8	0.4 %
5250	-	1	0.0 %
5550	-	1	0.0 %
6000	-	3	0.1 %
6500	-	4	0.2 %
7000	-	8	0.4 %
8000	-	1	0.0 %
8325	-	1	0.0 %
9000	-	4	0.2 %
10000	-	5	0.2 %
11500	-	1	0.0 %
13000	-	1	0.0 %
14000	-	2	0.1 %
15000	-	3	0.1 %
16000	-	1	0.0 %
18500	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20000	-	4	0.2 %
24000	-	1	0.0 %
25000	-	2	0.1 %
30000	-	4	0.2 %
60000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2091	92.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 164 valid cases out of 2,255 total cases.

- Mean: 5067.35
- Median: 2500.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60000.00
- Standard Deviation: 8069.77

*Location:* 2295-2299 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_3B\_72: Sold seseame (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	135	6.0 %
520	-	1	0.0 %
576	-	1	0.0 %
600	-	1	0.0 %
850	-	1	0.0 %
1105	-	1	0.0 %
1200	-	1	0.0 %
1400	-	1	0.0 %
1500	-	2	0.1 %
1800	-	1	0.0 %
1950	-	1	0.0 %
2000	-	1	0.0 %
2250	-	1	0.0 %
2500	-	2	0.1 %
3000	-	3	0.1 %
3050	-	1	0.0 %
3200	-	2	0.1 %
3600	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4000	-	2	0.1 %
4700	-	1	0.0 %
5000	-	2	0.1 %
6000	-	5	0.2 %
6500	-	1	0.0 %
7000	-	4	0.2 %
7500	-	1	0.0 %
8000	-	1	0.0 %
9000	-	2	0.1 %
10000	-	1	0.0 %
12000	-	3	0.1 %
15000	-	1	0.0 %
17000	-	2	0.1 %
18000	-	1	0.0 %
30000	-	2	0.1 %
32400	-	1	0.0 %
38000	-	1	0.0 %
50000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2065	91.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 190 valid cases out of 2,255 total cases.

- Mean: 2431.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 6609.30

*Location:* 2300-2304 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4\_63: Kidney bean planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1348	59.8 %
1	Yes	65	2.9 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
999	Household does not exist	842	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,413 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2305-2307 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

#### B17\_4\_64: Kidney bean planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1461	64.8 %
1	Yes	51	2.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2308-2310 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

#### B17\_4\_65: Kidney bean planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1536	68.1 %
1	Yes	56	2.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2311-2313 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### B17\_4\_66: Kidney bean planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1628	72.2 %
1	Yes	61	2.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2314-2316 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### B17\_4\_67: Kidney bean planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1700	75.4 %
1	Yes	68	3.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2317-2319 (width: 3; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 998 , 999 , .

## B17\_4\_68: Kidney bean planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1742	77.3 %
1	Yes	84	3.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2320-2322 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999 , .

## B17\_4\_69: Kidney bean planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1855	82.3 %
1	Yes	96	4.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2323-2325 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999 , .

## B17\_4\_70: Kidney bean planting in 2070

Value	Label	Unweighted Frequency	%
0	No	1913	84.8 %
1	Yes	115	5.1 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2326-2328 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B17\_4\_71: Kidney bean planting in 2071

Value	Label	Unweighted Frequency	%
0	No	2010	89.1 %
1	Yes	170	7.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2329-2331 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B17\_4\_72: Kidney bean planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2248	99.7 %
1	Yes	4	0.2 %
2	Planting by self and some part by other	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2332-2334 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_4A\_63: Kidney bean planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2335-2335 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4A\_64: Kidney bean planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
1.0	-	3	0.1 %
2.0	-	4	0.2 %
3.0	-	8	0.4 %
4.0	-	5	0.2 %
5.0	-	10	0.4 %
6.0	-	6	0.3 %
7.0	-	1	0.0 %
8.0	-	1	0.0 %
10.0	-	6	0.3 %
11.5	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	2	0.1 %
16.0	-	1	0.0 %
20.0	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2204	97.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 51 valid cases out of 2,255 total cases.

- Mean: 6.42
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.65

*Location:* 2336-2339 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4A\_65: Kidney bean planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
1.0	-	4	0.2 %
1.5	-	1	0.0 %
2.0	-	4	0.2 %
3.0	-	7	0.3 %
4.0	-	8	0.4 %
5.0	-	10	0.4 %
6.0	-	5	0.2 %
8.0	-	2	0.1 %
10.0	-	7	0.3 %
11.5	-	1	0.0 %
12.0	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	3	0.1 %
16.0	-	1	0.0 %
20.0	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2199	97.5 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 56 valid cases out of 2,255 total cases.

- Mean: 6.27
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00

- Maximum: 20.00
- Standard Deviation: 4.42

*Location:* 2340-2343 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4A\_66: Kidney bean planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
1.0	-	4	0.2 %
1.5	-	1	0.0 %
2.0	-	6	0.3 %
3.0	-	9	0.4 %
4.0	-	9	0.4 %
5.0	-	10	0.4 %
6.0	-	6	0.3 %
8.0	-	3	0.1 %
10.0	-	8	0.4 %
11.5	-	1	0.0 %
15.0	-	3	0.1 %
20.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2194	97.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 61 valid cases out of 2,255 total cases.

- Mean: 5.69
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.97

*Location:* 2344-2347 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4A\_67: Kidney bean planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
1.0	-	5	0.2 %
1.5	-	1	0.0 %
2.0	-	6	0.3 %
3.0	-	9	0.4 %
4.0	-	9	0.4 %

Value	Label	Unweighted Frequency	%
5.0	-	14	0.6 %
6.0	-	6	0.3 %
8.0	-	3	0.1 %
10.0	-	8	0.4 %
11.5	-	1	0.0 %
12.0	-	1	0.0 %
15.0	-	4	0.2 %
20.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2187	97.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 68 valid cases out of 2,255 total cases.

- Mean: 5.81
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.04

*Location:* 2348-2351 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### B17\_4A\_68: Kidney bean planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
1.0	-	5	0.2 %
1.5	-	2	0.1 %
2.0	-	10	0.4 %
3.0	-	11	0.5 %
4.0	-	8	0.4 %
5.0	-	17	0.8 %
6.0	-	6	0.3 %
6.6	-	1	0.0 %
7.0	-	3	0.1 %
8.0	-	4	0.2 %
10.0	-	11	0.5 %
11.5	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	3	0.1 %
20.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2171	96.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 84 valid cases out of 2,255 total cases.

- Mean: 5.64
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.79

*Location:* 2352-2355 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4A\_69: Kidney bean planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
1.0	-	4	0.2 %
1.5	-	3	0.1 %
2.0	-	11	0.5 %
3.0	-	11	0.5 %
4.0	-	10	0.4 %
5.0	-	18	0.8 %
6.0	-	7	0.3 %
6.6	-	1	0.0 %
7.0	-	4	0.2 %
8.0	-	8	0.4 %
10.0	-	9	0.4 %
11.5	-	1	0.0 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
15.0	-	4	0.2 %
18.0	-	1	0.0 %
20.0	-	2	0.1 %
	<b>Missing Data</b>		
.	-	2159	95.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 96 valid cases out of 2,255 total cases.

- Mean: 6.03

- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.17

*Location:* 2356-2359 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4A\_70: Kidney bean planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.5	-	1	0.0 %
1.0	-	5	0.2 %
1.5	-	3	0.1 %
2.0	-	12	0.5 %
2.5	-	1	0.0 %
3.0	-	13	0.6 %
4.0	-	15	0.7 %
4.5	-	1	0.0 %
5.0	-	18	0.8 %
6.0	-	10	0.4 %
6.6	-	1	0.0 %
7.0	-	6	0.3 %
8.0	-	7	0.3 %
9.0	-	1	0.0 %
10.0	-	10	0.4 %
11.0	-	1	0.0 %
11.5	-	1	0.0 %
15.0	-	5	0.2 %
16.0	-	2	0.1 %
20.0	-	2	0.1 %
<b>Missing Data</b>			
.	-	2140	94.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 115 valid cases out of 2,255 total cases.

- Mean: 5.85
- Median: 5.00
- Mode: 5.00
- Minimum: 0.50
- Maximum: 20.00
- Standard Deviation: 4.05

*Location:* 2360-2363 (width: 4; decimal: 1)

*Variable Type:* numeric  
*(Range of) Missing Values:* .

### B17\_4A\_71: Kidney bean planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.50	-	1	0.0 %
1.00	-	7	0.3 %
1.50	-	5	0.2 %
2.00	-	18	0.8 %
2.50	-	1	0.0 %
3.00	-	19	0.8 %
3.60	-	1	0.0 %
4.00	-	20	0.9 %
4.50	-	1	0.0 %
5.00	-	28	1.2 %
6.00	-	15	0.7 %
6.60	-	1	0.0 %
7.00	-	10	0.4 %
8.00	-	7	0.3 %
9.00	-	2	0.1 %
10.00	-	14	0.6 %
11.00	-	3	0.1 %
11.50	-	1	0.0 %
12.00	-	3	0.1 %
15.00	-	5	0.2 %
16.00	-	4	0.2 %
18.00	-	1	0.0 %
20.00	-	2	0.1 %
<b>Missing Data</b>			
.	-	2085	92.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 170 valid cases out of 2,255 total cases.

- Mean: 5.86
- Median: 5.00
- Mode: 5.00
- Minimum: 0.25
- Maximum: 20.00
- Standard Deviation: 4.04

*Location:* 2364-2368 (*width:* 5; *decimal:* 2)

*Variable Type:* numeric

(Range of) Missing Values: .

### B17\_4A\_72: Kidney bean planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
5.0	-	1	0.0 %
6.6	-	1	0.0 %
8.0	-	2	0.1 %
	<b>Missing Data</b>		
.	-	2251	99.8 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 4 valid cases out of 2,255 total cases.

- Mean: 6.90
- Median: 7.30
- Mode: 8.00
- Minimum: 5.00
- Maximum: 8.00
- Standard Deviation: 1.43

Location: 2369-2371 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

### B17\_4B\_63: Sold kidney bean (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

Location: 2372-2372 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

### B17\_4B\_64: Sold kidney bean (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	4	0.2 %
1000	-	1	0.0 %
2500	-	1	0.0 %
3000	-	2	0.1 %
4000	-	1	0.0 %
5000	-	4	0.2 %
5200	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5300	-	1	0.0 %
5500	-	2	0.1 %
6000	-	2	0.1 %
7000	-	2	0.1 %
8000	-	2	0.1 %
10000	-	5	0.2 %
12000	-	2	0.1 %
13750	-	1	0.0 %
15000	-	1	0.0 %
15200	-	1	0.0 %
15500	-	1	0.0 %
17000	-	1	0.0 %
18000	-	3	0.1 %
22000	-	1	0.0 %
30000	-	2	0.1 %
35000	-	1	0.0 %
37100	-	1	0.0 %
40000	-	1	0.0 %
43000	-	1	0.0 %
50000	-	3	0.1 %
55000	-	1	0.0 %
60000	-	1	0.0 %
100000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2204	97.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 51 valid cases out of 2,255 total cases.

- Mean: 17716.67
- Median: 10000.00
- Mode: 10000.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 19970.35

*Location:* 2373-2378 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## B17\_4B\_65: Sold kidney bean (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1000	-	1	0.0 %
1500	-	1	0.0 %
2000	-	1	0.0 %
2500	-	1	0.0 %
3000	-	1	0.0 %
3500	-	1	0.0 %
4000	-	1	0.0 %
4500	-	1	0.0 %
5000	-	2	0.1 %
5300	-	1	0.0 %
5500	-	2	0.1 %
6000	-	4	0.2 %
6300	-	1	0.0 %
7200	-	1	0.0 %
8000	-	4	0.2 %
9000	-	2	0.1 %
10000	-	2	0.1 %
11000	-	1	0.0 %
12000	-	1	0.0 %
12600	-	1	0.0 %
15500	-	1	0.0 %
17000	-	2	0.1 %
18000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	2	0.1 %
25500	-	1	0.0 %
30000	-	3	0.1 %
35000	-	1	0.0 %
40000	-	2	0.1 %
44000	-	1	0.0 %
50000	-	3	0.1 %
50400	-	1	0.0 %
60000	-	1	0.0 %
70000	-	1	0.0 %
88000	-	1	0.0 %
150000	-	1	0.0 %
<b>Missing Data</b>		2199	97.5 %
.	-		

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 56 valid cases out of 2,255 total cases.

- Mean: 20728.57
- Median: 9500.00
- Minimum: 0.00
- Maximum: 150000.00
- Standard Deviation: 26362.44

*Location:* 2379-2384 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4B\_66: Sold kidney bean (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1000	-	1	0.0 %
1800	-	1	0.0 %
2000	-	1	0.0 %
3000	-	2	0.1 %
3500	-	2	0.1 %
4000	-	2	0.1 %
4500	-	1	0.0 %
5000	-	4	0.2 %
5500	-	1	0.0 %
6000	-	4	0.2 %
6800	-	1	0.0 %
7000	-	4	0.2 %
8000	-	2	0.1 %
9000	-	2	0.1 %
9450	-	2	0.1 %
10000	-	2	0.1 %
11000	-	2	0.1 %
12000	-	1	0.0 %
14500	-	1	0.0 %
15000	-	2	0.1 %
18000	-	2	0.1 %
20000	-	1	0.0 %
25000	-	2	0.1 %
28000	-	1	0.0 %
30000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
31500	-	1	0.0 %
35000	-	1	0.0 %
39000	-	1	0.0 %
40000	-	2	0.1 %
42000	-	1	0.0 %
43000	-	1	0.0 %
50000	-	2	0.1 %
70000	-	1	0.0 %
75000	-	1	0.0 %
80000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2194	97.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 61 valid cases out of 2,255 total cases.

- Mean: 17303.28
- Median: 9000.00
- Minimum: 0.00
- Maximum: 80000.00
- Standard Deviation: 18898.40

*Location:* 2385-2389 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4B\_67: Sold kidney bean (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	4	0.2 %
1600	-	1	0.0 %
2000	-	2	0.1 %
2500	-	1	0.0 %
3000	-	2	0.1 %
3400	-	1	0.0 %
4000	-	1	0.0 %
4500	-	1	0.0 %
5000	-	4	0.2 %
5200	-	1	0.0 %
6000	-	2	0.1 %
7000	-	3	0.1 %
7500	-	2	0.1 %
8000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
9000	-	1	0.0 %
10000	-	3	0.1 %
11000	-	2	0.1 %
14000	-	2	0.1 %
15000	-	1	0.0 %
15600	-	2	0.1 %
18000	-	2	0.1 %
19000	-	1	0.0 %
20000	-	3	0.1 %
24000	-	1	0.0 %
25000	-	4	0.2 %
30000	-	4	0.2 %
31200	-	1	0.0 %
32000	-	1	0.0 %
35000	-	1	0.0 %
43000	-	2	0.1 %
45000	-	1	0.0 %
46800	-	1	0.0 %
50000	-	1	0.0 %
70000	-	3	0.1 %
78000	-	1	0.0 %
80000	-	1	0.0 %
84000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2187	97.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 68 valid cases out of 2,255 total cases.

- Mean: 20520.59
- Median: 12500.00
- Minimum: 0.00
- Maximum: 84000.00
- Standard Deviation: 21366.08

*Location:* 2390-2394 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_4B\_68: Sold kidney bean (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	4	0.2 %

Value	Label	Unweighted Frequency	%
1200	-	1	0.0 %
1500	-	1	0.0 %
2000	-	2	0.1 %
2500	-	2	0.1 %
3000	-	2	0.1 %
4000	-	2	0.1 %
4500	-	1	0.0 %
5000	-	4	0.2 %
6000	-	4	0.2 %
6500	-	1	0.0 %
7000	-	2	0.1 %
7800	-	1	0.0 %
8000	-	9	0.4 %
9000	-	1	0.0 %
10000	-	5	0.2 %
11000	-	2	0.1 %
12000	-	2	0.1 %
14000	-	1	0.0 %
15000	-	1	0.0 %
16000	-	1	0.0 %
18000	-	3	0.1 %
20000	-	3	0.1 %
21000	-	1	0.0 %
23000	-	2	0.1 %
23400	-	1	0.0 %
24000	-	1	0.0 %
25000	-	4	0.2 %
29450	-	1	0.0 %
30000	-	3	0.1 %
35000	-	3	0.1 %
38000	-	1	0.0 %
41000	-	1	0.0 %
45000	-	2	0.1 %
54600	-	1	0.0 %
55000	-	1	0.0 %
60000	-	1	0.0 %
62400	-	1	0.0 %
65000	-	1	0.0 %
70000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
75000	-	1	0.0 %
90000	-	1	0.0 %
	<b>Missing Data</b>		
.	.	2171	96.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 84 valid cases out of 2,255 total cases.

- Mean: 19623.21
- Median: 10500.00
- Mode: 8000.00
- Minimum: 0.00
- Maximum: 90000.00
- Standard Deviation: 20095.97

*Location:* 2395-2399 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4B\_69: Sold kidney bean (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	9	0.4 %
2000	-	2	0.1 %
2500	-	1	0.0 %
3000	-	4	0.2 %
3500	-	1	0.0 %
4000	-	1	0.0 %
4500	-	1	0.0 %
5000	-	3	0.1 %
6000	-	3	0.1 %
7000	-	2	0.1 %
8000	-	4	0.2 %
9000	-	3	0.1 %
9750	-	1	0.0 %
10000	-	8	0.4 %
11000	-	1	0.0 %
12000	-	1	0.0 %
13200	-	1	0.0 %
14000	-	1	0.0 %
15000	-	5	0.2 %
16000	-	1	0.0 %
17000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
20000	-	5	0.2 %
22000	-	1	0.0 %
23000	-	1	0.0 %
24000	-	3	0.1 %
25000	-	2	0.1 %
28000	-	1	0.0 %
30000	-	3	0.1 %
31500	-	1	0.0 %
35000	-	1	0.0 %
38000	-	1	0.0 %
39600	-	1	0.0 %
40000	-	2	0.1 %
44000	-	1	0.0 %
45000	-	2	0.1 %
50000	-	2	0.1 %
60000	-	3	0.1 %
65000	-	1	0.0 %
70000	-	2	0.1 %
88000	-	1	0.0 %
100000	-	2	0.1 %
120000	-	2	0.1 %
130000	-	1	0.0 %
175000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2159	95.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 96 valid cases out of 2,255 total cases.

- Mean: 25828.65
- Median: 15000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 175000.00
- Standard Deviation: 32183.36

*Location:* 2400-2405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## B17\_4B\_70: Sold kidney bean (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	12	0.5 %
100	-	1	0.0 %
300	-	1	0.0 %
500	-	1	0.0 %
2000	-	2	0.1 %
3200	-	1	0.0 %
3500	-	1	0.0 %
4000	-	3	0.1 %
5000	-	3	0.1 %
6000	-	2	0.1 %
6500	-	2	0.1 %
7000	-	4	0.2 %
8000	-	1	0.0 %
9000	-	2	0.1 %
10000	-	10	0.4 %
11000	-	3	0.1 %
11210	-	1	0.0 %
12000	-	2	0.1 %
13000	-	2	0.1 %
14000	-	1	0.0 %
15000	-	2	0.1 %
16000	-	2	0.1 %
17000	-	1	0.0 %
18000	-	4	0.2 %
20000	-	8	0.4 %
22000	-	3	0.1 %
25000	-	5	0.2 %
26000	-	1	0.0 %
29000	-	1	0.0 %
30000	-	7	0.3 %
32500	-	1	0.0 %
35000	-	1	0.0 %
35400	-	1	0.0 %
37375	-	1	0.0 %
40000	-	3	0.1 %
41000	-	2	0.1 %
45000	-	2	0.1 %
55000	-	1	0.0 %
60000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
65000	-	2	0.1 %
68000	-	1	0.0 %
70000	-	1	0.0 %
75000	-	1	0.0 %
86000	-	1	0.0 %
94000	-	1	0.0 %
100000	-	2	0.1 %
108000	-	1	0.0 %
120000	-	1	0.0 %
123000	-	1	0.0 %
150000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2140	94.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 115 valid cases out of 2,255 total cases.

- Mean: 24905.09
- Median: 16000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 150000.00
- Standard Deviation: 29191.75

*Location:* 2406-2411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4B\_71: Sold kidney bean (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	18	0.8 %
100	-	1	0.0 %
500	-	2	0.1 %
900	-	1	0.0 %
1500	-	2	0.1 %
1625	-	1	0.0 %
2000	-	2	0.1 %
2800	-	1	0.0 %
2925	-	1	0.0 %
3000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3200	-	2	0.1 %
3250	-	1	0.0 %
3500	-	1	0.0 %
4000	-	4	0.2 %
4600	-	1	0.0 %
4900	-	1	0.0 %
5000	-	8	0.4 %
5500	-	1	0.0 %
5850	-	1	0.0 %
6000	-	3	0.1 %
6500	-	1	0.0 %
7000	-	10	0.4 %
8000	-	4	0.2 %
8360	-	1	0.0 %
9000	-	2	0.1 %
10000	-	12	0.5 %
10500	-	1	0.0 %
11000	-	6	0.3 %
12000	-	9	0.4 %
13000	-	3	0.1 %
14000	-	1	0.0 %
15000	-	8	0.4 %
17000	-	1	0.0 %
18000	-	8	0.4 %
19500	-	2	0.1 %
20000	-	7	0.3 %
21000	-	1	0.0 %
22000	-	2	0.1 %
23000	-	1	0.0 %
24000	-	3	0.1 %
26000	-	1	0.0 %
27000	-	1	0.0 %
29000	-	1	0.0 %
30000	-	5	0.2 %
32500	-	1	0.0 %
33000	-	1	0.0 %
35000	-	7	0.3 %
40000	-	1	0.0 %
44000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45000	-	3	0.1 %
	<b>Missing Data</b>		
.	-	2085	92.5 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 170 valid cases out of 2,255 total cases.

- Mean: 16394.18
- Median: 10750.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120000.00
- Standard Deviation: 18913.29

*Location:* 2412-2417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_4B\_72: Sold kidney bean (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
6000	-	1	0.0 %
15000	-	1	0.0 %
35000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2251	99.8 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 4 valid cases out of 2,255 total cases.

- Mean: 14000.00
- Median: 10500.00
- Minimum: 0.00
- Maximum: 35000.00
- Standard Deviation: 15297.06

*Location:* 2418-2422 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5\_63: Pea/Gram planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1372	60.8 %

Value	Label	Unweighted Frequency	%
1	Yes	41	1.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	842	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,413 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2423-2425 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_5\_64: Pea/Gram planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1472	65.3 %
1	Yes	40	1.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2426-2428 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_5\_65: Pea/Gram planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1553	68.9 %
1	Yes	39	1.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2429-2431 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_5\_66: Pea/Gram planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1649	73.1 %
1	Yes	40	1.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2432-2434 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_5\_67: Pea/Gram planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1729	76.7 %
1	Yes	39	1.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2435-2437 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998, 999, .

---

### B17\_5\_68: Pea/Gram planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1782	79.0 %
1	Yes	44	2.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2438-2440 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998, 999, .

---

### B17\_5\_69: Pea/Gram planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1904	84.4 %
1	Yes	47	2.1 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2441-2443 (width: 3; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* 998 , 999 , .

---

### B17\_5\_70: Pea/Gram planting in 2070

Value	Label	Unweighted Frequency	%
0	No	1979	87.8 %
1	Yes	49	2.2 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2444-2446 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B17\_5\_71: Pea/Gram planting in 2071

Value	Label	Unweighted Frequency	%
0	No	2126	94.3 %
1	Yes	54	2.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2447-2449 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B17\_5\_72: Pea/Gram planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2251	99.8 %
1	Yes	1	0.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2450-2452 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_5A\_63: Pea/gram planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2453-2453 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5A\_64: Pea/gram planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
1.0	-	8	0.4 %
1.5	-	4	0.2 %
2.0	-	8	0.4 %
3.0	-	2	0.1 %
3.5	-	1	0.0 %
4.0	-	1	0.0 %
5.0	-	5	0.2 %
6.0	-	2	0.1 %
7.0	-	4	0.2 %
8.0	-	1	0.0 %
10.0	-	4	0.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2215	98.2 %

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 3.91
- Median: 2.50
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.95

*Location:* 2454-2457 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5A\_65: Pea/gram planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
1.0	-	8	0.4 %
1.5	-	4	0.2 %
2.0	-	8	0.4 %
3.0	-	2	0.1 %
3.5	-	1	0.0 %
4.0	-	1	0.0 %
5.0	-	6	0.3 %
6.0	-	2	0.1 %
7.0	-	3	0.1 %
8.0	-	1	0.0 %
10.0	-	3	0.1 %
	<b>Missing Data</b>		
.	-	2216	98.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 39 valid cases out of 2,255 total cases.

- Mean: 3.71
- Median: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.78

*Location:* 2458-2461 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_5A\_66: Pea/gram planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
1.0	-	8	0.4 %
1.5	-	4	0.2 %
2.0	-	9	0.4 %
3.0	-	2	0.1 %
3.5	-	1	0.0 %
4.0	-	1	0.0 %
5.0	-	6	0.3 %
6.0	-	2	0.1 %
7.0	-	3	0.1 %
8.0	-	1	0.0 %
10.0	-	3	0.1 %
<b>Missing Data</b>			
-	-	2215	98.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 3.66
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.75

*Location:* 2462-2465 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_5A\_67: Pea/gram planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
1.0	-	9	0.4 %
1.5	-	3	0.1 %
2.0	-	9	0.4 %
3.0	-	2	0.1 %
3.5	-	1	0.0 %
4.0	-	2	0.1 %
5.0	-	6	0.3 %
6.0	-	1	0.0 %
7.0	-	2	0.1 %
8.0	-	1	0.0 %
10.0	-	3	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2216	98.3 %

Based upon 39 valid cases out of 2,255 total cases.

- Mean: 3.51
- Median: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.72

*Location:* 2466-2469 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5A\_68: Pea/gram planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
1.0	-	9	0.4 %
1.5	-	3	0.1 %
2.0	-	8	0.4 %
3.0	-	4	0.2 %
3.5	-	1	0.0 %
4.0	-	2	0.1 %
4.5	-	1	0.0 %
5.0	-	7	0.3 %
7.0	-	3	0.1 %
10.0	-	5	0.2 %
19.0	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2211	98.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 44 valid cases out of 2,255 total cases.

- Mean: 4.15
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 3.65

*Location:* 2470-2473 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_5A\_69: Pea/gram planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
1.0	-	10	0.4 %
1.5	-	3	0.1 %
2.0	-	10	0.4 %
3.0	-	5	0.2 %
3.5	-	1	0.0 %
4.0	-	2	0.1 %
4.5	-	1	0.0 %
5.0	-	6	0.3 %
7.0	-	3	0.1 %
8.0	-	1	0.0 %
10.0	-	5	0.2 %
<b>Missing Data</b>			
-		2208	97.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 47 valid cases out of 2,255 total cases.

- Mean: 3.71
- Median: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.87

*Location:* 2474-2477 (width: 4; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_5A\_70: Pea/gram planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
1.00	-	9	0.4 %
1.50	-	3	0.1 %
2.00	-	10	0.4 %
2.50	-	1	0.0 %
3.00	-	4	0.2 %
3.50	-	2	0.1 %
4.00	-	2	0.1 %
4.25	-	1	0.0 %
4.50	-	1	0.0 %
5.00	-	6	0.3 %
7.00	-	3	0.1 %

Value	Label	Unweighted Frequency	%
8.00	-	1	0.0 %
9.00	-	1	0.0 %
10.00	-	5	0.2 %
<b>Missing Data</b>			
.	-	2206	97.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 49 valid cases out of 2,255 total cases.

- Mean: 3.87
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.89

*Location:* 2478-2482 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5A\_71: Pea/gram planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.50	-	1	0.0 %
1.00	-	16	0.7 %
1.50	-	3	0.1 %
2.00	-	11	0.5 %
2.50	-	1	0.0 %
3.00	-	3	0.1 %
3.50	-	2	0.1 %
4.00	-	3	0.1 %
4.25	-	1	0.0 %
4.50	-	1	0.0 %
5.00	-	4	0.2 %
5.85	-	1	0.0 %
6.00	-	1	0.0 %
7.00	-	3	0.1 %
8.00	-	1	0.0 %
10.00	-	2	0.1 %
<b>Missing Data</b>			
.	-	2201	97.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 54 valid cases out of 2,255 total cases.

- Mean: 3.02
- Median: 2.00
- Mode: 1.00
- Minimum: 0.50
- Maximum: 10.00
- Standard Deviation: 2.38

*Location:* 2483-2487 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_5A\_72: Pea/gram planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2254	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1 valid cases out of 2,255 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

*Location:* 2488-2488 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_5B\_63: Sold pea/gram (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2489-2489 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_5B\_64: Sold pea/gram (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	32	1.4 %

Value	Label	Unweighted Frequency	%
500	-	2	0.1 %
600	-	1	0.0 %
990	-	1	0.0 %
2000	-	2	0.1 %
2970	-	1	0.0 %
6000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2215	98.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 389.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 1116.41

*Location:* 2490-2493 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5B\_65: Sold pea/gram (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	33	1.5 %
600	-	1	0.0 %
650	-	1	0.0 %
1600	-	1	0.0 %
1980	-	1	0.0 %
3000	-	1	0.0 %
7000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2216	98.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 39 valid cases out of 2,255 total cases.

- Mean: 380.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7000.00
- Standard Deviation: 1252.62

*Location:* 2494-2497 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_5B\_66: Sold pea/gram (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	34	1.5 %
570	-	1	0.0 %
700	-	1	0.0 %
1200	-	1	0.0 %
2000	-	1	0.0 %
4320	-	1	0.0 %
8000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2215	98.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 419.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8000.00
- Standard Deviation: 1448.87

*Location:* 2498-2501 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_5B\_67: Sold pea/gram (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	33	1.5 %
650	-	1	0.0 %
700	-	1	0.0 %
1500	-	1	0.0 %
2970	-	1	0.0 %
3000	-	1	0.0 %
7000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2216	98.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 39 valid cases out of 2,255 total cases.

- Mean: 405.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7000.00
- Standard Deviation: 1293.37

*Location:* 2502-2505 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5B\_68: Sold pea/gram (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	36	1.6 %
500	-	1	0.0 %
1000	-	2	0.1 %
1080	-	1	0.0 %
3000	-	1	0.0 %
6480	-	1	0.0 %
8000	-	1	0.0 %
10000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2211	98.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 44 valid cases out of 2,255 total cases.

- Mean: 705.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10000.00
- Standard Deviation: 2137.60

*Location:* 2506-2510 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5B\_69: Sold pea/gram (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	41	1.8 %
850	-	1	0.0 %
1000	-	1	0.0 %
1540	-	1	0.0 %
2000	-	1	0.0 %
5040	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2208	97.9 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 47 valid cases out of 2,255 total cases.

- Mean: 370.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7000.00
- Standard Deviation: 1285.64

*Location:* 2511-2514 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_5B\_70: Sold pea/gram (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	38	1.7 %
500	-	1	0.0 %
600	-	1	0.0 %
880	-	1	0.0 %
1200	-	2	0.1 %
1260	-	1	0.0 %
3000	-	1	0.0 %
5000	-	1	0.0 %
6300	-	1	0.0 %
7000	-	2	0.1 %
	<b>Missing Data</b>		
.	-	2206	97.8 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 49 valid cases out of 2,255 total cases.

- Mean: 692.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7000.00
- Standard Deviation: 1791.38

*Location:* 2515-2518 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_5B\_71: Sold pea/gram (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	52	2.3 %
2	-	1	0.0 %
5000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2201	97.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 54 valid cases out of 2,255 total cases.

- Mean: 92.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 680.41

*Location:* 2519-2522 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_5B\_72: Sold pea/gram (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2254	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2523-2523 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_6\_63: Cowpea/bean planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1359	60.3 %
1	Yes	54	2.4 %

Value	Label	Unweighted Frequency	%
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	842	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,413 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2524-2526 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_6\_64: Cowpea/bean planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1505	66.7 %
1	Yes	7	0.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
-	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2527-2529 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_6\_65: Cowpea/bean planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1585	70.3 %
1	Yes	7	0.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %

Value	Label	Unweighted Frequency	%
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2530-2532 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B17\_6\_66: Cowpea/bean planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1682	74.6 %
1	Yes	7	0.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2533-2535 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## B17\_6\_67: Cowpea/bean planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1761	78.1 %
1	Yes	7	0.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2536-2538 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998, 999, .

---

### B17\_6\_68: Cowpea/bean planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1819	80.7 %
1	Yes	7	0.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2539-2541 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998, 999, .

---

### B17\_6\_69: Cowpea/bean planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1944	86.2 %
1	Yes	7	0.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2542-2544 (width: 3; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* 998 , 999 , .

---

### B17\_6\_70: Cowpea/bean planting in 2070

Value	Label	Unweighted Frequency	%
0	No	2021	89.6 %
1	Yes	7	0.3 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2545-2547 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B17\_6\_71: Cowpea/bean planting in 2071

Value	Label	Unweighted Frequency	%
0	No	2172	96.3 %
1	Yes	8	0.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2548-2550 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### B17\_6\_72: Cowpea/bean planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2244	99.5 %
1	Yes	8	0.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2551-2553 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_6A\_63: Cowpea/bean planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2554-2554 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_64: Cowpea/bean planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	2	0.1 %
2.50	-	1	0.0 %
7.25	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2248	99.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 2.46

- Median: 2.00
- Minimum: 1.00
- Maximum: 7.25
- Standard Deviation: 2.18

*Location:* 2555-2558 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_65: Cowpea/bean planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	2	0.1 %
2.50	-	1	0.0 %
7.25	-	1	0.0 %
<b>Missing Data</b>			
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 2.46
- Median: 2.00
- Minimum: 1.00
- Maximum: 7.25
- Standard Deviation: 2.18

*Location:* 2559-2562 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_66: Cowpea/bean planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	2	0.1 %
2.50	-	1	0.0 %
7.25	-	1	0.0 %
<b>Missing Data</b>			
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 2.46

- Median: 2.00
- Minimum: 1.00
- Maximum: 7.25
- Standard Deviation: 2.18

*Location:* 2563-2566 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_67: Cowpea/bean planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	2	0.1 %
2.50	-	1	0.0 %
7.25	-	1	0.0 %
<b>Missing Data</b>			
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 2.46
- Median: 2.00
- Minimum: 1.00
- Maximum: 7.25
- Standard Deviation: 2.18

*Location:* 2567-2570 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_68: Cowpea/bean planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	2	0.1 %
2.50	-	1	0.0 %
7.25	-	1	0.0 %
<b>Missing Data</b>			
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 2.46

- Median: 2.00
- Minimum: 1.00
- Maximum: 7.25
- Standard Deviation: 2.18

*Location:* 2571-2574 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_69: Cowpea/bean planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	2	0.1 %
2.25	-	1	0.0 %
2.50	-	1	0.0 %
<b>Missing Data</b>			
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 1.75
- Median: 2.00
- Minimum: 1.00
- Maximum: 2.50
- Standard Deviation: 0.60

*Location:* 2575-2578 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_70: Cowpea/bean planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	2	0.1 %
2.25	-	1	0.0 %
2.50	-	1	0.0 %
<b>Missing Data</b>			
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 1.75

- Median: 2.00
- Minimum: 1.00
- Maximum: 2.50
- Standard Deviation: 0.60

*Location:* 2579-2582 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_71: Cowpea/bean planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.50	-	1	0.0 %
1.00	-	2	0.1 %
1.50	-	1	0.0 %
2.00	-	2	0.1 %
2.25	-	1	0.0 %
2.50	-	1	0.0 %
<b>Missing Data</b>			
.	-	2247	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 8 valid cases out of 2,255 total cases.

- Mean: 1.59
- Median: 1.75
- Minimum: 0.50
- Maximum: 2.50
- Standard Deviation: 0.71

*Location:* 2583-2586 (width: 4; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6A\_72: Cowpea/bean planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
1.0	-	2	0.1 %
1.5	-	1	0.0 %
2.0	-	2	0.1 %
2.5	-	1	0.0 %
3.0	-	1	0.0 %
5.0	-	1	0.0 %
<b>Missing Data</b>			
.	-	2247	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 8 valid cases out of 2,255 total cases.

- Mean: 2.25
- Median: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.31

*Location:* 2587-2589 (width: 3; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_6B\_63: Sold cowpea/bean (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
-		2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2590-2590 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_6B\_64: Sold cowpea/bean (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
	<b>Missing Data</b>		
-		2248	99.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2591-2591 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_6B\_65: Sold cowpea/bean (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2592-2592 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6B\_66: Sold cowpea/bean (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
<b>Missing Data</b>			
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2593-2593 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6B\_67: Sold cowpea/bean (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
<b>Missing Data</b>			
.	-	2248	99.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 0.00

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2594-2594 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6B\_68: Sold cowpea/bean (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
.	<b>Missing Data</b>	2248	99.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2595-2595 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_6B\_69: Sold cowpea/bean (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
.	<b>Missing Data</b>	2248	99.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2596-2596 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_6B\_70: Sold cowpea/bean (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
	<b>Missing Data</b>		
.	-	2248	99.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 7 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 2597-2597 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_6B\_71: Sold cowpea/bean (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
1000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2247	99.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 8 valid cases out of 2,255 total cases.

- Mean: 125.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 353.55

*Location:* 2598-2601 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_6B\_72: Sold cowpea/bean (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
20000	-	1	0.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	2247	99.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 8 valid cases out of 2,255 total cases.

- Mean: 2500.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20000.00
- Standard Deviation: 7071.07

*Location:* 2602-2606 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7\_63: Other crops planting in 2063

Value	Label	Unweighted Frequency	%
0	No	1328	58.9 %
1	Yes	85	3.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	842	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,413 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2607-2609 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_7\_64: Other crops planting in 2064

Value	Label	Unweighted Frequency	%
0	No	1473	65.3 %
1	Yes	39	1.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2610-2612 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_7\_65: Other crops planting in 2065

Value	Label	Unweighted Frequency	%
0	No	1551	68.8 %
1	Yes	41	1.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2613-2615 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_7\_66: Other crops planting in 2066

Value	Label	Unweighted Frequency	%
0	No	1647	73.0 %
1	Yes	42	1.9 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2616-2618 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_7\_67: Other crops planting in 2067

Value	Label	Unweighted Frequency	%
0	No	1728	76.6 %
1	Yes	40	1.8 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2619-2621 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### B17\_7\_68: Other crops planting in 2068

Value	Label	Unweighted Frequency	%
0	No	1782	79.0 %
1	Yes	44	2.0 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2622-2624 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B17\_7\_69: Other crops planting in 2069

Value	Label	Unweighted Frequency	%
0	No	1897	84.1 %
1	Yes	54	2.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2625-2627 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## B17\_7\_70: Other crops planting in 2070

Value	Label	Unweighted Frequency	%
0	No	1967	87.2 %
1	Yes	61	2.7 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2628-2630 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## B17\_7\_71: Other crops planting in 2071

Value	Label	Unweighted Frequency	%
0	No	2100	93.1 %
1	Yes	80	3.5 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2631-2633 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_7\_72: Other crops planting in 2072

Value	Label	Unweighted Frequency	%
0	No	2199	97.5 %
1	Yes	53	2.4 %
2	Planting by self and some part by other	0	0.0 %
3	Planting by other in rent	0	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2634-2636 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### B17\_7A\_63: Other crops planting land area (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2637-2637 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

#### B17\_7A\_64: Other crops planting land area (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.25	-	2	0.1 %
0.50	-	5	0.2 %
0.55	-	1	0.0 %
1.00	-	5	0.2 %
1.50	-	2	0.1 %
2.00	-	9	0.4 %
3.00	-	5	0.2 %
4.00	-	3	0.1 %
4.50	-	1	0.0 %
7.00	-	2	0.1 %
10.00	-	4	0.2 %
<b>Missing Data</b>			
.	-	2216	98.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 39 valid cases out of 2,255 total cases.

- Mean: 2.95
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 10.00
- Standard Deviation: 2.90

*Location:* 2638-2642 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

#### B17\_7A\_65: Other crops planting land area (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.25	-	2	0.1 %
0.50	-	5	0.2 %
0.55	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	5	0.2 %
1.50	-	2	0.1 %
2.00	-	10	0.4 %

Value	Label	Unweighted Frequency	%
3.00	-	4	0.2 %
4.00	-	4	0.2 %
4.50	-	1	0.0 %
7.00	-	2	0.1 %
10.00	-	4	0.2 %
<b>Missing Data</b>			
.	-	2214	98.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 41 valid cases out of 2,255 total cases.

- Mean: 2.90
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 10.00
- Standard Deviation: 2.85

*Location:* 2643-2647 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7A\_66: Other crops planting land area (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.25	-	3	0.1 %
0.50	-	4	0.2 %
0.55	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	5	0.2 %
1.50	-	2	0.1 %
2.00	-	9	0.4 %
2.50	-	1	0.0 %
3.00	-	5	0.2 %
4.00	-	5	0.2 %
4.50	-	1	0.0 %
7.00	-	1	0.0 %
10.00	-	4	0.2 %
<b>Missing Data</b>			
.	-	2213	98.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 42 valid cases out of 2,255 total cases.

- Mean: 2.84
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 10.00
- Standard Deviation: 2.75

*Location:* 2648-2652 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7A\_67: Other crops planting land area (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.25	-	2	0.1 %
0.40	-	1	0.0 %
0.50	-	4	0.2 %
0.55	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	5	0.2 %
1.50	-	2	0.1 %
1.75	-	1	0.0 %
2.00	-	8	0.4 %
2.50	-	1	0.0 %
3.00	-	6	0.3 %
4.00	-	4	0.2 %
4.50	-	1	0.0 %
10.00	-	3	0.1 %
<b>Missing Data</b>			
.	-	2215	98.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 10.00
- Standard Deviation: 2.46

*Location:* 2653-2657 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7A\_68: Other crops planting land area (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.25	-	2	0.1 %
0.40	-	1	0.0 %
0.50	-	5	0.2 %
0.55	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	6	0.3 %
1.50	-	2	0.1 %
1.75	-	1	0.0 %
2.00	-	11	0.5 %
2.50	-	2	0.1 %
3.00	-	4	0.2 %
4.00	-	3	0.1 %
4.50	-	1	0.0 %
5.00	-	1	0.0 %
10.00	-	3	0.1 %
<b>Missing Data</b>			
.	-	2211	98.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 44 valid cases out of 2,255 total cases.

- Mean: 2.41
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 10.00
- Standard Deviation: 2.39

*Location:* 2658-2662 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_7A\_69: Other crops planting land area (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.25	-	2	0.1 %
0.50	-	6	0.3 %
0.55	-	1	0.0 %
0.60	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	7	0.3 %
1.50	-	2	0.1 %
1.75	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.00	-	12	0.5 %
2.50	-	2	0.1 %
3.00	-	6	0.3 %
4.00	-	3	0.1 %
4.50	-	1	0.0 %
5.00	-	2	0.1 %
6.00	-	2	0.1 %
10.00	-	4	0.2 %
100.00	-	1	0.0 %
<b>Missing Data</b>			
.		2201	97.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 54 valid cases out of 2,255 total cases.

- Mean: 4.49
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 100.00
- Standard Deviation: 13.48

*Location:* 2663-2668 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_7A\_70: Other crops planting land area (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.25	-	2	0.1 %
0.50	-	6	0.3 %
0.55	-	1	0.0 %
0.60	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	9	0.4 %
1.50	-	3	0.1 %
1.75	-	1	0.0 %
2.00	-	9	0.4 %
2.50	-	4	0.2 %
3.00	-	6	0.3 %
3.50	-	1	0.0 %
4.00	-	5	0.2 %
4.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.00	-	3	0.1 %
6.00	-	2	0.1 %
10.00	-	4	0.2 %
100.00	-	1	0.0 %
120.00	-	1	0.0 %
<b>Missing Data</b>			
.	-	2194	97.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 61 valid cases out of 2,255 total cases.

- Mean: 6.26
- Median: 2.00
- Minimum: 0.25
- Maximum: 120.00
- Standard Deviation: 19.50

*Location:* 2669-2674 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7A\_71: Other crops planting land area (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.50	-	10	0.4 %
0.55	-	1	0.0 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	12	0.5 %
1.50	-	3	0.1 %
2.00	-	14	0.6 %
2.50	-	4	0.2 %
3.00	-	8	0.4 %
4.00	-	7	0.3 %
4.50	-	1	0.0 %
5.00	-	2	0.1 %
6.00	-	4	0.2 %
8.00	-	1	0.0 %
10.00	-	5	0.2 %
12.00	-	1	0.0 %
19.39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
120.00	-	1	0.0 %
400.00	-	1	0.0 %
	<b>Missing Data</b>		
.	.	2175	96.5 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 80 valid cases out of 2,255 total cases.

- Mean: 9.53
- Median: 2.00
- Mode: 2.00
- Minimum: 0.25
- Maximum: 400.00
- Standard Deviation: 46.21

*Location:* 2675-2680 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7A\_72: Other crops planting land area (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.50	-	3	0.1 %
0.55	-	2	0.1 %
0.60	-	1	0.0 %
0.75	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	6	0.3 %
1.50	-	1	0.0 %
2.00	-	8	0.4 %
2.50	-	1	0.0 %
3.00	-	8	0.4 %
4.00	-	5	0.2 %
4.50	-	1	0.0 %
5.00	-	2	0.1 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
8.00	-	1	0.0 %
9.00	-	1	0.0 %
10.00	-	2	0.1 %
12.00	-	1	0.0 %
19.39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
120.00	-	1	0.0 %
400.00	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2202	97.6 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 53 valid cases out of 2,255 total cases.

- Mean: 13.26
- Median: 3.00
- Minimum: 0.25
- Maximum: 400.00
- Standard Deviation: 56.56

*Location:* 2681-2686 (width: 6; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7B\_63: Sold other crops (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 2687-2687 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7B\_64: Sold other crops (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	27	1.2 %
500	-	1	0.0 %
1100	-	1	0.0 %
1400	-	1	0.0 %
2000	-	2	0.1 %
3000	-	2	0.1 %
5000	-	1	0.0 %
8000	-	1	0.0 %
10000	-	1	0.0 %
15000	-	1	0.0 %
35000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2216	98.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 39 valid cases out of 2,255 total cases.

- Mean: 2205.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35000.00
- Standard Deviation: 6238.21

*Location:* 2688-2692 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7B\_65: Sold other crops (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	29	1.3 %
550	-	1	0.0 %
900	-	1	0.0 %
1400	-	1	0.0 %
1800	-	1	0.0 %
2200	-	1	0.0 %
3500	-	1	0.0 %
4000	-	2	0.1 %
5000	-	1	0.0 %
7000	-	1	0.0 %
16000	-	1	0.0 %
35000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2214	98.2 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 41 valid cases out of 2,255 total cases.

- Mean: 1984.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35000.00
- Standard Deviation: 6018.70

*Location:* 2693-2697 (width: 5; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: .

---

### B17\_7B\_66: Sold other crops (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	30	1.3 %
450	-	1	0.0 %
1200	-	1	0.0 %
1500	-	1	0.0 %
1680	-	1	0.0 %
1800	-	1	0.0 %
2250	-	1	0.0 %
3000	-	1	0.0 %
3600	-	1	0.0 %
4000	-	1	0.0 %
7000	-	1	0.0 %
15000	-	1	0.0 %
28000	-	1	0.0 %
Missing Data			
.	-	2213	98.1 %
Total		2,255	100%

Based upon 42 valid cases out of 2,255 total cases.

- Mean: 1654.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 28000.00
- Standard Deviation: 4928.85

Location: 2698-2702 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

---

### B17\_7B\_67: Sold other crops (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	29	1.3 %
500	-	1	0.0 %
960	-	1	0.0 %
1000	-	1	0.0 %
1440	-	1	0.0 %
2500	-	1	0.0 %
3500	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4000	-	2	0.1 %
6000	-	1	0.0 %
15000	-	1	0.0 %
30000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2215	98.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 1722.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30000.00
- Standard Deviation: 5303.76

*Location:* 2703-2707 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7B\_68: Sold other crops (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	33	1.5 %
400	-	1	0.0 %
560	-	1	0.0 %
1250	-	1	0.0 %
2500	-	2	0.1 %
2800	-	1	0.0 %
3000	-	1	0.0 %
6000	-	1	0.0 %
7000	-	1	0.0 %
16000	-	1	0.0 %
30000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2211	98.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 44 valid cases out of 2,255 total cases.

- Mean: 1636.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 30000.00
- Standard Deviation: 5181.64

*Location:* 2708-2712 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7B\_69: Sold other crops (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	41	1.8 %
500	-	1	0.0 %
840	-	1	0.0 %
1500	-	1	0.0 %
1600	-	1	0.0 %
4000	-	1	0.0 %
4500	-	1	0.0 %
5000	-	2	0.1 %
5600	-	1	0.0 %
14000	-	1	0.0 %
16000	-	1	0.0 %
45000	-	1	0.0 %
125000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2201	97.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 54 valid cases out of 2,255 total cases.

- Mean: 4232.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 125000.00
- Standard Deviation: 18045.09

*Location:* 2713-2718 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7B\_70: Sold other crops (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	44	2.0 %
144	-	1	0.0 %
1400	-	2	0.1 %
1500	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2000	-	1	0.0 %
4000	-	2	0.1 %
4500	-	1	0.0 %
5000	-	2	0.1 %
5500	-	1	0.0 %
6000	-	1	0.0 %
15000	-	1	0.0 %
16000	-	1	0.0 %
25000	-	1	0.0 %
35000	-	1	0.0 %
400000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2194	97.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 61 valid cases out of 2,255 total cases.

- Mean: 8712.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400000.00
- Standard Deviation: 51296.47

*Location:* 2719-2724 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7B\_71: Sold other crops (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	63	2.8 %
99	-	1	0.0 %
1200	-	1	0.0 %
1500	-	2	0.1 %
2200	-	1	0.0 %
2500	-	1	0.0 %
3500	-	1	0.0 %
4000	-	1	0.0 %
4500	-	1	0.0 %
4900	-	1	0.0 %
5700	-	1	0.0 %
15000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27000	-	1	0.0 %
30000	-	1	0.0 %
60000	-	1	0.0 %
200000	-	1	0.0 %
600000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2175	96.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 80 valid cases out of 2,255 total cases.

- Mean: 12044.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600000.00
- Standard Deviation: 70618.38

*Location:* 2725-2730 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_7B\_72: Sold other crops (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	46	2.0 %
500	-	1	0.0 %
5000	-	1	0.0 %
25000	-	1	0.0 %
205000	-	1	0.0 %
450000	-	1	0.0 %
1600000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2203	97.7 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 52 valid cases out of 2,255 total cases.

- Mean: 43951.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1600000.00
- Standard Deviation: 230290.66

*Location:* 2731-2737 (width: 7; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* .

### B17\_8\_63: Received money (in Rupees) from rented out land (other than crops) in 2063

Value	Label	Unweighted Frequency	%
0	-	198	8.8 %
3000	-	1	0.0 %
4000	-	1	0.0 %
5000	-	2	0.1 %
9500	-	1	0.0 %
10000	-	1	0.0 %
13000	-	1	0.0 %
16000	-	1	0.0 %
20000	-	1	0.0 %
25000	-	3	0.1 %
35000	-	1	0.0 %
60000	-	1	0.0 %
70000	-	1	0.0 %
90000	-	1	0.0 %
100000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2040	90.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 215 valid cases out of 2,255 total cases.

- Mean: 2397.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 11751.76

*Location:* 2738-2743 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* .

### B17\_8\_64: Received money (in Rupees) from rented out land (other than crops) in 2064

Value	Label	Unweighted Frequency	%
0	-	149	6.6 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %
3000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4000	-	1	0.0 %
5000	-	4	0.2 %
9000	-	2	0.1 %
9500	-	1	0.0 %
10000	-	3	0.1 %
11000	-	1	0.0 %
12000	-	1	0.0 %
13000	-	2	0.1 %
14000	-	1	0.0 %
16000	-	1	0.0 %
20000	-	2	0.1 %
25000	-	3	0.1 %
33000	-	2	0.1 %
40000	-	1	0.0 %
60000	-	2	0.1 %
68000	-	1	0.0 %
70000	-	1	0.0 %
80000	-	1	0.0 %
100000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2070	91.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 185 valid cases out of 2,255 total cases.

- Mean: 4463.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 14299.96

*Location:* 2744-2749 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### B17\_8\_65: Received money (in Rupees) from rented out land (other than crops) in 2065

Value	Label	Unweighted Frequency	%
0	-	164	7.3 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1500	-	1	0.0 %
2500	-	1	0.0 %
3000	-	1	0.0 %
4000	-	1	0.0 %
5000	-	5	0.2 %
9000	-	1	0.0 %
9500	-	1	0.0 %
10000	-	2	0.1 %
11000	-	1	0.0 %
12000	-	1	0.0 %
13000	-	2	0.1 %
14000	-	1	0.0 %
16000	-	2	0.1 %
20000	-	1	0.0 %
25000	-	4	0.2 %
33000	-	2	0.1 %
45000	-	1	0.0 %
70000	-	1	0.0 %
100000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2057	91.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 198 valid cases out of 2,255 total cases.

- Mean: 2897.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 10611.69

*Location:* 2750-2755 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### B17\_8\_66: Received money (in Rupees) from rented out land (other than crops) in 2066

Value	Label	Unweighted Frequency	%
0	-	183	8.1 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1500	-	1	0.0 %
2500	-	1	0.0 %
3000	-	1	0.0 %
4000	-	1	0.0 %
5000	-	4	0.2 %
6000	-	1	0.0 %
9000	-	1	0.0 %
9500	-	1	0.0 %
10000	-	1	0.0 %
11000	-	2	0.1 %
12000	-	1	0.0 %
13000	-	2	0.1 %
14000	-	1	0.0 %
16000	-	1	0.0 %
18000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	1	0.0 %
25000	-	4	0.2 %
30000	-	1	0.0 %
33000	-	2	0.1 %
35000	-	1	0.0 %
45000	-	1	0.0 %
70000	-	1	0.0 %
100000	-	2	0.1 %
<b>Missing Data</b>			
.	-	2034	90.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 221 valid cases out of 2,255 total cases.

- Mean: 3447.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 12396.24

*Location:* 2756-2761 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## B17\_8\_67: Received money (in Rupees) from rented out land (other than crops) in 2067

Value	Label	Unweighted Frequency	%
0	-	195	8.6 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %
1500	-	1	0.0 %
2500	-	1	0.0 %
3000	-	1	0.0 %
5000	-	6	0.3 %
6000	-	2	0.1 %
9000	-	1	0.0 %
9500	-	1	0.0 %
10000	-	1	0.0 %
11000	-	2	0.1 %
12000	-	2	0.1 %
13000	-	2	0.1 %
14000	-	1	0.0 %
16000	-	1	0.0 %
18000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	2	0.1 %
21000	-	1	0.0 %
25000	-	4	0.2 %
31500	-	1	0.0 %
33000	-	2	0.1 %
36000	-	1	0.0 %
45000	-	1	0.0 %
47000	-	1	0.0 %
50000	-	1	0.0 %
70000	-	1	0.0 %
80000	-	1	0.0 %
100000	-	1	0.0 %
200000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2014	89.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 241 valid cases out of 2,255 total cases.

- Mean: 4590.46
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 17521.59

*Location:* 2762-2767 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_8\_68: Received money (in Rupees) from rented out land (other than crops) in 2006

Value	Label	Unweighted Frequency	%
0	-	207	9.2 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %
1500	-	1	0.0 %
2500	-	1	0.0 %
3000	-	1	0.0 %
5000	-	6	0.3 %
6000	-	3	0.1 %
7000	-	1	0.0 %
9500	-	1	0.0 %
10000	-	1	0.0 %
11000	-	2	0.1 %
12000	-	2	0.1 %
13000	-	2	0.1 %
14000	-	1	0.0 %
16000	-	1	0.0 %
18000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	2	0.1 %
25000	-	4	0.2 %
30000	-	2	0.1 %
31500	-	1	0.0 %
33000	-	2	0.1 %
35000	-	1	0.0 %
36000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	1	0.0 %
70000	-	1	0.0 %
80000	-	2	0.1 %
100000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2000	88.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 255 valid cases out of 2,255 total cases.

- Mean: 3989.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 12779.24

*Location:* 2768-2773 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_8\_69: Received money (in Rupees) from rented out land (other than crops) in 2069

Value	Label	Unweighted Frequency	%
0	-	221	9.8 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %
1500	-	2	0.1 %
2000	-	1	0.0 %
2500	-	1	0.0 %
3000	-	1	0.0 %
4000	-	1	0.0 %
5000	-	7	0.3 %
6000	-	4	0.2 %
7000	-	1	0.0 %
8000	-	2	0.1 %
9500	-	1	0.0 %
10000	-	3	0.1 %
10500	-	1	0.0 %
11000	-	3	0.1 %
12000	-	2	0.1 %
13000	-	2	0.1 %
14000	-	1	0.0 %
15000	-	1	0.0 %
18000	-	1	0.0 %
19000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20000	-	2	0.1 %
24000	-	1	0.0 %
25000	-	4	0.2 %
30000	-	2	0.1 %
31500	-	1	0.0 %
33000	-	2	0.1 %
35000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	2	0.1 %
70000	-	2	0.1 %
80000	-	2	0.1 %
100000	-	2	0.1 %
<b>Missing Data</b>			
-		1972	87.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 283 valid cases out of 2,255 total cases.

- Mean: 4594.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 14199.18

*Location:* 2774-2779 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### B17\_8\_70: Received money (in Rupees) from rented out land (other than crops) in 2070

Value	Label	Unweighted Frequency	%
0	-	240	10.6 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %
1500	-	2	0.1 %
2000	-	2	0.1 %
2500	-	1	0.0 %
3000	-	1	0.0 %
4000	-	1	0.0 %
5000	-	8	0.4 %
6000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
7000	-	2	0.1 %
8000	-	2	0.1 %
9500	-	1	0.0 %
10000	-	3	0.1 %
11000	-	4	0.2 %
12000	-	2	0.1 %
13000	-	2	0.1 %
14000	-	1	0.0 %
15000	-	2	0.1 %
18000	-	2	0.1 %
19000	-	1	0.0 %
20000	-	2	0.1 %
24000	-	1	0.0 %
25000	-	5	0.2 %
30000	-	2	0.1 %
31500	-	1	0.0 %
33000	-	2	0.1 %
33750	-	1	0.0 %
35000	-	2	0.1 %
36000	-	1	0.0 %
40000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	3	0.1 %
70000	-	1	0.0 %
80000	-	3	0.1 %
100000	-	4	0.2 %
<b>Missing Data</b>			
.	-	1941	86.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 314 valid cases out of 2,255 total cases.

- Mean: 5641.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 16315.81

*Location:* 2780-2785 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

**B17\_8\_71: Received money (in Rupees) from rented out land (other than crops) in 2071**

Value	Label	Unweighted Frequency	%
0	-	274	12.2 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %
1500	-	2	0.1 %
2000	-	2	0.1 %
2500	-	1	0.0 %
4000	-	2	0.1 %
5000	-	9	0.4 %
6000	-	4	0.2 %
7000	-	2	0.1 %
8000	-	1	0.0 %
9500	-	1	0.0 %
10000	-	3	0.1 %
11000	-	4	0.2 %
12000	-	3	0.1 %
13000	-	2	0.1 %
14000	-	1	0.0 %
15000	-	2	0.1 %
18000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	1	0.0 %
24000	-	1	0.0 %
25000	-	3	0.1 %
28000	-	1	0.0 %
30000	-	4	0.2 %
31500	-	1	0.0 %
33000	-	2	0.1 %
33750	-	1	0.0 %
35000	-	1	0.0 %
36000	-	1	0.0 %
40000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	2	0.1 %
55000	-	1	0.0 %
70000	-	1	0.0 %
80000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
100000	-	1	0.0 %
	<b>Missing Data</b>		
-	-	1910	84.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 345 valid cases out of 2,255 total cases.

- Mean: 4224.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 12896.88

*Location:* 2786-2791 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### B17\_8\_72: Received money (in Rupees) from rented out land (other than crops) in 2072

Value	Label	Unweighted Frequency	%
0	-	285	12.6 %
500	-	1	0.0 %
800	-	1	0.0 %
1000	-	2	0.1 %
1500	-	2	0.1 %
2000	-	2	0.1 %
2500	-	1	0.0 %
4000	-	2	0.1 %
5000	-	8	0.4 %
6000	-	4	0.2 %
7000	-	1	0.0 %
8000	-	1	0.0 %
9000	-	1	0.0 %
9500	-	1	0.0 %
10000	-	5	0.2 %
11000	-	3	0.1 %
12000	-	3	0.1 %
13000	-	2	0.1 %
14000	-	1	0.0 %
15000	-	2	0.1 %
18000	-	1	0.0 %
19000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20000	-	3	0.1 %
24000	-	1	0.0 %
25000	-	3	0.1 %
26000	-	1	0.0 %
28000	-	1	0.0 %
30000	-	3	0.1 %
31500	-	1	0.0 %
33000	-	2	0.1 %
33750	-	1	0.0 %
35000	-	2	0.1 %
36000	-	1	0.0 %
40000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	2	0.1 %
55000	-	1	0.0 %
68000	-	1	0.0 %
70000	-	2	0.1 %
80000	-	2	0.1 %
100000	-	3	0.1 %
<b>Missing Data</b>			
.	-	1893	83.9 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 362 valid cases out of 2,255 total cases.

- Mean: 4951.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 14840.79

*Location:* 2792-2797 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### C18\_63: Number of minutes used a tractor for farming in 2063

Value	Label	Unweighted Frequency	%
0	-	223	9.9 %
1	-	1189	52.7 %
7	-	1	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
999	Household does not exist	842	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,413 valid cases out of 2,255 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.40

*Location:* 2798-2800 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### C18\_64: Number of minutes used a tractor for farming in 2064

Value	Label	Unweighted Frequency	%
0	-	257	11.4 %
6	-	2	0.1 %
10	-	2	0.1 %
13	-	1	0.0 %
15	-	2	0.1 %
17	-	2	0.1 %
20	-	7	0.3 %
21	-	1	0.0 %
22	-	2	0.1 %
24	-	3	0.1 %
25	-	4	0.2 %
30	-	5	0.2 %
35	-	1	0.0 %
37	-	1	0.0 %
42	-	1	0.0 %
45	-	2	0.1 %
50	-	2	0.1 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
60	-	26	1.2 %
65	-	3	0.1 %
66	-	1	0.0 %
70	-	3	0.1 %

Value	Label	Unweighted Frequency	%
75	-	7	0.3 %
80	-	7	0.3 %
83	-	1	0.0 %
90	-	15	0.7 %
92	-	1	0.0 %
95	-	1	0.0 %
100	-	3	0.1 %
104	-	1	0.0 %
105	-	2	0.1 %
108	-	3	0.1 %
110	-	3	0.1 %
115	-	2	0.1 %
120	-	38	1.7 %
125	-	5	0.2 %
128	-	1	0.0 %
130	-	4	0.2 %
132	-	1	0.0 %
135	-	1	0.0 %
136	-	1	0.0 %
140	-	10	0.4 %
142	-	1	0.0 %
150	-	18	0.8 %
152	-	1	0.0 %
158	-	1	0.0 %
160	-	3	0.1 %
165	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 370.33
- Median: 300.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3720.00
- Standard Deviation: 377.51

Location: 2801-2804 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999 , .

### C18\_65: Number of minutes used a tractor for farming in 2065

Value	Label	Unweighted Frequency	%
0	-	293	13.0 %
6	-	1	0.0 %
7	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
14	-	1	0.0 %
15	-	2	0.1 %
16	-	2	0.1 %
18	-	1	0.0 %
20	-	4	0.2 %
21	-	1	0.0 %
22	-	2	0.1 %
24	-	1	0.0 %
25	-	7	0.3 %
26	-	1	0.0 %
28	-	2	0.1 %
29	-	1	0.0 %
30	-	3	0.1 %
35	-	1	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
45	-	2	0.1 %
48	-	1	0.0 %
50	-	2	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
58	-	1	0.0 %
60	-	17	0.8 %
65	-	1	0.0 %
66	-	1	0.0 %
67	-	2	0.1 %
70	-	12	0.5 %
75	-	4	0.2 %
80	-	5	0.2 %

Value	Label	Unweighted Frequency	%
83	-	3	0.1 %
85	-	2	0.1 %
89	-	1	0.0 %
90	-	17	0.8 %
92	-	1	0.0 %
100	-	4	0.2 %
104	-	1	0.0 %
105	-	3	0.1 %
108	-	4	0.2 %
110	-	2	0.1 %
115	-	1	0.0 %
120	-	42	1.9 %
125	-	3	0.1 %
130	-	10	0.4 %
132	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 361.49
- Median: 300.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3720.00
- Standard Deviation: 383.40

*Location:* 2805-2808 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## C18\_66: Number of minutes used a tractor for farming in 2066

Value	Label	Unweighted Frequency	%
0	-	333	14.8 %
6	-	2	0.1 %
10	-	3	0.1 %
15	-	2	0.1 %
16	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
20	-	7	0.3 %
21	-	1	0.0 %
22	-	2	0.1 %
24	-	2	0.1 %
25	-	3	0.1 %
27	-	3	0.1 %
29	-	2	0.1 %
30	-	5	0.2 %
33	-	1	0.0 %
35	-	1	0.0 %
41	-	1	0.0 %
45	-	4	0.2 %
50	-	3	0.1 %
55	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
60	-	21	0.9 %
65	-	3	0.1 %
67	-	3	0.1 %
70	-	3	0.1 %
71	-	1	0.0 %
72	-	1	0.0 %
75	-	6	0.3 %
80	-	4	0.2 %
83	-	1	0.0 %
85	-	4	0.2 %
90	-	14	0.6 %
95	-	2	0.1 %
100	-	5	0.2 %
106	-	1	0.0 %
108	-	1	0.0 %
110	-	7	0.3 %
115	-	2	0.1 %
117	-	1	0.0 %
120	-	49	2.2 %
125	-	5	0.2 %
126	-	1	0.0 %
130	-	8	0.4 %

Value	Label	Unweighted Frequency	%
135	-	7	0.3 %
140	-	11	0.5 %
145	-	2	0.1 %
150	-	18	0.8 %
152	-	1	0.0 %
155	-	2	0.1 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 350.98
- Median: 270.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3660.00
- Standard Deviation: 376.79

*Location:* 2809-2812 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C18\_67: Number of minutes used a tractor for farming in 2067

Value	Label	Unweighted Frequency	%
0	-	369	16.4 %
6	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.1 %
12	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
19	-	1	0.0 %
20	-	7	0.3 %
21	-	2	0.1 %
23	-	1	0.0 %
24	-	2	0.1 %
25	-	3	0.1 %

Value	Label	Unweighted Frequency	%
26	-	1	0.0 %
27	-	1	0.0 %
28	-	3	0.1 %
29	-	1	0.0 %
30	-	6	0.3 %
36	-	1	0.0 %
40	-	2	0.1 %
42	-	2	0.1 %
45	-	3	0.1 %
50	-	2	0.1 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
60	-	19	0.8 %
61	-	1	0.0 %
64	-	1	0.0 %
65	-	3	0.1 %
68	-	2	0.1 %
70	-	6	0.3 %
71	-	1	0.0 %
72	-	1	0.0 %
75	-	4	0.2 %
78	-	1	0.0 %
79	-	1	0.0 %
80	-	7	0.3 %
85	-	1	0.0 %
86	-	1	0.0 %
90	-	20	0.9 %
95	-	2	0.1 %
100	-	4	0.2 %
103	-	1	0.0 %
107	-	4	0.2 %
110	-	4	0.2 %
115	-	3	0.1 %
120	-	47	2.1 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 336.17
- Minimum: 0.00
- Maximum: 3720.00
- Standard Deviation: 361.43

*Location:* 2813-2816 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C18\_68: Number of minutes used a tractor for farming in 2068

Value	Label	Unweighted Frequency	%
0	-	389	17.3 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	2	0.1 %
14	-	1	0.0 %
15	-	3	0.1 %
18	-	3	0.1 %
20	-	4	0.2 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	2	0.1 %
25	-	3	0.1 %
26	-	2	0.1 %
27	-	2	0.1 %
30	-	6	0.3 %
34	-	1	0.0 %
35	-	2	0.1 %
36	-	1	0.0 %
40	-	3	0.1 %
45	-	2	0.1 %
50	-	5	0.2 %
52	-	1	0.0 %

Value	Label	Unweighted Frequency	%
53	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
60	-	19	0.8 %
62	-	1	0.0 %
65	-	3	0.1 %
67	-	1	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
70	-	3	0.1 %
71	-	1	0.0 %
75	-	7	0.3 %
80	-	7	0.3 %
85	-	5	0.2 %
90	-	27	1.2 %
94	-	1	0.0 %
95	-	1	0.0 %
100	-	7	0.3 %
103	-	1	0.0 %
105	-	1	0.0 %
110	-	2	0.1 %
115	-	1	0.0 %
119	-	1	0.0 %
120	-	51	2.3 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 329.38
- Median: 250.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6600.00
- Standard Deviation: 379.43

*Location:* 2817-2820 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

(Range of) Missing Values: 998 , 999 , .

### C18\_69: Number of minutes used a tractor for farming in 2069

Value	Label	Unweighted Frequency	%
0	-	444	19.7 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.1 %
10	-	3	0.1 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.1 %
19	-	2	0.1 %
20	-	4	0.2 %
22	-	5	0.2 %
24	-	4	0.2 %
25	-	1	0.0 %
26	-	1	0.0 %
30	-	7	0.3 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
39	-	2	0.1 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.1 %
50	-	9	0.4 %
55	-	3	0.1 %
60	-	21	0.9 %
65	-	4	0.2 %
67	-	2	0.1 %
69	-	1	0.0 %
70	-	7	0.3 %
75	-	1	0.0 %
80	-	14	0.6 %
82	-	1	0.0 %
83	-	1	0.0 %
85	-	2	0.1 %

Value	Label	Unweighted Frequency	%
89	-	3	0.1 %
90	-	26	1.2 %
95	-	1	0.0 %
100	-	9	0.4 %
103	-	1	0.0 %
105	-	2	0.1 %
106	-	1	0.0 %
110	-	6	0.3 %
111	-	1	0.0 %
115	-	3	0.1 %
120	-	56	2.5 %
125	-	6	0.3 %
126	-	1	0.0 %
128	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 313.30
- Minimum: 0.00
- Maximum: 5400.00
- Standard Deviation: 359.16

*Location:* 2821-2824 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## C18\_70: Number of minutes used a tractor for farming in 2070

Value	Label	Unweighted Frequency	%
0	-	473	21.0 %
6	-	1	0.0 %
7	-	2	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	2	0.1 %

Value	Label	Unweighted Frequency	%
13	-	2	0.1 %
14	-	2	0.1 %
15	-	2	0.1 %
16	-	1	0.0 %
18	-	2	0.1 %
20	-	6	0.3 %
22	-	2	0.1 %
25	-	4	0.2 %
26	-	2	0.1 %
28	-	1	0.0 %
30	-	7	0.3 %
31	-	1	0.0 %
35	-	2	0.1 %
36	-	1	0.0 %
40	-	5	0.2 %
41	-	1	0.0 %
43	-	1	0.0 %
45	-	3	0.1 %
48	-	1	0.0 %
50	-	5	0.2 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	4	0.2 %
60	-	25	1.1 %
65	-	2	0.1 %
68	-	1	0.0 %
69	-	1	0.0 %
70	-	4	0.2 %
75	-	4	0.2 %
80	-	12	0.5 %
84	-	1	0.0 %
85	-	5	0.2 %
89	-	1	0.0 %
90	-	25	1.1 %
95	-	1	0.0 %
100	-	7	0.3 %
102	-	1	0.0 %
105	-	3	0.1 %
110	-	8	0.4 %

Value	Label	Unweighted Frequency	%
115	-	3	0.1 %
120	-	60	2.7 %
125	-	2	0.1 %
127	-	1	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 306.61
- Median: 240.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5400.00
- Standard Deviation: 370.24

*Location:* 2825-2828 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### C18\_71: Number of minutes used a tractor for farming in 2071

Value	Label	Unweighted Frequency	%
0	-	522	23.1 %
7	-	2	0.1 %
8	-	2	0.1 %
10	-	2	0.1 %
11	-	1	0.0 %
12	-	2	0.1 %
13	-	1	0.0 %
14	-	4	0.2 %
15	-	6	0.3 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	4	0.2 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	3	0.1 %

Value	Label	Unweighted Frequency	%
24	-	2	0.1 %
25	-	2	0.1 %
26	-	1	0.0 %
28	-	3	0.1 %
30	-	10	0.4 %
31	-	1	0.0 %
32	-	2	0.1 %
33	-	1	0.0 %
35	-	2	0.1 %
36	-	3	0.1 %
39	-	1	0.0 %
40	-	8	0.4 %
41	-	1	0.0 %
45	-	3	0.1 %
50	-	5	0.2 %
55	-	2	0.1 %
59	-	2	0.1 %
60	-	29	1.3 %
61	-	1	0.0 %
62	-	1	0.0 %
65	-	3	0.1 %
66	-	1	0.0 %
68	-	3	0.1 %
70	-	5	0.2 %
75	-	1	0.0 %
80	-	16	0.7 %
82	-	2	0.1 %
85	-	4	0.2 %
89	-	1	0.0 %
90	-	29	1.3 %
91	-	1	0.0 %
95	-	5	0.2 %
99	-	1	0.0 %
100	-	7	0.3 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 292.07
- Minimum: 0.00
- Maximum: 5400.00
- Standard Deviation: 352.26

*Location:* 2829-2832 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### C18\_72: Number of minutes used a tractor for farming in 2072

Value	Label	Unweighted Frequency	%
0	-	556	24.7 %
6	-	3	0.1 %
7	-	2	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	6	0.3 %
11	-	2	0.1 %
12	-	6	0.3 %
13	-	2	0.1 %
14	-	4	0.2 %
15	-	10	0.4 %
16	-	1	0.0 %
17	-	5	0.2 %
18	-	2	0.1 %
19	-	1	0.0 %
20	-	17	0.8 %
21	-	1	0.0 %
22	-	4	0.2 %
25	-	10	0.4 %
26	-	2	0.1 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	24	1.1 %
32	-	2	0.1 %
33	-	1	0.0 %
35	-	6	0.3 %
36	-	6	0.3 %
39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	17	0.8 %
41	-	1	0.0 %
43	-	3	0.1 %
44	-	1	0.0 %
45	-	10	0.4 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	11	0.5 %
52	-	3	0.1 %
54	-	1	0.0 %
55	-	2	0.1 %
56	-	1	0.0 %
57	-	3	0.1 %
60	-	69	3.1 %
62	-	2	0.1 %
63	-	1	0.0 %
65	-	4	0.2 %
66	-	2	0.1 %
70	-	16	0.7 %
71	-	1	0.0 %
74	-	2	0.1 %
<b>Missing Data</b>			
998	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 191.29
- Median: 120.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 253.42

*Location:* 2833-2836 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## C19\_63: Use of thrasher in 2063

Value	Label	Unweighted Frequency	%
0	No	1	0.0 %
1	Yes	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	2254	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 0.00

*Location:* 2837-2839 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

#### C19\_64: Use of threasher in 2064

Value	Label	Unweighted Frequency	%
0	No	1095	48.6 %
1	Yes	417	18.5 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2840-2842 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

#### C19\_65: Use of threasher in 2065

Value	Label	Unweighted Frequency	%
0	No	1112	49.3 %
1	Yes	480	21.3 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2843-2845 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C19\_66: Use of threasher in 2066

Value	Label	Unweighted Frequency	%
0	No	1103	48.9 %
1	Yes	586	26.0 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2846-2848 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C19\_67: Use of threasher in 2067

Value	Label	Unweighted Frequency	%
0	No	1020	45.2 %
1	Yes	748	33.2 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2849-2851 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C19\_68: Use of threasher in 2068

Value	Label	Unweighted Frequency	%
0	No	886	39.3 %

Value	Label	Unweighted Frequency	%
1	Yes	940	41.7 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2852-2854 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### C19\_69: Use of threasher in 2069

Value	Label	Unweighted Frequency	%
0	No	786	34.9 %
1	Yes	1165	51.7 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2855-2857 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

### C19\_70: Use of threasher in 2070

Value	Label	Unweighted Frequency	%
0	No	717	31.8 %
1	Yes	1311	58.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2858-2860 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### C19\_71: Use of threasher in 2071

Value	Label	Unweighted Frequency	%
0	No	737	32.7 %
1	Yes	1443	64.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2861-2863 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### C19\_72: Use of threasher in 2072

Value	Label	Unweighted Frequency	%
0	No	1500	66.5 %
1	Yes	752	33.3 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2864-2866 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### C20\_63: Use of motor/generator/boring in 2063

Value	Label	Unweighted Frequency	%
0	No	1086	48.2 %
1	Yes	328	14.5 %
	<b>Missing Data</b>		
999	Household does not exist	841	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2867-2869 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## C20\_64: Use of motor/generator/boring in 2064

Value	Label	Unweighted Frequency	%
0	No	996	44.2 %
1	Yes	516	22.9 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2870-2872 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C20\_65: Use of motor/generator/boring in 2065

Value	Label	Unweighted Frequency	%
0	No	1039	46.1 %
1	Yes	553	24.5 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2873-2875 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C20\_66: Use of motor/generator/boring in 2066

Value	Label	Unweighted Frequency	%
0	No	1078	47.8 %
1	Yes	611	27.1 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2876-2878 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C20\_67: Use of motor/generator/boring in 2067

Value	Label	Unweighted Frequency	%
0	No	1102	48.9 %
1	Yes	666	29.5 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2879-2881 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C20\_68: Use of motor/generator/boring in 2068

Value	Label	Unweighted Frequency	%
0	No	1103	48.9 %

Value	Label	Unweighted Frequency	%
1	Yes	723	32.1 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2882-2884 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## C20\_69: Use of motor/generator/boring in 2069

Value	Label	Unweighted Frequency	%
0	No	1158	51.4 %
1	Yes	793	35.2 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2885-2887 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## C20\_70: Use of motor/generator/boring in 2070

Value	Label	Unweighted Frequency	%
0	No	1191	52.8 %
1	Yes	837	37.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2888-2890 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## C20\_71: Use of motor/generator/boring in 2071

Value	Label	Unweighted Frequency	%
0	No	1292	57.3 %
1	Yes	888	39.4 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2891-2893 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## C20\_72: Use of motor/generator/boring in 2072

Value	Label	Unweighted Frequency	%
0	No	1252	55.5 %
1	Yes	1000	44.3 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 2894-2896 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## C21\_63: Number of hired laborers in 2063

Value	Label	Unweighted Frequency	%
0	-	475	21.1 %
1	-	4	0.2 %
2	-	10	0.4 %
3	-	8	0.4 %
4	-	13	0.6 %
5	-	17	0.8 %
6	-	8	0.4 %
7	-	14	0.6 %
8	-	8	0.4 %
9	-	5	0.2 %
10	-	46	2.0 %
11	-	5	0.2 %
12	-	30	1.3 %
13	-	8	0.4 %
14	-	5	0.2 %
15	-	41	1.8 %
16	-	8	0.4 %
17	-	6	0.3 %
18	-	7	0.3 %
19	-	3	0.1 %
20	-	71	3.1 %
21	-	2	0.1 %
22	-	9	0.4 %
24	-	4	0.2 %
25	-	50	2.2 %
26	-	2	0.1 %
27	-	2	0.1 %
28	-	3	0.1 %
29	-	2	0.1 %
30	-	53	2.4 %
31	-	1	0.0 %
32	-	3	0.1 %
33	-	2	0.1 %
34	-	3	0.1 %
35	-	28	1.2 %
36	-	2	0.1 %
37	-	5	0.2 %
40	-	77	3.4 %
41	-	2	0.1 %

Value	Label	Unweighted Frequency	%
42	-	4	0.2 %
44	-	1	0.0 %
45	-	8	0.4 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	75	3.3 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	3	0.1 %
56	-	2	0.1 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 33.71
- Median: 17.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 640.00
- Standard Deviation: 52.51

*Location:* 2897-2899 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## C21\_64: Number of hired laborers in 2064

Value	Label	Unweighted Frequency	%
0	-	505	22.4 %
1	-	1	0.0 %
2	-	7	0.3 %
3	-	6	0.3 %
4	-	9	0.4 %
5	-	13	0.6 %
6	-	12	0.5 %
7	-	13	0.6 %
8	-	12	0.5 %
9	-	7	0.3 %

Value	Label	Unweighted Frequency	%
10	-	27	1.2 %
11	-	12	0.5 %
12	-	23	1.0 %
13	-	11	0.5 %
14	-	12	0.5 %
15	-	34	1.5 %
16	-	17	0.8 %
17	-	11	0.5 %
18	-	10	0.4 %
19	-	7	0.3 %
20	-	39	1.7 %
21	-	11	0.5 %
22	-	25	1.1 %
23	-	5	0.2 %
24	-	10	0.4 %
25	-	44	2.0 %
26	-	10	0.4 %
27	-	11	0.5 %
28	-	13	0.6 %
29	-	5	0.2 %
30	-	33	1.5 %
31	-	11	0.5 %
32	-	5	0.2 %
33	-	5	0.2 %
34	-	5	0.2 %
35	-	39	1.7 %
36	-	4	0.2 %
37	-	3	0.1 %
38	-	2	0.1 %
39	-	2	0.1 %
40	-	43	1.9 %
41	-	5	0.2 %
42	-	9	0.4 %
43	-	6	0.3 %
44	-	5	0.2 %
45	-	24	1.1 %
46	-	6	0.3 %
47	-	2	0.1 %
48	-	4	0.2 %

Value	Label	Unweighted Frequency	%
49	-	3	0.1 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 32.26
- Median: 20.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 460.00
- Standard Deviation: 46.75

*Location:* 2900-2902 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C21\_65: Number of hired laborers in 2065

Value	Label	Unweighted Frequency	%
0	-	551	24.4 %
1	-	2	0.1 %
2	-	6	0.3 %
3	-	8	0.4 %
4	-	7	0.3 %
5	-	15	0.7 %
6	-	12	0.5 %
7	-	11	0.5 %
8	-	18	0.8 %
9	-	12	0.5 %
10	-	28	1.2 %
11	-	15	0.7 %
12	-	19	0.8 %
13	-	14	0.6 %
14	-	12	0.5 %
15	-	37	1.6 %
16	-	18	0.8 %
17	-	14	0.6 %
18	-	11	0.5 %

Value	Label	Unweighted Frequency	%
19	-	9	0.4 %
20	-	34	1.5 %
21	-	16	0.7 %
22	-	16	0.7 %
23	-	12	0.5 %
24	-	9	0.4 %
25	-	37	1.6 %
26	-	11	0.5 %
27	-	15	0.7 %
28	-	16	0.7 %
29	-	6	0.3 %
30	-	29	1.3 %
31	-	8	0.4 %
32	-	13	0.6 %
33	-	9	0.4 %
34	-	3	0.1 %
35	-	29	1.3 %
36	-	15	0.7 %
37	-	6	0.3 %
38	-	3	0.1 %
39	-	2	0.1 %
40	-	36	1.6 %
41	-	8	0.4 %
42	-	15	0.7 %
43	-	5	0.2 %
44	-	3	0.1 %
45	-	31	1.4 %
46	-	8	0.4 %
47	-	4	0.2 %
48	-	3	0.1 %
49	-	2	0.1 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 31.27
- Median: 17.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1030.00
- Standard Deviation: 51.04

*Location:* 2903-2906 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## C21\_66: Number of hired laborers in 2066

Value	Label	Unweighted Frequency	%
0	-	605	26.8 %
1	-	1	0.0 %
2	-	6	0.3 %
3	-	14	0.6 %
4	-	8	0.4 %
5	-	13	0.6 %
6	-	13	0.6 %
7	-	18	0.8 %
8	-	18	0.8 %
9	-	11	0.5 %
10	-	41	1.8 %
11	-	10	0.4 %
12	-	19	0.8 %
13	-	18	0.8 %
14	-	16	0.7 %
15	-	29	1.3 %
16	-	23	1.0 %
17	-	17	0.8 %
18	-	17	0.8 %
19	-	14	0.6 %
20	-	28	1.2 %
21	-	11	0.5 %
22	-	19	0.8 %
23	-	13	0.6 %
24	-	17	0.8 %
25	-	31	1.4 %
26	-	15	0.7 %
27	-	14	0.6 %
28	-	20	0.9 %
29	-	8	0.4 %

Value	Label	Unweighted Frequency	%
30	-	34	1.5 %
31	-	9	0.4 %
32	-	9	0.4 %
33	-	6	0.3 %
34	-	12	0.5 %
35	-	31	1.4 %
36	-	10	0.4 %
37	-	7	0.3 %
38	-	13	0.6 %
39	-	4	0.2 %
40	-	32	1.4 %
41	-	10	0.4 %
42	-	10	0.4 %
43	-	12	0.5 %
44	-	8	0.4 %
45	-	22	1.0 %
46	-	3	0.1 %
47	-	5	0.2 %
48	-	8	0.4 %
49	-	3	0.1 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 29.68
- Median: 16.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1040.00
- Standard Deviation: 49.83

*Location:* 2907-2910 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C21\_67: Number of hired laborers in 2067

Value	Label	Unweighted Frequency	%
0	-	667	29.6 %
1	-	1	0.0 %
2	-	6	0.3 %
3	-	13	0.6 %
4	-	15	0.7 %
5	-	15	0.7 %
6	-	21	0.9 %
7	-	16	0.7 %
8	-	22	1.0 %
9	-	7	0.3 %
10	-	32	1.4 %
11	-	18	0.8 %
12	-	28	1.2 %
13	-	13	0.6 %
14	-	14	0.6 %
15	-	31	1.4 %
16	-	16	0.7 %
17	-	18	0.8 %
18	-	20	0.9 %
19	-	10	0.4 %
20	-	40	1.8 %
21	-	11	0.5 %
22	-	19	0.8 %
23	-	16	0.7 %
24	-	13	0.6 %
25	-	36	1.6 %
26	-	10	0.4 %
27	-	9	0.4 %
28	-	19	0.8 %
29	-	16	0.7 %
30	-	29	1.3 %
31	-	11	0.5 %
32	-	12	0.5 %
33	-	9	0.4 %
34	-	8	0.4 %
35	-	26	1.2 %
36	-	11	0.5 %
37	-	6	0.3 %
38	-	8	0.4 %

Value	Label	Unweighted Frequency	%
39	-	4	0.2 %
40	-	39	1.7 %
41	-	7	0.3 %
42	-	12	0.5 %
43	-	10	0.4 %
44	-	7	0.3 %
45	-	33	1.5 %
46	-	7	0.3 %
47	-	5	0.2 %
48	-	10	0.4 %
49	-	7	0.3 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 27.47
- Median: 14.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1005.00
- Standard Deviation: 45.97

*Location:* 2911-2914 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C21\_68: Number of hired laborers in 2068

Value	Label	Unweighted Frequency	%
0	-	707	31.4 %
1	-	2	0.1 %
2	-	9	0.4 %
3	-	9	0.4 %
4	-	16	0.7 %
5	-	19	0.8 %
6	-	18	0.8 %
7	-	15	0.7 %
8	-	20	0.9 %

Value	Label	Unweighted Frequency	%
9	-	13	0.6 %
10	-	30	1.3 %
11	-	20	0.9 %
12	-	28	1.2 %
13	-	17	0.8 %
14	-	10	0.4 %
15	-	41	1.8 %
16	-	19	0.8 %
17	-	19	0.8 %
18	-	11	0.5 %
19	-	12	0.5 %
20	-	36	1.6 %
21	-	11	0.5 %
22	-	27	1.2 %
23	-	13	0.6 %
24	-	20	0.9 %
25	-	38	1.7 %
26	-	14	0.6 %
27	-	5	0.2 %
28	-	19	0.8 %
29	-	6	0.3 %
30	-	38	1.7 %
31	-	9	0.4 %
32	-	6	0.3 %
33	-	6	0.3 %
34	-	13	0.6 %
35	-	29	1.3 %
36	-	18	0.8 %
37	-	9	0.4 %
38	-	8	0.4 %
39	-	4	0.2 %
40	-	45	2.0 %
41	-	7	0.3 %
42	-	19	0.8 %
43	-	10	0.4 %
44	-	10	0.4 %
45	-	22	1.0 %
46	-	7	0.3 %
47	-	3	0.1 %

Value	Label	Unweighted Frequency	%
48	-	3	0.1 %
49	-	8	0.4 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 25.84
- Median: 13.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1020.00
- Standard Deviation: 44.09

*Location:* 2915-2918 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C21\_69: Number of hired laborers in 2069

Value	Label	Unweighted Frequency	%
0	-	784	34.8 %
1	-	2	0.1 %
2	-	10	0.4 %
3	-	12	0.5 %
4	-	21	0.9 %
5	-	13	0.6 %
6	-	20	0.9 %
7	-	17	0.8 %
8	-	19	0.8 %
9	-	21	0.9 %
10	-	48	2.1 %
11	-	15	0.7 %
12	-	36	1.6 %
13	-	16	0.7 %
14	-	19	0.8 %
15	-	30	1.3 %
16	-	16	0.7 %
17	-	14	0.6 %

Value	Label	Unweighted Frequency	%
18	-	21	0.9 %
19	-	16	0.7 %
20	-	51	2.3 %
21	-	14	0.6 %
22	-	16	0.7 %
23	-	21	0.9 %
24	-	18	0.8 %
25	-	38	1.7 %
26	-	11	0.5 %
27	-	18	0.8 %
28	-	14	0.6 %
29	-	7	0.3 %
30	-	45	2.0 %
31	-	7	0.3 %
32	-	12	0.5 %
33	-	9	0.4 %
34	-	8	0.4 %
35	-	34	1.5 %
36	-	14	0.6 %
37	-	7	0.3 %
38	-	9	0.4 %
39	-	8	0.4 %
40	-	37	1.6 %
41	-	9	0.4 %
42	-	24	1.1 %
43	-	8	0.4 %
44	-	6	0.3 %
45	-	23	1.0 %
46	-	6	0.3 %
47	-	9	0.4 %
48	-	5	0.2 %
49	-	5	0.2 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 24.38
- Median: 11.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1020.00
- Standard Deviation: 43.61

*Location:* 2919-2922 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

## C21\_70: Number of hired laborers in 2070

Value	Label	Unweighted Frequency	%
0	-	826	36.6 %
1	-	3	0.1 %
2	-	11	0.5 %
3	-	15	0.7 %
4	-	20	0.9 %
5	-	20	0.9 %
6	-	25	1.1 %
7	-	15	0.7 %
8	-	25	1.1 %
9	-	17	0.8 %
10	-	39	1.7 %
11	-	23	1.0 %
12	-	35	1.6 %
13	-	23	1.0 %
14	-	20	0.9 %
15	-	33	1.5 %
16	-	21	0.9 %
17	-	18	0.8 %
18	-	21	0.9 %
19	-	10	0.4 %
20	-	36	1.6 %
21	-	26	1.2 %
22	-	24	1.1 %
23	-	20	0.9 %
24	-	18	0.8 %
25	-	42	1.9 %

Value	Label	Unweighted Frequency	%
26	-	15	0.7 %
27	-	18	0.8 %
28	-	16	0.7 %
29	-	7	0.3 %
30	-	39	1.7 %
31	-	10	0.4 %
32	-	14	0.6 %
33	-	10	0.4 %
34	-	11	0.5 %
35	-	44	2.0 %
36	-	8	0.4 %
37	-	6	0.3 %
38	-	6	0.3 %
39	-	4	0.2 %
40	-	42	1.9 %
41	-	10	0.4 %
42	-	17	0.8 %
43	-	10	0.4 %
44	-	13	0.6 %
45	-	31	1.4 %
46	-	8	0.4 %
47	-	3	0.1 %
48	-	6	0.3 %
49	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 23.35
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1030.00
- Standard Deviation: 42.52

*Location:* 2923-2926 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## C21\_71: Number of hired laborers in 2071

Value	Label	Unweighted Frequency	%
0	-	914	40.5 %
1	-	4	0.2 %
2	-	16	0.7 %
3	-	22	1.0 %
4	-	18	0.8 %
5	-	29	1.3 %
6	-	22	1.0 %
7	-	27	1.2 %
8	-	22	1.0 %
9	-	19	0.8 %
10	-	60	2.7 %
11	-	17	0.8 %
12	-	39	1.7 %
13	-	18	0.8 %
14	-	25	1.1 %
15	-	45	2.0 %
16	-	17	0.8 %
17	-	18	0.8 %
18	-	17	0.8 %
19	-	7	0.3 %
20	-	64	2.8 %
21	-	20	0.9 %
22	-	21	0.9 %
23	-	14	0.6 %
24	-	21	0.9 %
25	-	53	2.4 %
26	-	16	0.7 %
27	-	9	0.4 %
28	-	11	0.5 %
29	-	7	0.3 %
30	-	60	2.7 %
31	-	9	0.4 %
32	-	5	0.2 %
33	-	8	0.4 %
34	-	6	0.3 %
35	-	51	2.3 %
36	-	7	0.3 %

Value	Label	Unweighted Frequency	%
37	-	3	0.1 %
38	-	11	0.5 %
39	-	1	0.0 %
40	-	50	2.2 %
41	-	6	0.3 %
42	-	9	0.4 %
43	-	6	0.3 %
44	-	6	0.3 %
45	-	31	1.4 %
46	-	9	0.4 %
47	-	6	0.3 %
48	-	3	0.1 %
49	-	2	0.1 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 21.98
- Median: 9.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1050.00
- Standard Deviation: 42.01

*Location:* 2927-2930 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## C21\_72: Number of hired laborers in 2072

Value	Label	Unweighted Frequency	%
0	-	995	44.1 %
1	-	10	0.4 %
2	-	29	1.3 %
3	-	28	1.2 %
4	-	45	2.0 %
5	-	45	2.0 %
6	-	49	2.2 %

Value	Label	Unweighted Frequency	%
7	-	37	1.6 %
8	-	59	2.6 %
9	-	25	1.1 %
10	-	84	3.7 %
11	-	22	1.0 %
12	-	39	1.7 %
13	-	32	1.4 %
14	-	21	0.9 %
15	-	78	3.5 %
16	-	28	1.2 %
17	-	19	0.8 %
18	-	36	1.6 %
19	-	19	0.8 %
20	-	81	3.6 %
21	-	8	0.4 %
22	-	18	0.8 %
23	-	13	0.6 %
24	-	14	0.6 %
25	-	66	2.9 %
26	-	13	0.6 %
27	-	7	0.3 %
28	-	12	0.5 %
29	-	7	0.3 %
30	-	57	2.5 %
31	-	8	0.4 %
32	-	12	0.5 %
33	-	9	0.4 %
34	-	7	0.3 %
35	-	30	1.3 %
36	-	5	0.2 %
37	-	1	0.0 %
38	-	4	0.2 %
39	-	1	0.0 %
40	-	28	1.2 %
41	-	5	0.2 %
42	-	2	0.1 %
43	-	4	0.2 %
44	-	2	0.1 %
45	-	19	0.8 %

Value	Label	Unweighted Frequency	%
46	-	3	0.1 %
47	-	2	0.1 %
48	-	3	0.1 %
50	-	21	0.9 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 12.61
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 20.27

*Location:* 2931-2933 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### C22\_63: Use of chemical fertilizer (Total kg) in 2003

Value	Label	Unweighted Frequency	%
0	-	293	13.0 %
1	-	4	0.2 %
2	-	8	0.4 %
3	-	8	0.4 %
4	-	11	0.5 %
5	-	24	1.1 %
6	-	13	0.6 %
7	-	6	0.3 %
8	-	14	0.6 %
9	-	7	0.3 %
10	-	52	2.3 %
11	-	4	0.2 %
12	-	18	0.8 %
13	-	5	0.2 %
14	-	10	0.4 %
15	-	39	1.7 %
16	-	12	0.5 %

Value	Label	Unweighted Frequency	%
17	-	6	0.3 %
18	-	8	0.4 %
19	-	2	0.1 %
20	-	75	3.3 %
21	-	4	0.2 %
22	-	10	0.4 %
23	-	1	0.0 %
24	-	6	0.3 %
25	-	55	2.4 %
26	-	1	0.0 %
27	-	2	0.1 %
28	-	3	0.1 %
29	-	2	0.1 %
30	-	39	1.7 %
31	-	4	0.2 %
32	-	4	0.2 %
33	-	1	0.0 %
35	-	20	0.9 %
36	-	3	0.1 %
37	-	1	0.0 %
38	-	3	0.1 %
39	-	2	0.1 %
40	-	29	1.3 %
42	-	1	0.0 %
44	-	2	0.1 %
45	-	6	0.3 %
46	-	2	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	188	8.3 %
51	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 58.86
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1500.00
- Standard Deviation: 96.79

*Location:* 2934-2937 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

#### C22\_64: Use of chemical fertilizer (Total kg) in 2064

Value	Label	Unweighted Frequency	%
0	-	312	13.8 %
1	-	2	0.1 %
2	-	8	0.4 %
3	-	7	0.3 %
4	-	10	0.4 %
5	-	20	0.9 %
6	-	20	0.9 %
7	-	7	0.3 %
8	-	16	0.7 %
9	-	3	0.1 %
10	-	45	2.0 %
11	-	6	0.3 %
12	-	13	0.6 %
13	-	3	0.1 %
14	-	7	0.3 %
15	-	34	1.5 %
16	-	7	0.3 %
17	-	7	0.3 %
18	-	10	0.4 %
19	-	2	0.1 %
20	-	70	3.1 %
21	-	3	0.1 %
22	-	8	0.4 %
23	-	1	0.0 %
24	-	8	0.4 %
25	-	46	2.0 %
26	-	7	0.3 %
27	-	4	0.2 %

Value	Label	Unweighted Frequency	%
28	-	5	0.2 %
30	-	72	3.2 %
31	-	1	0.0 %
32	-	9	0.4 %
33	-	4	0.2 %
34	-	2	0.1 %
35	-	24	1.1 %
36	-	4	0.2 %
38	-	1	0.0 %
40	-	77	3.4 %
41	-	1	0.0 %
42	-	4	0.2 %
43	-	2	0.1 %
44	-	3	0.1 %
45	-	21	0.9 %
46	-	2	0.1 %
47	-	1	0.0 %
48	-	4	0.2 %
50	-	155	6.9 %
51	-	1	0.0 %
52	-	3	0.1 %
54	-	4	0.2 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 53.93
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1800.00
- Standard Deviation: 87.34

*Location:* 2938-2941 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C22\_65: Use of chemical fertilizer (Total kg) in 2065

Value	Label	Unweighted Frequency	%
0	-	347	15.4 %
1	-	2	0.1 %
2	-	8	0.4 %
3	-	9	0.4 %
4	-	12	0.5 %
5	-	19	0.8 %
6	-	17	0.8 %
7	-	10	0.4 %
8	-	18	0.8 %
9	-	7	0.3 %
10	-	46	2.0 %
11	-	3	0.1 %
12	-	15	0.7 %
13	-	5	0.2 %
14	-	6	0.3 %
15	-	41	1.8 %
16	-	11	0.5 %
17	-	10	0.4 %
18	-	14	0.6 %
19	-	3	0.1 %
20	-	57	2.5 %
21	-	5	0.2 %
22	-	8	0.4 %
23	-	3	0.1 %
24	-	10	0.4 %
25	-	58	2.6 %
26	-	10	0.4 %
27	-	8	0.4 %
28	-	4	0.2 %
29	-	1	0.0 %
30	-	56	2.5 %
31	-	4	0.2 %
32	-	12	0.5 %
34	-	4	0.2 %
35	-	29	1.3 %
36	-	5	0.2 %
38	-	4	0.2 %
39	-	1	0.0 %
40	-	59	2.6 %

Value	Label	Unweighted Frequency	%
41	-	3	0.1 %
42	-	10	0.4 %
43	-	1	0.0 %
45	-	32	1.4 %
46	-	3	0.1 %
47	-	3	0.1 %
48	-	3	0.1 %
49	-	1	0.0 %
50	-	133	5.9 %
51	-	4	0.2 %
52	-	4	0.2 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 53.32
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1900.00
- Standard Deviation: 92.09

*Location:* 2942-2945 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C22\_66: Use of chemical fertilizer (Total kg) in 2066

Value	Label	Unweighted Frequency	%
0	-	391	17.3 %
1	-	2	0.1 %
2	-	8	0.4 %
3	-	6	0.3 %
4	-	18	0.8 %
5	-	18	0.8 %
6	-	20	0.9 %
7	-	10	0.4 %
8	-	17	0.8 %

Value	Label	Unweighted Frequency	%
9	-	6	0.3 %
10	-	51	2.3 %
11	-	7	0.3 %
12	-	17	0.8 %
13	-	6	0.3 %
14	-	7	0.3 %
15	-	42	1.9 %
16	-	18	0.8 %
17	-	10	0.4 %
18	-	6	0.3 %
19	-	5	0.2 %
20	-	63	2.8 %
21	-	4	0.2 %
22	-	10	0.4 %
23	-	6	0.3 %
24	-	11	0.5 %
25	-	50	2.2 %
26	-	12	0.5 %
27	-	4	0.2 %
28	-	7	0.3 %
29	-	4	0.2 %
30	-	65	2.9 %
31	-	2	0.1 %
32	-	10	0.4 %
33	-	7	0.3 %
34	-	1	0.0 %
35	-	33	1.5 %
36	-	5	0.2 %
37	-	2	0.1 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	54	2.4 %
41	-	5	0.2 %
42	-	6	0.3 %
43	-	3	0.1 %
44	-	2	0.1 %
45	-	30	1.3 %
46	-	1	0.0 %
47	-	2	0.1 %

Value	Label	Unweighted Frequency	%
48	-	3	0.1 %
50	-	141	6.3 %
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 51.25
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1900.00
- Standard Deviation: 90.05

*Location:* 2946-2949 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C22\_67: Use of chemical fertilizer (Total kg) in 2067

Value	Label	Unweighted Frequency	%
0.0	-	431	19.1 %
1.0	-	3	0.1 %
2.0	-	8	0.4 %
3.0	-	12	0.5 %
4.0	-	6	0.3 %
5.0	-	24	1.1 %
6.0	-	22	1.0 %
7.0	-	8	0.4 %
8.0	-	22	1.0 %
9.0	-	6	0.3 %
9.5	-	1	0.0 %
10.0	-	50	2.2 %
11.0	-	12	0.5 %
12.0	-	24	1.1 %
13.0	-	6	0.3 %
14.0	-	5	0.2 %
15.0	-	39	1.7 %
16.0	-	15	0.7 %

Value	Label	Unweighted Frequency	%
17.0	-	13	0.6 %
18.0	-	13	0.6 %
19.0	-	3	0.1 %
20.0	-	66	2.9 %
21.0	-	4	0.2 %
22.0	-	10	0.4 %
23.0	-	2	0.1 %
24.0	-	11	0.5 %
25.0	-	60	2.7 %
26.0	-	13	0.6 %
27.0	-	8	0.4 %
28.0	-	8	0.4 %
29.0	-	2	0.1 %
30.0	-	62	2.7 %
32.0	-	9	0.4 %
33.0	-	3	0.1 %
34.0	-	3	0.1 %
35.0	-	35	1.6 %
36.0	-	8	0.4 %
37.0	-	1	0.0 %
38.0	-	7	0.3 %
39.0	-	2	0.1 %
40.0	-	41	1.8 %
41.0	-	4	0.2 %
42.0	-	7	0.3 %
43.0	-	1	0.0 %
45.0	-	36	1.6 %
46.0	-	3	0.1 %
47.0	-	2	0.1 %
48.0	-	5	0.2 %
49.0	-	1	0.0 %
50.0	-	140	6.2 %
<b>Missing Data</b>			
999.0	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 49.45
- Median: 26.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1700.00
- Standard Deviation: 84.94

*Location:* 2950-2955 (width: 6; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.0 , 999.0 , .

---

### C22\_68: Use of chemical fertilizer (Total kg) in 2068

Value	Label	Unweighted Frequency	%
0	-	461	20.4 %
1	-	3	0.1 %
2	-	8	0.4 %
3	-	6	0.3 %
4	-	9	0.4 %
5	-	26	1.2 %
6	-	20	0.9 %
7	-	13	0.6 %
8	-	20	0.9 %
9	-	8	0.4 %
10	-	60	2.7 %
11	-	9	0.4 %
12	-	24	1.1 %
13	-	7	0.3 %
14	-	6	0.3 %
15	-	38	1.7 %
16	-	13	0.6 %
17	-	7	0.3 %
18	-	14	0.6 %
19	-	5	0.2 %
20	-	61	2.7 %
21	-	4	0.2 %
22	-	13	0.6 %
23	-	6	0.3 %
24	-	13	0.6 %
25	-	61	2.7 %
26	-	11	0.5 %
27	-	10	0.4 %

Value	Label	Unweighted Frequency	%
28	-	8	0.4 %
29	-	2	0.1 %
30	-	62	2.7 %
31	-	5	0.2 %
32	-	8	0.4 %
33	-	2	0.1 %
34	-	4	0.2 %
35	-	39	1.7 %
36	-	6	0.3 %
37	-	1	0.0 %
38	-	3	0.1 %
39	-	2	0.1 %
40	-	58	2.6 %
41	-	2	0.1 %
42	-	10	0.4 %
44	-	2	0.1 %
45	-	40	1.8 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.1 %
50	-	143	6.3 %
51	-	5	0.2 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 48.33
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1800.00
- Standard Deviation: 85.07

*Location:* 2956-2959 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## C22\_69: Use of chemical fertilizer (Total kg) in 2069

Value	Label	Unweighted Frequency	%
0.0	-	525	23.3 %
1.0	-	3	0.1 %
1.5	-	1	0.0 %
2.0	-	13	0.6 %
3.0	-	9	0.4 %
4.0	-	18	0.8 %
5.0	-	17	0.8 %
6.0	-	16	0.7 %
7.0	-	16	0.7 %
8.0	-	25	1.1 %
9.0	-	6	0.3 %
10.0	-	57	2.5 %
11.0	-	10	0.4 %
12.0	-	24	1.1 %
13.0	-	5	0.2 %
14.0	-	4	0.2 %
15.0	-	45	2.0 %
16.0	-	18	0.8 %
17.0	-	15	0.7 %
18.0	-	17	0.8 %
19.0	-	4	0.2 %
20.0	-	80	3.5 %
21.0	-	4	0.2 %
22.0	-	15	0.7 %
23.0	-	6	0.3 %
24.0	-	13	0.6 %
25.0	-	59	2.6 %
26.0	-	12	0.5 %
27.0	-	5	0.2 %
28.0	-	9	0.4 %
30.0	-	61	2.7 %
31.0	-	4	0.2 %
32.0	-	10	0.4 %
33.0	-	3	0.1 %
34.0	-	5	0.2 %
35.0	-	34	1.5 %
36.0	-	4	0.2 %
37.0	-	2	0.1 %
38.0	-	4	0.2 %

Value	Label	Unweighted Frequency	%
39.0	-	3	0.1 %
40.0	-	62	2.7 %
41.0	-	3	0.1 %
42.0	-	8	0.4 %
43.0	-	1	0.0 %
45.0	-	29	1.3 %
46.0	-	3	0.1 %
48.0	-	5	0.2 %
49.0	-	1	0.0 %
50.0	-	151	6.7 %
51.0	-	3	0.1 %
<b>Missing Data</b>			
998.0	Household merge	1	0.0 %
999.0	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 49.07
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 109.72

*Location:* 2960-2965 (width: 6; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.0 , 999.0 , .

## C22\_70: Use of chemical fertilizer (Total kg) in 2070

Value	Label	Unweighted Frequency	%
0.0	-	547	24.3 %
1.0	-	7	0.3 %
1.5	-	1	0.0 %
2.0	-	15	0.7 %
3.0	-	13	0.6 %
4.0	-	18	0.8 %
5.0	-	26	1.2 %
6.0	-	16	0.7 %

Value	Label	Unweighted Frequency	%
7.0	-	15	0.7 %
8.0	-	20	0.9 %
9.0	-	7	0.3 %
10.0	-	60	2.7 %
11.0	-	8	0.4 %
12.0	-	21	0.9 %
13.0	-	12	0.5 %
14.0	-	8	0.4 %
15.0	-	46	2.0 %
16.0	-	19	0.8 %
17.0	-	14	0.6 %
18.0	-	14	0.6 %
19.0	-	7	0.3 %
20.0	-	79	3.5 %
21.0	-	7	0.3 %
22.0	-	14	0.6 %
23.0	-	9	0.4 %
24.0	-	10	0.4 %
25.0	-	59	2.6 %
26.0	-	11	0.5 %
27.0	-	1	0.0 %
28.0	-	15	0.7 %
29.0	-	1	0.0 %
30.0	-	70	3.1 %
31.0	-	3	0.1 %
32.0	-	13	0.6 %
33.0	-	1	0.0 %
34.0	-	6	0.3 %
35.0	-	33	1.5 %
36.0	-	5	0.2 %
37.0	-	4	0.2 %
38.0	-	3	0.1 %
39.0	-	4	0.2 %
40.0	-	56	2.5 %
41.0	-	4	0.2 %
42.0	-	8	0.4 %
43.0	-	2	0.1 %
44.0	-	1	0.0 %
45.0	-	29	1.3 %

Value	Label	Unweighted Frequency	%
46.0	-	1	0.0 %
47.0	-	3	0.1 %
48.0	-	10	0.4 %
<b>Missing Data</b>			
998.0	Household merge	1	0.0 %
999.0	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 51.50
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4500.00
- Standard Deviation: 161.67

*Location:* 2966-2971 (width: 6; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.0 , 999.0

## C22\_71: Use of chemical fertilizer (Total kg) in 2071

Value	Label	Unweighted Frequency	%
0.0	-	621	27.5 %
1.0	-	7	0.3 %
1.5	-	2	0.1 %
2.0	-	12	0.5 %
3.0	-	16	0.7 %
4.0	-	20	0.9 %
5.0	-	25	1.1 %
6.0	-	15	0.7 %
7.0	-	14	0.6 %
8.0	-	29	1.3 %
9.0	-	6	0.3 %
10.0	-	55	2.4 %
11.0	-	7	0.3 %
12.0	-	39	1.7 %
13.0	-	10	0.4 %
14.0	-	11	0.5 %
15.0	-	59	2.6 %

Value	Label	Unweighted Frequency	%
16.0	-	19	0.8 %
17.0	-	9	0.4 %
18.0	-	8	0.4 %
19.0	-	3	0.1 %
20.0	-	101	4.5 %
21.0	-	6	0.3 %
22.0	-	6	0.3 %
23.0	-	6	0.3 %
24.0	-	11	0.5 %
25.0	-	77	3.4 %
26.0	-	11	0.5 %
27.0	-	6	0.3 %
28.0	-	12	0.5 %
29.0	-	3	0.1 %
30.0	-	95	4.2 %
31.0	-	3	0.1 %
32.0	-	7	0.3 %
33.0	-	2	0.1 %
34.0	-	3	0.1 %
35.0	-	37	1.6 %
36.0	-	8	0.4 %
37.0	-	6	0.3 %
39.0	-	2	0.1 %
40.0	-	62	2.7 %
41.0	-	1	0.0 %
42.0	-	8	0.4 %
43.0	-	3	0.1 %
44.0	-	1	0.0 %
45.0	-	27	1.2 %
46.0	-	4	0.2 %
47.0	-	1	0.0 %
48.0	-	6	0.3 %
50.0	-	168	7.5 %
<b>Missing Data</b>			
998.0	Household merge	1	0.0 %
999.0	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 50.73
- Median: 21.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4500.00
- Standard Deviation: 181.88

*Location:* 2972-2977 (width: 6; decimal: 1)

*Variable Type:* numeric

*(Range of) Missing Values:* 998.0 , 999.0

---

## C22\_72: Use of chemical fertilizer (Total kg) in 2072

Value	Label	Unweighted Frequency	%
0	-	877	38.9 %
1	-	11	0.5 %
2	-	17	0.8 %
3	-	23	1.0 %
4	-	26	1.2 %
5	-	40	1.8 %
6	-	28	1.2 %
7	-	15	0.7 %
8	-	30	1.3 %
9	-	12	0.5 %
10	-	126	5.6 %
11	-	11	0.5 %
12	-	30	1.3 %
13	-	14	0.6 %
14	-	13	0.6 %
15	-	86	3.8 %
16	-	17	0.8 %
17	-	9	0.4 %
18	-	18	0.8 %
19	-	6	0.3 %
20	-	119	5.3 %
21	-	4	0.2 %
22	-	13	0.6 %
23	-	3	0.1 %
24	-	14	0.6 %
25	-	78	3.5 %

Value	Label	Unweighted Frequency	%
26	-	4	0.2 %
27	-	6	0.3 %
28	-	10	0.4 %
29	-	4	0.2 %
30	-	80	3.5 %
31	-	5	0.2 %
32	-	7	0.3 %
33	-	2	0.1 %
34	-	4	0.2 %
35	-	26	1.2 %
38	-	4	0.2 %
40	-	35	1.6 %
41	-	2	0.1 %
42	-	6	0.3 %
43	-	3	0.1 %
45	-	8	0.4 %
47	-	3	0.1 %
48	-	2	0.1 %
50	-	168	7.5 %
51	-	3	0.1 %
52	-	3	0.1 %
55	-	3	0.1 %
56	-	1	0.0 %
57	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 27.08
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4500.00
- Standard Deviation: 133.18

*Location:* 2978-2981 (*width:* 4; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## C23\_63: Use of vitamins (Amount in Rupees) in 2063

Value	Label	Unweighted Frequency	%
0	-	1131	50.2 %
35	-	1	0.0 %
45	-	2	0.1 %
50	-	5	0.2 %
55	-	1	0.0 %
60	-	4	0.2 %
70	-	3	0.1 %
75	-	1	0.0 %
85	-	2	0.1 %
90	-	3	0.1 %
100	-	17	0.8 %
110	-	1	0.0 %
115	-	1	0.0 %
120	-	3	0.1 %
130	-	4	0.2 %
140	-	1	0.0 %
150	-	22	1.0 %
155	-	2	0.1 %
160	-	2	0.1 %
165	-	1	0.0 %
172	-	1	0.0 %
190	-	1	0.0 %
200	-	23	1.0 %
220	-	1	0.0 %
230	-	1	0.0 %
240	-	1	0.0 %
245	-	1	0.0 %
250	-	8	0.4 %
290	-	1	0.0 %
300	-	28	1.2 %
320	-	1	0.0 %
350	-	2	0.1 %
400	-	17	0.8 %
500	-	51	2.3 %
570	-	1	0.0 %
600	-	7	0.3 %
700	-	7	0.3 %

Value	Label	Unweighted Frequency	%
900	-	1	0.0 %
1000	-	19	0.8 %
1200	-	7	0.3 %
1300	-	1	0.0 %
1500	-	7	0.3 %
1600	-	1	0.0 %
1720	-	1	0.0 %
2000	-	10	0.4 %
2500	-	2	0.1 %
3000	-	2	0.1 %
4000	-	1	0.0 %
5000	-	2	0.1 %
6000	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 114.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 407.06

*Location:* 2982-2985 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

#### C23\_64: Use of vitamins (Amount in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	1235	54.8 %
30	-	1	0.0 %
50	-	2	0.1 %
70	-	1	0.0 %
80	-	2	0.1 %
90	-	2	0.1 %
100	-	27	1.2 %
110	-	1	0.0 %

Value	Label	Unweighted Frequency	%
115	-	1	0.0 %
120	-	2	0.1 %
125	-	1	0.0 %
140	-	2	0.1 %
145	-	1	0.0 %
150	-	19	0.8 %
160	-	1	0.0 %
200	-	43	1.9 %
250	-	12	0.5 %
270	-	1	0.0 %
290	-	2	0.1 %
300	-	28	1.2 %
320	-	1	0.0 %
350	-	9	0.4 %
360	-	1	0.0 %
400	-	21	0.9 %
420	-	1	0.0 %
450	-	4	0.2 %
500	-	21	0.9 %
525	-	1	0.0 %
600	-	6	0.3 %
620	-	1	0.0 %
700	-	11	0.5 %
750	-	2	0.1 %
780	-	1	0.0 %
800	-	4	0.2 %
900	-	2	0.1 %
1000	-	6	0.3 %
1050	-	1	0.0 %
1100	-	2	0.1 %
1200	-	3	0.1 %
1300	-	2	0.1 %
1500	-	5	0.2 %
1600	-	1	0.0 %
2000	-	6	0.3 %
2100	-	2	0.1 %
3000	-	3	0.1 %
4000	-	1	0.0 %
5000	-	4	0.2 %

Value	Label	Unweighted Frequency	%
6000	-	1	0.0 %
6070	-	1	0.0 %
6400	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 130.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19000.00
- Standard Deviation: 717.69

*Location:* 2986-2990 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C23\_65: Use of vitamins (Amount in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	1303	57.8 %
30	-	1	0.0 %
50	-	2	0.1 %
70	-	1	0.0 %
80	-	2	0.1 %
90	-	3	0.1 %
100	-	18	0.8 %
110	-	5	0.2 %
112	-	1	0.0 %
120	-	2	0.1 %
125	-	1	0.0 %
130	-	2	0.1 %
140	-	1	0.0 %
145	-	1	0.0 %
150	-	18	0.8 %
160	-	1	0.0 %
170	-	1	0.0 %

Value	Label	Unweighted Frequency	%
180	-	1	0.0 %
200	-	39	1.7 %
230	-	3	0.1 %
250	-	16	0.7 %
260	-	1	0.0 %
270	-	1	0.0 %
285	-	1	0.0 %
300	-	26	1.2 %
305	-	1	0.0 %
310	-	1	0.0 %
320	-	1	0.0 %
330	-	1	0.0 %
350	-	12	0.5 %
360	-	3	0.1 %
400	-	19	0.8 %
430	-	1	0.0 %
450	-	4	0.2 %
475	-	1	0.0 %
500	-	23	1.0 %
510	-	1	0.0 %
550	-	3	0.1 %
600	-	8	0.4 %
650	-	2	0.1 %
680	-	1	0.0 %
700	-	3	0.1 %
720	-	1	0.0 %
750	-	3	0.1 %
790	-	1	0.0 %
800	-	5	0.2 %
900	-	1	0.0 %
950	-	1	0.0 %
1000	-	10	0.4 %
1050	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 144.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25000.00
- Standard Deviation: 957.76

*Location:* 2991-2995 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C23\_66: Use of vitamins (Amount in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	1381	61.2 %
40	-	1	0.0 %
50	-	2	0.1 %
85	-	1	0.0 %
90	-	1	0.0 %
100	-	16	0.7 %
110	-	2	0.1 %
115	-	1	0.0 %
120	-	1	0.0 %
125	-	1	0.0 %
130	-	4	0.2 %
140	-	2	0.1 %
145	-	1	0.0 %
150	-	21	0.9 %
160	-	1	0.0 %
170	-	1	0.0 %
180	-	2	0.1 %
200	-	38	1.7 %
210	-	1	0.0 %
220	-	1	0.0 %
225	-	1	0.0 %
230	-	2	0.1 %
235	-	1	0.0 %
250	-	12	0.5 %
260	-	1	0.0 %
280	-	2	0.1 %

Value	Label	Unweighted Frequency	%
290	-	2	0.1 %
300	-	27	1.2 %
315	-	1	0.0 %
320	-	2	0.1 %
325	-	1	0.0 %
350	-	12	0.5 %
360	-	1	0.0 %
370	-	1	0.0 %
380	-	2	0.1 %
400	-	18	0.8 %
430	-	1	0.0 %
450	-	6	0.3 %
480	-	1	0.0 %
490	-	1	0.0 %
500	-	24	1.1 %
525	-	1	0.0 %
550	-	2	0.1 %
600	-	10	0.4 %
650	-	3	0.1 %
690	-	1	0.0 %
700	-	9	0.4 %
730	-	1	0.0 %
790	-	1	0.0 %
800	-	8	0.4 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 162.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24000.00
- Standard Deviation: 1050.29

*Location:* 2996-3000 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## C23\_67: Use of vitamins (Amount in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	1441	63.9 %
40	-	1	0.0 %
50	-	1	0.0 %
75	-	1	0.0 %
80	-	1	0.0 %
95	-	1	0.0 %
100	-	8	0.4 %
110	-	3	0.1 %
120	-	4	0.2 %
125	-	3	0.1 %
130	-	1	0.0 %
140	-	1	0.0 %
145	-	1	0.0 %
150	-	25	1.1 %
170	-	4	0.2 %
175	-	1	0.0 %
180	-	1	0.0 %
185	-	1	0.0 %
200	-	32	1.4 %
220	-	1	0.0 %
230	-	4	0.2 %
240	-	3	0.1 %
250	-	19	0.8 %
270	-	1	0.0 %
280	-	1	0.0 %
300	-	20	0.9 %
305	-	1	0.0 %
310	-	1	0.0 %
320	-	1	0.0 %
345	-	1	0.0 %
350	-	17	0.8 %
360	-	1	0.0 %
390	-	1	0.0 %
395	-	1	0.0 %
400	-	24	1.1 %
450	-	8	0.4 %
475	-	1	0.0 %

Value	Label	Unweighted Frequency	%
480	-	1	0.0 %
500	-	21	0.9 %
550	-	2	0.1 %
600	-	11	0.5 %
650	-	6	0.3 %
700	-	14	0.6 %
740	-	1	0.0 %
800	-	7	0.3 %
850	-	2	0.1 %
875	-	1	0.0 %
900	-	2	0.1 %
950	-	1	0.0 %
1000	-	12	0.5 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 173.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24000.00
- Standard Deviation: 1084.69

*Location:* 3001-3005 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## C23\_68: Use of vitamins (Amount in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	1445	64.1 %
40	-	1	0.0 %
50	-	2	0.1 %
75	-	1	0.0 %
80	-	1	0.0 %
90	-	1	0.0 %
100	-	13	0.6 %

Value	Label	Unweighted Frequency	%
120	-	3	0.1 %
130	-	6	0.3 %
145	-	1	0.0 %
150	-	16	0.7 %
160	-	3	0.1 %
165	-	1	0.0 %
170	-	3	0.1 %
175	-	1	0.0 %
180	-	5	0.2 %
200	-	35	1.6 %
210	-	1	0.0 %
220	-	1	0.0 %
225	-	1	0.0 %
230	-	1	0.0 %
235	-	1	0.0 %
240	-	1	0.0 %
250	-	25	1.1 %
255	-	1	0.0 %
260	-	2	0.1 %
280	-	1	0.0 %
290	-	1	0.0 %
300	-	37	1.6 %
315	-	1	0.0 %
320	-	2	0.1 %
330	-	1	0.0 %
350	-	13	0.6 %
360	-	3	0.1 %
375	-	1	0.0 %
380	-	1	0.0 %
400	-	21	0.9 %
410	-	1	0.0 %
420	-	3	0.1 %
450	-	5	0.2 %
460	-	1	0.0 %
475	-	1	0.0 %
500	-	30	1.3 %
520	-	1	0.0 %
550	-	4	0.2 %
600	-	14	0.6 %

Value	Label	Unweighted Frequency	%
650	-	5	0.2 %
700	-	10	0.4 %
730	-	1	0.0 %
750	-	3	0.1 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 201.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 1496.13

*Location:* 3006-3010 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### C23\_69: Use of vitamins (Amount in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	1517	67.3 %
50	-	2	0.1 %
70	-	1	0.0 %
90	-	3	0.1 %
100	-	13	0.6 %
110	-	2	0.1 %
120	-	4	0.2 %
125	-	1	0.0 %
130	-	2	0.1 %
140	-	1	0.0 %
150	-	24	1.1 %
160	-	1	0.0 %
165	-	1	0.0 %
170	-	2	0.1 %
175	-	1	0.0 %
180	-	3	0.1 %

Value	Label	Unweighted Frequency	%
185	-	1	0.0 %
190	-	3	0.1 %
200	-	47	2.1 %
210	-	1	0.0 %
220	-	1	0.0 %
230	-	2	0.1 %
245	-	1	0.0 %
250	-	26	1.2 %
260	-	1	0.0 %
270	-	1	0.0 %
280	-	3	0.1 %
290	-	1	0.0 %
300	-	37	1.6 %
325	-	1	0.0 %
330	-	1	0.0 %
350	-	15	0.7 %
360	-	1	0.0 %
370	-	1	0.0 %
380	-	1	0.0 %
400	-	26	1.2 %
420	-	1	0.0 %
450	-	8	0.4 %
480	-	1	0.0 %
500	-	30	1.3 %
510	-	1	0.0 %
550	-	6	0.3 %
580	-	2	0.1 %
600	-	12	0.5 %
650	-	5	0.2 %
680	-	1	0.0 %
700	-	11	0.5 %
750	-	2	0.1 %
760	-	1	0.0 %
800	-	12	0.5 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 265.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60000.00
- Standard Deviation: 2015.05

*Location:* 3011-3015 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### C23\_70: Use of vitamins (Amount in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	1538	68.2 %
50	-	2	0.1 %
60	-	1	0.0 %
70	-	2	0.1 %
100	-	16	0.7 %
110	-	1	0.0 %
120	-	3	0.1 %
125	-	1	0.0 %
130	-	3	0.1 %
140	-	2	0.1 %
150	-	24	1.1 %
165	-	1	0.0 %
170	-	1	0.0 %
175	-	2	0.1 %
180	-	3	0.1 %
190	-	2	0.1 %
195	-	1	0.0 %
200	-	53	2.4 %
210	-	2	0.1 %
220	-	1	0.0 %
230	-	2	0.1 %
240	-	2	0.1 %
245	-	1	0.0 %
250	-	28	1.2 %
270	-	1	0.0 %
275	-	2	0.1 %

Value	Label	Unweighted Frequency	%
280	-	1	0.0 %
300	-	46	2.0 %
320	-	2	0.1 %
330	-	1	0.0 %
350	-	12	0.5 %
360	-	2	0.1 %
370	-	2	0.1 %
380	-	1	0.0 %
390	-	1	0.0 %
400	-	30	1.3 %
420	-	1	0.0 %
450	-	6	0.3 %
470	-	1	0.0 %
480	-	1	0.0 %
485	-	1	0.0 %
500	-	37	1.6 %
520	-	1	0.0 %
530	-	2	0.1 %
550	-	6	0.3 %
560	-	1	0.0 %
580	-	2	0.1 %
600	-	20	0.9 %
650	-	5	0.2 %
700	-	14	0.6 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 309.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 70000.00
- Standard Deviation: 2478.49

*Location:* 3016-3020 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## C23\_71: Use of vitamins (Amount in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	1621	71.9 %
50	-	1	0.0 %
60	-	1	0.0 %
80	-	2	0.1 %
90	-	1	0.0 %
100	-	18	0.8 %
110	-	1	0.0 %
120	-	3	0.1 %
125	-	2	0.1 %
130	-	2	0.1 %
140	-	1	0.0 %
150	-	26	1.2 %
160	-	4	0.2 %
165	-	1	0.0 %
175	-	2	0.1 %
180	-	1	0.0 %
190	-	1	0.0 %
200	-	68	3.0 %
210	-	1	0.0 %
220	-	2	0.1 %
230	-	2	0.1 %
240	-	1	0.0 %
250	-	23	1.0 %
260	-	3	0.1 %
270	-	1	0.0 %
280	-	2	0.1 %
290	-	2	0.1 %
300	-	58	2.6 %
320	-	2	0.1 %
330	-	1	0.0 %
350	-	10	0.4 %
360	-	1	0.0 %
380	-	1	0.0 %
390	-	2	0.1 %
400	-	37	1.6 %
450	-	6	0.3 %
480	-	1	0.0 %

Value	Label	Unweighted Frequency	%
500	-	62	2.7 %
520	-	1	0.0 %
530	-	1	0.0 %
550	-	6	0.3 %
570	-	1	0.0 %
600	-	25	1.1 %
620	-	1	0.0 %
630	-	1	0.0 %
650	-	2	0.1 %
700	-	14	0.6 %
750	-	1	0.0 %
780	-	2	0.1 %
800	-	25	1.1 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 323.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 70000.00
- Standard Deviation: 2484.86

*Location:* 3021-3025 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## C23\_72: Use of vitamins (Amount in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	2010	89.1 %
50	-	2	0.1 %
60	-	1	0.0 %
75	-	1	0.0 %
100	-	10	0.4 %
130	-	1	0.0 %
150	-	7	0.3 %

Value	Label	Unweighted Frequency	%
160	-	1	0.0 %
180	-	2	0.1 %
200	-	28	1.2 %
215	-	1	0.0 %
220	-	1	0.0 %
250	-	14	0.6 %
260	-	3	0.1 %
275	-	1	0.0 %
300	-	31	1.4 %
340	-	1	0.0 %
350	-	9	0.4 %
360	-	2	0.1 %
400	-	15	0.7 %
450	-	2	0.1 %
500	-	33	1.5 %
550	-	3	0.1 %
600	-	9	0.4 %
650	-	3	0.1 %
700	-	13	0.6 %
800	-	4	0.2 %
850	-	1	0.0 %
900	-	4	0.2 %
1000	-	10	0.4 %
1100	-	1	0.0 %
1200	-	5	0.2 %
1400	-	1	0.0 %
1500	-	4	0.2 %
1600	-	2	0.1 %
2000	-	3	0.1 %
2500	-	1	0.0 %
3000	-	3	0.1 %
3500	-	1	0.0 %
5000	-	3	0.1 %
12000	-	2	0.1 %
12500	-	1	0.0 %
38000	-	1	0.0 %
50000	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	3	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 117.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 1423.38

*Location:* 3026-3030 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998 , 999

### C24\_63: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2063

Value	Label	Unweighted Frequency	%
0	-	1009	44.7 %
10	-	1	0.0 %
20	-	1	0.0 %
35	-	2	0.1 %
38	-	1	0.0 %
40	-	3	0.1 %
45	-	2	0.1 %
50	-	16	0.7 %
60	-	11	0.5 %
62	-	1	0.0 %
65	-	4	0.2 %
70	-	7	0.3 %
80	-	4	0.2 %
90	-	6	0.3 %
96	-	1	0.0 %
100	-	32	1.4 %
105	-	1	0.0 %
110	-	2	0.1 %
114	-	1	0.0 %
120	-	4	0.2 %
122	-	1	0.0 %
125	-	1	0.0 %
130	-	1	0.0 %
140	-	1	0.0 %
150	-	32	1.4 %

Value	Label	Unweighted Frequency	%
160	-	4	0.2 %
165	-	1	0.0 %
175	-	1	0.0 %
180	-	4	0.2 %
200	-	43	1.9 %
205	-	1	0.0 %
210	-	1	0.0 %
215	-	1	0.0 %
225	-	1	0.0 %
240	-	1	0.0 %
250	-	6	0.3 %
270	-	1	0.0 %
290	-	1	0.0 %
300	-	38	1.7 %
315	-	1	0.0 %
350	-	1	0.0 %
395	-	1	0.0 %
400	-	18	0.8 %
420	-	1	0.0 %
450	-	3	0.1 %
500	-	57	2.5 %
550	-	2	0.1 %
600	-	9	0.4 %
700	-	5	0.2 %
720	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
99998	Don't Know	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,413 valid cases out of 2,255 total cases.

- Mean: 140.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10000.00
- Standard Deviation: 504.21

*Location:* 3031-3035 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

(Range of) Missing Values: 998 , 999 , 99998

#### C24\_64: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	1185	52.5 %
20	-	1	0.0 %
30	-	1	0.0 %
40	-	2	0.1 %
50	-	5	0.2 %
60	-	2	0.1 %
65	-	1	0.0 %
75	-	2	0.1 %
80	-	2	0.1 %
85	-	2	0.1 %
90	-	5	0.2 %
95	-	1	0.0 %
100	-	36	1.6 %
120	-	5	0.2 %
125	-	1	0.0 %
130	-	4	0.2 %
140	-	2	0.1 %
150	-	30	1.3 %
160	-	1	0.0 %
175	-	1	0.0 %
180	-	1	0.0 %
200	-	44	2.0 %
225	-	1	0.0 %
250	-	13	0.6 %
260	-	1	0.0 %
280	-	1	0.0 %
300	-	31	1.4 %
350	-	6	0.3 %
400	-	25	1.1 %
450	-	4	0.2 %
500	-	32	1.4 %
510	-	1	0.0 %
600	-	12	0.5 %
700	-	3	0.1 %
800	-	3	0.1 %
850	-	1	0.0 %

Value	Label	Unweighted Frequency	%
900	-	2	0.1 %
1000	-	8	0.4 %
1100	-	1	0.0 %
1150	-	1	0.0 %
1200	-	5	0.2 %
1300	-	1	0.0 %
1500	-	5	0.2 %
1700	-	1	0.0 %
2000	-	5	0.2 %
2500	-	2	0.1 %
3000	-	4	0.2 %
4000	-	4	0.2 %
6400	-	1	0.0 %
7000	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 135.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25000.00
- Standard Deviation: 832.87

*Location:* 3036-3040 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , 99998 , .

## C24\_65: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	1251	55.5 %
30	-	2	0.1 %
40	-	1	0.0 %
45	-	1	0.0 %
50	-	2	0.1 %
60	-	2	0.1 %

Value	Label	Unweighted Frequency	%
65	-	1	0.0 %
70	-	2	0.1 %
80	-	3	0.1 %
85	-	1	0.0 %
90	-	1	0.0 %
95	-	2	0.1 %
100	-	35	1.6 %
110	-	1	0.0 %
120	-	9	0.4 %
125	-	1	0.0 %
130	-	4	0.2 %
140	-	2	0.1 %
150	-	33	1.5 %
160	-	6	0.3 %
170	-	3	0.1 %
190	-	1	0.0 %
200	-	29	1.3 %
205	-	1	0.0 %
210	-	2	0.1 %
225	-	1	0.0 %
250	-	16	0.7 %
270	-	1	0.0 %
280	-	1	0.0 %
290	-	1	0.0 %
300	-	35	1.6 %
310	-	1	0.0 %
320	-	3	0.1 %
325	-	2	0.1 %
335	-	1	0.0 %
350	-	10	0.4 %
400	-	18	0.8 %
450	-	8	0.4 %
500	-	22	1.0 %
510	-	1	0.0 %
515	-	1	0.0 %
550	-	5	0.2 %
600	-	10	0.4 %
640	-	1	0.0 %
650	-	3	0.1 %

Value	Label	Unweighted Frequency	%
700	-	6	0.3 %
800	-	5	0.2 %
900	-	2	0.1 %
1000	-	6	0.3 %
1150	-	2	0.1 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 157.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26000.00
- Standard Deviation: 1143.41

*Location:* 3041-3045 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , 99998 , .

#### C24\_66: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	1325	58.8 %
30	-	1	0.0 %
40	-	2	0.1 %
50	-	4	0.2 %
70	-	1	0.0 %
80	-	5	0.2 %
85	-	2	0.1 %
90	-	3	0.1 %
100	-	29	1.3 %
110	-	1	0.0 %
115	-	1	0.0 %
120	-	2	0.1 %
130	-	8	0.4 %
140	-	3	0.1 %
145	-	1	0.0 %

Value	Label	Unweighted Frequency	%
150	-	27	1.2 %
160	-	5	0.2 %
175	-	1	0.0 %
180	-	2	0.1 %
190	-	4	0.2 %
200	-	40	1.8 %
205	-	1	0.0 %
210	-	2	0.1 %
220	-	1	0.0 %
230	-	1	0.0 %
250	-	16	0.7 %
270	-	4	0.2 %
300	-	25	1.1 %
320	-	1	0.0 %
325	-	1	0.0 %
330	-	2	0.1 %
340	-	2	0.1 %
350	-	11	0.5 %
360	-	1	0.0 %
400	-	33	1.5 %
405	-	1	0.0 %
430	-	1	0.0 %
450	-	8	0.4 %
460	-	1	0.0 %
500	-	27	1.2 %
520	-	1	0.0 %
550	-	2	0.1 %
560	-	1	0.0 %
575	-	1	0.0 %
600	-	6	0.3 %
650	-	2	0.1 %
670	-	2	0.1 %
700	-	11	0.5 %
750	-	2	0.1 %
800	-	8	0.4 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 152.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 27000.00
- Standard Deviation: 987.33

*Location:* 3046-3050 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , 99998 , .

### C24\_67: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	1379	61.2 %
40	-	3	0.1 %
50	-	2	0.1 %
55	-	1	0.0 %
65	-	1	0.0 %
75	-	1	0.0 %
80	-	2	0.1 %
90	-	2	0.1 %
95	-	1	0.0 %
100	-	27	1.2 %
110	-	1	0.0 %
120	-	5	0.2 %
125	-	1	0.0 %
130	-	4	0.2 %
135	-	2	0.1 %
140	-	2	0.1 %
150	-	35	1.6 %
160	-	1	0.0 %
165	-	1	0.0 %
170	-	2	0.1 %
175	-	1	0.0 %
180	-	1	0.0 %
190	-	2	0.1 %
200	-	38	1.7 %
210	-	2	0.1 %
215	-	1	0.0 %

Value	Label	Unweighted Frequency	%
220	-	1	0.0 %
230	-	1	0.0 %
250	-	22	1.0 %
260	-	2	0.1 %
280	-	1	0.0 %
290	-	1	0.0 %
300	-	29	1.3 %
310	-	1	0.0 %
320	-	3	0.1 %
325	-	1	0.0 %
350	-	12	0.5 %
355	-	1	0.0 %
360	-	1	0.0 %
375	-	2	0.1 %
380	-	1	0.0 %
400	-	25	1.1 %
430	-	1	0.0 %
440	-	1	0.0 %
450	-	9	0.4 %
500	-	33	1.5 %
520	-	1	0.0 %
550	-	6	0.3 %
590	-	1	0.0 %
600	-	14	0.6 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 167.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25000.00
- Standard Deviation: 993.63

*Location:* 3051-3055 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, 99998, .

**C24\_68: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2068**

Value	Label	Unweighted Frequency	%
0	-	1382	61.3 %
40	-	2	0.1 %
50	-	2	0.1 %
60	-	2	0.1 %
70	-	2	0.1 %
80	-	1	0.0 %
85	-	1	0.0 %
90	-	2	0.1 %
95	-	3	0.1 %
100	-	19	0.8 %
110	-	2	0.1 %
120	-	1	0.0 %
130	-	4	0.2 %
135	-	1	0.0 %
136	-	1	0.0 %
140	-	4	0.2 %
145	-	1	0.0 %
150	-	23	1.0 %
160	-	6	0.3 %
165	-	1	0.0 %
170	-	3	0.1 %
175	-	1	0.0 %
180	-	6	0.3 %
190	-	1	0.0 %
200	-	52	2.3 %
205	-	1	0.0 %
220	-	4	0.2 %
225	-	1	0.0 %
230	-	3	0.1 %
240	-	2	0.1 %
250	-	21	0.9 %
265	-	1	0.0 %
270	-	3	0.1 %
300	-	40	1.8 %
315	-	1	0.0 %
320	-	2	0.1 %
350	-	9	0.4 %

Value	Label	Unweighted Frequency	%
360	-	1	0.0 %
365	-	1	0.0 %
375	-	1	0.0 %
380	-	1	0.0 %
400	-	36	1.6 %
420	-	1	0.0 %
450	-	13	0.6 %
480	-	1	0.0 %
500	-	30	1.3 %
550	-	6	0.3 %
600	-	25	1.1 %
700	-	6	0.3 %
730	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 228.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55000.00
- Standard Deviation: 1719.98

*Location:* 3056-3060 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, 99998, .

## C24\_69: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	1449	64.3 %
50	-	3	0.1 %
55	-	1	0.0 %
60	-	2	0.1 %
70	-	2	0.1 %
85	-	1	0.0 %
90	-	2	0.1 %

Value	Label	Unweighted Frequency	%
100	-	25	1.1 %
110	-	3	0.1 %
120	-	6	0.3 %
125	-	1	0.0 %
130	-	2	0.1 %
135	-	1	0.0 %
140	-	5	0.2 %
145	-	1	0.0 %
150	-	37	1.6 %
160	-	2	0.1 %
175	-	2	0.1 %
180	-	5	0.2 %
190	-	5	0.2 %
200	-	51	2.3 %
210	-	2	0.1 %
215	-	1	0.0 %
220	-	1	0.0 %
225	-	1	0.0 %
230	-	4	0.2 %
240	-	1	0.0 %
250	-	29	1.3 %
270	-	1	0.0 %
280	-	3	0.1 %
290	-	1	0.0 %
300	-	46	2.0 %
310	-	1	0.0 %
315	-	1	0.0 %
320	-	1	0.0 %
350	-	9	0.4 %
370	-	1	0.0 %
400	-	46	2.0 %
420	-	3	0.1 %
425	-	1	0.0 %
430	-	1	0.0 %
450	-	14	0.6 %
500	-	34	1.5 %
510	-	1	0.0 %
550	-	1	0.0 %
565	-	1	0.0 %

Value	Label	Unweighted Frequency	%
600	-	16	0.7 %
615	-	1	0.0 %
650	-	1	0.0 %
700	-	13	0.6 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 262.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50000.00
- Standard Deviation: 1763.22

*Location:* 3061-3065 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , 99998 , .

#### C24\_70: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	1457	64.6 %
1	-	1	0.0 %
50	-	2	0.1 %
60	-	2	0.1 %
70	-	3	0.1 %
85	-	1	0.0 %
100	-	23	1.0 %
110	-	2	0.1 %
120	-	5	0.2 %
125	-	1	0.0 %
130	-	1	0.0 %
140	-	2	0.1 %
145	-	2	0.1 %
150	-	35	1.6 %
160	-	2	0.1 %

Value	Label	Unweighted Frequency	%
170	-	1	0.0 %
180	-	6	0.3 %
185	-	1	0.0 %
190	-	1	0.0 %
200	-	70	3.1 %
210	-	3	0.1 %
220	-	5	0.2 %
230	-	2	0.1 %
235	-	1	0.0 %
250	-	46	2.0 %
270	-	1	0.0 %
280	-	2	0.1 %
290	-	1	0.0 %
300	-	49	2.2 %
320	-	2	0.1 %
350	-	18	0.8 %
360	-	2	0.1 %
375	-	1	0.0 %
400	-	45	2.0 %
430	-	1	0.0 %
440	-	1	0.0 %
450	-	8	0.4 %
470	-	1	0.0 %
475	-	1	0.0 %
480	-	1	0.0 %
500	-	55	2.4 %
530	-	1	0.0 %
550	-	4	0.2 %
570	-	1	0.0 %
600	-	18	0.8 %
625	-	1	0.0 %
630	-	1	0.0 %
650	-	2	0.1 %
660	-	1	0.0 %
700	-	11	0.5 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 281.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36000.00
- Standard Deviation: 1698.15

*Location:* 3066-3070 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , 99998

### C24\_71: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	1533	68.0 %
1	-	1	0.0 %
30	-	1	0.0 %
50	-	2	0.1 %
60	-	1	0.0 %
70	-	3	0.1 %
75	-	1	0.0 %
80	-	3	0.1 %
100	-	26	1.2 %
110	-	1	0.0 %
120	-	7	0.3 %
125	-	2	0.1 %
130	-	1	0.0 %
150	-	44	2.0 %
160	-	1	0.0 %
170	-	2	0.1 %
180	-	4	0.2 %
190	-	1	0.0 %
200	-	74	3.3 %
220	-	3	0.1 %
230	-	4	0.2 %
240	-	3	0.1 %
250	-	38	1.7 %
260	-	2	0.1 %
270	-	1	0.0 %
280	-	1	0.0 %

Value	Label	Unweighted Frequency	%
290	-	1	0.0 %
300	-	67	3.0 %
320	-	3	0.1 %
340	-	1	0.0 %
350	-	15	0.7 %
360	-	1	0.0 %
370	-	2	0.1 %
380	-	1	0.0 %
400	-	60	2.7 %
425	-	1	0.0 %
450	-	6	0.3 %
480	-	1	0.0 %
500	-	63	2.8 %
520	-	1	0.0 %
530	-	2	0.1 %
550	-	4	0.2 %
560	-	1	0.0 %
600	-	28	1.2 %
650	-	1	0.0 %
670	-	1	0.0 %
700	-	16	0.7 %
750	-	3	0.1 %
800	-	11	0.5 %
850	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 316.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60000.00
- Standard Deviation: 2142.56

*Location:* 3071-3075 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , 99998

**C24\_72: Use of pesticides/herbicides/fungicides (Amount in Rupees) in 2072**

Value	Label	Unweighted Frequency	%
0	-	1939	86.0 %
25	-	1	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
75	-	1	0.0 %
80	-	2	0.1 %
90	-	1	0.0 %
100	-	14	0.6 %
105	-	1	0.0 %
110	-	1	0.0 %
120	-	1	0.0 %
125	-	2	0.1 %
130	-	1	0.0 %
150	-	15	0.7 %
160	-	3	0.1 %
170	-	2	0.1 %
185	-	1	0.0 %
190	-	2	0.1 %
200	-	45	2.0 %
220	-	2	0.1 %
240	-	3	0.1 %
250	-	24	1.1 %
260	-	1	0.0 %
265	-	1	0.0 %
275	-	1	0.0 %
280	-	1	0.0 %
300	-	27	1.2 %
350	-	5	0.2 %
380	-	1	0.0 %
390	-	1	0.0 %
400	-	19	0.8 %
430	-	1	0.0 %
450	-	2	0.1 %
460	-	1	0.0 %
500	-	48	2.1 %
520	-	1	0.0 %
550	-	4	0.2 %

Value	Label	Unweighted Frequency	%
600	-	12	0.5 %
650	-	1	0.0 %
690	-	1	0.0 %
700	-	11	0.5 %
750	-	2	0.1 %
800	-	11	0.5 %
815	-	1	0.0 %
900	-	3	0.1 %
1000	-	7	0.3 %
1140	-	1	0.0 %
1200	-	2	0.1 %
1300	-	1	0.0 %
1400	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 122.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40000.00
- Standard Deviation: 1222.30

*Location:* 3076-3080 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , 99998

### C25\_63: Buy seeds (Amount in Rupees) in 2063

Value	Label	Unweighted Frequency	%
0	-	689	30.6 %
5	-	1	0.0 %
7	-	1	0.0 %
10	-	2	0.1 %
12	-	1	0.0 %
15	-	1	0.0 %
20	-	8	0.4 %
25	-	3	0.1 %

Value	Label	Unweighted Frequency	%
30	-	8	0.4 %
35	-	2	0.1 %
40	-	5	0.2 %
45	-	1	0.0 %
50	-	15	0.7 %
60	-	12	0.5 %
70	-	3	0.1 %
77	-	1	0.0 %
80	-	2	0.1 %
90	-	2	0.1 %
100	-	27	1.2 %
105	-	1	0.0 %
110	-	2	0.1 %
118	-	1	0.0 %
120	-	10	0.4 %
125	-	1	0.0 %
135	-	1	0.0 %
140	-	2	0.1 %
150	-	16	0.7 %
159	-	1	0.0 %
160	-	1	0.0 %
180	-	6	0.3 %
190	-	1	0.0 %
192	-	1	0.0 %
195	-	1	0.0 %
200	-	41	1.8 %
210	-	3	0.1 %
220	-	5	0.2 %
230	-	2	0.1 %
232	-	1	0.0 %
235	-	2	0.1 %
240	-	2	0.1 %
245	-	1	0.0 %
250	-	8	0.4 %
255	-	1	0.0 %
260	-	1	0.0 %
270	-	2	0.1 %
275	-	1	0.0 %
280	-	1	0.0 %

Value	Label	Unweighted Frequency	%
285	-	2	0.1 %
290	-	1	0.0 %
300	-	31	1.4 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 561.64
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25000.00
- Standard Deviation: 1551.69

*Location:* 3081-3085 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999

## C25\_64: Buy seeds (Amount in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	1017	45.1 %
35	-	1	0.0 %
50	-	1	0.0 %
60	-	1	0.0 %
80	-	1	0.0 %
100	-	3	0.1 %
150	-	5	0.2 %
160	-	1	0.0 %
192	-	1	0.0 %
195	-	1	0.0 %
200	-	10	0.4 %
210	-	1	0.0 %
250	-	8	0.4 %
280	-	1	0.0 %
300	-	17	0.8 %
350	-	8	0.4 %
400	-	16	0.7 %
420	-	1	0.0 %

Value	Label	Unweighted Frequency	%
450	-	1	0.0 %
460	-	1	0.0 %
470	-	1	0.0 %
500	-	38	1.7 %
520	-	1	0.0 %
550	-	3	0.1 %
575	-	1	0.0 %
580	-	1	0.0 %
600	-	19	0.8 %
640	-	1	0.0 %
650	-	3	0.1 %
700	-	24	1.1 %
720	-	2	0.1 %
750	-	5	0.2 %
800	-	26	1.2 %
810	-	1	0.0 %
840	-	1	0.0 %
850	-	1	0.0 %
885	-	1	0.0 %
900	-	14	0.6 %
918	-	1	0.0 %
950	-	2	0.1 %
1000	-	50	2.2 %
1025	-	1	0.0 %
1050	-	2	0.1 %
1100	-	12	0.5 %
1150	-	1	0.0 %
1200	-	13	0.6 %
1240	-	1	0.0 %
1250	-	2	0.1 %
1260	-	1	0.0 %
1300	-	11	0.5 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 531.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 28000.00
- Standard Deviation: 1523.08

*Location:* 3086-3090 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999, .

---

## C25\_65: Buy seeds (Amount in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	1073	47.6 %
35	-	1	0.0 %
50	-	3	0.1 %
60	-	1	0.0 %
80	-	1	0.0 %
100	-	2	0.1 %
120	-	1	0.0 %
140	-	1	0.0 %
150	-	5	0.2 %
192	-	1	0.0 %
200	-	10	0.4 %
250	-	7	0.3 %
260	-	2	0.1 %
280	-	2	0.1 %
300	-	14	0.6 %
350	-	9	0.4 %
375	-	2	0.1 %
400	-	12	0.5 %
450	-	4	0.2 %
455	-	1	0.0 %
470	-	1	0.0 %
500	-	23	1.0 %
530	-	1	0.0 %
540	-	2	0.1 %
550	-	6	0.3 %
600	-	25	1.1 %
620	-	2	0.1 %
640	-	1	0.0 %

Value	Label	Unweighted Frequency	%
650	-	4	0.2 %
700	-	19	0.8 %
720	-	2	0.1 %
745	-	1	0.0 %
750	-	5	0.2 %
800	-	29	1.3 %
840	-	1	0.0 %
850	-	5	0.2 %
860	-	1	0.0 %
870	-	1	0.0 %
875	-	1	0.0 %
900	-	8	0.4 %
918	-	1	0.0 %
1000	-	48	2.1 %
1050	-	4	0.2 %
1100	-	9	0.4 %
1150	-	2	0.1 %
1200	-	20	0.9 %
1250	-	3	0.1 %
1300	-	16	0.7 %
1350	-	3	0.1 %
1400	-	13	0.6 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 579.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35000.00
- Standard Deviation: 1831.06

*Location:* 3091-3095 (*width:* 5; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999, .

## C25\_66: Buy seeds (Amount in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	1145	50.8 %
35	-	1	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
85	-	1	0.0 %
100	-	2	0.1 %
130	-	1	0.0 %
150	-	4	0.2 %
160	-	1	0.0 %
175	-	1	0.0 %
200	-	9	0.4 %
204	-	1	0.0 %
222	-	1	0.0 %
250	-	1	0.0 %
270	-	1	0.0 %
280	-	1	0.0 %
300	-	19	0.8 %
325	-	1	0.0 %
350	-	9	0.4 %
360	-	1	0.0 %
370	-	1	0.0 %
390	-	1	0.0 %
400	-	20	0.9 %
450	-	4	0.2 %
460	-	1	0.0 %
480	-	2	0.1 %
500	-	27	1.2 %
540	-	1	0.0 %
550	-	2	0.1 %
600	-	13	0.6 %
620	-	1	0.0 %
625	-	1	0.0 %
650	-	7	0.3 %
690	-	1	0.0 %
700	-	20	0.9 %
720	-	1	0.0 %
750	-	6	0.3 %
780	-	1	0.0 %

Value	Label	Unweighted Frequency	%
790	-	1	0.0 %
800	-	23	1.0 %
810	-	1	0.0 %
830	-	1	0.0 %
850	-	9	0.4 %
880	-	1	0.0 %
900	-	23	1.0 %
950	-	2	0.1 %
970	-	1	0.0 %
1000	-	41	1.8 %
1010	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 573.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 28000.00
- Standard Deviation: 1617.25

*Location:* 3096-3100 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999, .

## C25\_67: Buy seeds (Amount in Rupees) in 2007

Value	Label	Unweighted Frequency	%
0	-	1174	52.1 %
35	-	1	0.0 %
50	-	2	0.1 %
60	-	3	0.1 %
85	-	1	0.0 %
140	-	1	0.0 %
150	-	6	0.3 %
160	-	1	0.0 %
175	-	1	0.0 %

Value	Label	Unweighted Frequency	%
200	-	7	0.3 %
204	-	1	0.0 %
220	-	1	0.0 %
250	-	2	0.1 %
280	-	1	0.0 %
300	-	18	0.8 %
320	-	2	0.1 %
340	-	1	0.0 %
350	-	4	0.2 %
370	-	1	0.0 %
400	-	14	0.6 %
410	-	1	0.0 %
420	-	3	0.1 %
435	-	1	0.0 %
450	-	5	0.2 %
465	-	1	0.0 %
475	-	1	0.0 %
480	-	2	0.1 %
490	-	1	0.0 %
500	-	27	1.2 %
520	-	1	0.0 %
540	-	2	0.1 %
550	-	3	0.1 %
560	-	1	0.0 %
590	-	1	0.0 %
600	-	13	0.6 %
650	-	8	0.4 %
680	-	1	0.0 %
700	-	14	0.6 %
720	-	2	0.1 %
750	-	5	0.2 %
800	-	25	1.1 %
810	-	1	0.0 %
850	-	7	0.3 %
860	-	1	0.0 %
880	-	1	0.0 %
900	-	26	1.2 %
950	-	2	0.1 %
1000	-	40	1.8 %

Value	Label	Unweighted Frequency	%
1020	-	2	0.1 %
1050	-	2	0.1 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 642.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30000.00
- Standard Deviation: 1836.76

*Location:* 3101-3105 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999, .

## C25\_68: Buy seeds (Amount in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	1175	52.1 %
35	-	1	0.0 %
50	-	3	0.1 %
60	-	2	0.1 %
90	-	2	0.1 %
100	-	3	0.1 %
150	-	5	0.2 %
160	-	1	0.0 %
175	-	1	0.0 %
200	-	10	0.4 %
220	-	1	0.0 %
240	-	1	0.0 %
250	-	5	0.2 %
260	-	1	0.0 %
280	-	1	0.0 %
300	-	15	0.7 %
350	-	8	0.4 %
360	-	1	0.0 %

Value	Label	Unweighted Frequency	%
380	-	1	0.0 %
400	-	14	0.6 %
410	-	1	0.0 %
420	-	1	0.0 %
450	-	10	0.4 %
475	-	2	0.1 %
480	-	2	0.1 %
500	-	30	1.3 %
520	-	1	0.0 %
540	-	1	0.0 %
550	-	2	0.1 %
560	-	3	0.1 %
570	-	2	0.1 %
600	-	16	0.7 %
650	-	6	0.3 %
675	-	2	0.1 %
700	-	14	0.6 %
720	-	3	0.1 %
750	-	7	0.3 %
790	-	1	0.0 %
800	-	22	1.0 %
820	-	1	0.0 %
840	-	2	0.1 %
850	-	8	0.4 %
875	-	2	0.1 %
880	-	1	0.0 %
900	-	24	1.1 %
925	-	1	0.0 %
950	-	5	0.2 %
1000	-	50	2.2 %
1040	-	1	0.0 %
1050	-	2	0.1 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 725.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400000.00
- Standard Deviation: 2289.92

*Location:* 3106-3110 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999, .

---

## C25\_69: Buy seeds (Amount in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	1199	53.2 %
35	-	1	0.0 %
50	-	2	0.1 %
55	-	1	0.0 %
60	-	1	0.0 %
70	-	4	0.2 %
72	-	1	0.0 %
90	-	1	0.0 %
100	-	6	0.3 %
120	-	1	0.0 %
130	-	1	0.0 %
150	-	5	0.2 %
180	-	1	0.0 %
200	-	8	0.4 %
220	-	3	0.1 %
240	-	2	0.1 %
250	-	4	0.2 %
260	-	1	0.0 %
275	-	1	0.0 %
280	-	1	0.0 %
300	-	14	0.6 %
350	-	10	0.4 %
370	-	1	0.0 %
375	-	1	0.0 %
380	-	1	0.0 %
400	-	17	0.8 %
420	-	1	0.0 %
430	-	1	0.0 %

Value	Label	Unweighted Frequency	%
450	-	9	0.4 %
460	-	1	0.0 %
470	-	1	0.0 %
480	-	4	0.2 %
500	-	31	1.4 %
520	-	1	0.0 %
530	-	2	0.1 %
550	-	7	0.3 %
560	-	1	0.0 %
570	-	1	0.0 %
580	-	1	0.0 %
585	-	1	0.0 %
590	-	1	0.0 %
600	-	25	1.1 %
650	-	2	0.1 %
680	-	1	0.0 %
700	-	26	1.2 %
720	-	1	0.0 %
750	-	3	0.1 %
800	-	23	1.0 %
810	-	1	0.0 %
820	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	302	13.4 %
.	-	2	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 846.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 3229.46

*Location:* 3111-3116 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999 , .

## C25\_70: Buy seeds (Amount in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	1192	52.9 %
35	-	1	0.0 %
50	-	2	0.1 %
70	-	3	0.1 %
80	-	2	0.1 %
90	-	1	0.0 %
100	-	6	0.3 %
120	-	1	0.0 %
140	-	1	0.0 %
150	-	4	0.2 %
170	-	2	0.1 %
200	-	7	0.3 %
220	-	1	0.0 %
250	-	5	0.2 %
270	-	1	0.0 %
275	-	1	0.0 %
280	-	1	0.0 %
300	-	14	0.6 %
320	-	1	0.0 %
325	-	1	0.0 %
350	-	11	0.5 %
400	-	22	1.0 %
410	-	1	0.0 %
430	-	2	0.1 %
450	-	9	0.4 %
460	-	1	0.0 %
480	-	3	0.1 %
490	-	1	0.0 %
500	-	38	1.7 %
520	-	1	0.0 %
530	-	1	0.0 %
535	-	1	0.0 %
540	-	2	0.1 %
550	-	9	0.4 %
580	-	1	0.0 %
590	-	1	0.0 %
600	-	25	1.1 %
620	-	1	0.0 %
630	-	1	0.0 %

Value	Label	Unweighted Frequency	%
650	-	4	0.2 %
670	-	1	0.0 %
700	-	21	0.9 %
750	-	7	0.3 %
800	-	27	1.2 %
810	-	1	0.0 %
825	-	1	0.0 %
850	-	2	0.1 %
875	-	2	0.1 %
900	-	26	1.2 %
940	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	226	10.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 947.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 135000.00
- Standard Deviation: 3890.27

*Location:* 3117-3122 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999, .

## C25\_71: Buy seeds (Amount in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	1236	54.8 %
35	-	1	0.0 %
50	-	3	0.1 %
60	-	2	0.1 %
70	-	2	0.1 %
80	-	1	0.0 %
90	-	1	0.0 %
100	-	10	0.4 %
110	-	1	0.0 %

Value	Label	Unweighted Frequency	%
120	-	1	0.0 %
150	-	2	0.1 %
180	-	1	0.0 %
195	-	1	0.0 %
200	-	9	0.4 %
210	-	1	0.0 %
225	-	1	0.0 %
250	-	8	0.4 %
260	-	1	0.0 %
275	-	1	0.0 %
280	-	3	0.1 %
300	-	17	0.8 %
310	-	1	0.0 %
350	-	8	0.4 %
370	-	2	0.1 %
375	-	1	0.0 %
400	-	16	0.7 %
405	-	1	0.0 %
420	-	2	0.1 %
440	-	1	0.0 %
450	-	9	0.4 %
480	-	4	0.2 %
500	-	48	2.1 %
520	-	1	0.0 %
540	-	1	0.0 %
545	-	1	0.0 %
550	-	4	0.2 %
560	-	1	0.0 %
600	-	31	1.4 %
624	-	1	0.0 %
640	-	1	0.0 %
650	-	4	0.2 %
665	-	1	0.0 %
670	-	1	0.0 %
675	-	1	0.0 %
690	-	1	0.0 %
700	-	31	1.4 %
750	-	4	0.2 %
760	-	2	0.1 %

Value	Label	Unweighted Frequency	%
800	-	29	1.3 %
810	-	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	74	3.3 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 1424.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600000.00
- Standard Deviation: 14110.07

*Location:* 3123-3128 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999, .

## C25\_72: Buy seeds (Amount in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	1220	54.1 %
25	-	1	0.0 %
35	-	1	0.0 %
45	-	1	0.0 %
50	-	3	0.1 %
60	-	1	0.0 %
66	-	1	0.0 %
70	-	1	0.0 %
80	-	2	0.1 %
100	-	5	0.2 %
105	-	1	0.0 %
120	-	4	0.2 %
125	-	2	0.1 %
150	-	6	0.3 %
160	-	1	0.0 %
195	-	1	0.0 %
200	-	11	0.5 %
210	-	1	0.0 %

Value	Label	Unweighted Frequency	%
225	-	3	0.1 %
240	-	1	0.0 %
250	-	8	0.4 %
260	-	3	0.1 %
270	-	2	0.1 %
280	-	1	0.0 %
300	-	17	0.8 %
330	-	1	0.0 %
336	-	1	0.0 %
350	-	7	0.3 %
360	-	1	0.0 %
370	-	2	0.1 %
372	-	1	0.0 %
400	-	20	0.9 %
412	-	1	0.0 %
415	-	1	0.0 %
420	-	1	0.0 %
425	-	2	0.1 %
440	-	1	0.0 %
450	-	11	0.5 %
475	-	1	0.0 %
480	-	6	0.3 %
500	-	48	2.1 %
510	-	1	0.0 %
520	-	1	0.0 %
525	-	3	0.1 %
530	-	1	0.0 %
550	-	10	0.4 %
600	-	34	1.5 %
630	-	1	0.0 %
650	-	4	0.2 %
660	-	3	0.1 %
<b>Missing Data</b>			
.	-	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 771.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25000.00
- Standard Deviation: 1535.31

*Location:* 3129-3133 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 999, .

## C25\_1\_63: Hybrid in 2063

Value	Label	Unweighted Frequency	%
0	No	725	32.2 %
1	Yes	0	0.0 %
<b>Missing Data</b>			
.	-	1530	67.8 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 725 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 0.00

*Location:* 3134-3134 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## C25\_1\_64: Hybrid in 2064

Value	Label	Unweighted Frequency	%
0	No	411	18.2 %
1	Yes	84	3.7 %
<b>Missing Data</b>			
.	-	1760	78.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 495 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3135-3135 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## C25\_1\_65: Hybrid in 2065

Value	Label	Unweighted Frequency	%
0	No	429	19.0 %
1	Yes	90	4.0 %
	<b>Missing Data</b>		
.	-	1736	77.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 519 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3136-3136 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## C25\_1\_66: Hybrid in 2066

Value	Label	Unweighted Frequency	%
0	No	452	20.0 %
1	Yes	92	4.1 %
	<b>Missing Data</b>		
.	-	1711	75.9 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 544 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3137-3137 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## C25\_1\_67: Hybrid in 2067

Value	Label	Unweighted Frequency	%
0	No	488	21.6 %
1	Yes	106	4.7 %
	<b>Missing Data</b>		
.	-	1661	73.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 594 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3138-3138 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### C25\_1\_68: Hybrid in 2068

Value	Label	Unweighted Frequency	%
0	No	526	23.3 %
1	Yes	125	5.5 %
	<b>Missing Data</b>		
.	-	1604	71.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 651 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3139-3139 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### C25\_1\_69: Hybrid in 2069

Value	Label	Unweighted Frequency	%
0	No	592	26.3 %
1	Yes	160	7.1 %
	<b>Missing Data</b>		
.	-	1503	66.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 752 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3140-3140 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### C25\_1\_70: Hybrid in 2070

Value	Label	Unweighted Frequency	%
0	No	655	29.0 %
1	Yes	181	8.0 %
	<b>Missing Data</b>		
.	-	1419	62.9 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 836 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3141-3141 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## C25\_1\_71: Hybrid in 2071

Value	Label	Unweighted Frequency	%
0	No	735	32.6 %
1	Yes	209	9.3 %
	<b>Missing Data</b>		
.	-	1311	58.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 944 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3142-3142 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## C25\_1\_72: Hybrid in 2072

Value	Label	Unweighted Frequency	%
0	No	794	35.2 %
1	Yes	238	10.6 %
	<b>Missing Data</b>		
.	-	1223	54.2 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,032 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3143-3143 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

## D26\_63: Large animals (cattle and buffaloes) (Number) in 2063

Value	Label	Unweighted Frequency	%
0	-	390	17.3 %

Value	Label	Unweighted Frequency	%
1	-	256	11.4 %
2	-	376	16.7 %
3	-	202	9.0 %
4	-	110	4.9 %
5	-	44	2.0 %
6	-	20	0.9 %
7	-	7	0.3 %
8	-	2	0.1 %
9	-	4	0.2 %
11	-	2	0.1 %
13	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 1.79
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.65

*Location:* 3144-3146 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

#### D26\_64: Large animals (cattle and buffaloes) (Number) in 2064

Value	Label	Unweighted Frequency	%
0	-	486	21.6 %
1	-	228	10.1 %
2	-	468	20.8 %
3	-	170	7.5 %
4	-	93	4.1 %
5	-	38	1.7 %
6	-	17	0.8 %
7	-	5	0.2 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	3	0.1 %
14	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.59

*Location:* 3147-3149 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## D26\_65: Large animals (cattle and buffaloes) (Number) in 2065

Value	Label	Unweighted Frequency	%
0	-	548	24.3 %
1	-	196	8.7 %
2	-	484	21.5 %
3	-	189	8.4 %
4	-	103	4.6 %
5	-	43	1.9 %
6	-	16	0.7 %
7	-	6	0.3 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.63

*Location:* 3150-3152 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## D26\_66: Large animals (cattle and buffaloes) (Number) in 2066

Value	Label	Unweighted Frequency	%
0	-	630	27.9 %
1	-	210	9.3 %
2	-	457	20.3 %
3	-	195	8.6 %
4	-	121	5.4 %
5	-	46	2.0 %
6	-	16	0.7 %
7	-	6	0.3 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
13	-	1	0.0 %
14	-	2	0.1 %
15	-	1	0.0 %
20	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 1.58
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.72

*Location:* 3153-3155 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## D26\_67: Large animals (cattle and buffaloes) (Number) in 2067

Value	Label	Unweighted Frequency	%
0	-	705	31.3 %
1	-	227	10.1 %
2	-	478	21.2 %
3	-	191	8.5 %
4	-	87	3.9 %
5	-	46	2.0 %
6	-	20	0.9 %
7	-	5	0.2 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
21	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 1.67

*Location:* 3156-3158 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## D26\_68: Large animals (cattle and buffaloes) (Number) in 2068

Value	Label	Unweighted Frequency	%
0	-	754	33.4 %
1	-	206	9.1 %
2	-	497	22.0 %
3	-	200	8.9 %
4	-	96	4.3 %
5	-	40	1.8 %
6	-	17	0.8 %

Value	Label	Unweighted Frequency	%
7	-	10	0.4 %
8	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
14	-	1	0.0 %
17	-	1	0.0 %
23	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 23.00
- Standard Deviation: 1.68

*Location:* 3159-3161 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## D26\_69: Large animals (cattle and buffaloes) (Number) in 2069

Value	Label	Unweighted Frequency	%
0	-	869	38.5 %
1	-	222	9.8 %
2	-	485	21.5 %
3	-	209	9.3 %
4	-	100	4.4 %
5	-	41	1.8 %
6	-	9	0.4 %
7	-	8	0.4 %
8	-	2	0.1 %
11	-	1	0.0 %
12	-	2	0.1 %
16	-	1	0.0 %
18	-	1	0.0 %
22	-	1	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 1.35
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 1.67

*Location:* 3162-3164 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## D26\_70: Large animals (cattle and buffaloes) (Number) in 2070

Value	Label	Unweighted Frequency	%
0	-	957	42.4 %
1	-	239	10.6 %
2	-	471	20.9 %
3	-	195	8.6 %
4	-	98	4.3 %
5	-	38	1.7 %
6	-	12	0.5 %
7	-	5	0.2 %
8	-	5	0.2 %
9	-	1	0.0 %
10	-	2	0.1 %
12	-	1	0.0 %
15	-	2	0.1 %
21	-	1	0.0 %
25	-	1	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 1.29

- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 1.72

*Location:* 3165-3167 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## D26\_71: Large animals (cattle and buffaloes) (Number) in 2071

Value	Label	Unweighted Frequency	%
0	-	1066	47.3 %
1	-	235	10.4 %
2	-	504	22.4 %
3	-	206	9.1 %
4	-	96	4.3 %
5	-	37	1.6 %
6	-	15	0.7 %
7	-	9	0.4 %
8	-	2	0.1 %
9	-	2	0.1 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	2	0.1 %
19	-	1	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29.00
- Standard Deviation: 1.77

*Location:* 3168-3170 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## D26\_72: Large animals (cattle and buffaloes) (Number) in 2072

Value	Label	Unweighted Frequency	%
0	-	1148	50.9 %
1	-	296	13.1 %
2	-	461	20.4 %
3	-	189	8.4 %
4	-	90	4.0 %
5	-	44	2.0 %
6	-	9	0.4 %
7	-	6	0.3 %
8	-	3	0.1 %
9	-	2	0.1 %
10	-	2	0.1 %
14	-	1	0.0 %
39	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 1.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 39.00
- Standard Deviation: 1.68

*Location:* 3171-3173 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998 , 999

## D27\_63: Small animals (goat, sheep) (Number) in 2063

Value	Label	Unweighted Frequency	%
0	-	540	23.9 %
1	-	172	7.6 %
2	-	232	10.3 %
3	-	166	7.4 %
4	-	137	6.1 %
5	-	69	3.1 %
6	-	44	2.0 %
7	-	22	1.0 %
8	-	12	0.5 %

Value	Label	Unweighted Frequency	%
9	-	6	0.3 %
10	-	8	0.4 %
11	-	2	0.1 %
12	-	3	0.1 %
15	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 1.94
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.19

*Location:* 3174-3176 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

#### D27\_64: Small animals (goat, sheep) (Number) in 2064

Value	Label	Unweighted Frequency	%
0	-	655	29.0 %
1	-	95	4.2 %
2	-	230	10.2 %
3	-	195	8.6 %
4	-	149	6.6 %
5	-	91	4.0 %
6	-	41	1.8 %
7	-	17	0.8 %
8	-	15	0.7 %
9	-	5	0.2 %
10	-	8	0.4 %
11	-	3	0.1 %
12	-	4	0.2 %
14	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 1.95
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.36

*Location:* 3177-3179 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## D27\_65: Small animals (goat, sheep) (Number) in 2065

Value	Label	Unweighted Frequency	%
0	-	717	31.8 %
1	-	46	2.0 %
2	-	204	9.0 %
3	-	232	10.3 %
4	-	172	7.6 %
5	-	98	4.3 %
6	-	51	2.3 %
7	-	26	1.2 %
8	-	20	0.9 %
9	-	6	0.3 %
10	-	9	0.4 %
11	-	3	0.1 %
12	-	2	0.1 %
14	-	2	0.1 %
15	-	1	0.0 %
16	-	2	0.1 %
22	-	1	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 2.06
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.44

*Location:* 3180-3182 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## D27\_66: Small animals (goat, sheep) (Number) in 2066

Value	Label	Unweighted Frequency	%
0	-	802	35.6 %
1	-	66	2.9 %
2	-	181	8.0 %
3	-	235	10.4 %
4	-	170	7.5 %
5	-	105	4.7 %
6	-	59	2.6 %
7	-	22	1.0 %
8	-	17	0.8 %
9	-	10	0.4 %
10	-	8	0.4 %
11	-	4	0.2 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	2	0.1 %
15	-	1	0.0 %
17	-	1	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 2.47

*Location:* 3183-3185 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

---

#### D27\_67: Small animals (goat, sheep) (Number) in 2067

Value	Label	Unweighted Frequency	%
0	-	877	38.9 %
1	-	63	2.8 %
2	-	195	8.6 %
3	-	207	9.2 %
4	-	184	8.2 %
5	-	97	4.3 %
6	-	60	2.7 %
7	-	38	1.7 %
8	-	18	0.8 %
9	-	8	0.4 %
10	-	6	0.3 %
11	-	6	0.3 %
12	-	2	0.1 %
13	-	1	0.0 %
14	-	2	0.1 %
15	-	2	0.1 %
20	-	1	0.0 %
22	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 1.92
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.48

*Location:* 3186-3188 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

---

#### D27\_68: Small animals (goat, sheep) (Number) in 2068

Value	Label	Unweighted Frequency	%
0	-	931	41.3 %
1	-	68	3.0 %
2	-	175	7.8 %
3	-	237	10.5 %
4	-	152	6.7 %
5	-	118	5.2 %
6	-	55	2.4 %
7	-	34	1.5 %
8	-	25	1.1 %
9	-	9	0.4 %
10	-	11	0.5 %
11	-	3	0.1 %
12	-	4	0.2 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 1.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19.00
- Standard Deviation: 2.46

*Location:* 3189-3191 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## D27\_69: Small animals (goat, sheep) (Number) in 2069

Value	Label	Unweighted Frequency	%
0	-	1035	45.9 %
1	-	74	3.3 %
2	-	204	9.0 %
3	-	231	10.2 %
4	-	159	7.1 %

Value	Label	Unweighted Frequency	%
5	-	101	4.5 %
6	-	52	2.3 %
7	-	37	1.6 %
8	-	24	1.1 %
9	-	9	0.4 %
10	-	9	0.4 %
11	-	3	0.1 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	3	0.1 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	2	0.1 %
25	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 1.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.53

*Location:* 3192-3194 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998 , 999 , .

## D27\_70: Small animals (goat, sheep) (Number) in 2070

Value	Label	Unweighted Frequency	%
0	-	1103	48.9 %
1	-	63	2.8 %
2	-	183	8.1 %
3	-	224	9.9 %
4	-	191	8.5 %
5	-	98	4.3 %

Value	Label	Unweighted Frequency	%
6	-	59	2.6 %
7	-	34	1.5 %
8	-	20	0.9 %
9	-	21	0.9 %
10	-	13	0.6 %
11	-	4	0.2 %
12	-	6	0.3 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	2	0.1 %
20	-	1	0.0 %
22	-	2	0.1 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 1.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.60

*Location:* 3195-3197 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## D27\_71: Small animals (goat, sheep) (Number) in 2071

Value	Label	Unweighted Frequency	%
0	-	1171	51.9 %
1	-	98	4.3 %
2	-	208	9.2 %
3	-	239	10.6 %
4	-	182	8.1 %
5	-	110	4.9 %
6	-	59	2.6 %
7	-	36	1.6 %
8	-	29	1.3 %

Value	Label	Unweighted Frequency	%
9	-	16	0.7 %
10	-	13	0.6 %
11	-	4	0.2 %
12	-	4	0.2 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	1	0.0 %
18	-	2	0.1 %
20	-	2	0.1 %
21	-	1	0.0 %
25	-	1	0.0 %
50	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 1.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.78

*Location:* 3198-3200 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## D27\_72: Small animals (goat, sheep) (Number) in 2072

Value	Label	Unweighted Frequency	%
0	-	1182	52.4 %
1	-	158	7.0 %
2	-	254	11.3 %
3	-	245	10.9 %
4	-	150	6.7 %
5	-	110	4.9 %
6	-	61	2.7 %
7	-	32	1.4 %
8	-	25	1.1 %
9	-	16	0.7 %

Value	Label	Unweighted Frequency	%
10	-	8	0.4 %
11	-	2	0.1 %
12	-	2	0.1 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
22	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 1.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.33

*Location:* 3201-3203 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## D28\_63: Pigs (Number) in 2063

Value	Label	Unweighted Frequency	%
0	-	1389	61.6 %
1	-	19	0.8 %
2	-	5	0.2 %
3	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.18

*Location:* 3204-3206 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## D28\_64: Pigs (Number) in 2064

Value	Label	Unweighted Frequency	%
0	-	1487	65.9 %
1	-	12	0.5 %
2	-	10	0.4 %
4	-	1	0.0 %
5	-	1	0.0 %
12	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 0.39

*Location:* 3207-3209 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

## D28\_65: Pigs (Number) in 2065

Value	Label	Unweighted Frequency	%
0	-	1565	69.4 %
1	-	9	0.4 %
2	-	11	0.5 %
3	-	1	0.0 %
4	-	2	0.1 %
5	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
12	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 0.48

*Location:* 3210-3212 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## D28\_66: Pigs (Number) in 2066

Value	Label	Unweighted Frequency	%
0	-	1659	73.6 %
1	-	13	0.6 %
2	-	13	0.6 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
12	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 0.39

*Location:* 3213-3215 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## D28\_67: Pigs (Number) in 2067

Value	Label	Unweighted Frequency	%
0	-	1735	76.9 %

Value	Label	Unweighted Frequency	%
1	-	11	0.5 %
2	-	12	0.5 %
3	-	4	0.2 %
4	-	2	0.1 %
5	-	1	0.0 %
8	-	1	0.0 %
11	-	1	0.0 %
19	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19.00
- Standard Deviation: 0.63

*Location:* 3216-3218 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

## D28\_68: Pigs (Number) in 2068

Value	Label	Unweighted Frequency	%
0	-	1792	79.5 %
1	-	19	0.8 %
2	-	8	0.4 %
3	-	1	0.0 %
4	-	3	0.1 %
5	-	1	0.0 %
11	-	1	0.0 %
19	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19.00
- Standard Deviation: 0.58

*Location:* 3219-3221 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## D28\_69: Pigs (Number) in 2069

Value	Label	Unweighted Frequency	%
0	-	1910	84.7 %
1	-	17	0.8 %
2	-	14	0.6 %
3	-	4	0.2 %
4	-	1	0.0 %
6	-	2	0.1 %
10	-	1	0.0 %
12	-	1	0.0 %
18	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 0.62

*Location:* 3222-3224 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998, 999, .

## D28\_70: Pigs (Number) in 2070

Value	Label	Unweighted Frequency	%
0	-	1977	87.7 %
1	-	25	1.1 %
2	-	15	0.7 %

Value	Label	Unweighted Frequency	%
3	-	3	0.1 %
4	-	1	0.0 %
5	-	2	0.1 %
7	-	2	0.1 %
10	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.61

*Location:* 3225-3227 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## D28\_71: Pigs (Number) in 2071

Value	Label	Unweighted Frequency	%
0	-	2111	93.6 %
1	-	23	1.0 %
2	-	30	1.3 %
3	-	4	0.2 %
4	-	3	0.1 %
6	-	2	0.1 %
8	-	1	0.0 %
10	-	2	0.1 %
11	-	1	0.0 %
12	-	2	0.1 %
20	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 0.79

*Location:* 3228-3230 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## D28\_72: Pigs (Number) in 2072

Value	Label	Unweighted Frequency	%
0	-	2174	96.4 %
1	-	38	1.7 %
2	-	24	1.1 %
3	-	2	0.1 %
4	-	4	0.2 %
6	-	1	0.0 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	2	0.1 %
11	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 0.87

*Location:* 3231-3233 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

## D29\_63: Chicken and ducks-household purpose (Number) in 2063

Value	Label	Unweighted Frequency	%
0	-	797	35.3 %

Value	Label	Unweighted Frequency	%
1	-	49	2.2 %
2	-	59	2.6 %
3	-	36	1.6 %
4	-	50	2.2 %
5	-	73	3.2 %
6	-	49	2.2 %
7	-	36	1.6 %
8	-	35	1.6 %
9	-	24	1.1 %
10	-	34	1.5 %
11	-	15	0.7 %
12	-	24	1.1 %
13	-	13	0.6 %
14	-	13	0.6 %
15	-	26	1.2 %
16	-	10	0.4 %
17	-	4	0.2 %
18	-	5	0.2 %
19	-	6	0.3 %
20	-	11	0.5 %
21	-	2	0.1 %
22	-	5	0.2 %
23	-	2	0.1 %
24	-	4	0.2 %
25	-	8	0.4 %
26	-	3	0.1 %
28	-	1	0.0 %
30	-	3	0.1 %
31	-	1	0.0 %
35	-	2	0.1 %
36	-	1	0.0 %
41	-	1	0.0 %
253	-	1	0.0 %
400	-	1	0.0 %
500	-	1	0.0 %
600	-	1	0.0 %
700	-	1	0.0 %
1000	-	2	0.1 %
1003	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2000	-	2	0.1 %
3000	-	1	0.0 %
4000	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Mean: 15.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4000.00
- Standard Deviation: 161.98

*Location:* 3234-3237 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## D29\_64: Chicken and ducks-household purpose (Number) in 2064

Value	Label	Unweighted Frequency	%
0	-	914	40.5 %
1	-	16	0.7 %
2	-	37	1.6 %
3	-	27	1.2 %
4	-	48	2.1 %
5	-	56	2.5 %
6	-	49	2.2 %
7	-	27	1.2 %
8	-	33	1.5 %
9	-	28	1.2 %
10	-	80	3.5 %
11	-	10	0.4 %
12	-	30	1.3 %
13	-	12	0.5 %
14	-	16	0.7 %
15	-	52	2.3 %
16	-	11	0.5 %
17	-	5	0.2 %
18	-	6	0.3 %
19	-	4	0.2 %

Value	Label	Unweighted Frequency	%
20	-	18	0.8 %
21	-	3	0.1 %
22	-	5	0.2 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	5	0.2 %
26	-	2	0.1 %
27	-	2	0.1 %
29	-	2	0.1 %
30	-	6	0.3 %
32	-	1	0.0 %
35	-	2	0.1 %
40	-	1	0.0 %
50	-	2	0.1 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Mean: 3.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 6.35

*Location:* 3238-3240 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## D29\_65: Chicken and ducks-household purpose (Number) in 2065

Value	Label	Unweighted Frequency	%
0	-	964	42.7 %
1	-	6	0.3 %
2	-	18	0.8 %
3	-	31	1.4 %
4	-	39	1.7 %
5	-	64	2.8 %
6	-	43	1.9 %
7	-	43	1.9 %

Value	Label	Unweighted Frequency	%
8	-	47	2.1 %
9	-	16	0.7 %
10	-	68	3.0 %
11	-	22	1.0 %
12	-	45	2.0 %
13	-	16	0.7 %
14	-	11	0.5 %
15	-	52	2.3 %
16	-	14	0.6 %
17	-	10	0.4 %
18	-	11	0.5 %
19	-	5	0.2 %
20	-	23	1.0 %
21	-	4	0.2 %
22	-	4	0.2 %
23	-	3	0.1 %
24	-	1	0.0 %
25	-	13	0.6 %
26	-	2	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	8	0.4 %
34	-	1	0.0 %
35	-	2	0.1 %
40	-	1	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
60	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Mean: 4.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.80

Location: 3241-3243 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999 , .

## D29\_66: Chicken and ducks-household purpose (Number) in 2066

Value	Label	Unweighted Frequency	%
0	-	1044	46.3 %
1	-	4	0.2 %
2	-	17	0.8 %
3	-	27	1.2 %
4	-	41	1.8 %
5	-	60	2.7 %
6	-	44	2.0 %
7	-	32	1.4 %
8	-	41	1.8 %
9	-	27	1.2 %
10	-	83	3.7 %
11	-	31	1.4 %
12	-	46	2.0 %
13	-	24	1.1 %
14	-	20	0.9 %
15	-	32	1.4 %
16	-	8	0.4 %
17	-	12	0.5 %
18	-	15	0.7 %
19	-	5	0.2 %
20	-	29	1.3 %
21	-	4	0.2 %
22	-	2	0.1 %
23	-	3	0.1 %
24	-	2	0.1 %
25	-	11	0.5 %
26	-	4	0.2 %
28	-	1	0.0 %
30	-	9	0.4 %
31	-	1	0.0 %
32	-	1	0.0 %
35	-	3	0.1 %
40	-	3	0.1 %
45	-	1	0.0 %
50	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Mean: 4.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 6.88

*Location:* 3244-3246 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D29\_67: Chicken and ducks-household purpose (Number) in 2067

Value	Label	Unweighted Frequency	%
0	-	1099	48.7 %
1	-	8	0.4 %
2	-	16	0.7 %
3	-	29	1.3 %
4	-	36	1.6 %
5	-	59	2.6 %
6	-	36	1.6 %
7	-	35	1.6 %
8	-	37	1.6 %
9	-	40	1.8 %
10	-	75	3.3 %
11	-	27	1.2 %
12	-	43	1.9 %
13	-	31	1.4 %
14	-	19	0.8 %
15	-	45	2.0 %
16	-	13	0.6 %
17	-	11	0.5 %
18	-	13	0.6 %
19	-	8	0.4 %
20	-	20	0.9 %
21	-	6	0.3 %

Value	Label	Unweighted Frequency	%
22	-	8	0.4 %
23	-	5	0.2 %
24	-	1	0.0 %
25	-	18	0.8 %
26	-	1	0.0 %
27	-	2	0.1 %
28	-	1	0.0 %
29	-	2	0.1 %
30	-	9	0.4 %
31	-	1	0.0 %
35	-	2	0.1 %
36	-	2	0.1 %
40	-	5	0.2 %
44	-	2	0.1 %
45	-	1	0.0 %
50	-	1	0.0 %
61	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Mean: 4.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 61.00
- Standard Deviation: 7.32

*Location:* 3247-3249 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## D29\_68: Chicken and ducks-household purpose (Number) in 2068

Value	Label	Unweighted Frequency	%
0	-	1144	50.7 %
1	-	5	0.2 %
2	-	14	0.6 %
3	-	24	1.1 %
4	-	43	1.9 %

Value	Label	Unweighted Frequency	%
5	-	51	2.3 %
6	-	42	1.9 %
7	-	37	1.6 %
8	-	46	2.0 %
9	-	26	1.2 %
10	-	74	3.3 %
11	-	29	1.3 %
12	-	44	2.0 %
13	-	21	0.9 %
14	-	24	1.1 %
15	-	59	2.6 %
16	-	22	1.0 %
17	-	14	0.6 %
18	-	11	0.5 %
19	-	3	0.1 %
20	-	21	0.9 %
21	-	6	0.3 %
22	-	7	0.3 %
23	-	2	0.1 %
24	-	4	0.2 %
25	-	21	0.9 %
26	-	2	0.1 %
27	-	1	0.0 %
28	-	2	0.1 %
30	-	13	0.6 %
31	-	1	0.0 %
32	-	1	0.0 %
35	-	3	0.1 %
36	-	1	0.0 %
40	-	2	0.1 %
45	-	2	0.1 %
46	-	1	0.0 %
50	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Mean: 4.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 7.40

*Location:* 3250-3252 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### D29\_69: Chicken and ducks-household purpose (Number) in 2069

Value	Label	Unweighted Frequency	%
0	-	1218	54.0 %
1	-	9	0.4 %
2	-	20	0.9 %
3	-	32	1.4 %
4	-	36	1.6 %
5	-	54	2.4 %
6	-	44	2.0 %
7	-	41	1.8 %
8	-	47	2.1 %
9	-	34	1.5 %
10	-	69	3.1 %
11	-	21	0.9 %
12	-	49	2.2 %
13	-	18	0.8 %
14	-	28	1.2 %
15	-	57	2.5 %
16	-	14	0.6 %
17	-	10	0.4 %
18	-	26	1.2 %
19	-	6	0.3 %
20	-	39	1.7 %
21	-	2	0.1 %
22	-	8	0.4 %
23	-	2	0.1 %
24	-	1	0.0 %
25	-	19	0.8 %
26	-	6	0.3 %
27	-	4	0.2 %

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
30	-	10	0.4 %
31	-	1	0.0 %
32	-	3	0.1 %
34	-	1	0.0 %
35	-	8	0.4 %
40	-	6	0.3 %
45	-	1	0.0 %
50	-	4	0.2 %
60	-	1	0.0 %
65	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Mean: 4.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 65.00
- Standard Deviation: 7.87

*Location:* 3253-3255 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

## D29\_70: Chicken and ducks-household purpose (Number) in 2070

Value	Label	Unweighted Frequency	%
0	-	1269	56.3 %
1	-	6	0.3 %
2	-	23	1.0 %
3	-	20	0.9 %
4	-	50	2.2 %
5	-	36	1.6 %
6	-	47	2.1 %
7	-	35	1.6 %
8	-	58	2.6 %
9	-	32	1.4 %

Value	Label	Unweighted Frequency	%
10	-	95	4.2 %
11	-	15	0.7 %
12	-	53	2.4 %
13	-	24	1.1 %
14	-	25	1.1 %
15	-	62	2.7 %
16	-	19	0.8 %
17	-	9	0.4 %
18	-	17	0.8 %
19	-	5	0.2 %
20	-	35	1.6 %
21	-	4	0.2 %
22	-	7	0.3 %
23	-	3	0.1 %
24	-	2	0.1 %
25	-	22	1.0 %
26	-	2	0.1 %
27	-	4	0.2 %
28	-	3	0.1 %
30	-	19	0.8 %
31	-	2	0.1 %
33	-	1	0.0 %
35	-	3	0.1 %
40	-	6	0.3 %
42	-	1	0.0 %
45	-	1	0.0 %
50	-	5	0.2 %
55	-	3	0.1 %
60	-	1	0.0 %
62	-	1	0.0 %
65	-	1	0.0 %
70	-	1	0.0 %
85	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Mean: 4.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 8.52

*Location:* 3256-3258 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## D29\_71: Chicken and ducks-household purpose (Number) in 2071

Value	Label	Unweighted Frequency	%
0	-	1313	58.2 %
1	-	13	0.6 %
2	-	31	1.4 %
3	-	28	1.2 %
4	-	43	1.9 %
5	-	60	2.7 %
6	-	36	1.6 %
7	-	42	1.9 %
8	-	47	2.1 %
9	-	22	1.0 %
10	-	114	5.1 %
11	-	19	0.8 %
12	-	61	2.7 %
13	-	20	0.9 %
14	-	15	0.7 %
15	-	79	3.5 %
16	-	16	0.7 %
17	-	6	0.3 %
18	-	8	0.4 %
19	-	7	0.3 %
20	-	68	3.0 %
21	-	2	0.1 %
22	-	10	0.4 %
23	-	2	0.1 %
24	-	3	0.1 %
25	-	31	1.4 %
26	-	1	0.0 %
27	-	3	0.1 %
28	-	4	0.2 %
29	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30	-	28	1.2 %
32	-	3	0.1 %
35	-	12	0.5 %
36	-	2	0.1 %
40	-	7	0.3 %
45	-	3	0.1 %
50	-	8	0.4 %
52	-	2	0.1 %
55	-	1	0.0 %
60	-	3	0.1 %
80	-	5	0.2 %
90	-	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Mean: 5.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 9.75

*Location:* 3259-3261 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

## D29\_72: Chicken and ducks-household purpose (Number) in 2072

Value	Label	Unweighted Frequency	%
0	-	1301	57.7 %
1	-	41	1.8 %
2	-	69	3.1 %
3	-	46	2.0 %
4	-	63	2.8 %
5	-	67	3.0 %
6	-	66	2.9 %
7	-	42	1.9 %
8	-	41	1.8 %
9	-	38	1.7 %

Value	Label	Unweighted Frequency	%
10	-	84	3.7 %
11	-	23	1.0 %
12	-	52	2.3 %
13	-	23	1.0 %
14	-	23	1.0 %
15	-	43	1.9 %
16	-	25	1.1 %
17	-	12	0.5 %
18	-	14	0.6 %
19	-	11	0.5 %
20	-	34	1.5 %
21	-	3	0.1 %
22	-	16	0.7 %
23	-	3	0.1 %
24	-	4	0.2 %
25	-	24	1.1 %
26	-	1	0.0 %
27	-	4	0.2 %
28	-	4	0.2 %
29	-	3	0.1 %
30	-	20	0.9 %
31	-	3	0.1 %
32	-	3	0.1 %
33	-	2	0.1 %
35	-	6	0.3 %
36	-	2	0.1 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	6	0.3 %
41	-	1	0.0 %
42	-	1	0.0 %
50	-	14	0.6 %
53	-	1	0.0 %
57	-	1	0.0 %
60	-	4	0.2 %
66	-	1	0.0 %
70	-	2	0.1 %
80	-	1	0.0 %
85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
90	-	1	0.0 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,252 valid cases out of 2,255 total cases.

- Mean: 5.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 9.51

*Location:* 3262-3264 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998 , 999

### D30\_63: Commercial poultry farming in 2063

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	0	0.0 %
	<b>Missing Data</b>		
999	Household does not exist	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 3265-3267 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 998 , 999

### D30\_64: Commercial poultry farming in 2064

Value	Label	Unweighted Frequency	%
0	No	1490	66.1 %
1	Yes	22	1.0 %
	<b>Missing Data</b>		
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3268-3270 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D30\_65: Commercial poultry farming in 2065

Value	Label	Unweighted Frequency	%
0	No	1562	69.3 %
1	Yes	30	1.3 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3271-3273 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D30\_66: Commercial poultry farming in 2066

Value	Label	Unweighted Frequency	%
0	No	1654	73.3 %
1	Yes	35	1.6 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3274-3276 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D30\_67: Commercial poultry farming in 2067

Value	Label	Unweighted Frequency	%
0	No	1728	76.6 %

Value	Label	Unweighted Frequency	%
1	Yes	40	1.8 %
	<b>Missing Data</b>		
999	Household does not exist	486	21.6 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3277-3279 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D30\_68: Commercial poultry farming in 2068

Value	Label	Unweighted Frequency	%
0	No	1774	78.7 %
1	Yes	52	2.3 %
	<b>Missing Data</b>		
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3280-3282 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D30\_69: Commercial poultry farming in 2069

Value	Label	Unweighted Frequency	%
0	No	1885	83.6 %
1	Yes	66	2.9 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3283-3285 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### D30\_70: Commercial poultry farming in 2070

Value	Label	Unweighted Frequency	%
0	No	1958	86.8 %
1	Yes	70	3.1 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3286-3288 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### D30\_71: Commercial poultry farming in 2071

Value	Label	Unweighted Frequency	%
0	No	2096	92.9 %
1	Yes	84	3.7 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3289-3291 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

---

### D30\_72: Commercial poultry farming in 2072

Value	Label	Unweighted Frequency	%
0	No	2177	96.5 %
1	Yes	75	3.3 %
	<b>Missing Data</b>		
998	Household merge	3	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 3292-3294 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### D30A\_63: Land area used for commercial poultry farming (in Katha) in 2063

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 3295-3295 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30A\_64: Land area used for commercial poultry farming (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.00000000000000	-	2	0.1 %
0.1500000059605	-	1	0.0 %
0.2000000029802	-	1	0.0 %
0.25000000000000	-	1	0.0 %
0.349999940395	-	1	0.0 %
0.50000000000000	-	5	0.2 %
0.6000000238419	-	1	0.0 %
0.699999980791	-	1	0.0 %
1.00000000000000	-	2	0.1 %
1.50000000000000	-	2	0.1 %
2.00000000000000	-	3	0.1 %
3.00000000000000	-	2	0.1 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	2233	99.0 %
	Total	2,255	100%

Based upon 22 valid cases out of 2,255 total cases.

- Mean: 0.9886363643137
- Median: 0.5500000119210
- Mode: 0.5000000000000
- Minimum: 0.0000000000000
- Maximum: 3.0000000000000
- Standard Deviation: 0.9088102916968

*Location:* 3296-3310 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30A\_65: Land area used for commercial poultry farming (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1	0.0 %
0.1000000014901	-	1	0.0 %
0.1500000059605	-	1	0.0 %
0.2000000029802	-	1	0.0 %
0.2500000000000	-	2	0.1 %
0.349999940395	-	1	0.0 %
0.5000000000000	-	7	0.3 %
0.6000000238419	-	1	0.0 %
0.699999980791	-	1	0.0 %
0.7500000000000	-	1	0.0 %
1.0000000000000	-	3	0.1 %
1.5000000000000	-	3	0.1 %
2.0000000000000	-	3	0.1 %
3.0000000000000	-	2	0.1 %
4.0000000000000	-	2	0.1 %
	Missing Data		
.	-	2225	98.7 %
	Total	2,255	100%

Based upon 30 valid cases out of 2,255 total cases.

- Mean: 1.145000005464
- Median: 0.650000059605
- Mode: 0.5000000000000
- Minimum: 0.0000000000000

- Maximum: 4.0000000000000
- Standard Deviation: 1.1126506093092

*Location:* 3311-3325 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30A\_66: Land area used for commercial poultry farming (in Katha) in 2066

Value	Label	Unweighted Frequency	%
0.1000000014901	-	1	0.0 %
0.1500000059605	-	1	0.0 %
0.2000000029802	-	1	0.0 %
0.25000000000000	-	3	0.1 %
0.3499999940395	-	1	0.0 %
0.50000000000000	-	12	0.5 %
0.6000000238419	-	1	0.0 %
0.6999999880791	-	1	0.0 %
0.75000000000000	-	1	0.0 %
1.00000000000000	-	3	0.1 %
1.50000000000000	-	3	0.1 %
2.00000000000000	-	3	0.1 %
3.00000000000000	-	2	0.1 %
4.00000000000000	-	2	0.1 %
	Missing Data		
.	-	2220	98.4 %
	Total	2,255	100%

Based upon 35 valid cases out of 2,255 total cases.

- Mean: 1.0600000004683
- Median: 0.5000000000000
- Mode: 0.5000000000000
- Minimum: 0.1000000014901
- Maximum: 4.0000000000000
- Standard Deviation: 1.0462678767364

*Location:* 3326-3340 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30A\_67: Land area used for commercial poultry farming (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1	0.0 %
0.100000001490	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.150000005960	-	1	0.0 %
0.200000002980	-	1	0.0 %
0.25000000000000	-	5	0.2 %
0.349999994040	-	1	0.0 %
0.50000000000000	-	12	0.5 %
0.600000023842	-	1	0.0 %
0.69999998079	-	1	0.0 %
0.75000000000000	-	1	0.0 %
1.00000000000000	-	2	0.1 %
1.50000000000000	-	4	0.2 %
2.00000000000000	-	3	0.1 %
3.00000000000000	-	3	0.1 %
4.00000000000000	-	2	0.1 %
33.00000000000000	-	1	0.0 %
	Missing Data		
.	-	2215	98.2 %
	Total	2,255	100%

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 1.85250000410
- Median: 0.500000000000
- Mode: 0.500000000000
- Minimum: 0.000000000000
- Maximum: 33.000000000000
- Standard Deviation: 5.160624465171

*Location:* 3341-3355 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

#### D30A\_68: Land area used for commercial poultry farming (in Katha) in 2006

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.1 %
0.100000001490	-	1	0.0 %
0.150000005960	-	2	0.1 %
0.200000002980	-	1	0.0 %
0.250000000000	-	7	0.3 %
0.349999994040	-	2	0.1 %
0.500000000000	-	16	0.7 %
0.600000023842	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.699999988079	-	1	0.0 %
0.7500000000000	-	1	0.0 %
1.0000000000000	-	4	0.2 %
1.5000000000000	-	5	0.2 %
2.0000000000000	-	2	0.1 %
3.0000000000000	-	3	0.1 %
4.0000000000000	-	2	0.1 %
7.0000000000000	-	1	0.0 %
33.0000000000000	-	1	0.0 %
Missing Data			
.	-	2203	97.7 %
Total		<b>2,255</b>	<b>100%</b>

Based upon 52 valid cases out of 2,255 total cases.

- Mean: 1.646153846469
- Median: 0.500000000000
- Mode: 0.500000000000
- Minimum: 0.000000000000
- Maximum: 33.000000000000
- Standard Deviation: 4.613554689926

*Location:* 3356-3370 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### D30A\_69: Land area used for commercial poultry farming (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.1 %
0.10000001490	-	2	0.1 %
0.150000005960	-	3	0.1 %
0.200000002980	-	3	0.1 %
0.250000000000	-	10	0.4 %
0.34999994040	-	2	0.1 %
0.500000000000	-	23	1.0 %
0.600000023842	-	1	0.0 %
0.699999988079	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	4	0.2 %
1.500000000000	-	5	0.2 %
2.000000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.0000000000000	-	3	0.1 %
4.0000000000000	-	2	0.1 %
7.0000000000000	-	1	0.0 %
33.0000000000000	-	1	0.0 %
	Missing Data		
.	-	2189	97.1 %
	Total	2,255	100%

Based upon 66 valid cases out of 2,255 total cases.

- Mean: 1.371212121664
- Median: 0.500000000000
- Mode: 0.500000000000
- Minimum: 0.000000000000
- Maximum: 33.000000000000
- Standard Deviation: 4.121977312970

*Location:* 3371-3385 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30A\_70: Land area used for commercial poultry farming (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.000000000000	-	7	0.3 %
0.10000001490	-	2	0.1 %
0.150000005960	-	2	0.1 %
0.200000002980	-	2	0.1 %
0.250000000000	-	7	0.3 %
0.34999994040	-	2	0.1 %
0.500000000000	-	23	1.0 %
0.600000023842	-	1	0.0 %
0.699999988079	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	6	0.3 %
1.500000000000	-	6	0.3 %
2.000000000000	-	2	0.1 %
2.500000000000	-	1	0.0 %
3.000000000000	-	3	0.1 %
4.000000000000	-	2	0.1 %
7.000000000000	-	1	0.0 %
33.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2185	96.9 %
	Total	2,255	100%

Based upon 70 valid cases out of 2,255 total cases.

- Mean: 1.362857143155
- Median: 0.500000000000
- Mode: 0.500000000000
- Minimum: 0.000000000000
- Maximum: 33.000000000000
- Standard Deviation: 4.008547802617

*Location:* 3386-3400 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30A\_71: Land area used for commercial poultry farming (in Katha) in 2071

Value	Label	Unweighted Frequency	%
	Missing Data		
0.000000000000	-	8	0.4 %
0.100000001490	-	3	0.1 %
0.150000005960	-	2	0.1 %
0.200000002980	-	2	0.1 %
0.250000000000	-	12	0.5 %
0.349999994040	-	4	0.2 %
0.500000000000	-	21	0.9 %
0.600000023842	-	1	0.0 %
0.699999988079	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	10	0.4 %
1.500000000000	-	6	0.3 %
2.000000000000	-	4	0.2 %
2.500000000000	-	1	0.0 %
3.000000000000	-	4	0.2 %
4.000000000000	-	2	0.1 %
7.000000000000	-	1	0.0 %
33.000000000000	-	1	0.0 %
	Missing Data		
.	-	2171	96.3 %
	Total	2,255	100%

Based upon 84 valid cases out of 2,255 total cases.

- Mean: 1.279166666791
- Median: 0.500000000000
- Mode: 0.500000000000
- Minimum: 0.000000000000
- Maximum: 33.000000000000
- Standard Deviation: 3.677284621628

*Location:* 3401-3415 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### D30A\_72: Land area used for commercial poultry farming (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.000000000000	-	6	0.3 %
0.100000001490	-	1	0.0 %
0.150000005960	-	3	0.1 %
0.200000002980	-	4	0.2 %
0.250000000000	-	9	0.4 %
0.349999994040	-	3	0.1 %
0.500000000000	-	16	0.7 %
0.600000023842	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	11	0.5 %
1.500000000000	-	5	0.2 %
2.000000000000	-	4	0.2 %
2.500000000000	-	1	0.0 %
3.000000000000	-	5	0.2 %
4.000000000000	-	2	0.1 %
7.000000000000	-	1	0.0 %
10.000000000000	-	1	0.0 %
33.000000000000	-	1	0.0 %
	Missing Data		
.	-	2180	96.7 %
	Total	2,255	100%

Based upon 75 valid cases out of 2,255 total cases.

- Mean: 1.546666667163
- Median: 0.500000000000
- Mode: 0.500000000000
- Minimum: 0.000000000000
- Maximum: 33.000000000000
- Standard Deviation: 4.003675113345

Location: 3416-3430 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

---

### D30B\_63: Sold poultry production (Amount in Rupees) in 2063

Value	Label	Unweighted Frequency	%
.	Missing Data		
-		2255	100.0 %
	Total	2,255	100%

Based upon 0 valid cases out of 2,255 total cases.

Location: 3431-3431 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

---

### D30B\_64: Sold poultry production (Amount in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
25000	-	1	0.0 %
40000	-	1	0.0 %
50000	-	1	0.0 %
60000	-	1	0.0 %
166000	-	1	0.0 %
200000	-	3	0.1 %
230000	-	1	0.0 %
275000	-	1	0.0 %
300000	-	2	0.1 %
400000	-	1	0.0 %
500000	-	1	0.0 %
680000	-	1	0.0 %
800000	-	1	0.0 %
1000000	-	1	0.0 %
1500000	-	1	0.0 %
1550000	-	1	0.0 %
1700000	-	1	0.0 %
2000000	-	1	0.0 %
.	Missing Data	2233	99.0 %
	Total	2,255	100%

Based upon 22 valid cases out of 2,255 total cases.

- Mean: 553454.55
- Median: 287500.00
- Mode: 200000.00
- Minimum: 0.00
- Maximum: 2000000.00
- Standard Deviation: 608684.90

*Location:* 3432-3438 (width: 7; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30B\_65: Sold poultry production (Amount in Rupees) in 2005

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
20000	-	1	0.0 %
40000	-	1	0.0 %
70000	-	1	0.0 %
100000	-	3	0.1 %
110000	-	1	0.0 %
130000	-	1	0.0 %
200000	-	4	0.2 %
208000	-	1	0.0 %
240000	-	1	0.0 %
300000	-	3	0.1 %
400000	-	3	0.1 %
500000	-	1	0.0 %
600000	-	1	0.0 %
700000	-	1	0.0 %
850000	-	1	0.0 %
900000	-	1	0.0 %
1400000	-	1	0.0 %
1500000	-	2	0.1 %
1700000	-	1	0.0 %
	Missing Data		
.	-	2225	98.7 %
	Total	2,255	100%

Based upon 30 valid cases out of 2,255 total cases.

- Mean: 455600.00
- Median: 270000.00
- Mode: 200000.00
- Minimum: 0.00
- Maximum: 1700000.00

- Standard Deviation: 485376.61

*Location:* 3439-3445 (width: 7; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30B\_66: Sold poultry production (Amount in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
20000	-	1	0.0 %
28000	-	1	0.0 %
55000	-	1	0.0 %
100000	-	3	0.1 %
130000	-	1	0.0 %
150000	-	3	0.1 %
180000	-	1	0.0 %
200000	-	2	0.1 %
240000	-	1	0.0 %
242000	-	1	0.0 %
245000	-	1	0.0 %
250000	-	1	0.0 %
266000	-	1	0.0 %
300000	-	4	0.2 %
350000	-	1	0.0 %
450000	-	2	0.1 %
500000	-	1	0.0 %
700000	-	2	0.1 %
850000	-	1	0.0 %
900000	-	1	0.0 %
1400000	-	1	0.0 %
1600000	-	1	0.0 %
1700000	-	1	0.0 %
1800000	-	1	0.0 %
Missing Data			
.	-	2220	98.4 %
Total		<b>2,255</b>	<b>100%</b>

Based upon 35 valid cases out of 2,255 total cases.

- Mean: 440171.43
- Median: 250000.00
- Mode: 300000.00

- Minimum: 0.00
- Maximum: 1800000.00
- Standard Deviation: 486861.89

*Location:* 3446-3452 (width: 7; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30B\_67: Sold poultry production (Amount in Rupees) in 2007

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
30000	-	1	0.0 %
40000	-	1	0.0 %
60000	-	1	0.0 %
70000	-	1	0.0 %
100000	-	3	0.1 %
150000	-	2	0.1 %
160000	-	1	0.0 %
170000	-	1	0.0 %
175000	-	1	0.0 %
180000	-	1	0.0 %
200000	-	2	0.1 %
210000	-	1	0.0 %
230000	-	1	0.0 %
240000	-	1	0.0 %
250000	-	1	0.0 %
260000	-	1	0.0 %
277000	-	1	0.0 %
350000	-	3	0.1 %
400000	-	1	0.0 %
450000	-	1	0.0 %
510000	-	1	0.0 %
600000	-	2	0.1 %
750000	-	1	0.0 %
800000	-	1	0.0 %
1000000	-	1	0.0 %
1500000	-	2	0.1 %
1600000	-	1	0.0 %
1800000	-	1	0.0 %
2400000	-	1	0.0 %
6000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2215	98.2 %
	Total	2,255	100%

Based upon 40 valid cases out of 2,255 total cases.

- Mean: 607800.00
- Median: 245000.00
- Minimum: 0.00
- Maximum: 6000000.00
- Standard Deviation: 1035779.41

*Location:* 3453-3459 (width: 7; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30B\_68: Sold poultry production (Amount in Rupees) in 2068

Value	Label	Unweighted Frequency	%
26000	-	1	0.0 %
30000	-	1	0.0 %
35000	-	1	0.0 %
40000	-	2	0.1 %
50000	-	1	0.0 %
70000	-	2	0.1 %
75000	-	2	0.1 %
80000	-	1	0.0 %
90000	-	1	0.0 %
95000	-	1	0.0 %
100000	-	2	0.1 %
120000	-	1	0.0 %
136000	-	1	0.0 %
140000	-	1	0.0 %
150000	-	3	0.1 %
170000	-	2	0.1 %
200000	-	4	0.2 %
210000	-	1	0.0 %
215000	-	1	0.0 %
240000	-	1	0.0 %
260000	-	1	0.0 %
280000	-	1	0.0 %
300000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
350000	-	1	0.0 %
400000	-	4	0.2 %
450000	-	1	0.0 %
480000	-	1	0.0 %
600000	-	1	0.0 %
750000	-	2	0.1 %
800000	-	1	0.0 %
900000	-	1	0.0 %
1500000	-	1	0.0 %
1600000	-	1	0.0 %
1700000	-	1	0.0 %
2800000	-	1	0.0 %
6000000	-	1	0.0 %
	Missing Data		
.	-	2203	97.7 %
	Total	2,255	100%

Based upon 52 valid cases out of 2,255 total cases.

- Mean: 487442.31
- Median: 200000.00
- Minimum: 26000.00
- Maximum: 6000000.00
- Standard Deviation: 931896.62

Location: 3460-3466 (width: 7; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

### D30B\_69: Sold poultry production (Amount in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
20000	-	2	0.1 %
27000	-	1	0.0 %
40000	-	1	0.0 %
45000	-	3	0.1 %
60000	-	1	0.0 %
70000	-	3	0.1 %
72000	-	1	0.0 %
80000	-	2	0.1 %
90000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
100000	-	2	0.1 %
115000	-	1	0.0 %
120000	-	1	0.0 %
130000	-	1	0.0 %
136000	-	1	0.0 %
150000	-	4	0.2 %
155000	-	1	0.0 %
160000	-	1	0.0 %
200000	-	3	0.1 %
211000	-	1	0.0 %
230000	-	1	0.0 %
250000	-	1	0.0 %
300000	-	4	0.2 %
310000	-	1	0.0 %
320000	-	1	0.0 %
350000	-	3	0.1 %
375000	-	1	0.0 %
400000	-	2	0.1 %
410000	-	1	0.0 %
450000	-	1	0.0 %
500000	-	2	0.1 %
520000	-	1	0.0 %
600000	-	1	0.0 %
700000	-	1	0.0 %
850000	-	2	0.1 %
1000000	-	1	0.0 %
1250000	-	1	0.0 %
1400000	-	1	0.0 %
1500000	-	3	0.1 %
1600000	-	1	0.0 %
6000000	-	1	0.0 %
Missing Data			
.	-	2189	97.1 %
	Total	2,255	100%

Based upon 66 valid cases out of 2,255 total cases.

- Mean: 439636.36
- Median: 200000.00

- Minimum: 0.00
- Maximum: 6000000.00
- Standard Deviation: 808254.45

*Location:* 3467-3473 (width: 7; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D30B\_70: Sold poultry production (Amount in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
18000	-	1	0.0 %
20000	-	1	0.0 %
30000	-	1	0.0 %
34500	-	1	0.0 %
36000	-	1	0.0 %
50000	-	1	0.0 %
70000	-	3	0.1 %
75000	-	1	0.0 %
76000	-	1	0.0 %
80000	-	3	0.1 %
90000	-	2	0.1 %
100000	-	2	0.1 %
110000	-	1	0.0 %
120000	-	1	0.0 %
136000	-	1	0.0 %
150000	-	4	0.2 %
160000	-	1	0.0 %
170000	-	1	0.0 %
200000	-	6	0.3 %
220000	-	1	0.0 %
250000	-	2	0.1 %
300000	-	5	0.2 %
305000	-	1	0.0 %
330000	-	1	0.0 %
340000	-	1	0.0 %
350000	-	1	0.0 %
380000	-	1	0.0 %
400000	-	3	0.1 %
450000	-	2	0.1 %
460000	-	1	0.0 %
500000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
600000	-	2	0.1 %
700000	-	1	0.0 %
900000	-	2	0.1 %
950000	-	1	0.0 %
1200000	-	1	0.0 %
1400000	-	1	0.0 %
1600000	-	3	0.1 %
1700000	-	1	0.0 %
1800000	-	1	0.0 %
Missing Data			
.	-	2185	96.9 %
Total		<b>2,255</b>	<b>100%</b>

Based upon 70 valid cases out of 2,255 total cases.

- Mean: 381435.71
- Median: 200000.00
- Mode: 200000.00
- Minimum: 0.00
- Maximum: 1800000.00
- Standard Deviation: 451727.89

*Location:* 3474-3480 (width: 7; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### D30B\_71: Sold poultry production (Amount in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	7	0.3 %
300	-	1	0.0 %
27000	-	1	0.0 %
28000	-	1	0.0 %
30000	-	1	0.0 %
40000	-	1	0.0 %
50000	-	2	0.1 %
55000	-	1	0.0 %
60000	-	3	0.1 %
60300	-	1	0.0 %
65000	-	1	0.0 %
70000	-	1	0.0 %
77000	-	1	0.0 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
80000	-	2	0.1 %
85000	-	1	0.0 %
96500	-	1	0.0 %
100000	-	5	0.2 %
113000	-	1	0.0 %
120000	-	2	0.1 %
132000	-	1	0.0 %
136000	-	1	0.0 %
150000	-	3	0.1 %
160000	-	1	0.0 %
171000	-	1	0.0 %
200000	-	3	0.1 %
215000	-	1	0.0 %
219000	-	1	0.0 %
250000	-	2	0.1 %
300000	-	6	0.3 %
320000	-	1	0.0 %
325000	-	1	0.0 %
340000	-	1	0.0 %
350000	-	3	0.1 %
400000	-	4	0.2 %
450000	-	1	0.0 %
500000	-	2	0.1 %
550000	-	2	0.1 %
600000	-	4	0.2 %
800000	-	1	0.0 %
1100000	-	1	0.0 %
1200000	-	1	0.0 %
1300000	-	2	0.1 %
1500000	-	1	0.0 %
1600000	-	1	0.0 %
1700000	-	1	0.0 %
1800000	-	1	0.0 %
3600000	-	1	0.0 %
6000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	2171	96.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 84 valid cases out of 2,255 total cases.

- Mean: 438036.90
- Median: 200000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000000.00
- Standard Deviation: 819424.53

*Location:* 3481-3487 (width: 7; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### D30B\_72: Sold poultry production (Amount in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	18	0.8 %
17000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	1	0.0 %
30000	-	3	0.1 %
31000	-	1	0.0 %
33000	-	1	0.0 %
35000	-	1	0.0 %
36000	-	1	0.0 %
40000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	2	0.1 %
60000	-	3	0.1 %
80000	-	2	0.1 %
85000	-	1	0.0 %
90000	-	1	0.0 %
100000	-	3	0.1 %
110000	-	1	0.0 %
120000	-	3	0.1 %
125000	-	1	0.0 %
128000	-	1	0.0 %
150000	-	3	0.1 %
170000	-	1	0.0 %
171000	-	1	0.0 %
182000	-	1	0.0 %
200000	-	4	0.2 %
250000	-	2	0.1 %
273000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
300000	-	2	0.1 %
330000	-	1	0.0 %
359100	-	1	0.0 %
400000	-	2	0.1 %
500000	-	1	0.0 %
600000	-	1	0.0 %
700000	-	1	0.0 %
800000	-	2	0.1 %
1000000	-	1	0.0 %
4000000	-	1	0.0 %
4800000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2180	96.7 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 75 valid cases out of 2,255 total cases.

- Mean: 264521.33
- Median: 85000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4800000.00
- Standard Deviation: 722247.45

*Location:* 3488-3494 (width: 7; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31\_63: Other farming (specify) in 2063

Value	Label	Unweighted Frequency	%
0	No	1411	62.6 %
1	Fish farming	2	0.1 %
2	Rabbit farming	1	0.0 %
3	Livestock	0	0.0 %
4	Pig farming	0	0.0 %
5	Bee keeping	0	0.0 %
6	Pigeon	0	0.0 %
<b>Missing Data</b>			
999	Household does not exist	841	37.3 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,414 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 3495-3497 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### D31\_64: Other farming (specify) in 2064

Value	Label	Unweighted Frequency	%
0	No	1502	66.6 %
1	Fish farming	5	0.2 %
2	Rabbit farming	0	0.0 %
3	Livestock	1	0.0 %
4	Pig farming	0	0.0 %
5	Bee keeping	3	0.1 %
6	Pigeon	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	742	32.9 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,512 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3498-3500 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D31\_65: Other farming (specify) in 2065

Value	Label	Unweighted Frequency	%
0	No	1581	70.1 %
1	Fish farming	5	0.2 %
2	Rabbit farming	0	0.0 %
3	Livestock	1	0.0 %
4	Pig farming	0	0.0 %
5	Bee keeping	4	0.2 %
6	Pigeon	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	662	29.4 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,592 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3501-3503 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### D31\_66: Other farming (specify) in 2066

Value	Label	Unweighted Frequency	%
0	No	1679	74.5 %
1	Fish farming	4	0.2 %
2	Rabbit farming	0	0.0 %
3	Livestock	1	0.0 %
4	Pig farming	0	0.0 %
5	Bee keeping	4	0.2 %
6	Pigeon	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	565	25.1 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,689 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3504-3506 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

---

### D31\_67: Other farming (specify) in 2067

Value	Label	Unweighted Frequency	%
0	No	1757	77.9 %
1	Fish farming	5	0.2 %
2	Rabbit farming	0	0.0 %
3	Livestock	1	0.0 %
4	Pig farming	0	0.0 %
5	Bee keeping	4	0.2 %
6	Pigeon	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	486	21.6 %
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,768 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3507-3509 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D31\_68: Other farming (specify) in 2068

Value	Label	Unweighted Frequency	%
0	No	1814	80.4 %
1	Fish farming	6	0.3 %
2	Rabbit farming	0	0.0 %
3	Livestock	1	0.0 %
4	Pig farming	0	0.0 %
5	Bee keeping	4	0.2 %
6	Pigeon	1	0.0 %
<b>Missing Data</b>			
999	Household does not exist	428	19.0 %
.	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 1,826 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3510-3512 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D31\_69: Other farming (specify) in 2069

Value	Label	Unweighted Frequency	%
0	No	1932	85.7 %
1	Fish farming	12	0.5 %
2	Rabbit farming	0	0.0 %
3	Livestock	1	0.0 %
4	Pig farming	2	0.1 %
5	Bee keeping	3	0.1 %
6	Pigeon	1	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	302	13.4 %
.	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 1,951 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3513-3515 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999 , .

### D31\_70: Other farming (specify) in 2070

Value	Label	Unweighted Frequency	%
0	No	2005	88.9 %
1	Fish farming	14	0.6 %
2	Rabbit farming	1	0.0 %
3	Livestock	2	0.1 %
4	Pig farming	2	0.1 %
5	Bee keeping	3	0.1 %
6	Pigeon	1	0.0 %
	<b>Missing Data</b>		
998	Household merge	1	0.0 %
999	Household does not exist	226	10.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,028 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3516-3518 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### D31\_71: Other farming (specify) in 2071

Value	Label	Unweighted Frequency	%
0	No	2148	95.3 %
1	Fish farming	20	0.9 %
2	Rabbit farming	3	0.1 %

Value	Label	Unweighted Frequency	%
3	Livestock	3	0.1 %
4	Pig farming	2	0.1 %
5	Bee keeping	3	0.1 %
6	Pigeon	1	0.0 %
<b>Missing Data</b>			
998	Household merge	1	0.0 %
999	Household does not exist	74	3.3 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,180 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3519-3521 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### D31\_72: Other farming (specify) in 2072

Value	Label	Unweighted Frequency	%
0	No	2215	98.2 %
1	Fish farming	24	1.1 %
2	Rabbit farming	4	0.2 %
3	Livestock	3	0.1 %
4	Pig farming	2	0.1 %
5	Bee keeping	3	0.1 %
6	Pigeon	1	0.0 %
<b>Missing Data</b>			
998	Household merge	3	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,252 valid cases out of 2,255 total cases.

- Minimum: 0.00
- Maximum: 6.00

*Location:* 3522-3524 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 998 , 999

### D31A\_63: Land area used for other farming (in Katha) in 2063

Value	Label	Unweighted Frequency	%
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-		2255	100.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 3525-3525 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31A\_64: Land area used for other farming (in Katha) in 2064

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.1 %
0.15000000596	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.500000000000	-	1	0.0 %
3.000000000000	-	1	0.0 %
7.000000000000	-	1	0.0 %
8.000000000000	-	1	0.0 %
20.000000000000	-	1	0.0 %
28.000000000000	-	1	0.0 %
<b>Missing Data</b>			
-		2245	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 10 valid cases out of 2,255 total cases.

- Mean: 6.690000000596
- Median: 1.750000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 9.768282004768

*Location:* 3526-3540 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31A\_65: Land area used for other farming (in Katha) in 2065

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.1 %
0.15000000596	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.500000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.000000000000	-	1	0.0 %
7.000000000000	-	1	0.0 %
8.000000000000	-	1	0.0 %
20.000000000000	-	1	0.0 %
28.000000000000	-	1	0.0 %
	Missing Data		
.	-	2244	99.5 %
	Total	2,255	100%

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 6.104545455087
- Median: 0.500000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 9.468248373677

*Location:* 3541-3555 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31A\_66: Land area used for other farming (in Katha) in 2006

Value	Label	Unweighted Frequency	%
0.000000000000	-	1	0.0 %
0.15000000596	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.500000000000	-	1	0.0 %
3.000000000000	-	1	0.0 %
7.000000000000	-	1	0.0 %
8.000000000000	-	1	0.0 %
20.000000000000	-	1	0.0 %
28.000000000000	-	1	0.0 %
	Missing Data		
.	-	2245	99.6 %
	Total	2,255	100%

Based upon 10 valid cases out of 2,255 total cases.

- Mean: 6.715000000596
- Median: 1.750000000000
- Mode: 0.250000000000
- Minimum: 0.000000000000

- Maximum: 28.000000000000
- Standard Deviation: 9.749559818678

*Location:* 3556-3570 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31A\_67: Land area used for other farming (in Katha) in 2067

Value	Label	Unweighted Frequency	%
0.000000000000	-	1	0.0 %
0.15000000596	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.500000000000	-	1	0.0 %
3.000000000000	-	1	0.0 %
8.000000000000	-	2	0.1 %
15.000000000000	-	1	0.0 %
20.000000000000	-	1	0.0 %
28.000000000000	-	1	0.0 %
	Missing Data		
.	-	2244	99.5 %
	Total	2,255	100%

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 7.559090909633
- Median: 3.000000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 9.580496285792

*Location:* 3571-3585 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31A\_68: Land area used for other farming (in Katha) in 2068

Value	Label	Unweighted Frequency	%
0.000000000000	-	1	0.0 %
0.15000000596	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.500000000000	-	1	0.0 %
3.000000000000	-	1	0.0 %
7.000000000000	-	1	0.0 %
8.000000000000	-	2	0.1 %
15.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.000000000000	-	1	0.0 %
28.000000000000	-	1	0.0 %
	Missing Data		
.	-	2243	99.5 %
	Total	2,255	100%

Based upon 12 valid cases out of 2,255 total cases.

- Mean: 7.512500000497
- Median: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 9.136070494634

*Location:* 3586-3600 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31A\_69: Land area used for other farming (in Katha) in 2069

Value	Label	Unweighted Frequency	%
0.000000000000	-	1	0.0 %
0.15000000596	-	1	0.0 %
0.250000000000	-	4	0.2 %
1.000000000000	-	1	0.0 %
2.000000000000	-	1	0.0 %
3.000000000000	-	1	0.0 %
5.000000000000	-	1	0.0 %
7.000000000000	-	1	0.0 %
8.000000000000	-	2	0.1 %
8.500000000000	-	1	0.0 %
9.500000000000	-	1	0.0 %
13.000000000000	-	1	0.0 %
15.000000000000	-	1	0.0 %
20.000000000000	-	1	0.0 %
28.000000000000	-	1	0.0 %
	Missing Data		
.	-	2236	99.2 %
	Total	2,255	100%

Based upon 19 valid cases out of 2,255 total cases.

- Mean: 6.797368421366
- Median: 5.000000000000
- Mode: 0.250000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 7.741993600351

*Location:* 3601-3615 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31A\_70: Land area used for other farming (in Katha) in 2070

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.1 %
0.15000000596	-	1	0.0 %
0.250000000000	-	4	0.2 %
1.000000000000	-	2	0.1 %
2.000000000000	-	1	0.0 %
3.000000000000	-	2	0.1 %
5.000000000000	-	1	0.0 %
7.000000000000	-	1	0.0 %
8.000000000000	-	2	0.1 %
8.500000000000	-	1	0.0 %
9.500000000000	-	1	0.0 %
13.000000000000	-	1	0.0 %
15.000000000000	-	2	0.1 %
20.000000000000	-	1	0.0 %
28.000000000000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2232	99.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 23 valid cases out of 2,255 total cases.

- Mean: 6.441304348085
- Median: 3.000000000000
- Mode: 0.250000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 7.499979578138

*Location:* 3616-3630 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31A\_71: Land area used for other farming (in Katha) in 2071

Value	Label	Unweighted Frequency	%
0.0000000000000	-	5	0.2 %
0.150000005960	-	1	0.0 %
0.2500000000000	-	4	0.2 %
0.5000000000000	-	1	0.0 %
0.69999998079	-	1	0.0 %
1.0000000000000	-	4	0.2 %
2.0000000000000	-	1	0.0 %
3.0000000000000	-	3	0.1 %
4.0000000000000	-	1	0.0 %
5.0000000000000	-	1	0.0 %
8.0000000000000	-	2	0.1 %
8.5000000000000	-	1	0.0 %
9.5000000000000	-	1	0.0 %
13.0000000000000	-	1	0.0 %
15.0000000000000	-	2	0.1 %
20.0000000000000	-	2	0.1 %
28.0000000000000	-	1	0.0 %
	Missing Data		
.	-	2223	98.6 %
	Total	2,255	100%

Based upon 32 valid cases out of 2,255 total cases.

- Mean: 5.354687499814
- Median: 1.500000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 7.302202047292

*Location:* 3631-3645 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## D31A\_72: Land area used for other farming (in Katha) in 2072

Value	Label	Unweighted Frequency	%
0.0000000000000	-	7	0.3 %
0.150000005960	-	1	0.0 %
0.2500000000000	-	4	0.2 %
0.5000000000000	-	2	0.1 %
0.69999998079	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.00000000000000	-	3	0.1 %
2.00000000000000	-	2	0.1 %
3.00000000000000	-	4	0.2 %
4.00000000000000	-	1	0.0 %
5.00000000000000	-	1	0.0 %
8.00000000000000	-	2	0.1 %
8.50000000000000	-	1	0.0 %
9.50000000000000	-	1	0.0 %
10.00000000000000	-	1	0.0 %
13.00000000000000	-	1	0.0 %
15.00000000000000	-	2	0.1 %
20.00000000000000	-	2	0.1 %
28.00000000000000	-	1	0.0 %
	Missing Data		
.	-	2218	98.4 %
	Total	2,255	100%

Based upon 37 valid cases out of 2,255 total cases.

- Mean: 5.022972972812
- Median: 2.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 6.970658690815

*Location:* 3646-3660 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31B\_63: Sold other farming production (Amount in Rupees) in 2063

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2255	100.0 %
	Total	2,255	100%

Based upon 0 valid cases out of 2,255 total cases.

*Location:* 3661-3661 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31B\_64: Sold other farming production (Amount in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
5000	-	1	0.0 %
20000	-	1	0.0 %
25000	-	1	0.0 %
35000	-	1	0.0 %
100000	-	2	0.1 %
190000	-	1	0.0 %
200000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2245	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 10 valid cases out of 2,255 total cases.

- Mean: 67500.00
- Median: 30000.00
- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 76603.23

*Location:* 3662-3667 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31B\_65: Sold other farming production (Amount in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
6000	-	1	0.0 %
30000	-	1	0.0 %
35000	-	1	0.0 %
40000	-	1	0.0 %
100000	-	1	0.0 %
150000	-	1	0.0 %
170000	-	1	0.0 %
200000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2244	99.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 66454.55
- Median: 35000.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 200000.00
- Standard Deviation: 75221.49

*Location:* 3668-3673 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31B\_66: Sold other farming production (Amount in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
5000	-	1	0.0 %
20000	-	1	0.0 %
40000	-	1	0.0 %
45000	-	1	0.0 %
100000	-	2	0.1 %
150000	-	1	0.0 %
165000	-	1	0.0 %
250000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2245	99.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 10 valid cases out of 2,255 total cases.

- Mean: 87500.00
- Median: 72500.00
- Mode: 100000.00
- Minimum: 0.00
- Maximum: 250000.00
- Standard Deviation: 81453.80

*Location:* 3674-3679 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31B\_67: Sold other farming production (Amount in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
5000	-	1	0.0 %
30000	-	1	0.0 %
40000	-	1	0.0 %
50000	-	1	0.0 %
80000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
85000	-	1	0.0 %
100000	-	1	0.0 %
175000	-	1	0.0 %
240000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2244	99.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 11 valid cases out of 2,255 total cases.

- Mean: 73181.82
- Median: 50000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 240000.00
- Standard Deviation: 76133.85

*Location:* 3680-3685 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31B\_68: Sold other farming production (Amount in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
4000	-	1	0.0 %
25000	-	1	0.0 %
45000	-	2	0.1 %
100000	-	2	0.1 %
110000	-	1	0.0 %
180000	-	1	0.0 %
200000	-	1	0.0 %
250000	-	1	0.0 %
350000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2243	99.5 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 12 valid cases out of 2,255 total cases.

- Mean: 117416.67
- Median: 100000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 350000.00
- Standard Deviation: 108187.93

*Location:* 3686-3691 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### D31B\_69: Sold other farming production (Amount in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	4	0.2 %
5000	-	1	0.0 %
16000	-	1	0.0 %
30000	-	1	0.0 %
32000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	1	0.0 %
90000	-	1	0.0 %
100000	-	3	0.1 %
150000	-	2	0.1 %
170000	-	1	0.0 %
200000	-	1	0.0 %
260000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2236	99.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 19 valid cases out of 2,255 total cases.

- Mean: 78842.11
- Median: 50000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 260000.00
- Standard Deviation: 77540.14

*Location:* 3692-3697 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### D31B\_70: Sold other farming production (Amount in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	6	0.3 %
4000	-	1	0.0 %
17000	-	1	0.0 %
20000	-	1	0.0 %
50000	-	2	0.1 %
65000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
70000	-	1	0.0 %
75000	-	1	0.0 %
80000	-	1	0.0 %
100000	-	3	0.1 %
150000	-	1	0.0 %
160000	-	1	0.0 %
200000	-	1	0.0 %
280000	-	1	0.0 %
400000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2232	99.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 23 valid cases out of 2,255 total cases.

- Mean: 83521.74
- Median: 65000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400000.00
- Standard Deviation: 100659.13

*Location:* 3698-3703 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31B\_71: Sold other farming production (Amount in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
300	-	1	0.0 %
4000	-	1	0.0 %
5000	-	1	0.0 %
8000	-	1	0.0 %
9000	-	1	0.0 %
10000	-	3	0.1 %
12500	-	1	0.0 %
16500	-	1	0.0 %
30000	-	1	0.0 %
50000	-	1	0.0 %
60000	-	1	0.0 %
80000	-	1	0.0 %
100000	-	7	0.3 %

Value	Label	Unweighted Frequency	%
110000	-	1	0.0 %
168000	-	1	0.0 %
200000	-	1	0.0 %
300000	-	1	0.0 %
500000	-	2	0.1 %
<b>Missing Data</b>			
.	-	2223	98.6 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 32 valid cases out of 2,255 total cases.

- Mean: 86978.12
- Median: 40000.00
- Mode: 100000.00
- Minimum: 0.00
- Maximum: 500000.00
- Standard Deviation: 128584.40

*Location:* 3704-3709 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

### D31B\_72: Sold other farming production (Amount in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	23	1.0 %
1000	-	1	0.0 %
22000	-	1	0.0 %
30000	-	2	0.1 %
40000	-	1	0.0 %
45000	-	1	0.0 %
80000	-	1	0.0 %
100000	-	3	0.1 %
120000	-	1	0.0 %
150000	-	1	0.0 %
200000	-	1	0.0 %
250000	-	1	0.0 %
<b>Missing Data</b>			
.	-	2218	98.4 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 37 valid cases out of 2,255 total cases.

- Mean: 34270.27

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 250000.00
- Standard Deviation: 61971.16

*Location:* 3710-3715 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

## MIG63: Number of migrants in 2063

Value	Label	Unweighted Frequency	%
0	-	2253	99.9 %
1	-	1	0.0 %
2	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.05

*Location:* 3716-3716 (width: 1; decimal: 0)

*Variable Type:* numeric

## MIG64: Number of migrants in 2064

Value	Label	Unweighted Frequency	%
0	-	2154	95.5 %
1	-	55	2.4 %
2	-	33	1.5 %
3	-	6	0.3 %
4	-	4	0.2 %
5	-	2	0.1 %
7	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00

- Standard Deviation: 0.42

*Location:* 3717-3717 (width: 1; decimal: 0)

*Variable Type:* numeric

## MIG65: Number of migrants in 2065

Value	Label	Unweighted Frequency	%
0	-	1982	87.9 %
1	-	236	10.5 %
2	-	32	1.4 %
3	-	3	0.1 %
4	-	1	0.0 %
6	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.42

*Location:* 3718-3718 (width: 1; decimal: 0)

*Variable Type:* numeric

## MIG66: Number of migrants in 2066

Value	Label	Unweighted Frequency	%
0	-	1097	48.6 %
1	-	535	23.7 %
2	-	307	13.6 %
3	-	167	7.4 %
4	-	78	3.5 %
5	-	34	1.5 %
6	-	17	0.8 %
7	-	8	0.4 %
8	-	4	0.2 %
9	-	2	0.1 %
10	-	4	0.2 %
12	-	1	0.0 %
14	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 1.48

*Location:* 3719-3720 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## MIG67: Number of migrants in 2067

Value	Label	Unweighted Frequency	%
0	-	1046	46.4 %
1	-	568	25.2 %
2	-	326	14.5 %
3	-	168	7.5 %
4	-	82	3.6 %
5	-	40	1.8 %
6	-	8	0.4 %
7	-	10	0.4 %
9	-	3	0.1 %
11	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.45

*Location:* 3721-3722 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## MIG68: Number of migrants in 2068

Value	Label	Unweighted Frequency	%
0	-	1003	44.5 %
1	-	578	25.6 %
2	-	328	14.5 %

Value	Label	Unweighted Frequency	%
3	-	180	8.0 %
4	-	92	4.1 %
5	-	46	2.0 %
6	-	8	0.4 %
7	-	11	0.5 %
8	-	2	0.1 %
9	-	4	0.2 %
11	-	1	0.0 %
14	-	2	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1.15
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 1.48

*Location:* 3723-3724 (width: 2; decimal: 0)

*Variable Type:* numeric

## MIG69: Number of migrants in 2069

Value	Label	Unweighted Frequency	%
0	-	887	39.3 %
1	-	634	28.1 %
2	-	357	15.8 %
3	-	183	8.1 %
4	-	114	5.1 %
5	-	48	2.1 %
6	-	16	0.7 %
7	-	6	0.3 %
8	-	6	0.3 %
9	-	2	0.1 %
12	-	1	0.0 %
15	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1.25
- Median: 1.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.49

*Location:* 3725-3726 (width: 2; decimal: 0)

*Variable Type:* numeric

## MIG70: Number of migrants in 2070

Value	Label	Unweighted Frequency	%
0	-	795	35.3 %
1	-	701	31.1 %
2	-	351	15.6 %
3	-	201	8.9 %
4	-	111	4.9 %
5	-	54	2.4 %
6	-	22	1.0 %
7	-	10	0.4 %
8	-	3	0.1 %
9	-	3	0.1 %
10	-	2	0.1 %
12	-	1	0.0 %
17	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 1.54

*Location:* 3727-3728 (width: 2; decimal: 0)

*Variable Type:* numeric

## MIG71: Number of migrants in 2071

Value	Label	Unweighted Frequency	%
0	-	684	30.3 %
1	-	752	33.3 %
2	-	371	16.5 %
3	-	215	9.5 %
4	-	123	5.5 %
5	-	63	2.8 %

Value	Label	Unweighted Frequency	%
6	-	22	1.0 %
7	-	13	0.6 %
8	-	4	0.2 %
9	-	2	0.1 %
10	-	4	0.2 %
14	-	1	0.0 %
15	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.57

*Location:* 3729-3730 (width: 2; decimal: 0)

*Variable Type:* numeric

## MIG72: Number of migrants in 2072

Value	Label	Unweighted Frequency	%
0	-	635	28.2 %
1	-	728	32.3 %
2	-	370	16.4 %
3	-	232	10.3 %
4	-	149	6.6 %
5	-	81	3.6 %
6	-	26	1.2 %
7	-	17	0.8 %
8	-	5	0.2 %
9	-	4	0.2 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	2	0.1 %
17	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 1.72

*Location:* 3731-3732 (width: 2; decimal: 0)

*Variable Type:* numeric

### REM63: Remittance received (in Rupees) in 2063

Value	Label	Unweighted Frequency	%
0	-	2255	100.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 3733-3733 (width: 1; decimal: 0)

*Variable Type:* numeric

### REM64: Remittance received (in Rupees) in 2064

Value	Label	Unweighted Frequency	%
0	-	2221	98.5 %
2500	-	1	0.0 %
4000	-	2	0.1 %
5000	-	1	0.0 %
7000	-	1	0.0 %
10000	-	6	0.3 %
13000	-	1	0.0 %
15000	-	1	0.0 %
20000	-	1	0.0 %
30000	-	3	0.1 %
35000	-	1	0.0 %
50000	-	1	0.0 %
80000	-	1	0.0 %
100000	-	5	0.2 %
150000	-	3	0.1 %
200000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
300000	-	1	0.0 %
370000	-	1	0.0 %
400000	-	1	0.0 %
600000	-	1	0.0 %
700000	-	1	0.0 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1731.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 700000.00
- Standard Deviation: 24939.74

*Location:* 3734-3739 (width: 6; decimal: 0)

*Variable Type:* numeric

## REM65: Remittance received (in Rupees) in 2065

Value	Label	Unweighted Frequency	%
0	-	2117	93.9 %
170	-	1	0.0 %
5000	-	3	0.1 %
6000	-	1	0.0 %
8000	-	1	0.0 %
8400	-	1	0.0 %
9000	-	1	0.0 %
10000	-	10	0.4 %
12000	-	2	0.1 %
13000	-	2	0.1 %
15000	-	5	0.2 %
16000	-	1	0.0 %
20000	-	2	0.1 %
25000	-	4	0.2 %
30000	-	8	0.4 %
35000	-	2	0.1 %
36000	-	1	0.0 %
39000	-	1	0.0 %
40000	-	6	0.3 %
45000	-	1	0.0 %
50000	-	13	0.6 %

Value	Label	Unweighted Frequency	%
55000	-	1	0.0 %
60000	-	6	0.3 %
70000	-	6	0.3 %
75000	-	1	0.0 %
80000	-	2	0.1 %
85000	-	1	0.0 %
90000	-	2	0.1 %
100000	-	17	0.8 %
110000	-	2	0.1 %
115000	-	1	0.0 %
120000	-	5	0.2 %
140000	-	1	0.0 %
150000	-	7	0.3 %
180000	-	1	0.0 %
190000	-	1	0.0 %
200000	-	7	0.3 %
300000	-	5	0.2 %
370000	-	1	0.0 %
400000	-	2	0.1 %
500000	-	1	0.0 %
600000	-	2	0.1 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 5786.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600000.00
- Standard Deviation: 35027.76

*Location:* 3740-3745 (width: 6; decimal: 0)

*Variable Type:* numeric

## REM66: Remittance received (in Rupees) in 2066

Value	Label	Unweighted Frequency	%
0	-	1470	65.2 %
160	-	1	0.0 %
1000	-	3	0.1 %
2000	-	3	0.1 %
3000	-	4	0.2 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
4000	-	1	0.0 %
5000	-	10	0.4 %
6000	-	1	0.0 %
7000	-	3	0.1 %
8000	-	5	0.2 %
8400	-	1	0.0 %
9000	-	1	0.0 %
10000	-	27	1.2 %
11000	-	1	0.0 %
12000	-	7	0.3 %
13000	-	1	0.0 %
14000	-	2	0.1 %
15000	-	21	0.9 %
16000	-	2	0.1 %
17000	-	2	0.1 %
20000	-	21	0.9 %
23000	-	1	0.0 %
24000	-	2	0.1 %
25000	-	4	0.2 %
27000	-	1	0.0 %
30000	-	9	0.4 %
32000	-	1	0.0 %
33000	-	1	0.0 %
35000	-	4	0.2 %
36000	-	2	0.1 %
37000	-	2	0.1 %
37500	-	1	0.0 %
40000	-	21	0.9 %
42000	-	1	0.0 %
43000	-	1	0.0 %
44000	-	1	0.0 %
45000	-	5	0.2 %
46000	-	1	0.0 %
48000	-	1	0.0 %
49000	-	1	0.0 %
50000	-	39	1.7 %
52000	-	1	0.0 %
55000	-	1	0.0 %
58000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60000	-	30	1.3 %
62000	-	1	0.0 %
65000	-	3	0.1 %
70000	-	21	0.9 %
75000	-	4	0.2 %
80000	-	12	0.5 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 67333.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1700000.00
- Standard Deviation: 156883.66

*Location:* 3746-3752 (*width:* 7; *decimal:* 0)

*Variable Type:* numeric

## REM67: Remittance received (in Rupees) in 2067

Value	Label	Unweighted Frequency	%
0	-	1444	64.0 %
170	-	1	0.0 %
2000	-	3	0.1 %
3000	-	6	0.3 %
4000	-	2	0.1 %
5000	-	9	0.4 %
6000	-	1	0.0 %
7000	-	2	0.1 %
8000	-	6	0.3 %
8400	-	1	0.0 %
9000	-	3	0.1 %
10000	-	12	0.5 %
10500	-	1	0.0 %
11000	-	1	0.0 %
12000	-	6	0.3 %
13000	-	1	0.0 %
14000	-	1	0.0 %
15000	-	14	0.6 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
16000	-	4	0.2 %
17000	-	1	0.0 %
18000	-	3	0.1 %
20000	-	17	0.8 %
22000	-	1	0.0 %
24000	-	2	0.1 %
25000	-	10	0.4 %
26000	-	1	0.0 %
29000	-	1	0.0 %
30000	-	12	0.5 %
31000	-	1	0.0 %
33000	-	1	0.0 %
35000	-	4	0.2 %
37000	-	1	0.0 %
40000	-	12	0.5 %
41000	-	1	0.0 %
42000	-	1	0.0 %
45000	-	8	0.4 %
50000	-	32	1.4 %
52000	-	1	0.0 %
53000	-	1	0.0 %
58000	-	2	0.1 %
60000	-	25	1.1 %
62000	-	1	0.0 %
65000	-	10	0.4 %
70000	-	11	0.5 %
72000	-	1	0.0 %
75000	-	7	0.3 %
80000	-	16	0.7 %
83000	-	1	0.0 %
85000	-	1	0.0 %
87000	-	1	0.0 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 82249.48
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 2500000.00
- Standard Deviation: 194923.24

*Location:* 3753-3759 (width: 7; decimal: 0)

*Variable Type:* numeric

## REM68: Remittance received (in Rupees) in 2068

Value	Label	Unweighted Frequency	%
0	-	1396	61.9 %
180	-	1	0.0 %
1500	-	1	0.0 %
2000	-	2	0.1 %
2500	-	1	0.0 %
3000	-	3	0.1 %
3400	-	1	0.0 %
3700	-	1	0.0 %
4000	-	1	0.0 %
5000	-	6	0.3 %
6000	-	3	0.1 %
6500	-	1	0.0 %
7000	-	3	0.1 %
8000	-	4	0.2 %
9000	-	2	0.1 %
10000	-	21	0.9 %
11000	-	1	0.0 %
12000	-	3	0.1 %
13000	-	1	0.0 %
14000	-	1	0.0 %
15000	-	17	0.8 %
16000	-	2	0.1 %
17000	-	4	0.2 %
18000	-	1	0.0 %
19000	-	4	0.2 %
20000	-	18	0.8 %
22000	-	1	0.0 %
24000	-	2	0.1 %
25000	-	7	0.3 %
27000	-	1	0.0 %
28000	-	1	0.0 %
30000	-	12	0.5 %

Value	Label	Unweighted Frequency	%
31000	-	1	0.0 %
35000	-	9	0.4 %
36000	-	1	0.0 %
40000	-	15	0.7 %
44000	-	1	0.0 %
45000	-	2	0.1 %
50000	-	35	1.6 %
55000	-	3	0.1 %
59000	-	1	0.0 %
60000	-	20	0.9 %
65000	-	4	0.2 %
70000	-	24	1.1 %
72000	-	2	0.1 %
75000	-	5	0.2 %
77000	-	1	0.0 %
78000	-	1	0.0 %
80000	-	14	0.6 %
81000	-	1	0.0 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 92784.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2600000.00
- Standard Deviation: 213152.83

*Location:* 3760-3766 (width: 7; decimal: 0)

*Variable Type:* numeric

## REM69: Remittance received (in Rupees) in 2069

Value	Label	Unweighted Frequency	%
0	-	1317	58.4 %
170	-	1	0.0 %
1500	-	2	0.1 %
2000	-	2	0.1 %
3000	-	2	0.1 %
4000	-	5	0.2 %

Value	Label	Unweighted Frequency	%
4500	-	1	0.0 %
5000	-	3	0.1 %
6000	-	4	0.2 %
7000	-	3	0.1 %
8000	-	4	0.2 %
9000	-	1	0.0 %
10000	-	22	1.0 %
11000	-	1	0.0 %
12000	-	6	0.3 %
13000	-	1	0.0 %
14000	-	1	0.0 %
15000	-	15	0.7 %
16000	-	2	0.1 %
17000	-	3	0.1 %
18000	-	3	0.1 %
19000	-	1	0.0 %
20000	-	16	0.7 %
21000	-	1	0.0 %
22000	-	1	0.0 %
24000	-	1	0.0 %
25000	-	9	0.4 %
26000	-	3	0.1 %
28000	-	1	0.0 %
30000	-	16	0.7 %
32000	-	1	0.0 %
35000	-	4	0.2 %
36000	-	1	0.0 %
40000	-	17	0.8 %
45000	-	9	0.4 %
50000	-	22	1.0 %
55000	-	5	0.2 %
57000	-	1	0.0 %
60000	-	28	1.2 %
65000	-	5	0.2 %
70000	-	16	0.7 %
75000	-	6	0.3 %
78000	-	1	0.0 %
80000	-	15	0.7 %
85000	-	4	0.2 %

Value	Label	Unweighted Frequency	%
90000	-	11	0.5 %
96000	-	4	0.2 %
100000	-	53	2.4 %
105000	-	5	0.2 %
108000	-	2	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 114314.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000000.00
- Standard Deviation: 291114.24

*Location:* 3767-3773 (width: 7; decimal: 0)

*Variable Type:* numeric

## REM70: Remittance received (in Rupees) in 2070

Value	Label	Unweighted Frequency	%
0	-	1266	56.1 %
1000	-	1	0.0 %
1300	-	1	0.0 %
2000	-	2	0.1 %
3000	-	3	0.1 %
4000	-	4	0.2 %
5000	-	5	0.2 %
6000	-	5	0.2 %
7000	-	1	0.0 %
8000	-	2	0.1 %
10000	-	19	0.8 %
11000	-	2	0.1 %
12000	-	5	0.2 %
13000	-	1	0.0 %
15000	-	16	0.7 %
16000	-	3	0.1 %
17000	-	1	0.0 %
18000	-	2	0.1 %
20000	-	18	0.8 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
22000	-	1	0.0 %
23000	-	1	0.0 %
24000	-	1	0.0 %
25000	-	15	0.7 %
27000	-	1	0.0 %
28000	-	1	0.0 %
30000	-	12	0.5 %
32000	-	1	0.0 %
34000	-	1	0.0 %
35000	-	7	0.3 %
36000	-	1	0.0 %
37000	-	1	0.0 %
40000	-	12	0.5 %
43000	-	1	0.0 %
45000	-	1	0.0 %
50000	-	34	1.5 %
52000	-	1	0.0 %
55000	-	5	0.2 %
58000	-	1	0.0 %
60000	-	16	0.7 %
65000	-	9	0.4 %
68000	-	1	0.0 %
70000	-	15	0.7 %
70500	-	1	0.0 %
75000	-	5	0.2 %
80000	-	23	1.0 %
85000	-	6	0.3 %
90000	-	4	0.2 %
92000	-	1	0.0 %
95000	-	3	0.1 %
96000	-	2	0.1 %
	<b>Total</b>	<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 120924.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 6000000.00
- Standard Deviation: 288086.09

*Location:* 3774-3780 (width: 7; decimal: 0)

*Variable Type:* numeric

## REM71: Remittance received (in Rupees) in 2071

Value	Label	Unweighted Frequency	%
0	-	1148	50.9 %
1000	-	3	0.1 %
1500	-	1	0.0 %
2500	-	1	0.0 %
3000	-	3	0.1 %
4000	-	1	0.0 %
4500	-	1	0.0 %
5000	-	6	0.3 %
5300	-	1	0.0 %
6000	-	4	0.2 %
7000	-	1	0.0 %
10000	-	15	0.7 %
10300	-	1	0.0 %
11000	-	1	0.0 %
12000	-	5	0.2 %
13000	-	1	0.0 %
14000	-	1	0.0 %
15000	-	15	0.7 %
16000	-	4	0.2 %
17000	-	3	0.1 %
19000	-	1	0.0 %
20000	-	28	1.2 %
21000	-	1	0.0 %
23000	-	2	0.1 %
24000	-	3	0.1 %
25000	-	12	0.5 %
27000	-	1	0.0 %
30000	-	19	0.8 %
32000	-	3	0.1 %
35000	-	6	0.3 %
36000	-	1	0.0 %
38000	-	1	0.0 %
40000	-	16	0.7 %

Value	Label	Unweighted Frequency	%
42000	-	1	0.0 %
43000	-	1	0.0 %
45000	-	2	0.1 %
50000	-	32	1.4 %
53000	-	1	0.0 %
54000	-	2	0.1 %
55000	-	4	0.2 %
57000	-	1	0.0 %
58000	-	1	0.0 %
60000	-	29	1.3 %
62000	-	1	0.0 %
65000	-	4	0.2 %
67000	-	1	0.0 %
70000	-	19	0.8 %
72000	-	1	0.0 %
74000	-	1	0.0 %
75000	-	3	0.1 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 136700.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9875000.00
- Standard Deviation: 318850.58

*Location:* 3781-3787 (width: 7; decimal: 0)

*Variable Type:* numeric

---

## REM72: Remittance received (in Rupees) in 2072

Value	Label	Unweighted Frequency	%
0	-	1276	56.6 %
1000	-	1	0.0 %
2000	-	2	0.1 %
2500	-	1	0.0 %
2800	-	1	0.0 %
3000	-	4	0.2 %
4000	-	4	0.2 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
5000	-	16	0.7 %
6000	-	2	0.1 %
7000	-	5	0.2 %
7500	-	2	0.1 %
8000	-	6	0.3 %
9000	-	1	0.0 %
10000	-	25	1.1 %
11000	-	1	0.0 %
12000	-	9	0.4 %
13000	-	2	0.1 %
14000	-	1	0.0 %
15000	-	25	1.1 %
16000	-	2	0.1 %
16700	-	1	0.0 %
17000	-	2	0.1 %
18000	-	2	0.1 %
19000	-	1	0.0 %
20000	-	40	1.8 %
21000	-	3	0.1 %
22000	-	3	0.1 %
24000	-	3	0.1 %
25000	-	16	0.7 %
26000	-	2	0.1 %
27000	-	1	0.0 %
28000	-	2	0.1 %
29000	-	2	0.1 %
30000	-	37	1.6 %
32000	-	3	0.1 %
33000	-	3	0.1 %
34000	-	1	0.0 %
35000	-	9	0.4 %
36000	-	1	0.0 %
37000	-	3	0.1 %
38000	-	1	0.0 %
39000	-	1	0.0 %
40000	-	42	1.9 %
45000	-	6	0.3 %
49000	-	1	0.0 %
50000	-	67	3.0 %

Value	Label	Unweighted Frequency	%
52000	-	1	0.0 %
55000	-	6	0.3 %
56000	-	1	0.0 %
57000	-	1	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	2,255	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,254 valid cases out of 2,255 total cases.

- Mean: 63801.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5050000.00
- Standard Deviation: 175633.74

*Location:* 3788-3794 (width: 7; decimal: 0)

*Variable Type:* numeric

## ENDTIME: Interview end time (hhmm)

Value	Label	Unweighted Frequency	%
620	-	1	0.0 %
633	-	1	0.0 %
651	-	1	0.0 %
653	-	1	0.0 %
708	-	1	0.0 %
710	-	1	0.0 %
713	-	1	0.0 %
735	-	1	0.0 %
736	-	1	0.0 %
737	-	1	0.0 %
740	-	3	0.1 %
742	-	2	0.1 %
745	-	2	0.1 %
747	-	1	0.0 %
750	-	2	0.1 %
752	-	2	0.1 %
754	-	2	0.1 %

Value	Label	Unweighted Frequency	%
755	-	1	0.0 %
757	-	1	0.0 %
758	-	1	0.0 %
759	-	2	0.1 %
800	-	5	0.2 %
802	-	2	0.1 %
803	-	2	0.1 %
805	-	1	0.0 %
806	-	2	0.1 %
807	-	1	0.0 %
809	-	4	0.2 %
810	-	2	0.1 %
811	-	1	0.0 %
812	-	2	0.1 %
814	-	3	0.1 %
815	-	4	0.2 %
816	-	1	0.0 %
817	-	4	0.2 %
818	-	2	0.1 %
820	-	10	0.4 %
821	-	1	0.0 %
822	-	3	0.1 %
823	-	1	0.0 %
824	-	2	0.1 %
825	-	12	0.5 %
826	-	4	0.2 %
827	-	2	0.1 %
828	-	10	0.4 %
829	-	7	0.3 %
830	-	14	0.6 %
831	-	4	0.2 %
832	-	9	0.4 %
833	-	5	0.2 %
<b>Total</b>		<b>2,255</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,255 valid cases out of 2,255 total cases.

- Mean: 1016.54

- Minimum: 620.00
- Maximum: 2120.00
- Standard Deviation: 175.53

*Location:* 3795-3798 (width: 4; decimal: 0)

*Variable Type:* numeric