#### MANAGER TABLE

create sequence mgr\_squ

increment by 1

start with 10

maxvalue 100

insert into manager(mgr\_id, name,phone\_number,salary,role) values (mgr\_squ.nextval,'Diana Lorentz',5904235567,42000,'genral manager')

insert into manager(mgr\_id,name,phone\_number,salary,role) values (mgr\_squ.nextval,'John Chen',515124426,82000,'acounts manager')

insert into manager(mgr\_id,name,phone\_number,salary,role) values (mgr\_squ.nextval,'Ismael Sciarra',5151244369,77000, 'staff manager')

insert into manager(mgr\_id,name,phone\_number,salary,role) values (mgr\_squ.nextval,'Jose Manuel Urman',5151244469,78000,'parking lot manager')

insert into manager(mgr\_id, name,phone\_number,salary,role) values (mgr\_squ.nextval,'hero alom',5904235567,42000,'genral manager')

insert into manager(mgr\_id, name,phone\_number,salary,role) values (mgr\_squ.nextval,'anonto jalil',5904235567,42000,'genral manager')

insert into manager(mgr\_id, name,phone\_number,salary,role) values (mgr\_squ.nextval,'pori moni',5904235567,42000,'genral manager')

select \* from manager

# **PARKING SPACE**

insert into parking\_space(space\_id,space\_adress,space\_type) values (1111,'Bashundhara','Large') insert into parking\_space(space\_id,space\_adress,space\_type) values (1112,'jamuna','Large') insert into parking\_space(space\_id,space\_adress,space\_type) values (1113,'pink city','Large') insert into parking\_space(space\_id,space\_adress,space\_type) values (1114,'police plaza','Medium') select \* from parking\_space

#### PARKING SPOT

insert into parking\_spot (spot\_id,spot\_type,space\_id) values(02,'small',1111)
insert into parking\_spot (spot\_id,spot\_type,space\_id) values(08,'medium',1111)

```
insert into parking_spot (spot_id,spot_type,space_id) values(15,'large',1111) insert into parking_spot (spot_id,spot_type,space_id) values(17,'large',1111) select * from parking_spot
```

### MANAGER 2

insert into manager2(mgr\_id, name,phone\_number,salary,role,space\_id) values (10,'Diana Lorentz',5904235567,42000,'genral manager',1111)

insert into manager2(mgr\_id,name,phone\_number,salary,role,space\_id) values (11,'John Chen',515124426,82000,'acounts manager',1111)

insert into manager2(mgr\_id,name,phone\_number,salary,role,space\_id) values (12,'Ismael Sciarra' ,5151244369,77000, 'staff manager',1111)

insert into manager2(mgr\_id,name,phone\_number,salary,role,space\_id) values (13,'Jose Manuel Urman',5151244469,78000,'parking lot manager',1111)

insert into manager2(mgr\_id, name,phone\_number,salary,role,space\_id) values (30,'hero alom',5904235567,42000,'genral manager',1112)

insert into manager2(mgr\_id, name,phone\_number,salary,role,space\_id) values (31,'anonto jalil',5904235567,42000, 'genral manager',1113)

insert into manager2(mgr\_id, name,phone\_number,salary,role,space\_id) values (32,'pori moni',5904235567,42000,'genral manager',1114)

select \* from manager2

### **PARKING SLIP**

insert into parking\_slip(slip\_id,issue\_date,type,duration)

values(0050,'09-dec-22','small','2.00 hrs')

insert into parking\_slip(slip\_id,issue\_date,type,duration)

values(0051,'12-dec-22','medium','1.50 hrs')

insert into parking\_slip(slip\_id,issue\_date,type,duration)

values(0052,'13-dec-22','large','1.00 hrs')

insert into parking\_slip(slip\_id,issue\_date,type,duration)

```
values(0053,'15-dec-22','large','2.30 hrs')
select * from parking_slip
```

# PARKING SPOT2

insert into parking\_spot2 (spot\_id,spot\_type,slip\_id) values(02,'small',50)

insert into parking\_spot2 (spot\_id,spot\_type,slip\_id) values(08,'medium',51)

insert into parking\_spot2 (spot\_id,spot\_type,slip\_id) values(15,'large',52)

insert into parking\_spot2 (spot\_id,spot\_type,slip\_id) values(17,'large',53)

select \* from parking\_spot2

#### **DRIVER**

insert into

driver(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address)values(1,'Winston','Taylor','6505079876','instonaylor@gmail.com','Bashundhara A block')

insert into

driver(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address)values(2,'john', 'haris','6505079450','john@gmail.com','Baridhara j block')

insert into

driver(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address)values(3,'tania',' sharma','6505074102','tania@gmail.com','gulshan road-116')

insert into

driver(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address)values(4,'elon','musk','6505041875','elonlor@gmail.com','banasree d block')

select \* from driver

### parking slip2

insert into parking\_slip2(slip\_id,issue\_date,type,duration, dri\_id) values(0050,'09-dec-22','small','2.00 hrs', 1)

insert into parking\_slip2(slip\_id,issue\_date,type,duration, dri\_id) values(0051,'12-dec-22','medium','1.50 hrs',2)

insert into parking\_slip2(slip\_id,issue\_date,type,duration,dri\_id) values(0052,'13-dec-22','large','1.00 hrs',3)

```
insert into parking_slip2(slip_id,issue_date,type,duration,dri_id) values(0053,'15-dec-22','large','2.30 hrs',4)
```

select \* from parking\_slip2

# RATE TABLE

insert into rate(rate\_id,rate\_hourly\_rate,rate\_day\_rate,rate\_type) values (501,100,700,'small') insert into rate(rate\_id,rate\_hourly\_rate,rate\_day\_rate,rate\_type) values (502,300,900,'medium') insert into rate(rate\_id,rate\_hourly\_rate,rate\_day\_rate,rate\_type) values (503,500,1100,'large') insert into rate(rate\_id,rate\_hourly\_rate,rate\_day\_rate,rate\_type) values (504,500,1100,'large') select \* from rate

# SPOT RATE

```
insert into spot_rate(rate_id,spot_id) values (501,2) insert into spot_rate(rate_id,spot_id) values (502,8) insert into spot_rate(rate_id,spot_id) values (503,15) insert into spot_rate(rate_id,spot_id) values (504,17) select * from spot_rate
```

### FINE TABLE

create sequence fine\_squ

increment by 5

start with 100

maxvalue 500

insert into fine (fine\_id,amount,issue\_date,paid\_date) values (fine\_squ.nextval,300,'08-dec-22','09-dec-22')

insert into fine (fine\_id,amount,issue\_date,paid\_date) values (fine\_squ.nextval,500,'10-dec-22','10-dec-22')

insert into fine (fine\_id,amount,issue\_date,paid\_date) values (fine\_squ.nextval,400,'12-dec-22','13-dec-22')

insert into fine (fine\_id,amount,issue\_date,paid\_date) values (fine\_squ.nextval,700,'14-dec-22','16-dec-22')

select \* from fine

#### DRIVER2 TABLE

insert into

driver2(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address,fine\_id)values(1,'Winston','Taylor','6505079876','instonaylor@gmail.com','Bashundhara A block',105)

insert into

driver2(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address,fine\_id)values(2,'joh n', 'haris','6505079450','john@gmail.com','Baridhara j block',null)

insert into

driver2(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address,fine\_id)values(3,'tan ia',' sharma','6505074102','tania@gmail.com','gulshan road-116',115)

insert into

driver2(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address,fine\_id)values(4,'elo n','musk','6505041875','elonlor@gmail.com','banasree d block',null)

select \* from driver2

### **VEHICLE**

insert into vehicle( veh nameplate, type) values (556244, 'salon')

insert into vehicle( veh\_nameplate, type) values (541204, 'SUV')

insert into vehicle( veh nameplate, type) values (571023, 'sidan')

insert into vehicle( veh nameplate, type) values (574548, 'mini-van')

select \* from vehicle

# DRIVER3 TABLE

insert into

driver3(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address,veh\_nameplate)values(1,'Winston','Taylor','6505079876','instonaylor@gmail.com','Bashundhara A block',556244)

insert into

driver3(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address,veh\_nameplate)values(2,'john', 'haris','6505079450','john@gmail.com','Baridhara j block',541204)

insert into

driver3(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address,veh\_nameplate)values(3,'tania',' sharma','6505074102','tania@gmail.com','gulshan road-116',571023)

```
insert into
```

driver3(dri\_id,dri\_first\_name,dri\_last\_name,dri\_phone\_num,dri\_email,dri\_address,veh\_nameplate)values(4,'elon','musk','6505041875','elonlor@gmail.com','banasree d block',574548)

select \* from driver3

### Vehicle2

insert into vehicle2( veh\_nameplate, type,spot\_id) values (556244, 'salon',2)

insert into vehicle2( veh\_nameplate, type,spot\_id) values (541204, 'SUV',8)

insert into vehicle2( veh nameplate, type, spot id) values (571023, 'sidan', 15)

insert into vehicle2( veh\_nameplate, type, spot\_id) values (574548, 'mini-van', 17)

select \* from vehicle2

# FINE2 TABLE

insert into fine2 (fine\_id,amount,issue\_date,paid\_date,mgr\_id) values (100,300,'08-dec-22','09-dec-22',13)

insert into fine2 (fine\_id,amount,issue\_date,paid\_date,mgr\_id) values (105,500,'10-dec-22','10-dec-22','13)

insert into fine2 (fine\_id,amount,issue\_date,paid\_date,mgr\_id) values (110,400,'12-dec-22','13-dec-22','13)

insert into fine2 (fine\_id,amount,issue\_date,paid\_date,mgr\_id) values (115,700,'14-dec-22','16-dec-22','13)

select \* from fine2

### **OWNER**

create sequence owner\_seq

increment by 1

start with 600

maxvalue 900

### insert into

owner(owner\_id,name,phone\_number,address,mgr\_id)values(owner\_seq.nextval,'Winston','650507987 6','Bashundhara A block',10)

# insert into

owner(owner\_id,name,phone\_number,address,mgr\_id)values(owner\_seq.nextval,'loris','6428713547','B anasree A block',30)

# insert into

owner(owner\_id,name,phone\_number,address,mgr\_id)values(owner\_seq.nextval,'benzema','65050745 01','gulshan road-16',31)

# insert into

owner(owner\_id,name,phone\_number,address,mgr\_id)values(owner\_seq.nextval,'lukaku','6505412014','baridhara road 5',32)

select \*from owner