



# Network Topology

# What is Network Topology?

A computer network is a collection of two or more computers which are connected together to share information and resources.



# Types Of Topology

## Based on geographical area covered

Local Area Network (LAN)

Metropolitan Area Network (MAN)

Wide Area Network (WAN)

## Based on Architecture

Bus Topology

Star Topology

Ring Topology


Tree Topology

Mesh Topology


Hybrid Topology




Star




Mesh




Ring



Tree



Fully Connected




Bus



Line



# Bus Topology

A **Bus topology** consists of a single cable—called a **bus**—connecting all nodes on a network without intervening connectivity devices



# Advantages of Bus Topology

- Works well for small networks.
- Relatively inexpensive to implement.
- Easy to expand joining two cables together.
- Used in small network.




# Disadvantages of Bus Topology

- Management costs can be high
- Cables fails then whole network fails.
- Cables has a limited length.



# Star Topology


A star network is designed with each node (file server, workstation, peripheral) connected directly to a central network hub or server.







# Advantages of Star Topology

- Good option for modern networks
- Low startup costs
- Easy to manage
- Offers opportunities for expansion
- Most popular topology in use wide variety of equipment available




# Disadvantages of Star Topology

- Hub is a single point of failure
- Requires more cable than the bus
- Cost of installation is high.




# Ring topology

A ring network is one where all workstations and other devices are connected in a continuous loop. There is no central server.




# Advantages of Ring Topology

- Easier to manage; easier to locate a defective node or cable problem
- Well-suited for transmitting signals over long distances on a LAN
- Handles high-volume network traffic




# Disadvantages of Ring Topology

- Expensive
- Requires more cable and network equipment at the start
- Not used as widely as bus topology
  - Fewer equipment options
  - Fewer options for expansion to high-speed communication




# Tree topology

- It has a root node and all other nodes are connected to it forming a hierarchy. It is also called Hierarchical Topology.




# Advantages Of Tree Topology

- Extension of Bus and Star Topology.
- Expansion of nodes is possible and easy.
- Easily managed and maintained.



# Disadvantages Of Tree Topology

- Heavily cabled.
- Costly.
- If more nodes are added maintenance is difficult.
- Central hub fails, network fails.




**Hierarchical**



# Mesh Topology


It is a point-to-point connection to other nodes or devices. Traffic is carried only between two devices or nodes to which it is connected. Mesh has  $\frac{n(n-1)}{2}$  physical channels to link  $n$  devices.

Figure 5.5d Network Topologies.





# Advantages Of Mesh Topology

- Each connection can carry its own data load.
- Fault is diagnosed easily.
- Provide security and privacy.



# Disadvantage of mesh topology


- Installation and configuration is difficult.
- Cabling cost is more.
- Bulk wiring is required.



# Hybrid Topology

It is the mixture of two or more topologies. Therefore it is called Hybrid topology. A hybrid topology combines characteristics of linear bus and star and/or ring topologies.


## Star-Wired Bus



# Advantages of hybrid topology


- Reliable as error detecting and trouble shooting is easy.
- Effective.
- Scalable as size can be increased easily.
- Flexible.

Star-Wired Ring



# Disadvantages Of Hybrid Topology

- Complex in design.
- Costly.





# Thank You

*Presented by:-  
Shubham Agrawal*