


Jenkins

Saeedulkhair Quaidjohar



Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

```
/var/lib/jenkins/secrets/initialAdminPassword
```

Please copy the password from either location and paste it below.

Administrator password

[Continue](#)

Dashboard > SaeedFirstPipeline > Configuration

Configure

General

Triggers

Pipeline

Advanced

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script ?

```
2 agent any
3 stages {
4     stage('Build') {
5         steps {
6             echo 'Building the project...'
7             sh 'echo "Running build commands (e.g., mvn clean package)"'
8         }
9     }
10    stage('Test') {
11        steps {
12            echo 'Running tests...'
13            sh 'echo "Running test commands (e.g., mvn test)"'
14        }
15    }
16    stage('Deploy') {
```

The script is not approved and will not be approved on save. Either modify the script to match an already approved script, approve it explicitly on the [Script Approval Configuration](#) page after save, or approve this version of the script. [Approve script](#)

Save

Apply

Dashboard > SaeedFirstPipeline >

Status

Changes

Build Now

Configure

Delete Pipeline

Stages

Rename

Pipeline Syntax

SaeedFirstPipeline

Edit description

My first pipeline for testing

Permalinks

- Last build (#1), 1 min 2 sec ago
- Last failed build (#1), 1 min 2 sec ago
- Last unsuccessful build (#1), 1 min 2 sec ago
- Last completed build (#1), 1 min 2 sec ago

Builds

Filter

Today

#1 9:44 PM

Dashboard > SaeedFirstPipeline > #4

Status

Changes

Console Output

Edit Build Information

Delete build #4

Timings

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build

Console Output

Download

Copy

View as plain text

Started by user Saeedulnahr

[Pipeline] Start of Pipeline

[Pipeline] node

Running on Jenkins in /var/lib/jenkins/workspace/SaeedFirstPipeline

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Build)

[Pipeline] echo

Building the project...

[Pipeline] sh

= echo Running build commands (e.g., mvn clean package)

Running build commands (e.g., mvn clean package)

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Test)

[Pipeline] echo

Running tests...

[Pipeline] sh

= echo Running test commands (e.g., mvn test)

Running test commands (e.g., mvn test)

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Deploy)

[Pipeline] echo

Deploying the application...

[Pipeline] sh

= echo Running deploy commands (e.g., deploy to server)

Running deploy commands (e.g., deploy to server)

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Declarative: Post Actions)

[Pipeline] echo

Pipeline execution completed!

[Pipeline] echo

Pipeline completed successfully!

[Pipeline] }

 Rerun

Manually run by Saeedulkhair Started 1 min 19 sec ago Queued 4 ms Took 6.6 sec

 Post Actions

 0.17s
 Started 1m 6s ago
 Jenkins

- ✓ Pipeline execution completed! > 66ms
- ✓ Pipeline completed successfully! > 37ms
- Pipeline completed successfully!