

Chronic Conditions Warehouse

Your source for national CMS Medicare and Medicaid research data



Chronic Conditions Warehouse Virtual Research Data Center

Million Hearts® Cardiovascular Disease (CVD) Risk Reduction Model Medicare Data Files Codebook

MAY 2025 | VERSION 1.1

Revision Log

Date	Changed by	Revisions	Version
May 2025	D. Happe	Edits made to comply with Executive Order 14168	1.1
May 2023	K. Schneider	Initial release of codebook	1.0

Tips on Navigating the Codebook

This document is a detailed codebook that describes each variable in the Million Hearts® CVD Risk Reduction Model Medicare Data research files. The guide includes several ways for users to quickly find the information they need:

- A complete listing of all variables in the files, in alphabetical order based on their SAS variable names
- Individual entries for each variable contain a short description of the variable, the possible values for the variable, and notes discussing the variable construction and use

The CCW team has included hyperlinks throughout the codebook to make it easier for users to navigate between the table of contents and the detailed entries for the individual variables:

- Clicking on any variable name in the Table of Contents takes users to the detailed description for that variable
- From the detailed description for any individual variable, clicking on the [^Back to TOC^](#) link after each variable description takes users back to the Table of Contents

Table of Contents

This section of the codebook contains a list of all variables in alphabetical order based on the SAS variable name.

Quick links: [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

Variable Details	1
ACCURACY_ATTESTATION	1
ACTIVATION_DATE	2
ACTIVITY_DATE	3
ACTIVITY_END_DATE	4
ADDRESS_LINE_1	5
ADDRESS_LINE_2	6
ALIGNED	7
BASELINE_DATE	8
BASELINE_GROUP	9
BASELINE_SCORE	10
BENE_ID	11
BILLING_TIN	12
CCNS	13
CITY	14
CODE	15
CREATE_DATE	16
DEACTIVATION_DATE	17
ELIGIBLE	18
FILE_COUNT	19
FIRST_NAME	20
FOLLOWUP_ATTESTATION	21
GROUP_TYPE	22
INSERT_DATE	23
IS_ACTIVE	24
IS_BASELINE_COMPLETE	25
IS_MEDICARE_PARTB	26
LAST_MODIFIED_DATE	27
LAST_NAME	28
MODIFIER	29
NPI	30
NPIS	31
PATIENT_DOB	32
PATIENT_ETHNICITY	33
PATIENT_SEX	34
PATIENT_RACE	35

PRACTICE_ID	36
PRACTICE_NAME	37
REASON_CODE	38
RISK_SCORE	40
STATE	41
TIN	42
TINS	43
UNIQUE_PATIENT_ID	44
UNITS	45
UPDATE_DATE	46
VALUE	47
VISIT_DATE	48
ZIP_CODE	49

Variable Details

This section of the codebook contains one entry for each variable in the Million Hearts® CVD Risk Reduction Model Medicare Data files. Each entry contains variable details to facilitate understanding and use of the variables.

ACCURACY_ATTESTATION

LABEL:	Practitioner's Accuracy of Attestation
DESCRIPTION:	Practitioner's accuracy of attestation. This variable addresses the question, “Has the practitioner attested to accuracy?”
SHORT NAME:	ACCURACY_ATTESTATION
LONG NAME:	ACCURACY_ATTESTATION
TYPE:	CHAR
LENGTH:	1
FILE(S):	Visit
SOURCE:	Million Hearts Data Registry
VALUES:	Y = Yes N = No
COMMENT:	—

[^ Back to TOC ^](#)

ACTIVATION_DATE

LABEL: Date the Provider Joined the Program

DESCRIPTION: Date the provider joined the program.

SHORT NAME: ACTIVATION_DATE

LONG NAME: ACTIVATION_DATE

TYPE: DATE

LENGTH: 8

FILE(S): NPI

SOURCE: Million Hearts Data Registry

VALUES: Ex — 09/18/2016

COMMENT: Formatted as MMDDYY10 in SAS

[^ Back to TOC ^](#)

ACTIVITY_DATE

LABEL:	Encounter/Procedure/Diagnosis/Lab/Medication Start or Occurrence Date
DESCRIPTION:	Encounter/Procedure/Diagnosis/Lab/Medication start or occurrence date.
SHORT NAME:	ACTIVITY_DATE
LONG NAME:	ACTIVITY_DATE
TYPE:	DATE
LENGTH:	8
FILE(S):	Clinical (final and raw)
SOURCE:	Million Hearts Data Registry
VALUES:	Ex — 07/10/2020
COMMENT:	Formatted as MMDDYY10. in SAS

[^ Back to TOC ^](#)

ACTIVITY_END_DATE

LABEL:	Encounter/Procedure/Diagnosis End date
DESCRIPTION:	Encounter/Procedure/Diagnosis end date.
SHORT NAME:	ACTIVITY_END_DATE
LONG NAME:	ACTIVITY_END_DATE
TYPE:	DATE
LENGTH:	8
FILE(S):	Clinical (final and raw)
SOURCE:	Million Hearts Data Registry
VALUES:	Ex — 07/10/2020
COMMENT:	Formatted as MMDDYY10 in SAS

[^ Back to TOC ^](#)

ADDRESS_LINE_1

LABEL:	Practice's Address (line 1)
DESCRIPTION:	Practice's address (line 1).
SHORT NAME:	ADDRESS_LINE_1
LONG NAME:	ADDRESS_LINE_1
TYPE:	CHAR
LENGTH:	100
FILE(S):	Practice
SOURCE:	Million Hearts Data Registry
VALUES:	Ex — 12345 MAIN STREET
COMMENT:	This field is the street address where billing TIN is located. There is also a second address line practices could use if needed (ADDRESS_LINE_2).

[^ Back to TOC ^](#)

ADDRESS_LINE_2

LABEL:	Practice's Address (line 2)
DESCRIPTION:	Practice's address (line 2).
SHORT NAME:	ADDRESS_LINE_2
LONG NAME:	ADDRESS_LINE_2
TYPE:	CHAR
LENGTH:	100
FILE(S):	Practice
SOURCE:	Million Hearts Data Registry
VALUES:	Ex — Suite 100, or null/missing
COMMENT:	This is the second line of an address, used only if needed. Refer to the first portion of the street address in ADDRESS_LINE_1.

[^ Back to TOC ^](#)

ALIGNED

LABEL:	Indication of Patient's Attribution to the Practice (Y or N)
DESCRIPTION:	Indication of patient's attribution to the practice (Y or N).
SHORT NAME:	ALIGNED
LONG NAME:	ALIGNED
TYPE:	CHAR
LENGTH:	1
FILE(S):	Alignment (final and EVAA cycle files)
SOURCE:	Million Hearts Data Registry
VALUES:	Y = Yes N = No Null/missing
COMMENT:	The (beneficiary) Enrollment, Validation, Alignment, and Adjudication (EVAA) analysis was performed by the Million Hearts data contractor. The Million Hearts model employed a complex EVAA analytic process. During this process, each beneficiary record submitted by providers to the Million Hearts registry was validated against claims data, and beneficiary alignments and program eligibilities were determined. The EVAA process occurred semiannually, each October and April. There was a total of 10 EVAA analytical cycles, between October 2017 through April 2022 (two per year for the five years of the project).

[^ Back to TOC ^](#)

BASELINE_DATE

LABEL: Patient's Baseline Date

DESCRIPTION: Patient's baseline date.

SHORT NAME: BASELINE_DATE

LONG NAME: BASELINE_DATE

TYPE: DATE

LENGTH: 8

FILE(S): Visit

SOURCE: Million Hearts Data Registry

VALUES: Ex — 10/12/2018

COMMENT: Formatted as MMDDYY10 in SAS

[^ Back to TOC ^](#)

BASELINE_GROUP

LABEL: Patient's Baseline Group (Low, Medium, High)

DESCRIPTION: Patient's baseline group (low, medium, high).

SHORT NAME: BASELINE_GROUP

LONG NAME: BASELINE_GROUP

TYPE: CHAR

LENGTH: 10

FILE(S): Visit

SOURCE: Million Hearts Data Registry

VALUES: LOW
MEDIUM
HIGH
Null/missing

COMMENT: This field is the stratified CVD risk group derived from the BASELINE_SCORE. For the purposes of the Million Hearts® Cardiovascular Disease Risk Reduction Model, CMS defined “high-risk” beneficiaries as individuals with an ACC/AHA 10-year ASCVD risk score of greater than 30%. The ACC/AHA guidelines still hold true that all individuals should have a risk score less than 7.5%. CMS was attempting to intervene on the critically high-risk group (reference <https://innovation.cms.gov/files/x/mhcvdrmm-faqs.pdf>).

[^ Back to TOC ^](#)

BASELINE_SCORE

LABEL: Patient's Baseline ASCVD Score

DESCRIPTION: Patient's baseline atherosclerotic cardiovascular disease (ASCVD) score.

SHORT NAME: BASELINE_SCORE

LONG NAME: BASELINE_SCORE

TYPE: CHAR

LENGTH: 10

FILE(S): Visit

SOURCE: Million Hearts Data Registry

VALUES: Ex — 21.7000, or null/missing

COMMENT: This field is the ACC Risk score calculated from information during the visit. The higher the score, the greater the ASCVD risk. The data file also includes a categorical variable that groups this score into either high, medium, or low risk (BASELINE_GROUP). After the baseline assessment, subsequent provider assessments of patient risk are in the RISK_SCORE field.

[^ Back to TOC ^](#)

BENE_ID

LABEL: Encrypted CCW Beneficiary ID

DESCRIPTION: The unique CCW identifier for a beneficiary.

The CCW assigns a unique beneficiary identification number to each individual who receives Medicare and/ or Medicaid and uses that number to identify an individual's records in all CCW data files (e.g., Medicare claims and enrollment, T-MSIS claims, and MDS assessment data).

This number does not change during a beneficiary's lifetime, and CCW uses each number only once.

The BENE_ID is specific to the CCW and is not applicable to any other identification system or data source.

SHORT NAME: BENE_ID

LONG NAME: BENE_ID

TYPE: CHAR

LENGTH: 15

FILE(S): Clinical (final and raw)
Visit
Demographic
Alignment (final and EVAA cycle files)

SOURCE: CCW

VALUES: —

COMMENT: —

[^ Back to TOC ^](#)

BILLING_TIN

LABEL: Practice's Billing TIN

DESCRIPTION: Practice's billing federal Taxpayer Identification Number (TIN).

SHORT NAME: BILLING_TIN

LONG NAME: BILLING_TIN

TYPE: CHAR

LENGTH: 9

FILE(S): Practice

SOURCE: Million Hearts Data Registry

VALUES: —

COMMENT: Identifies the practice to whom payment was made for the Million Hearts Model. If attempting to join this field to Medicare carrier claims files in the CCW, the provider Tax ID field is called TAX_NUM.

[^ Back to TOC ^](#)

CCNS

LABEL:	List of CMS Certification Numbers (Facility Numbers) for the Practice
DESCRIPTION:	List of CMS Certification Numbers (facility numbers) for the practice.
SHORT NAME:	CCNS
LONG NAME:	CCNS
TYPE:	CHAR
LENGTH:	4000
FILE(S):	Practice
SOURCE:	Million Hearts Data Registry
VALUES:	EX — 15161718,15161719 Null/missing
COMMENT:	The first six digits of each CMS Certification Number (CCN) are the facility number; additional digits (i.e., positions 7–13) may be used to distinguish between campuses for multiple campus hospitals. This field could be missing or have one or more CCNs, separated by a comma. Note that if attempting to join to Medicare claims files in the CCW, the 6-digit CCN is called the provider number (PRVDR_NUM).

[^ Back to TOC ^](#)

CITY

LABEL:	Practice's City
DESCRIPTION:	Practice's city.
SHORT NAME:	CITY
LONG NAME:	CITY
TYPE:	CHAR
LENGTH:	100
FILE(S):	Practice
SOURCE:	Million Hearts Data Registry
VALUES:	Ex — BRONX
COMMENT:	This field is the city where billing TIN is located.

[^ Back to TOC ^](#)

CODE

LABEL: Code Used to Document the Service

DESCRIPTION: Code used to document the service. The ACC/AHA risk calculation used clinical information submitted by the practice to ascertain CVD risk. The risk factors are documented for each patient. There is one record in the file for each patient and each risk factor that was assessed on a given date (i.e., the ACTIVITY_DATE).

SHORT NAME: CODE

LONG NAME: CODE

TYPE: CHAR

LENGTH: 20

FILE(S): Clinical (final and raw)

SOURCE: Million Hearts Data Registry

VALUES: Within the Clinical_Final file the values are:

AFB.NO = Whether or not the patient has atrial fibrillation

AFB.YES = Whether or not the patient has atrial fibrillation

ASP.NO = Whether or not the patient is taking aspirin

ASP.YES = Whether or not the patient is taking aspirin

DBT.NO = Whether or not the patient has diabetes

DBT.YES = Whether or not the patient has diabetes

HDL = High-density lipoprotein

LDL = Low-density lipoprotein

SBP = Systolic blood pressure

SCM = Stress cardiomyopathy

SMK.NO = Smoking — whether or not the patient is a smoker

SMK.YES = Smoking — whether or not the patient is a smoker

STT.NO = Statin — whether the patient is on a Statin

STT.YES = Statin — whether the patient is on a Statin

TCH = Total cholesterol

THY.NO = Thyroid

THY.YES = Thyroid

COMMENT: The values above are the cleaned and standardized values that populate the final clinical file. In the raw clinical file, values are a mixture of non-standardized values which may include diagnosis codes, values from test results, free-form text, and other unknown values.

[^ Back to TOC ^](#)

CREATE_DATE

LABEL: Date the Record was Created

DESCRIPTION: Date when the record was created.

SHORT NAME: CREATE_DATE

LONG NAME: CREATE_DATE

TYPE: DATE

LENGTH: 8

FILE(S): Demographic
Clinical (final and raw)
Visit

SOURCE: Million Hearts Data Registry

VALUES: Ex — 10/12/2018

COMMENT: Formatted as MMDDYY10 in SAS

[^ Back to TOC ^](#)

DEACTIVATION_DATE

LABEL: Date the Provider Left the Program

DESCRIPTION: Date the provider left the program.

SHORT NAME: DEACTIVATION_DATE

LONG NAME: DEACTIVATION_DATE

TYPE: DATE

LENGTH: 8

FILE(S): NPI

SOURCE: Million Hearts Data Registry

VALUES: Ex — 10/12/2018

COMMENT: Formatted as MMDDYY10 in SAS

[^ Back to TOC ^](#)

ELIGIBLE

LABEL:	Indication of Patient's Eligibility
DESCRIPTION:	Indication of patient's eligibility.
SHORT NAME:	ELIGIBLE
LONG NAME:	ELIGIBLE
TYPE:	CHAR
LENGTH:	1
FILE(S):	Alignment (final and EVAA cycle files)
SOURCE:	Million Hearts Data Registry
VALUES:	Y = Yes N = No Null/missing
COMMENT:	If ELIGIBLE variable value is “N” then the reason code for ineligibility is documented in the REASON_CODE.

[^ Back to TOC ^](#)

FILE_COUNT

LABEL:	Number of Files Submitted for the Practice
DESCRIPTION:	Number of files submitted to the Million Hearts Data Registry (MHDR) for the practice.
SHORT NAME:	FILE_COUNT
LONG NAME:	FILE_COUNT
TYPE:	CHAR
LENGTH:	10
FILE(S):	Practice
SOURCE:	Million Hearts Data Registry
VALUES:	0, 3
COMMENT:	Practices were to submit demographic/clinical data for patients to MHDR.

[^ Back to TOC ^](#)

FIRST_NAME

LABEL: Provider's First Name

DESCRIPTION: Provider's first name.

SHORT NAME: FIRST_NAME

LONG NAME: FIRST_NAME

TYPE: CHAR

LENGTH: 100

FILE(S): NPI

SOURCE: Million Hearts Data Registry

VALUES: —

COMMENT: —

[^ Back to TOC ^](#)

FOLLOWUP_ATTESTATION

LABEL:	Practitioner's Attestation to Follow-up
DESCRIPTION:	Practitioner's attestation to follow-up. This variable addresses the question, "Has the practitioner attested to follow-up?"
SHORT NAME:	FOLLOWUP_ATTESTATION
LONG NAME:	FOLLOWUP_ATTESTATION
TYPE:	CHAR
LENGTH:	1
FILE(S):	Visit
SOURCE:	Million Hearts Data Registry
VALUES:	Y = Yes N = No
COMMENT:	—

[^ Back to TOC ^](#)

GROUP_TYPE

LABEL: Practice Group Type

DESCRIPTION: Practice group type.

SHORT NAME: GROUP_TYPE

LONG NAME: GROUP_TYPE

TYPE: CHAR

LENGTH: 100

FILE(S): Practice

SOURCE: Million Hearts Data Registry

VALUES: CONTROL
INTERVENTION

COMMENT: —

[^ Back to TOC ^](#)

INSERT_DATE

LABEL:	Date the Record was Created
DESCRIPTION:	The date when the practice or provider record was created.
SHORT NAME:	INSERT_DATE
LONG NAME:	INSERT_DATE
TYPE:	DATE
LENGTH:	8
FILE(S):	Practice NPI
SOURCE:	Million Hearts Data Registry
VALUES:	Ex — 06/15/2018
COMMENT:	This field is in two files. Within the practice file, it is populated with the date the practice record was created; within the NPI file, it is the date the provider record was created.

[^ Back to TOC ^](#)

IS_ACTIVE

LABEL: Active Practice (Y) or Inactive Practice (N)

DESCRIPTION: Active practice or inactive practice.

SHORT NAME: IS_ACTIVE

LONG NAME: IS_ACTIVE

TYPE: CHAR

LENGTH: 1

FILE(S): Practice

SOURCE: Million Hearts Data Registry

VALUES: Y = Yes (active practice)
N = No (inactive practice)

COMMENT: —

[^ Back to TOC ^](#)

IS_BASELINE_COMPLETE

LABEL:	Indication of Completion of Beneficiary Record in the Registry (Y or N)
DESCRIPTION:	Indication of completion of beneficiary record in the registry (Y or N).
SHORT NAME:	IS_BASELINE_COMPLETE
LONG NAME:	IS_BASELINE_COMPLETE
TYPE:	CHAR
LENGTH:	1
FILE(S):	Alignment (final and EVAA cycle files)
SOURCE:	Million Hearts Data Registry
VALUES:	Y = Yes N = No
COMMENT:	—

[^ Back to TOC ^](#)

IS_MEDICARE_PARTB

LABEL: Identify if the Patient is Enrolled in Medicare Part B

DESCRIPTION: Identify if the patient is enrolled in Medicare Part B at the time of enrollment in the project.

SHORT NAME: IS_MEDICARE_PARTB

LONG NAME: IS_MEDICARE_PARTB

TYPE: CHAR

LENGTH: 1

FILE(S): Demographic

SOURCE: Million Hearts Data Registry

VALUES: Y = Yes
N = No

COMMENT: –

[^ Back to TOC ^](#)

LAST_MODIFIED_DATE

LABEL: Date the Patient Record was Modified

DESCRIPTION: Date the patient record was modified.

SHORT NAME: LAST_MODIFIED_DATE

LONG NAME: LAST_MODIFIED_DATE

TYPE: DATE

LENGTH: 8

FILE(S): Demographic
Visit
Alignment (final and EVAA cycle files)

SOURCE: Million Hearts Data Registry

VALUES: Ex — 06/15/2018

COMMENT: Formatted as MMDDYY10 in SAS

[^ Back to TOC ^](#)

LAST_NAME

LABEL: Provider's Last Name

DESCRIPTION: Provider's last name.

SHORT NAME: LAST_NAME

LONG NAME: LAST_NAME

TYPE: CHAR

LENGTH: 100

FILE(S): NPI

SOURCE: Million Hearts Data Registry

VALUES: —

COMMENT: —

[^ Back to TOC ^](#)

MODIFIER

LABEL: Any Modifiers for the Base Code

DESCRIPTION: Any modifiers for the base code.

SHORT NAME: MODIFIER

LONG NAME: MODIFIER

TYPE: CHAR

LENGTH: 10

FILE(S): Clinical (final and raw)

SOURCE: Million Hearts Data Registry

VALUES: —

COMMENT: This field is only populated in the Clinical_raw file (not the Clinical_final where it is always missing). In the raw clinical file, values are a mixture of non-standardized values which may include numbers, words, NULL, N/A, free-form text, and other unknown values.

[^ Back to TOC ^](#)

NPI

LABEL:	Provider's National Provider Identifier
DESCRIPTION:	Provider's National Provider Identifier (NPI).
SHORT NAME:	NPI
LONG NAME:	NPI
TYPE:	CHAR
LENGTH:	10
FILE(S):	Clinical (final and raw) Visit NPI
SOURCE:	Million Hearts Data Registry
VALUES:	—
COMMENT:	—

[^ Back to TOC ^](#)

NPIS

LABEL:	List of National Provider Identifiers in the Practice
DESCRIPTION:	List of National Provider Identifiers in the practice.
SHORT NAME:	NPIS
LONG NAME:	NPIS
TYPE:	CHAR
LENGTH:	4000
FILE(S):	Practice
SOURCE:	Million Hearts Data Registry
VALUES:	—
COMMENT:	List of one or more NPI separated by a comma.

[^ Back to TOC ^](#)

PATIENT_DOB

LABEL:	Patient's Date of Birth
DESCRIPTION:	Patient's date of birth (DOB).
SHORT NAME:	PATIENT_DOB
LONG NAME:	PATIENT_DOB
TYPE:	DATE
LENGTH:	8
FILE(S):	Demographic Alignment (final and EVAA cycle files)
SOURCE:	Million Hearts Data Registry
VALUES:	Ex — 04/22/1943
COMMENT:	Formatted as MMDDYY10 in SAS

[^ Back to TOC ^](#)

PATIENT_ETHNICITY

LABEL:	Patient's Ethnicity
DESCRIPTION:	Patient's ethnicity.
SHORT NAME:	PATIENT_ETHNICITY
LONG NAME:	PATIENT_ETHNICITY
TYPE:	CHAR
LENGTH:	6
FILE(S):	Demographic Alignment (final and EVAA cycle files)
SOURCE:	Million Hearts Data Registry
VALUES:	2135-2 = Hispanic or Latino 2186-5 = Not Hispanic or Latino NA, or Null/missing
COMMENT:	—

[^ Back to TOC ^](#)

PATIENT_SEX

LABEL:	Patient's Sex
DESCRIPTION:	Patient's sex.
SHORT NAME:	PATIENT_SEX
LONG NAME:	PATIENT_SEX
TYPE:	CHAR
LENGTH:	1
FILE(S):	Demographic Alignment (final and EVAA cycle files)
SOURCE:	Million Hearts Data Registry
VALUES:	M = male F = female Null/missing
COMMENT:	In 2025, this field was renamed to sex to comply with Executive Order 14168.

[^ Back to TOC ^](#)

PATIENT_RACE

LABEL:	Patient's Race
DESCRIPTION:	Patient's race.
SHORT NAME:	PATIENT_RACE
LONG NAME:	PATIENT_RACE
TYPE:	CHAR
LENGTH:	6
FILE(S):	Demographic Alignment (final and EVAA cycle files)
SOURCE:	Million Hearts Data Registry
VALUES:	1002-5 = American Indian or Alaska Native 2028-9 = Asian 2054-5 = Black or African American 2076-8 = Native Hawaiian or Other Pacific Islander 2106-3 = White 2131-1 = Other race Null/missing
COMMENT:	—

[^ Back to TOC ^](#)

PRACTICE_ID

LABEL:	Model-Assigned Practice ID
DESCRIPTION:	Model-assigned practice identifier (ID).
SHORT NAME:	PRACTICE_ID
LONG NAME:	PRACTICE_ID
TYPE:	CHAR
LENGTH:	9
FILE(S):	Clinical (final and raw) Visit Demographic Alignment (final and EVAA cycle files) Practice NPI
SOURCE:	Million Hearts Data Registry
VALUES:	Value formatted as: MH-xxxxxx Ex — MH-123456
COMMENT:	This number appears on every MH data file and only has meaning within the MH model. The corresponding name of the practice is a field called PRACTICE_NAME.

[^ Back to TOC ^](#)

PRACTICE_NAME

LABEL:	Name of Practice
DESCRIPTION:	Name of practice.
SHORT NAME:	PRACTICE_NAME
LONG NAME:	PRACTICE_NAME
TYPE:	CHAR
LENGTH:	100
FILE(S):	Clinical (final and raw) Visit Demographic Alignment (final and EVAA cycle files) Practice NPI
SOURCE:	Million Hearts Data Registry
VALUES:	—
COMMENT:	The corresponding practice Identification number (ID) is the field called PRACTICE_ID.

[^ Back to TOC ^](#)

REASON_CODE

LABEL: Reason Code(s) for Patient Status Change

DESCRIPTION: Reason code(s) for patient status change.

SHORT NAME: REASON_CODE

LONG NAME: REASON_CODE

TYPE: CHAR

LENGTH: 250

FILE(S): Alignment (final and EVAA cycle files)

SOURCE: Million Hearts Data Registry

VALUES: Ex — S014, SC017, SC018, SC019

Registry status	Status display in registry (patient grid)	Supporting codes (sub-codes)	Code definition
S001	Incomplete record	SC001	The temporarily not enrolled for cause beneficiary has now been accepted
S001	Incomplete record	SC002	The pending acceptance beneficiary is accepted, but data is not complete
S002	Released for validation	SC003	PO updated HICN for verify HICN action
S002	Released for validation	SC023	PO updated record for verify beneficiary action
S002	Released for validation	SC022	PO updated MBI for verify MBI action
S002	Released for validation	SC033	Beneficiary was lost to follow up
S002	Released for validation	SC034	PO updated records for dropped action
S002	Released for validation	SC036	PO updated visit for verify visit action
S003	Enrolled	SC004	The pending acceptance beneficiary was accepted and completed
S003	Enrolled	SC005	The temporarily not enrolled for cause beneficiary has now been accepted
S003	Enrolled	SC006	Beneficiary status changed to aligned
	Low/Med	SC015	The alignment record indicates that the Low- or Medium-risk patient is not aligned but eligible
S004	Pending acceptance	SC013	The beneficiary is pending acceptance
S005	Not aligned	SC014	Beneficiary status changed to not aligned
S006	Verify HICN	SC017	Verify HICN
S007	Ineligible	SC026	Exclusion: The beneficiary is not enrolled in Medicare Fee for Service Parts A and B
S007	Ineligible	SC027	Exclusion: The beneficiary is not age 40–79 at time of enrollment
S007	Ineligible	SC028	Exclusion: The beneficiary is enrolled in the hospice benefit
S007	Ineligible	SC029	Exclusion: The beneficiary is enrolled in Medicare Advantage
S007	Ineligible	SC030	Exclusion: Medicare is not a primary payer
S008	Permanently ineligible	SC025	Exclusion: The beneficiary is not alive
S008	Permanently ineligible	SC031	Exclusion: The beneficiary has end-stage renal disease

Registry status	Status display in registry (patient grid)	Supporting codes (sub-codes)	Code definition
S008	Permanently ineligible	SC032	Exclusion: The beneficiary has a previous heart attack or stroke
S009	Permanent: Not enrolled for cause	SC007	Significant comorbidities with a limited life expectancy of less than two years
S009	Permanent: Not enrolled for cause	SC008	Unstable angina
S009	Permanent: Not enrolled for cause	SC009	Class IV heart failure
S009	Permanent: Not enrolled for cause	SC010	Peripheral vascular disease
S009	Permanent: Not enrolled for cause	SC011	Prior heart attack or stroke
S010	Temporary: Not enrolled for cause	SC012	One-time encounter/Will not return for follow up
S010	Temporary: Not enrolled for cause	SC013	Beneficiary declines to participate in the model
S010	Unavailable cholesterol	SC016	Cholesterol not available or out of range
S011	Lost to follow-up		Enrolled beneficiary lost to follow-up
S012	Dropped		Low/Medium beneficiary lost to follow-up

COMMENT: Provides reason code(s) for patient status change, and if ELIGIBLE variable value is “N” provides the reason code for ineligibility; multiple codes are separated by commas. Codes that begin with “S” are status codes, those that begin with “SC” are supporting codes or subcodes.

[^ Back to TOC ^](#)

RISK_SCORE

LABEL: Calculated ASCVD Risk Score

DESCRIPTION: Calculated atherosclerotic cardiovascular disease (ASCVD) risk score.

SHORT NAME: RISK_SCORE

LONG NAME: RISK_SCORE

TYPE: CHAR

LENGTH: 10

FILE(S): Visit

SOURCE: Million Hearts Data Registry

VALUES: Ex — 21.7

COMMENT: This field is the ACC risk score calculated from information during the visit. The higher the score, the greater the ASCVD risk. If the visit is after the baseline visit, then the RISK_SCORE includes the value for that visit. Otherwise, at baseline, the two risk score fields match (i.e., BASELINE_SCORE equals RISK_SCORE).

[^ Back to TOC ^](#)

STATE

LABEL: Practice's State (postal abbreviation)

DESCRIPTION: Practice's state (postal abbreviation).

SHORT NAME: STATE

LONG NAME: STATE

TYPE: CHAR

LENGTH: 2

FILE(S): Practice

SOURCE: Million Hearts Data Registry

VALUES: Two-character postal state code

AK = Alaska

AL = Alabama

AR = Arkansas

AZ = Arizona

CA = California

CO = Colorado

CT = Connecticut

DC = District of Columbia

DE = Delaware

FL = Florida

GA = Georgia

HI = Hawaii

IA = Iowa

ID = Idaho

IL = Illinois

IN = Indiana

KS = Kansas

KY = Kentucky

LA = Louisiana

MA = Massachusetts

MD = Maryland

ME = Maine

MI = Michigan

MN = Minnesota

MO = Missouri

MS = Mississippi

MT = Montana

NC = North Carolina

ND = North Dakota

NE = Nebraska

NH = New Hampshire

NJ = New Jersey

NM = New Mexico

NV = Nevada

NY = New York

OH = Ohio

OK = Oklahoma

OR = Oregon

PA = Pennsylvania

PR = Puerto Rico

RI = Rhode Island

SC = South Carolina

TN = Tennessee

TX = Texas

UT = Utah

VA = Virginia

WA = Washington

WI = Wisconsin

WV = West Virginia

WY = Wyoming

COMMENT: This field is the state where billing TIN is located.

[^ Back to TOC ^](#)

TIN

LABEL: Practice's Taxpayer Identification Number

DESCRIPTION: Practice's federal Taxpayer Identification Number (TIN).

SHORT NAME: TIN

LONG NAME: TIN

TYPE: CHAR

LENGTH: 9

FILE(S): Clinical (final and raw)
Visit
Demographic
Alignment (final and EVAA cycle files)
NPI

SOURCE: Million Hearts Data Registry

VALUES: —

COMMENT: If attempting to join to Medicare carrier claims files in the CCW, the provider Tax ID field is called TAX_NUM.

[^ Back to TOC ^](#)

TINS

LABEL:	List of Taxpayer Identification Numbers for the Practice
DESCRIPTION:	List of federal Taxpayer Identification Numbers (TINs) for the practice.
SHORT NAME:	TINS
LONG NAME:	TINS
TYPE:	CHAR
LENGTH:	4000
FILE(S):	Practice
SOURCE:	Million Hearts Data Registry
VALUES:	—
COMMENT:	This field is a list of one or more TINs for the practice, separated by a comma.

[^ Back to TOC ^](#)

UNIQUE_PATIENT_ID

LABEL:	Unique Model-Assigned Patient ID
DESCRIPTION:	Unique patient ID assigned for the Million Hearts model.
SHORT NAME:	UNIQUE_PATIENT_ID
LONG NAME:	UNIQUE_PATIENT_ID
TYPE:	CHAR
LENGTH:	36
FILE(S):	Clinical (final and raw) Visit Demographic Alignment (final and EVAA cycle files)
SOURCE:	Million Hearts Data Registry
VALUES:	Value formatted as: #####-####-####-####-##### Ex — A1B2C3D4-E5F6-G7H8-IJKLM9012345
COMMENT:	This identifier has meaning only within the CCW MHM data files; not linkable to any other data set. Within CCW you may use the BENE_ID to join to other Medicare data files (outside the MHM data product).

[^ Back to TOC ^](#)

UNITS

LABEL:	Unit for the Value Provided for Certain Service Attributes
DESCRIPTION:	Unit for the value provided for certain service attributes.
SHORT NAME:	UNITS
LONG NAME:	UNITS
TYPE:	CHAR
LENGTH:	10
FILE(S):	Clinical (final and raw)
SOURCE:	Million Hearts Data Registry
VALUES:	Ex — %, ##, -##.#, MG/DL, NULL, MM HG, missing
COMMENT:	This field is only populated in the Clinical_raw file (not the Clinical_final where it is always missing). In the raw clinical file, values are a mixture of non-standardized values which may include values from test results, dosages of medications, free-form text, and other unknown values.

[^ Back to TOC ^](#)

UPDATE_DATE

LABEL: Date the Record was Modified

DESCRIPTION: The date when the practice or NPI record was modified.

SHORT NAME: UPDATE_DATE

LONG NAME: UPDATE_DATE

TYPE: DATE

LENGTH: 8

FILE(S): Practice
NPI

SOURCE: Million Hearts Data Registry

VALUES: Ex — 07/17/2019

COMMENT: Formatted as MMDDYY10 in SAS. This field is in two files. Within the practice file it is populated with the date the practice record was updated; within the NPI file it is the date the provider record was updated.

[^ Back to TOC ^](#)

VALUE

LABEL: Value Provided for Certain Service Attributes

DESCRIPTION: Value provided for certain service attributes.

SHORT NAME: VALUE

LONG NAME: VALUE

TYPE: CHAR

LENGTH: 250

FILE(S): Clinical (final and raw)

SOURCE: Million Hearts Data Registry

VALUES: Ex — 114, 2, 684, 999, %, (12-27), 7.4 TH/UL, NORMAL, or null/missing

COMMENT: The values in the Clinical_final file have been cleaned and standardized and include missing values. In the raw clinical file, values are a mixture of non-standardized values which may include values from test results, ranges of values, symbols such as % or +, as well as free-form text, and other unknown values.

The information in the VALUE field is associated with CODE value in the Clinical_final file.

[^ Back to TOC ^](#)

VISIT_DATE

LABEL: Patient Visit Date

DESCRIPTION: The patient visit date.

SHORT NAME: VISIT_DATE

LONG NAME: VISIT_DATE

TYPE: DATE

LENGTH: 8

FILE(S): Visit

SOURCE: Million Hearts Data Registry

VALUES: Ex — 04/127/2018

COMMENT: Formatted as MMDDYY10 in SAS.

[^ Back to TOC ^](#)

ZIP_CODE

LABEL:	Practice's Zip Code
DESCRIPTION:	Practice's zip code.
SHORT NAME:	ZIP_CODE
LONG NAME:	ZIP_CODE
TYPE:	CHAR
LENGTH:	20
FILE(S):	Practice
SOURCE:	Million Hearts Data Registry
VALUES:	—
COMMENT:	This field is the zip code where billing TIN is located.

[^ Back to TOC ^](#)