


Oracle HR Schema JOIN Practice Task

-1. Employee ID, full name, and department name

```
SELECT E.EMPLOYEE_ID,  
  
       E.FIRST_NAME || ' ' || E.LAST_NAME AS FULL_NAME,  
  
       D.DEPARTMENT_NAME FROM EMPLOYEES E JOIN DEPARTMENTS D  
  
       ON E.DEPARTMENT_ID = D.DEPARTMENT_ID;
```




The screenshot shows a SQL query in the editor and its results in the 'Query Result' window. The query selects employee IDs, full names (first and last names concatenated with a space), and department names from the EMPLOYEES and DEPARTMENTS tables, joined on department ID. The results window shows 106 rows fetched in 0.134 seconds. The table has three columns: EMPLOYEE_ID, FULL_NAME, and DEPARTMENT_NAME.

EMPLOYEE_ID	FULL_NAME	DEPARTMENT_NAME
1	200 Jennifer Whalen	Administration
2	201 Michael Hartstein	Marketing
3	202 Pat Fay	Marketing
4	114 Den Raphaely	Purchasing
5	115 Alexander Khoo	Purchasing
6	116 Shelli Baida	Purchasing
7	117 Sigal Tobias	Purchasing
8	118 Guy Himuro	Purchasing
9	119 Karen Colmenares	Purchasing
10	203 Susan Mavris	Human Resources
11	120 Matthew Weiss	Shipping
12	121 Adam Fripp	Shipping
13	122 Payam Kaufling	Shipping
14	123 Shanta Halverson	Shipping

2. Employee full name, job title, and salary

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS FULL_NAME,  
  
       J.JOB_TITLE, E.SALARY FROM EMPLOYEES E JOIN JOBS J  
  
       ON E.JOB_ID = J.JOB_ID;
```




The screenshot shows a SQL query in the editor and its results in the 'Query Result' window. The query selects employee full names, job titles, and salaries from the EMPLOYEES and JOBS tables, joined on job ID. The results window shows 50 rows fetched in 0.052 seconds. The table has three columns: FULL_NAME, JOB_TITLE, and SALARY.

FULL_NAME	JOB_TITLE	SALARY
1 William Gietz	Public Accountant	8300
2 Shelley Higgins	Accounting Manager	12008
3 Jennifer Whalen	Administration Assistant	4400
4 Steven King	President	24000
5 Lex De Haan	Administration Vice President	17000
6 Neena Kochhar	Administration Vice President	17000
7 John Chen	Accountant	8200
8 Daniel Faviert	Accountant	9000
9 Luis Popp	Accountant	6900
10 Ismael Sciarra	Accountant	7700
11 Jose Manuel Urman	Accountant	7800
12 Nancy Greenberg	Finance Manager	12008
13 Susan Mavris	Human Resources Representative	6500

3. Employee, department, and department city

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS FULL_NAME,  
       D.DEPARTMENT_NAME, L.CITY FROM EMPLOYEES E JOIN DEPARTMENTS D  
       ON E.DEPARTMENT_ID = D.DEPARTMENT_ID JOIN LOCATIONS L  
       ON D.LOCATION_ID = L.LOCATION_ID;
```



The screenshot shows a SQL query window with the following query:


```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS FULL_NAME,  
       D.DEPARTMENT_NAME, L.CITY FROM EMPLOYEES E JOIN DEPARTMENTS D  
       ON E.DEPARTMENT_ID = D.DEPARTMENT_ID JOIN LOCATIONS L  
       ON D.LOCATION_ID = L.LOCATION_ID;
```

The query result is displayed in a table with 50 rows. The first 14 rows are visible:

	FULL_NAME	DEPARTMENT_NAME	CITY
1	Ellen Abel	Sales	Oxford
2	Sundar Ande	Sales	Oxford
3	Mozhe Atkinson	Shipping	South San Francisco
4	David Austin	IT	Southlake
5	Hermann Baer	Public Relations	Munich
6	Shelli Baida	Purchasing	Seattle
7	Amit Banda	Sales	Oxford
8	Elizabeth Bates	Sales	Oxford
9	Sarah Bell	Shipping	South San Francisco
10	David Bernstein	Sales	Oxford
11	Laura Bissot	Shipping	South San Francisco
12	Harrison Bloom	Sales	Oxford
13	Alexis Bull	Shipping	South San Francisco
14	Barbara Chilton	Shipping	South San Francisco

4. Employee, department, country, and region

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS FULL_NAME,  
       D.DEPARTMENT_NAME, C.COUNTRY_NAME, R.REGION_NAME  
FROM EMPLOYEES E JOIN DEPARTMENTS D ON E.DEPARTMENT_ID =  
D.DEPARTMENT_ID  
JOIN LOCATIONS L ON D.LOCATION_ID = L.LOCATION_ID JOIN COUNTRIES C  
ON L.COUNTRY_ID = C.COUNTRY_ID JOIN REGIONS R ON C.REGION_ID =  
R.REGION_ID;
```



The screenshot shows a SQL query window with the following query:


```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS FULL_NAME, D.DEPARTMENT_NAME, C.COUNTRY_NAME, R.REGION_NAME  
FROM EMPLOYEES E JOIN DEPARTMENTS D ON E.DEPARTMENT_ID = D.DEPARTMENT_ID  
JOIN LOCATIONS L ON D.LOCATION_ID = L.LOCATION_ID JOIN COUNTRIES C  
ON L.COUNTRY_ID = C.COUNTRY_ID JOIN REGIONS R ON C.REGION_ID = R.REGION_ID;
```

The query result is displayed in a table with 50 rows. The first 14 rows are visible:

	FULL_NAME	DEPARTMENT_NAME	COUNTRY_NAME	REGION_NAME
1	Ellen Abel	Sales	United Kingdom	Europe
2	Sundar Ande	Sales	United Kingdom	Europe
3	Mozhe Atkinson	Shipping	United States of America	Americas
4	David Austin	IT	United States of America	Americas
5	Hermann Baer	Public Relations	Germany	Europe
6	Shelli Baida	Purchasing	United States of America	Americas
7	Amit Banda	Sales	United Kingdom	Europe
8	Elizabeth Bates	Sales	United Kingdom	Europe
9	Sarah Bell	Shipping	United States of America	Americas
10	David Bernstein	Sales	United Kingdom	Europe
11	Laura Bissot	Shipping	United States of America	Americas
12	Harrison Bloom	Sales	United Kingdom	Europe
13	Alexis Bull	Shipping	United States of America	Americas
14	Barbara Chilton	Shipping	United States of America	Americas

5. Complete employee list including employees without departments

```
SELECT E.EMPLOYEE_ID,  
  
       E.FIRST_NAME || ' ' || E.LAST_NAME AS FULL_NAME,  
  
       D.DEPARTMENT_NAME FROM EMPLOYEES E LEFT JOIN DEPARTMENTS D ON  
E.DEPARTMENT_ID = D.DEPARTMENT_ID;
```




```
SELECT E.EMPLOYEE_ID,  
       E.FIRST_NAME || ' ' || E.LAST_NAME AS FULL_NAME,  
       D.DEPARTMENT_NAME FROM EMPLOYEES E LEFT JOIN DEPARTMENTS D ON  
E.DEPARTMENT_ID = D.DEPARTMENT_ID;
```

EMPLOYEE_ID	FULL_NAME	DEPARTMENT_NAME
200	Jennifer Whalen	Administration
201	Michael Hartstein	Marketing
202	Pat Fay	Marketing
114	Den Raphaely	Purchasing
115	Alexander Khoo	Purchasing
116	Shelli Baida	Purchasing
117	Sigal Tobias	Purchasing
118	Guy Himuro	Purchasing
119	Karen Colmenares	Purchasing
203	Susan Mavris	Human Resources
120	Matthew Weiss	Shipping
121	Adam Fripp	Shipping
122	Payam Kaufling	Shipping

6. Complete department list including departments without employees

```
SELECT D.DEPARTMENT_ID, D.DEPARTMENT_NAME, E.FIRST_NAME || ' ' ||  
E.LAST_NAME AS EMPLOYEE_NAME  
  
FROM DEPARTMENTS D LEFT JOIN EMPLOYEES E ON D.DEPARTMENT_ID =  
E.DEPARTMENT_ID;
```




```
SELECT D.DEPARTMENT_ID, D.DEPARTMENT_NAME, E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME  
FROM DEPARTMENTS D LEFT JOIN EMPLOYEES E ON D.DEPARTMENT_ID = E.DEPARTMENT_ID;
```

DEPARTMENT_ID	DEPARTMENT_NAME	EMPLOYEE_NAME
10	Administration	Jennifer Whalen
20	Marketing	Pat Fay
20	Marketing	Michael Hartstein
30	Purchasing	Sigal Tobias
30	Purchasing	Karen Colmenares
30	Purchasing	Shelli Baida
30	Purchasing	Den Raphaely
30	Purchasing	Alexander Khoo
30	Purchasing	Guy Himuro
40	Human Resources	Susan Mavris
50	Shipping	Kevin Feeney
50	Shipping	Jean Fleaur
50	Shipping	Adam Fripp

7. Departments that currently have no employees assigned

```
SELECT D.DEPARTMENT_ID, D.DEPARTMENT_NAME
FROM DEPARTMENTS D LEFT JOIN EMPLOYEES E
ON D.DEPARTMENT_ID = E.DEPARTMENT_ID
WHERE E.EMPLOYEE_ID IS NULL;
```



The screenshot shows a SQL query window with the following query:


```
SELECT D.DEPARTMENT_ID, D.DEPARTMENT_NAME
FROM DEPARTMENTS D LEFT JOIN EMPLOYEES E
ON D.DEPARTMENT_ID = E.DEPARTMENT_ID
WHERE E.EMPLOYEE_ID IS NULL;
```

Below the query, the 'Query Result' window displays the results. It indicates 'All Rows Fetched: 16 in 0.01 seconds'. The results are shown in a table with two columns: DEPARTMENT_ID and DEPARTMENT_NAME.

DEPARTMENT_ID	DEPARTMENT_NAME
1	120 Treasury
2	130 Corporate Tax
3	140 Control And Credit
4	150 Shareholder Services
5	160 Benefits
6	170 Manufacturing
7	180 Construction
8	190 Contracting
9	200 Operations
10	210 IT Support
11	220 NOC
12	230 IT Helpdesk
13	240 Government Sales
14	250 Government Sales

8. Employee name and direct manager name

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,
       M.FIRST_NAME || ' ' || M.LAST_NAME AS MANAGER_NAME
FROM EMPLOYEES E LEFT JOIN EMPLOYEES M ON E.MANAGER_ID =
M.EMPLOYEE_ID;
```



The screenshot shows a SQL query window with the following query:

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,
       M.FIRST_NAME || ' ' || M.LAST_NAME AS MANAGER_NAME
FROM EMPLOYEES E LEFT JOIN EMPLOYEES M ON E.MANAGER_ID =
M.EMPLOYEE_ID;
```

Below the query, the 'Query Result' window displays the results. It indicates 'Fetched 50 rows in 0.072 seconds'. The results are shown in a table with two columns: EMPLOYEE_NAME and MANAGER_NAME.

EMPLOYEE_NAME	MANAGER_NAME
1 Neena Kochhar	Steven King
2 Lex De Haan	Steven King
3 Den Raphaely	Steven King
4 Matthew Weiss	Steven King
5 Adam Fripp	Steven King
6 Payam Kaufling	Steven King
7 Shanta Vollman	Steven King
8 Kevin Mourgos	Steven King
9 John Russell	Steven King
10 Karen Partners	Steven King
11 Alberto Errazuriz	Steven King
12 Gerald Cambrault	Steven King
13 Eleni Zlotkey	Steven King

9. Employees without managers

```
SELECT E.EMPLOYEE_ID, E.FIRST_NAME || ' ' || E.LAST_NAME AS  
EMPLOYEE_NAME,
```

```
'Top level employee, no direct manager' AS EXPLANATION FROM EMPLOYEES  
E WHERE E.MANAGER_ID IS NULL;
```

The screenshot shows a SQL query window with the following query:

```
SELECT E.EMPLOYEE_ID, E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,  
      'Top level employee, no direct manager' AS EXPLANATION FROM EMPLOYEES E WHERE E.MANAGER_ID IS NULL;
```

Below the query, the 'Query Result' tab is active, showing 'All Rows Fetched: 1 in 0.007 seconds'. The result is displayed in a table with three columns: EMPLOYEE_ID, EMPLOYEE_NAME, and EXPLANATION.

EMPLOYEE_ID	EMPLOYEE_NAME	EXPLANATION
1	100 Steven King	Top level employee, no direct manager

10. Employees earning more than their managers

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,  
  
E.SALARY AS EMPLOYEE_SALARY, M.FIRST_NAME || ' ' || M.LAST_NAME AS  
MANAGER_NAME, M.SALARY AS MANAGER_SALARY  
  
FROM EMPLOYEES E JOIN EMPLOYEES M ON E.MANAGER_ID = M.EMPLOYEE_ID  
  
WHERE E.SALARY > M.SALARY;
```

The screenshot shows a SQL query window with the following query:


```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,  
      E.SALARY AS EMPLOYEE_SALARY, M.FIRST_NAME || ' ' || M.LAST_NAME AS MANAGER_NAME, M.SALARY AS MANAGER_SALARY  
FROM EMPLOYEES E JOIN EMPLOYEES M ON E.MANAGER_ID = M.EMPLOYEE_ID  
WHERE E.SALARY > M.SALARY;
```

Below the query, the 'Query Result' tab is active, showing 'All Rows Fetched: 2 in 0.008 seconds'. The result is displayed in a table with four columns: EMPLOYEE_NAME, EMPLOYEE_SALARY, MANAGER_NAME, and MANAGER_SALARY.

	EMPLOYEE_NAME	EMPLOYEE_SALARY	MANAGER_NAME	MANAGER_SALARY
1	Lisa Ozer	11500	Gerald Cambrault	11000
2	Ellen Abel	11000	Eleni Zlotkey	10500

11. Departments where the department manager works within the same department

```
SELECT D.DEPARTMENT_NAME,  
E.FIRST_NAME || ' ' || E.LAST_NAME AS MANAGER_NAME  
FROM DEPARTMENTS D JOIN EMPLOYEES E  
ON D.MANAGER_ID = E.EMPLOYEE_ID  
WHERE D.DEPARTMENT_ID = E.DEPARTMENT_ID;
```



```
SELECT D.DEPARTMENT_NAME,  
E.FIRST_NAME || ' ' || E.LAST_NAME AS MANAGER_NAME  
FROM DEPARTMENTS D JOIN EMPLOYEES E  
ON D.MANAGER_ID = E.EMPLOYEE_ID  
WHERE D.DEPARTMENT_ID = E.DEPARTMENT_ID;
```


Query Result x

SQL | All Rows Fetched: 11 in 0.068 seconds

	DEPARTMENT_NAME	MANAGER_NAME
1	Executive	Steven King
2	IT	Alexander Hunold
3	Finance	Nancy Greenberg
4	Purchasing	Den Raphaely
5	Shipping	Adam Fripp
6	Sales	John Russell
7	Administration	Jennifer Whalen
8	Marketing	Michael Hartstein
9	Human Resources	Susan Mavris
10	Public Relations	Hermann Baer
11	Accounting	Shelley Higgins

12. Employee, job title, department, city, and country

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,  
J.JOB_TITLE,D.DEPARTMENT_NAME,L.CITY,  
C.COUNTRY_NAME FROM EMPLOYEES E  
JOIN JOBS J ON E.JOB_ID = J.JOB_ID  
JOIN DEPARTMENTS D ON E.DEPARTMENT_ID = D.DEPARTMENT_ID  
JOIN LOCATIONS L ON D.LOCATION_ID = L.LOCATION_ID  
JOIN COUNTRIES C ON L.COUNTRY_ID = C.COUNTRY_ID;
```



```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,  
J.JOB_TITLE,D.DEPARTMENT_NAME,L.CITY,  
C.COUNTRY_NAME FROM EMPLOYEES E  
JOIN JOBS J ON E.JOB_ID = J.JOB_ID  
JOIN DEPARTMENTS D ON E.DEPARTMENT_ID = D.DEPARTMENT_ID  
JOIN LOCATIONS L ON D.LOCATION_ID = L.LOCATION_ID  
JOIN COUNTRIES C ON L.COUNTRY_ID = C.COUNTRY_ID;
```

	EMPLOYEE_NAME	JOB_TITLE	DEPARTMENT_NAME	CITY	COUNTRY_NAME
1	Steven King	President	Executive	Seattle	United States of America
2	Neena Kochhar	Administration Vice President	Executive	Seattle	United States of America
3	Lex De Haan	Administration Vice President	Executive	Seattle	United States of America
4	Alexander Hunold	Programmer	IT	Southlake	United States of America
5	Bruce Ernst	Programmer	IT	Southlake	United States of America
6	David Austin	Programmer	IT	Southlake	United States of America
7	Valli Pataballa	Programmer	IT	Southlake	United States of America
8	Diana Lorentz	Programmer	IT	Southlake	United States of America
9	Nancy Greenberg	Finance Manager	Finance	Seattle	United States of America
10	Daniel Faviet	Accountant	Finance	Seattle	United States of America
11	John Chen	Accountant	Finance	Seattle	United States of America
12	Ismael Sciarra	Accountant	Finance	Seattle	United States of America
13	Jose Manuel Urman	Accountant	Finance	Seattle	United States of America


13. Department, manager, city, and country including departments without managers

```
SELECT D.DEPARTMENT_NAME,
       E.FIRST_NAME || ' ' || E.LAST_NAME AS MANAGER_NAME, L.CITY,
       C.COUNTRY_NAME FROM DEPARTMENTS D LEFT JOIN EMPLOYEES E
       ON D.MANAGER_ID = E.EMPLOYEE_ID JOIN LOCATIONS L
       ON D.LOCATION_ID = L.LOCATION_ID JOIN COUNTRIES C
       ON L.COUNTRY_ID = C.COUNTRY_ID;
```

<pre>SELECT D.DEPARTMENT_NAME, E.FIRST_NAME ' ' E.LAST_NAME AS MANAGER_NAME, L.CITY, C.COUNTRY_NAME FROM DEPARTMENTS D LEFT JOIN EMPLOYEES E ON D.MANAGER_ID = E.EMPLOYEE_ID JOIN LOCATIONS L ON D.LOCATION_ID = L.LOCATION_ID JOIN COUNTRIES C ON L.COUNTRY_ID = C.COUNTRY_ID;</pre>			
Query Result x			
All Rows Fetched: 27 in 0.012 seconds			
DEPARTMENT_NAME	MANAGER_NAME	CITY	COUNTRY_NAME
1 Executive	Steven King	Seattle	United States of America
2 IT	Alexander Hunold	Southlake	United States of America
3 Finance	Nancy Greenberg	Seattle	United States of America
4 Purchasing	Den Raphaely	Seattle	United States of America
5 Shipping	Adam Fripp	South San Francisco	United States of America
6 Sales	John Russell	Oxford	United Kingdom
7 Administration	Jennifer Whalen	Seattle	United States of America
8 Marketing	Michael Hartstein	Toronto	Canada
9 Human Resources	Susan Mavris	London	United Kingdom
10 Public Relations	Hermann Baer	Munich	Germany
11 Accounting	Shelley Higgins	Seattle	United States of America
12 Control And Credit		Seattle	United States of America
13 Recruiting		Seattle	United States of America

14. Employees working in the same department as their manager

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,  
M.FIRST_NAME || ' ' || M.LAST_NAME AS MANAGER_NAME,  
  
E.DEPARTMENT_ID FROM EMPLOYEES E JOIN EMPLOYEES M ON  
E.MANAGER_ID = M.EMPLOYEE_ID WHERE E.DEPARTMENT_ID =  
M.DEPARTMENT_ID;
```



The screenshot shows a SQL query window with the following query:


```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME, M.FIRST_NAME || ' ' || M.LAST_NAME AS MANAGER_NAME,  
E.DEPARTMENT_ID FROM EMPLOYEES E JOIN EMPLOYEES M ON E.MANAGER_ID = M.EMPLOYEE_ID WHERE E.DEPARTMENT_ID = M.DEPARTMENT_ID;
```

The query result shows 13 rows. The columns are EMPLOYEE_NAME, MANAGER_NAME, and DEPARTMENT_ID.

EMPLOYEE_NAME	MANAGER_NAME	DEPARTMENT_ID
1 Neena Kochhar	Steven King	90
2 Lex De Haan	Steven King	90
3 Bruce Ernst	Alexander Hunold	60
4 David Austin	Alexander Hunold	60
5 Valli Pataballa	Alexander Hunold	60
6 Diana Lorentz	Alexander Hunold	60
7 Daniel Faviet	Nancy Greenberg	100
8 John Chen	Nancy Greenberg	100
9 Ismael Sciarra	Nancy Greenberg	100
10 Jose Manuel Urman	Nancy Greenberg	100
11 Luis Popp	Nancy Greenberg	100
12 Alexander Khoo	Den Raphaely	30
13 Shelli Baida	Den Raphaely	30

15. Employees whose managers work in different departments

```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME,  
E.DEPARTMENT_ID AS EMPLOYEE_DEPARTMENT,  
  
M.FIRST_NAME || ' ' || M.LAST_NAME AS MANAGER_NAME,  
M.DEPARTMENT_ID AS MANAGER_DEPARTMENT  
  
FROM EMPLOYEES E JOIN EMPLOYEES M ON E.MANAGER_ID =  
M.EMPLOYEE_ID WHERE E.DEPARTMENT_ID <> M.DEPARTMENT_ID;
```



The screenshot shows a SQL query window with the following query:


```
SELECT E.FIRST_NAME || ' ' || E.LAST_NAME AS EMPLOYEE_NAME, E.DEPARTMENT_ID AS EMPLOYEE_DEPARTMENT,  
M.FIRST_NAME || ' ' || M.LAST_NAME AS MANAGER_NAME, M.DEPARTMENT_ID AS MANAGER_DEPARTMENT  
FROM EMPLOYEES E JOIN EMPLOYEES M ON E.MANAGER_ID = M.EMPLOYEE_ID WHERE E.DEPARTMENT_ID <> M.DEPARTMENT_ID;
```

The query result shows 13 rows. The columns are EMPLOYEE_NAME, EMPLOYEE_DEPARTMENT, MANAGER_NAME, and MANAGER_DEPARTMENT.

EMPLOYEE_NAME	EMPLOYEE_DEPARTMENT	MANAGER_NAME	MANAGER_DEPARTMENT
1 Den Raphaely	30	Steven King	90
2 Matthew Weiss	50	Steven King	90
3 Adam Fripp	50	Steven King	90
4 Payam Kaufling	50	Steven King	90
5 Shanta Vollman	50	Steven King	90
6 Kevin Mourgos	50	Steven King	90
7 John Russell	80	Steven King	90
8 Karen Partners	80	Steven King	90
9 Alberto Errazuriz	80	Steven King	90
10 Gerald Cambrault	80	Steven King	90
11 Eleni Zlotkey	80	Steven King	90
12 Michael Hartstein	20	Steven King	90
13 Nancy Greenberg	100	Neena Kochhar	90

16. Distinct countries containing company departments

```
SELECT DISTINCT C.COUNTRY_NAME FROM DEPARTMENTS D  
JOIN LOCATIONS L ON D.LOCATION_ID = L.LOCATION_ID  
JOIN COUNTRIES C ON L.COUNTRY_ID = C.COUNTRY_ID;
```



The screenshot shows a SQL query execution window. The query is highlighted in yellow. Below the query, the results are displayed in a table with the column header 'COUNTRY_NAME'. The results are listed as follows:

	COUNTRY_NAME
1	Germany
2	United States of America
3	Canada
4	United Kingdom