

8 Stored Procedures & Functions

TASK 1 : PROCEDURE - ADD NEW EMPLOYEE

```
CREATE OR REPLACE PROCEDURE SP_ADD_EMPLOYEE(P_FNAME EMPLOYEE.FNAME%TYPE,P_LNAME
EMPLOYEE.LNAME%TYPE,P_GENDER EMPLOYEE.GENDER%TYPE,

P_AGE EMPLOYEE.AGE%TYPE,P_CONTACT_ADD EMPLOYEE.CONTACT_ADD%TYPE,P_EMP_EMAIL
EMPLOYEE.EMP_EMAIL%TYPE,P_EMP_PASS EMPLOYEE.EMP_PASS%TYPE,

P_JOB_ID EMPLOYEE.JOB_ID%TYPE) AS V_COUNT NUMBER; BEGIN

SELECT COUNT(*) INTO V_COUNT FROM EMPLOYEE WHERE EMP_EMAIL = P_EMP_EMAIL;


IF V_COUNT > 0 THEN RAISE_APPLICATION_ERROR(-20001,'Email already exists');

END IF;

INSERT INTO EMPLOYEE VALUES(
EMP_SEQ.NEXTVAL,P_FNAME,P_LNAME,P_GENDER,P_AGE,P_CONTACT_ADD,P_EMP_EMAIL,P_EMP_PASS
,P_JOB_ID);

DBMS_OUTPUT.PUT_LINE('Employee Added Successfully');

END;
```



The screenshot shows the SQL Developer interface with a script editor containing the PL/SQL code for creating the SP_ADD_EMPLOYEE procedure. The code is as follows:

```
CREATE OR REPLACE PROCEDURE SP_ADD_EMPLOYEE(P_FNAME EMPLOYEE.FNAME%TYPE,P_LNAME EMPLOYEE.LNAME%TYPE,P_GENDER EMPLOYEE.GENDER%TYPE,
P_AGE EMPLOYEE.AGE%TYPE,P_CONTACT_ADD EMPLOYEE.CONTACT_ADD%TYPE,P_EMP_EMAIL EMPLOYEE.EMP_EMAIL%TYPE,P_EMP_PASS EMPLOYEE.EMP_PASS%TYPE,
P_JOB_ID EMPLOYEE.JOB_ID%TYPE)
AS
V_COUNT NUMBER;
BEGIN
SELECT COUNT(*) INTO V_COUNT FROM EMPLOYEE WHERE EMP_EMAIL = P_EMP_EMAIL;
IF V_COUNT > 0 THEN
RAISE_APPLICATION_ERROR(-20001,'Email already exists');
END IF;
INSERT INTO EMPLOYEE VALUES( EMP_SEQ.NEXTVAL,P_FNAME,P_LNAME,P_GENDER,P_AGE,P_CONTACT_ADD,P_EMP_EMAIL,P_EMP_PASS,P_JOB_ID );
DBMS_OUTPUT.PUT_LINE('Employee Added Successfully');
END;
```


Below the script editor, the 'Script Output' window shows the message: 'Task completed in 0.794 seconds' and 'Procedure SP_ADD_EMPLOYEE compiled'.

Test 1

BEGIN

```
SP_ADD_EMPLOYEE('Test','User','M',25,'Muscat','test@ems.com','123', 1);
```

END;



The screenshot shows the SQL Developer interface with a script editor containing the following PL/SQL code:

```
BEGIN
SP_ADD_EMPLOYEE('Test','User','M',25,'Muscat','test@ems.com','123', 1);
END;
```

Below the script editor, the 'Script Output' window shows the message: 'Task completed in 0.087 seconds' and 'Procedure SP_ADD_EMPLOYEE compiled'. At the bottom, it states: 'PL/SQL procedure successfully completed.'


Test 2 (same email)

BEGIN

```
SP_ADD_EMPLOYEE('Test2','User2','M',26,'Muscat','test@ems.com','123', 1
```

```
);
```

END;



The screenshot shows a SQL Developer interface. The top pane displays a PL/SQL script with the following content:

```
BEGIN
    SP_ADD_EMPLOYEE('Test2','User2','M',26,'Muscat','test@ems.com','123', 1
);
END;
```

The bottom pane, titled "Script Output", shows the execution results. It indicates that the task completed in 0.042 seconds but then reports an error:

```
ERROR at line 1:
ORA-20001: Email already exists
ORA-06512: at "EMS.SP_ADD_EMPLOYEE", line 10
ORA-06512: at line 2

https://docs.oracle.com/error-help/db/ora-20001/

More Details :
https://docs.oracle.com/error-help/db/ora-20001/
https://docs.oracle.com/error-help/db/ora-06512/
```