

Task 1: Populate All Tables with Seed Data

INSERT INTO JOB_DEPARTMENT VALUES

(JOB_SEQ.NEXTVAL,'Engineering','Software Engineer','Develop Applications','5000-8000');

INSERT INTO JOB_DEPARTMENT VALUES

(JOB_SEQ.NEXTVAL,'HR','HR Officer','Manage Employees','3000-5000');

INSERT INTO JOB_DEPARTMENT VALUES

(JOB_SEQ.NEXTVAL,'Finance','Accountant','Manage Accounts','4000-7000');

INSERT INTO JOB_DEPARTMENT VALUES

(JOB_SEQ.NEXTVAL,'IT','System Admin','Manage Systems','4500-7500');

INSERT INTO JOB_DEPARTMENT VALUES

(JOB_SEQ.NEXTVAL,'Marketing','Marketing Specialist','Promote Products','3500-6000');

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Ali','Ahmed','M',28,'Muscat','ali@ems.com','123',1);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Sara','Salim','F',26,'Barka','sara@ems.com','123',1);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Nasser','Hamad','M',35,'Sohar','nasser@ems.com','123',2);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Mona','Ali','F',31,'Muscat','mona@ems.com','123',2);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Khalid','Said','M',40,'Nizwa','khalid@ems.com','123',3);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Aisha','Mohammed','F',29,'Muscat','aisha@ems.com','123',3);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Salim','Nasser','M',33,'Barka','salim@ems.com','123',4);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Fatma','Hassan','F',27,'Sohar','fatma@ems.com','123',4);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Omar','Ali','M',30,'Muscat','omar@ems.com','123',5);

INSERT INTO EMPLOYEE VALUES

(EMP_SEQ.NEXTVAL,'Noor','Said','F',25,'Sur','noor@ems.com','123',5);

INSERT INTO SALARY_BONUS VALUES

(SALARY_SEQ.NEXTVAL,6000,72000,500,1,1);

INSERT INTO SALARY_BONUS VALUES

(SALARY_SEQ.NEXTVAL,4500,54000,300,2,2);

```
INSERT INTO SALARY_BONUS VALUES  
(SALARY_SEQ.NEXTVAL,7000,84000,700,3,3);
```

```
INSERT INTO SALARY_BONUS VALUES  
(SALARY_SEQ.NEXTVAL,5500,66000,400,4,4);
```

```
INSERT INTO SALARY_BONUS VALUES  
(SALARY_SEQ.NEXTVAL,5000,60000,350,5,5);
```

```
INSERT INTO QUALIFICATION VALUES  
(QUAL_SEQ.NEXTVAL,'Developer','Bachelor Degree',DATE '2023-01-10',1);
```

```
INSERT INTO QUALIFICATION VALUES  
(QUAL_SEQ.NEXTVAL,'HR Specialist','HR Certificate',DATE '2022-05-15',2);
```

```
INSERT INTO QUALIFICATION VALUES  
(QUAL_SEQ.NEXTVAL,'Accountant','CPA',DATE '2021-09-20',3);
```

```
INSERT INTO QUALIFICATION VALUES  
(QUAL_SEQ.NEXTVAL,'System Admin','Oracle Certification',DATE '2020-03-11',4);
```

```
INSERT INTO QUALIFICATION VALUES  
(QUAL_SEQ.NEXTVAL,'Marketing Officer','Marketing Diploma',DATE '2024-02-01',5);
```

```
INSERT INTO LEAVE_RECORD VALUES
```

```
(LEAVE_SEQ.NEXTVAL,DATE '2024-01-10','Sick Leave',1);
```

```
INSERT INTO LEAVE_RECORD VALUES
```

```
(LEAVE_SEQ.NEXTVAL,DATE '2024-02-15','Vacation',2);
```

```
INSERT INTO LEAVE_RECORD VALUES
```

```
(LEAVE_SEQ.NEXTVAL,DATE '2024-03-20','Medical Leave',3);
```

```
INSERT INTO LEAVE_RECORD VALUES
```

```
(LEAVE_SEQ.NEXTVAL,DATE '2024-04-05','Personal Leave',4);
```

```
INSERT INTO LEAVE_RECORD VALUES
```

```
(LEAVE_SEQ.NEXTVAL,DATE '2024-05-12','Sick Leave',5);
```

```
INSERT INTO PAYROLL VALUES
```

```
(PAYROLL_SEQ.NEXTVAL,DATE '2024-01-31','January Payroll',6500,1,1,1,1);
```

```
INSERT INTO PAYROLL VALUES
```

```
(PAYROLL_SEQ.NEXTVAL,DATE '2024-02-29','February Payroll',4800,2,2,2,2);
```

```
INSERT INTO PAYROLL VALUES
```

```
(PAYROLL_SEQ.NEXTVAL,DATE '2024-03-31','March Payroll',7700,3,3,3,3);
```

```
INSERT INTO PAYROLL VALUES
```

```
(PAYROLL_SEQ.NEXTVAL,DATE '2024-04-30','April Payroll',5900,4,4,4,4);
```

```
INSERT INTO PAYROLL VALUES
```

```
(PAYROLL_SEQ.NEXTVAL,DATE '2024-05-31','May Payroll',5350,5,5,5,5);
```

```
INSERT INTO PAYROLL VALUES
```

```
(PAYROLL_SEQ.NEXTVAL,DATE '2024-06-30','June Payroll',6500,1,1,1,NULL);
```

```
INSERT INTO PAYROLL VALUES
```

```
(PAYROLL_SEQ.NEXTVAL,DATE '2024-07-31','July Payroll',4800,2,2,2,NULL);
```

```
INSERT INTO PAYROLL VALUES
```

```
(PAYROLL_SEQ.NEXTVAL,DATE '2024-08-31','August Payroll',7700,3,3,3,NULL);
```

```
COMMIT;
```

TO MAKE SURE:

```
SELECT COUNT(*) FROM JOB_DEPARTMENT;
```

```
SELECT COUNT(*) FROM EMPLOYEE;
```


```
SELECT COUNT(*) FROM SALARY_BONUS;
```

```
SELECT COUNT(*) FROM QUALIFICATION;
```

```
SELECT COUNT(*) FROM LEAVE_RECORD;
```

```
SELECT COUNT(*) FROM PAYROLL;
```

SCREENSHOTS:



The screenshot shows a SQL query result with 10 rows of employee data. The columns are EMP_ID, FNAME, LNAME, GENDER, AGE, CONTACT_ADD, EMP_EMAIL, EMP_PASS, and JOB_ID. The data is as follows:

EMP_ID	FNAME	LNAME	GENDER	AGE	CONTACT_ADD	EMP_EMAIL	EMP_PASS	JOB_ID
1	Ali	Ahmed	M	28	Muscat	ali@ems.com	123	1
2	Sara	Salim	F	26	Barka	sara@ems.com	123	1
3	Nasser	Hamad	M	35	Sohar	nasser@ems.com	123	2
4	Mona	Ali	F	31	Muscat	mona@ems.com	123	2
5	Khalid	Said	M	40	Nizwa	khalid@ems.com	123	3
6	Aisha	Mohammed	F	29	Muscat	aisha@ems.com	123	3
7	Salim	Nasser	M	33	Barka	salim@ems.com	123	4
8	Fatma	Hassan	F	27	Sohar	fatma@ems.com	123	4
9	Omar	Ali	M	30	Muscat	omar@ems.com	123	5
10	Noor	Said	F	25	Sur	noor@ems.com	123	5

Query Result x

Query Result 1 x

Query Result 2 x

Query Result 3 x

Query Result 4 x

SQL | All Rows Fetched: 5 in 0.007 seconds

	SALARY_ID	AMOUNT	ANNUAL	BONUS	JOB_ID	EMP_ID
1	1	6000	72000	500	1	1
2	2	4500	54000	300	2	2
3	3	7000	84000	700	3	3
4	4	5500	66000	400	4	4
5	5	5000	60000	350	5	5

Query Result x

Query Result 1 x

Query Result 2 x

Query Result 3 x

Query Result 4 x

SQL

All Rows Fetched: 5 in 0.008 seconds

	QUAL_ID	POSITION	REQUIREMENTS	DATE_IN	EMP_ID
1	1	Developer	Bachelor Degree	10-JAN-23	1
2	2	HR Specialist	HR Certificate	15-MAY-22	2
3	3	Accountant	CPA	20-SEP-21	3
4	4	System Admin	Oracle Certification	11-MAR-20	4
5	5	Marketing Officer	Marketing Diploma	01-FEB-24	5

Query Result x	Query Result 1 x	Query Result 2 x	Query Result 3 x	Query Result 4 x
SQL All Rows Fetched: 5 in 0.068 seconds				
	LEAVE_ID	LEAVE_DATE	REASON	EMP_ID
1	1	10-JAN-24	Sick Leave	1
2	2	15-FEB-24	Vacation	2
3	3	20-MAR-24	Medical Leave	3
4	4	05-APR-24	Personal Leave	4
5	5	12-MAY-24	Sick Leave	5

Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x | Query Result 4 x

 SQL | All Rows Fetched: 8 in 0.017 seconds

	PAYROLL_ID	PAY_DATE	REPORT	TOTAL_AMOUNT	EMP_ID	JOB_ID	SALARY_ID	LEAVE_ID
1	1	31-JAN-24	January Payroll	6500	1	1	1	1
2	2	29-FEB-24	February Payroll	4800	2	2	2	2
3	3	31-MAR-24	March Payroll	7700	3	3	3	3
4	4	30-APR-24	April Payroll	5900	4	4	4	4
5	5	31-MAY-24	May Payroll	5350	5	5	5	5
6	6	30-JUN-24	June Payroll	6500	1	1	1	(null)
7	7	31-JUL-24	July Payroll	4800	2	2	2	(null)
8	8	31-AUG-24	August Payroll	7700	3	3	3	(null)