


Task 1: Single-Row Subquery

TASK 1 (a)

```
SELECT E.EMP_ID, E.FNAME, E.LNAME, S.AMOUNT
FROM EMPLOYEE E JOIN SALARY_BONUS S
ON E.EMP_ID = S.EMP_ID WHERE S.AMOUNT >
(
    SELECT AVG(AMOUNT)
    FROM SALARY_BONUS
);
```




The screenshot shows the SQL Developer interface. The top pane displays the SQL query for Task 1(a). The bottom pane shows the query results in a table with 4 columns: EMP_ID, FNAME, LNAME, and AMOUNT. Two rows are returned: (1, Ali, Ahmed, 6000) and (2, Nasser, Hamad, 7000). The status bar indicates 'All Rows Fetched: 2 in 0.016 seconds'.

EMP_ID	FNAME	LNAME	AMOUNT
1	Ali	Ahmed	6000
2	Nasser	Hamad	7000

TASK 1 (b)

```
SELECT JOB_DEPT FROM JOB_DEPARTMENT
WHERE JOB_ID = ( SELECT JOB_ID FROM PAYROLL
GROUP BY JOB_ID HAVING SUM(TOTAL_AMOUNT) =
(
    SELECT MAX(SUM(TOTAL_AMOUNT)) FROM PAYROLL GROUP BY JOB_ID
)
);
```



The screenshot shows the SQL Developer interface. The top pane displays the SQL query for Task 1(b). The bottom pane shows the query results in a table with 1 column: JOB_DEPT. One row is returned: (1 Finance). The status bar indicates 'All Rows Fetched: 1 in 0.017 seconds'.

JOB_DEPT
1 Finance