

Safe Edges

2025

Smart Contract Audit REPORT

ASSESSED ON oct , 2025

Security Assessment



SAFEEDGES.IN

J-memepad Audit Report

[C-01] UniswapV3 pool initialization front-run can potentially cause and user loss

Description `GraduationLib.executeGraduation` calls `createAndInitializePoolIfNecessary` on Uniswaps `NonfungiblePositionManager`. That helper will create and — if the pool is new — initialize it to the `sqrt-PriceX96` supplied by the caller.

An attacker can front-run `executeGraduation` and create/initialize the pool first with an arbitrary, malicious initial price (e.g., extremely high or low).

Because `executeGraduation` uses caller-supplied token amounts to derive the initialization price and does not check the pool price against a trusted source, the protocol may mint liquidity at a manipulated price causing the callers intended asset allocation to be mis-specified and funds to be lost or misallocated.

```
function executeGraduation(GraduationParams memory params, address positionManager)
    internal
    returns (bytes memory graduationData, uint256 tokenId)
{
    //existing code
    // Create and initialize pool if it doesn't exist
    @>> address pool = INonfungiblePositionManager(positionManager).createAndInitial-
    izePoolIfNecessary(
        token0, token1, DEFAULT_FEE, encodePriceSqrt(amount1, amount0)
    );
}
```

Attack Path:

1. Alice triggers the graduation flow: (`totalSupply >= maxSupply`) calls to graduate LP tokens (invoke `GraduationLib.executeGraduation`).

2. `executeGraduation` will derive an initialization price and call `createAndInitializePoolIfNecessary(tokenLP, reserveToken, DEFAULT_FEE, correctPrice)`.

3. An attacker monitors the mempool and immediately submits a competing transaction that calls `createAndInitializePoolIfNecessary(tokenLP, reserveToken, DEFAULT_FEE, attackerPrice)` (for example: 1 LPToken = 1000 USDC).

4. The attacker's transaction is mined first and initializes the pool at the attacker-chosen price.

5. Alice's original transaction executes afterward.

6. Because the pool already exists, the initialization step is skipped and Alice's mint uses the attacker-initialized pool state.

7. As a result, Alice's deposit is placed into a badly mispriced pool (they spend many more `(reserveToken)` than expected for the intended LP allocation).

6. The attacker immediately arbitrages the mispriced pool extracting value — leaving Alice with a net loss.

Impact Attacker can front-run and initialize the pool to their advantage and extract value. Leading to user's funds loss due to incorrect pool price.

Recommended mitigation

1. Atomic Initialization:

Instead of initializing the pool at graduation time (where it can be front-run), initialize the Uniswap V3 pool atomically during token creation with a fair reference price. The initial price can be derived from the bonding curve parameters (e.g., using `steps.price` and the `maxSupply`). While this may not be exact, it ensures a defensible starting point rather than leaving initialization open to arbitrary front-runners.

2. Slippage protection:

Always set non-zero `amount0Min` / `amount1Min` parameters when calling Uniswap's `mint`. Even with early initialization, keep slippage protection in place at graduation to defend against sudden pool price manipulations. Optionally, validate pool price against a `TWAP` or trusted oracle before minting liquidity.

Status Fixed

[H-01] Incomplete Blacklist Enforcement in `Bond.sol`

Description The contract implements a `blacklistedUsers` mapping and a `notBlacklistedUser` modifier, but enforcement is inconsistent and incomplete. While some functions (`mint`, `burn`, `burnWithNative`) verify that the caller is not blacklisted but fails to check whether `receiver` is blacklisted or not, many other user-facing functions omit this check. As a result, blacklisted users can still receive minted tokens or redemption proceeds indirectly through a non-blacklisted intermediary.

For example:

`createToken` – allows a blacklisted user to deploy new tokens.

`updateBondCreator` – allows a blacklisted user to assign a new creator address.

`adminMint` – allows a blacklisted user to mint supply directly if they control a restricted role.

Finally, blacklist enforcement exists only at the `Bond` contract level; the ERC20 token contracts deployed via clones do not enforce blacklist restrictions on `transfer`. A blacklisted account can therefore receive tokens via normal ERC20 transfers even if direct interaction with `Bond` is partially blocked.

```
function updateBondCreator(address token, address creator) external {
    BondData storage bond = tokenBond[token];
    @>> if (bond.creator != _msgSender()) revert Bond__PermissionDenied();
    // null address is not allowed, use dEaD address instead
    if (creator == address(0)) revert Bond__InvalidCreatorAddress();
    bond.creator = creator;
    emit BondCreatorUpdated(token, creator);
}
```

```
function mint(address token, uint256 tokensToMint, uint256 maxReserveAmount, address
receiver)
external
nonReentrant
whenNotPaused
whenTokenNotPaused(token)
@>> notBlacklistedUser
```

```
_notGraduated(token)
    returns (uint256)
{
    // existing code
    @>> ICommonToken(token).mintByBond(receiver, tokensToMint);
```

Impact

Blacklisted users can still perform sensitive operations such as token creation or creator reassignment.

Blacklisted users can indirectly receive tokens or reserve refunds, bypassing intended restrictions

Recommended mitigation Add blacklist checks for both the caller and the receiver to all externally accessible user functions. Also, if blacklist restrictions are intended to apply at the token level, extend enforcement to the cloned ERC20 token contracts by overriding functions.

Status Fixed

[M-01] Incorrect use of `deadline` parameter in `GraduationLib.executeGraduation`

Description The protocol is using `block.timestamp` as the deadline argument when interacting with the Uniswap's NonfungiblePositionManager. The deadline parameter is intended to limit the validity of a transaction, preventing it from being executed after a certain time. Functions that modify pool liquidity check this parameter against the current block timestamp to reject expired actions.

Marking it to `block.timestamp` effectively means there is no deadline. Any pending transaction that gets delayed due to network congestion, miner selection, or front-running — is not protected, and can be executed arbitrarily far into the future, when market conditions may have changed such that the action is now largely unprofitable. This potentially allow the protocol to be exploited everytime it interacts with Uniswap V3, putting users funds at risk.

From [Uniswap docs](#)

```
Transaction `deadline` is used to set a time after which a transaction can no longer be
executed. This limits the "free option" problem, where Ethereum miners can hold signed
transactions and execute them based off market movements.
```

```
INonfungiblePositionManager.MintParams memory mintParams = INonfungiblePositionManager.MintParams({
    token0: token0,
    token1: token1,
    fee: DEFAULT_FEE,
    tickLower: MIN_TICK,
    tickUpper: MAX_TICK,
    amount0Desired: amount0,
    amount1Desired: amount1,
    amount0Min: 0,
    amount1Min: 0,
    recipient: address(this),
    @>>      deadline: block.timestamp
});
```

Impact

Delayed transactions could be exploited by MEV bots to gain an advantage.

The `deadline` parameter gives users a false sense of protection as it provides no actual safeguard.

Recommended mitigation Set a reasonable buffer for the deadline like this:

```
INonfungiblePositionManager.MintParams memory mintParams = INonfungiblePositionManager.MintParams({
    token0: token0,
    token1: token1,
    fee: DEFAULT_FEE,
    tickLower: MIN_TICK,
    tickUpper: MAX_TICK,
    amount0Desired: amount0,
    amount1Desired: amount1,
    amount0Min: 0,
    amount1Min: 0,
    recipient: address(this),
    -      deadline: block.timestamp
    +      deadline: block.timestamp + 1 hours
});
```

Status Fixed

[L-01] `lpReserves` **Not Updated in** `LPTokenVault.emergencyWithdraw`

Description The `emergencyWithdraw` function allows restricted callers to withdraw tokens from the vault without updating the `lpReserves` mapping. As a result, the vaults internal accounting can become inconsistent with its actual token holdings.

If an authorized caller withdraws LP tokens via `emergencyWithdraw`, a subsequent call to `executeGraduation` may attempt to open a position using the `lpReserves[token]` value, which now overstates the actual LP tokens available.

This discrepancy could lead to mispriced LP positions, where the position assumes more tokens than are actually held.

```
function emergencyWithdraw(address token, address to, uint256 amount) external restricted
{
  @>> IERC20(token).safeTransfer(to, amount);
}
```

Impact `lpReserves` could report incorrect vault balances. Additionally, LP positions could be created with incorrect token amounts, potentially mispricing the positions.

Recommended mitigation Update the `lpReserves` mapping whenever `emergencyWithdraw` is called:

```
function emergencyWithdraw(address token, address to, uint256 amount) external restricted
{
  +lpReserves[token] -= amount;
  IERC20(token).safeTransfer(to, amount);
  IERC20(token).safeTransfer(to, amount);
}
```

Status Fixed

[L-02] **Missing Functionalities for Key Royalty Functions in** `Royalty.sol`

Description The `claimRoyalties` function is intended to allow a user to claim royalties for a specific token they have earned. However, in the current implementation, the only function that adds royalties is `_addRoyalty`, which exclusively updates the `protocolBeneficiary`'s royalty balance. As a result, for any address other than `protocolBeneficiary`, `userTokenRoyaltyBalance` will always be zero, making `claimRoyalties` effectively unusable for other users.

Similarly, the `burnRoyalties` function allows anyone to burn royalties assigned to the `BURN_ADDRESS`. However, the contract provides no mechanism that ever credits royalties to `BURN_ADDRESS`, meaning this function also cannot be effectively used under normal operation.

In practice, these two functions are essentially no-ops unless the caller is `protocolBeneficiary` (for `claimRoyalties`).

Impact Users other than the `protocolBeneficiary` are unable to accrue or claim royalties,

Recommended mitigation Implement a mechanism to credit royalties to arbitrary user addresses if the contract is intended to support user-specific royalty accrual. Otherwise, consider removing or restricting `claimRoyalties` and `burnRoyalties` to avoid dead code and prevent confusion.

Status Fixed

[I-01] Weak Reserve Token Validation in `_checkMethodExists`

Description The contract attempts to validate reserve tokens during bond creation by checking whether the token contract implements `decimals()`, `name()`, and `symbol()`. This is done using the private `_checkMethodExists` helper, which performs a `staticcall` to the given method and only verifies that: The call did not revert. And the return `data.length` is greater than a minimum threshold.

However, the function does not decode the return data to confirm that it matches the expected type (e.g., `uint8` for `decimals()`, `string` for `name()/symbol()`). A malicious contract can return arbitrary data of sufficient length to bypass these checks without actually being ERC20-compliant.

However, if the protocol only ever uses some whitelisted reserve tokens, then this weak validation (`data.length` only) is harmless.

Status Fixed

[I-02] Missing address validation

Description The contract does not verify that the provided address is non-zero when assigning it to critical state variables.

```
constructor(address protocolBeneficiary_, uint256 creationFee_, address accessManager)
    AccessManaged(accessManager)
{
    +   if (protocolBeneficiary == address(0)) revert InvalidAddress();
    protocolBeneficiary = protocolBeneficiary_;
    creationFee = creationFee_;
}
```

[I-03] Missing event emission for important state change

Description Several functions in the contract do not emit events. For example, the `Bond._clone` function does not emit any event, and OpenZeppelins Clone implementation also does not emit an event upon clone deployment. Similarly, there are other instances throughout the contract where events should be emitted to improve transparency and traceability of critical actions.

```
function _clone(address implementation, string calldata symbol) private returns (address)
{
    function adminMint(address token, address recipient, uint256 amount) external restricted
    nonReentrant {
        function emergencyWithdraw(address token, address to, uint256 amount) external restricted
    {
```

Status Fixed

[G-01] Mark `public` functions as `external` to reduce gas costs

Description Functions declared as `public` can be accessed both internally and externally, which incurs slightly higher gas costs when called externally. If a function is not invoked internally, it is more efficient to declare it as `external` to optimize gas usage.


```
- function withdraw(uint256 wad) public {  
+ function withdraw(uint256 wad) external {  
- function totalSupply() public view returns (uint256) {  
+ function totalSupply() external view returns (uint256) {  
- function approve(address guy, uint256 wad) public returns (bool) {  
+ function approve(address guy, uint256 wad) external returns (bool) {  
- function transfer(address dst, uint256 wad) public returns (bool) {  
+ function transfer(address dst, uint256 wad) external returns (bool) {
```

[G-02] Remove unused error to save some gas

Description Unused error definitions increase contract size and consume unnecessary gas. Consider removing any errors that are never referenced.

```
- error Bond__TokenSymbolAlreadyExists();  
- error Bond__InvalidLPTokenAmount();  
- error LPTokenVault__OnlyBond();
```

Status Fixed



REVOLUTIONIZING BLOCKCHAIN AUDITS

Founded in 2023, Safe Edges is the largest blockchain security company that ensures the safety and reliability of smart contracts and blockchain-based protocols. Through the utilization of our world-class technical expertise, alongside our proprietary, innovative technology, we support the success of our clients with best-in-class security, all whilst realizing our overarching vision: ensuring blockchain remains secure and trustworthy.

THANK YOU FOR WORKING WITH US



SAFEEDGES.IN