Lab 3:

Task No 1:

```
#include<iostream>
using namespace std;
int main() {
int age;
double Pay;
char section;
cout<<"My age is:";
cin >> age;
cout<<"Enter Your Pay:";
cin >> Pay;
cout" My section is:";
cin >> section;
cout<<"\n age" <<age<<endl;
cout<<" Pay"<< Pay<<endl;
cout<<" section"<< section<<endl;
cin>> age >> Pay >> section;
return 0;
}
```

Coding C++

Auto saved at 19:05:52

RUN MENU

```cpp
#include<iostream>
using namespace std;
int main()
{
int age;
double pay;
char section;
    cout << "My age is :";
    cin>> age;
    cout <<"Enter your pay:";
    cin>> pay;
    cout << "My section is :";
    cin>> section;
    cout << "\n age :"<< age << endl;
    cout <<"pay :"<< pay << endl;
    cout<<"section :"<< section << endl;
    cin>> age >> pay >> section;
    return 0;
}
```

+ − ! $ [] ‘’ ()
| ^ . # % < >

7:06

Compile Result

```
My age is :17
Enter your pay:5000
My section is :C

 age :17
pay :5000
section :C
```

Task 2:

```
#include <iostream>
using name space std;
int main() {
cout << " 28 / 4 - 2 = " << 28 / 4 - 2 << endL;
Cout << " 6 + 12 * 2 - 8 = " << 6 + 12 * 2 - 8 * << endL;
cout << " 4 + 8 * 2 = " << 4 + 8 * 2 << endL;
cout << " 6 + 17 % 3 - 2 = " << 6 + 17 % 3 - 2 << endL;
cout << " 2 + 22 * ( 9 - 7 ) = " << 2 + 22 * (9 - 7) << endL;
cout << " 8 + 7 * 2 = " << 8 + 7 * 2 << endL;
cout << " (16 + 7) % 2 - 1 = " << (16 + 7) % 2 - 1 << endL;
cout << " 12 / (10 - 6) = " << 12 / (10 - 6) << endL;
cout << " (19 - 3) * (2 + 2) / 4 = " << (19 - 3) * (2 + 2) / 4 << endL;
return 0;
}
```

Coding C++

Auto saved at 19:40:11

RUN MENU

```cpp
#include<iostream>
using namespace std;
int main()
{
    cout << "28/4-2=" << 28/4-2 << endl;
    cout << "6+12*2-8=" << 6+12*2-8 << endl;
    cout <<"4+8*2=" << 4+8*2 << endl;
    cout << "6+17%3-2=" << 6+17%3-2 << endl;
    cout << "2+22*(9-7)=" << 2+22*(9-7) << endl;
    cout << "8+7*2=" << 8+7*2 << endl;
    cout << "(16+7) % 2-1=" << (16+7) % 2-1 << endl;
    cout << "12/(10-6)=" << 12/(10-6) << endl;
    cout << "(19-3)*(2+2)/4=" << (19-3)*(2+2)/4 << endl;
    return 0;
}
```

Tab {} “” ; = \ & ,

7:40

Compile Result

```
28/4-2=5
6+12*2-8=22
4+8*2=20
6+17%3-2=6
2+22*(9-7)=46
8+7*2=22
(16+7) % 2-1=0
12/(10-6)=3
(19-3)*(2+2)/4=16

[Process completed - press Enter]
```

Task 3:

```
#include <iostream>
using namespace std;
 int main() {
  int unit;
  float mass;
  double weight;
  weight = mass * unit;
  cout << "Enter the value of unit=";
    cin >> unit;
  cout << "Enter the value of mass =";
    cin >> mass;
    cout << " weight=" << weight;
     return 0;
     }
```

Coding C++

Auto saved at 20:28:25

RUN MENU

```cpp
#include<iostream>
using namespace std;

int main()
{
int units ;
float mass ;
double weight ;
    cout << "Enter the value of units" ;
    cin >> units;
    cout << "Enter the value of mass";
    cin >> mass;
    weight=mass*units;
    cout <<"weight=" << weight << endl;
    return 0;
}
```

Tab {} “” ; = \ & ,

8:28

Compile Result

```
Enter the value of units6
Enter the value of mass7
weight=42

[Process completed - press Enter]
```

Task 4:

```
#include<iostream>
using namespace std;
int main() {
  int a, b=2;
  float c=4.2;
   cout<<"value of b="<<b<<endl;
    cout<<"value of c="<<c<<endl;
     cout<<"value of a="<<a<<endl;
     if (a==8)
      {
      cout<<"correct answer is b(8)"<<endl;
      }
   return 0;
    }
```

Coding C++

Auto saved at 20:24:14

RUN MENU

```cpp
#include<iostream>
using namespace std;
int main()
{
int a,b=2;
float c=4.2;
a=b*c;
    cout << "Value of b=" << b << endl;
    cout <<"value of c=" << c << endl;
    cout <<"value of a=" << a << endl;
    if(a==8)
    {
    cout << "correct answer is b (8)" << endl;
    }
    return 0;
}
```

Tab {} “” ; = \ & ,

8:24

Compile Result

```
Value of b=2
value of c=4.2
value of a=8
correct answer is b (8)

[Process completed - press Enter]
```

Task 5:

```
#include <iostream>
using namespace std;
 int main() {
   int qty = 10;
   int salesReps = 3;
   float unitsEach;
   unitsEach = static_cast<float>(qty) / salesReps;
  cout << "Quantity = " << qty << endl;
  cout << " sales Representatives = " << salesReps <<
     endl;
  cout << "units Each = " << unitsEach << endl;
   cout << "correct : Type casting Prevents intger
divison." << endl;
    return 0;
     }
```

Coding C++

Auto saved at 20:38:28

RUN MENU

```cpp
#include <iostream>
using namespace std;

int main()
{
    int qty = 10;
    int salesReps = 3;
    float unitsEach;

    unitsEach = static_cast<float>(qty) / salesReps;

    cout << "Quantity = " << qty << endl;
    cout << "Sales Representatives = " << salesReps << endl;
    cout << "Units Each = " << unitsEach << endl;

    cout << "Correct: Type casting prevents integer division." << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,

8:38

Compile Result

```
Quantity = 10
Sales Representatives = 3
Units Each = 3.33333
Correct: Type casting prevents integer divi
sion.

[Process completed - press Enter]
```

Task 6:

```
#include <iostream>
#include <cstdlib>
using namespace std;
int main() {
int num1, num2, answer;
srand (time(0));
num1 = rand() % 900+100;
num2 = rand() % 900+100;
cout << "Math Tutor" << endl;
cout << num1 << endl;
cout << "+" << num2 << endl;
cout << "--------" << endl;
getch();
answer = num1 + num2;
cout << answer << endl;
return 0;
}
```

Coding C++

Auto saved at 20:49:37

RUN MENU

```cpp
#include <iostream>
#include <cstdlib>
#include <ctime>
#include <conio.h>
using namespace std;

int main()
{
    int num1, num2, answer;

    srand(time(0));

    num1 = rand() % 900 + 100;
    num2 = rand() % 900 + 100;

    cout << "Math Tutor" << endl;
    cout << num1 << endl;
    cout << "+ " << num2 << endl;
    cout << "--------" << endl;

    getch();

    answer = num1 + num2;

    cout << answer << endl;

    return 0;
}
```

Tab {} “” ; = \ & ,

8:50

Compile Result

```
Math Tutor
133
+ 227
--------
360

[Process completed - press Enter]
```

Home task 1:

Programm 1:

```
using namespace std;

void main()
{

double number1, number2, sum;
cout << "Enter a number:";
cin >> number1;
cout << "Enter another number:";
 cin >> number2;
number1 + number2 = sum;
cout "The sum of the two numbers" "is" << sum

 }
```

Coding C++

Auto saved at 21:22:53

RUN MENU

```cpp
#include <iostream>
using namespace std;
int main()
{
double number1,number2,sum;
cout<<"Enter a number:";
cin>> number1;
cout<<"Enter another number:";
cin>> number2;
sum = number1 + number2 ;
cout << "The sum of the two numbers is" << sum;
return 0;
}
```

Tab {} “” ; = \ & ,

Program 2:

```
#include<iostream>
using namespace std;
  void main()
{
 int number1, number2;
 float quotient;
cout<<"Enter two numbers and I will divide\n";
cout<<"the first by the second for you.\n";
cin>>number1, number2;
 quotient = float<static_cast(number1//
number2;
cout<<quotient
  }
```

Coding C++

Auto saved at 21:28:03

RUN MENU

```cpp

#include <iostream>
using namespace std;

int main()
{
    int number1, number2;
    float quotient;

    cout << "Enter two numbers and I will divide\n";
    cout << "the first by the second for you.\n";

    cin >> number1 >> number2;

    quotient = static_cast<float>(number1) / number2;

    cout << quotient;

    return 0;
}

```

Tab {} “” ; = \ & ,

Task 2:

```
#include <iostream>

using namespace std;

int main()
{

    int num1 = 28;
    int num2 = 32;
    int num3 = 37;
    int num4 = 24;
    int num5 = 33;
    int sum;
    float average;

  sum = num1 + num2 + num3 + num4 + num5;
    average = sum / 5.0;

  cout << "Sum=" << sum << endl;

   cout << "Average=" << average << endl;
   return 0;
}
```

Coding C++

Auto saved at 21:33:54

RUN MENU

```cpp

#include <iostream>
using namespace std;

int main()
{
    int num1 = 28;
    int num2 = 32;
    int num3 = 37;
    int num4 = 24;
    int num5 = 33;

    int sum;
    float average;

    sum = num1 + num2 + num3 + num4 + num5;

    average = sum / 5.0;

    cout << "Sum = " << sum << endl;
    cout << "Average = " << average << endl;

    return 0;
}

```

Tab {} “” ; = \ & ,

9:34

Compile Result

```
Sum = 154
Average = 30.8

[Process completed - press Enter]
```