

**ABBOTTABAD UNIVERSITY OF SCIENCE AND
TECHNOLOGY**

NAME: SAFEULLAH NASEEBULLAH

ROLL NO: 12375

LAB TASK: 5

SUBMITTED TO: SIR JAMAL

Question no 01

Implement a basic queue using an array in Python. Include methods for enqueue, dequeue, checking if the queue is empty, and finding the size of the queue.

Solution

```
class Queue:
    def __init__(self):
        self.items = []

    def enqueue(self, item):
        self.items.append(item)

    def dequeue(self):
        if not self.is_empty():
            return self.items.pop(0)
        else:
            print("Queue is empty. Cannot dequeue.")

    def is_empty(self):
        return len(self.items) == 0

    def size(self):
        return len(self.items)

# Example usage:
my_queue = Queue()

my_queue.enqueue(1)
my_queue.enqueue(2)
my_queue.enqueue(3)
```

```
print("Queue size:", my_queue.size())

print("Dequeue:", my_queue.dequeue())
print("Dequeue:", my_queue.dequeue())

print("Is empty?", my_queue.is_empty())
print("Queue size:", my_queue.size())
```

Output :

```
Queue size: 3  
Dequeue: 1  
Dequeue: 2  
Is empty? False  
Queue size: 1
```

Question no 02

Implement a circular queue in Python. Include methods for enqueue, dequeue, checking if the queue is empty, checking if the queue is full, and finding the size of the queue.

Solution

```
class CircularQueue:
    def __init__(self, capacity):
        self.capacity = capacity
        self.queue = [None] * capacity
        self.front = self.rear = -1

    def enqueue(self, item):
        if self.is_full():
            print("Queue is full. Cannot enqueue.")
            return

        if self.is_empty():
            self.front = self.rear = 0
        else:
            self.rear = (self.rear + 1) % self.capacity

        self.queue[self.rear] = item

    def dequeue(self):
        if self.is_empty():
            print("Queue is empty. Cannot dequeue.")
            return None

        item = self.queue[self.front]

        if self.front == self.rear:
```

```
    if self.front == self.rear:
        self.front = self.rear = -1
    else:
        self.front = (self.front + 1) % self.capacity

    return item

def is_empty(self):
    return self.front == self.rear == -1

def is_full(self):
    return (self.rear + 1) % self.capacity == self.front

def size(self):
    if self.is_empty():
        return 0
    elif self.is_full():
        return self.capacity
    else:
        return (self.rear - self.front + self.capacity) % self.capacity

# Example usage:
my_circular_queue = CircularQueue(5)
```

```
my_circular_queue.enqueue(1)
my_circular_queue.enqueue(2)
my_circular_queue.enqueue(3)
my_circular_queue.enqueue(4)

print("Queue size:", my_circular_queue.size())

print("Dequeue:", my_circular_queue.dequeue())
print("Dequeue:", my_circular_queue.dequeue())

print("Is empty?", my_circular_queue.is_empty())
print("Is full?", my_circular_queue.is_full())
print("Queue size:", my_circular_queue.size())
```

Output :

```
Queue size: 4
Dequeue: 1
Dequeue: 2
Is empty? False
Is full? False
Queue size: 2
```