SMART CONTRACT AUDIT REPORT

For

Bloc Vault Token (BV)

Prepared By: SFI Team

Prepared on: 31/12/2021

Prepared for: Bloc Vault Token Team

Table of Content

- ## Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against the team on the basis of what it says or doesn't say, or how team produced it, and it is important for you to conduct your own independent investigations before making any decisions. team go into more detail on this in the below disclaimer below – please make sure to read it in full.

By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Saferico and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (SaferICO) owe no duty of care towards you or any other person, nor does Saferico make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and Saferico hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, Saferico hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against Saferico, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report. The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

• Scope of the audit

The scope of this audit was to analyze and document the **Bloc Vault (BV)** smart contract codebase for quality, security, and correctness.

• Introduction

During the period of **December 30, 2021, to December 31, 2021** - SaferICO

Team performed a security audit for **Bloc Vault (BV)** smart contracts.

The project has 1 file. It contains approx 760 lines of Solidity code. Most of the functions and state variables are well commented on using the Nat spec documentation, but that does not create any vulnerability.

Check Vulnerabilities

In order to check for the security of the contract, we tested several attacks in order to make sure that the contract is secure and follows best practices automatically.

1. Unit tests passing.

2. Compilator warnings;

3. Race Conditions. Reentrancy. Cross-function Race Conditions. Pitfalls in Race Condition solutions;

4. Possible delays in data delivery;

5. Transaction-Ordering Dependence (front running);

6. Timestamp Dependence;

7. Integer Overflow and Underflow;

8. DoS with (unexpected) Revert;

9. DoS with Block Gas Limit

10. Call Depth Attack. Not relevant in modern ethereum network

11. Methods execution permissions;

12. Oracles calls;

13. Economy model. It's important to forecast scenarios when a user is provided with additional economic motivation or faced with limitations. If application logic is based on incorrect economy model, the application will not function correctly and participants will incur financial losses. This type of issue is most often found in bonus rewards systems.

14. The impact of the exchange rate on the logic;

15. Private user data leaks.

• Issue Categories

Every issue in this report has been assigned to a severity level. There are four levels of severity, and each of them has been explained below.

Risk-level	Description
High	A high severity issue or vulnerability means that your smart contract can be exploited. Issues on this level are critical to the smart contract's performance or functionality, and we recommend these issues be fixed before moving to a live environment.
Medium	The issues marked as medium severity usually arise because of errors and deficiencies in the smart contract code. Issues on this level could potentially bring problems, and they should still be fixed.
Low	Low-level severity issues can cause minor impact and or are just warnings that can remain unfixed for now. It would be better to fix these issues at some point in the future.
Informational	These are severity issues that indicate an improvement request, a general question, a cosmetic or documentation error, or a request for information. There is low-to-no impact.

- # Issues Found – Code Review

High severity issues

There are no High severity vulnerabilities found

Medium severity issues

There are no Medium severity vulnerabilities found

Low severity issues

#Use of block.timestamp for comparisons
Description
The value of block.timestamp can be manipulated by the miner.
And conditions with strict equality is difficult to achieve - block.timestamp

Remediation
Avoid use of block.timestamp

Status: Acknowledged

#Pragam version not fixed
Description

It is a good practice to lock the solidity version for a live deployment (use 0.8.4 instead of ^0.8.4). contracts should be deployed with the same compiler version and flags that they have been tested the most with. Locking the pragma helps ensure that contracts do not accidentally get deployed using, for example, the latest compiler which may have higher risks of undiscovered bugs. Contracts may also be deployed by others and the pragma indicates the compiler version intended by the original authors.

Remediation
Remove the ^ sign to lock the pragma version
Status: Closed. Fixed in version 2

#Owner privileges (In the period when the owner isn't renounced)

Description

Owner can Excludes or includes an address from receiving reflections

```solidity
function excludeFromReward(address account) external onlyOwner() {
    require(!_isExcluded[account], "Account is already excluded");
    if(_rOwned[account] > 0) {
        _tOwned[account] = tokenFromReflection(_rOwned[account]);
    }
    _isExcluded[account] = true;
    _excluded.push(account);
}
function includeInReward(address account) external onlyOwner() {
    require(_isExcluded[account], "Account is already included");
    for (uint256 i = 0; i < _excluded.length; i++) {
        if (_excluded[i] == account) {
            _excluded[i] = _excluded[_excluded.length - 1];
            _tOwned[account] = 0;
            _isExcluded[account] = false;
            _excluded.pop();
            break;
        }
    }
}
```

Remediation

Make these functions internal in next version or the team should announce the investors before change the fees and give them time if they want to use the old fees.

Status: Acknowledged

Informational issues

#Missing SPDX-License-Identifier:

Warning: SPDX license identifier not provided in source file. Before publishing, consider adding a comment containing "SPDX-License-Identifier: <SPDX-License>" to each source file. Use "SPDX-License-Identifier: UNLICENSED" for non-open-source code. Please see https://spdx.org for more information .

Remediation

Add License Identifier

```
// SPDX-License-Identifier: UNLICENSE
```

Status: Acknowledged

#Naming Conventions

Description

The contract follows a consistent naming convention where we are private variables with leading"_" and public variables without it. But we have missed to comply to the condition for certain variable names like "__deployTimestamp" which is public

Remediation

Remove "_" from external variable names and add it to private variable names

Status: Acknowledged

Constant calculations in the contract
Description
recalculated initialization will save 2847 units of gas in deployment

```
uint256 private _tTotal = 3 * 10**12 * 10**9;
uint256 public _maxTxAmount      = 3 * 10**12 * 10**9;
uint256 public _tokenSwapThreshold = 300 * 10**6 * 10**9;
```

Recommendation
Replace the initialization as

```
uint256 private _tTotal = 3000000000000000000000;
uint256 public _maxTxAmount      = 3000000000000000000000;
uint256 public _tokenSwapThreshold = 300000000000000000;
```

Status: Closed. Fixed in version 2

- **Source Lines**

- **Risk Level**

- **Testing proves**

- **Solidity Static Analysis**

- **Inheritance**

• Solidity Unit Testing Code & Results

```solidity
// SPDX-License-Identifier: GPL-3.0

pragma solidity >=0.4.22 <0.9.0;

// This import is automatically injected by Remix
import "remix_tests.sol";

// This import is required to use custom transaction context
// Although it may fail compilation in 'Solidity Compiler' plugin
// But it will work fine in 'Solidity Unit Testing' plugin
import "remix_accounts.sol";
import "../blocvault.sol";

// File name has to end with '_test.sol', this file can contain more than one testSuite contracts
contract testSuite {

    /// 'beforeAll' runs before all other tests
    /// More special functions are: 'beforeEach', 'beforeAll', 'afterEach' & 'afterAll'
    function beforeAll() public {
        // <instantiate contract>
        Assert.equal(uint(1), uint(1), "1 should be equal to 1");
    }

    function checkSuccess() public {
        // Use 'Assert' methods: https://remix-ide.readthedocs.io/en/latest/assert_library.html
        Assert.ok(2 == 2, 'should be true');
        Assert.greaterThan(uint(2), uint(1), "2 should be greater than to 1");
        Assert.lesserThan(uint(2), uint(3), "2 should be lesser than to 3");
    }

    function checkSuccess2() public pure returns (bool) {
        // Use the return value (true or false) to test the contract
        return true;
    }
}
```

SOLIDITY UNIT TESTING 📖

Test your smart contract in Solidity.

Select directory to load and generate test files.

Test directory:

| tests | **Create** |

Generate   **How to use...**

▶ Run   **■ Stop**

☑ Select all

☑ tests/blocvault_test.sol

Progress: 1 finished (of 1)

PASS **testSuite (tests/blocvault_test.sol)**

✓ Before all 🐞

✓ Check success 🐞

✓ Check success2 🐞

✓ Check failure 🐞

✓ Check sender and value 🐞

Result for tests/blocvault_test.sol
Passing: 5
Total time: 0.39s

```solidity
function checkFailure() public {
    Assert.notEqual(uint(1), uint(2), "1 should not be equal to 1");
}


/// Custom Transaction Context: https://remix-
ide.readthedocs.io/en/latest/unittesting.html#customization
/// #sender: account-1
/// #value: 100
function checkSenderAndValue() public payable {
    // account index varies 0-9, value is in wei
    Assert.equal(msg.sender, TestsAccounts.getAccount(1), "Invalid
sender");
    Assert.equal(msg.value, 100, "Invalid value");
}
}
```

Call Graph

- **Unified Modeling Language (UML)**

C BlocVaultToken

Context
IERC20
Ownable

SafeMath for *uint256*
Address for *address*

- □ *string* _name
- □ *string* _symbol
- □ *uint8* _decimals
- ○ *uint* _deployTimestamp
- ○ *IUniswapV2Router02* _pancakeswapV2Router
- ○ *address* _pancakeswapV2LiquidityPair
- ◇ *bool* currentlySwapping
- ○ *address* _marketingAddress
- ○ *address* _developAddress
- ○ *address* _vestingAddress
- ○ *address* _burnAddress
- □ *address=>uint256* _rOwned
- □ *address=>uint256* _tOwned
- □ *address=>mapping address=>uint256* _allowances
- □ *address=>bool* _isExcludedFromFees
- □ *address=>bool* _isExcluded
- □ *address[]* _excluded
- □ *uint256* MAX
- □ *uint256* _tTotal
- □ *uint256* _rTotal
- □ *uint256* _totalReflections
- ○ *uint256* _taxFee
- ○ *uint256* _previousTaxFee
- ○ *uint256* _maxTxAmount
- ○ *uint256* _tokenSwapThreshold
- □ *uint* DAY
- □ *address=>VESTINGINFO* _vesting_info
- □ *address=>bool* _isVesting
- ○ *bool* _enableLiquidity

- ● get_vest_info()
- ● vesting()
- ● cliam_vest()
- ● **__constructor__()**
- ● **__constructor__()**
- ● withdrawBNB()
- ● withdrawForeignToken()
- ■ transferBNBToAddress()
- ● setRouterAddress()
- ● name()
- ● symbol()
- ● decimals()
- ● totalSupply()
- ● balanceOf()
- ● transfer()
- ● allowance()
- ● approve()
- ● transferFrom()
- ● increaseAllowance()
- ● decreaseAllowance()
- ■ _approve()
- ● getTotalReflections()
- ● isExcludedFromFee()
- ● isExcludedFromReflection()
- ● excludeFromFee()
- ● includeInFee()
- ● setTaxFeePercent()
- ● setMaxTxAmount()
- ● setTokenSwapThreshold()
- ● setMarketingAddress()
- ● setDevelopAddress()
- ● setVestingAddress()
- ● setLiquidity()
- ● reflectionFromToken()
- ● tokenFromReflection()
- ■ removeAllFees()
- ■ restoreAllFees()
- ■ _getValues()
- ■ _getTValues()
- ■ _getRValues()
- ■ _getRate()
- ■ _getCurrentSupply()
- ● excludeFromReward()
- ● includeInReward()
- ● getTime()
- ■ _transfer()
- ■ _tokenTransfer_normal()
- ■ _tokenTransfer()
- ■ _burnTokens()
- ■ _reflectTokens()
- ■ _takeTokens()
- ■ swapAndLiquify()
- ■ swapTokensForBNB()
- ■ swapBNBForTokens()
- ■ addLiquidity()
- ● reflect()

vest_address   token   recipient   router

account   owner   spender   sender

marketingAddress   developAddress   vestingAddress   from

to

for uint256   for address

C Context   C IERC20   C Ownable   C SafeMath   C Address

- ## Capabilities

Components

📝 Contracts	🥞 Libraries	🔍 Interfaces	🍪 Abstract
1	0	0	0

Exposed Functions

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

🌐 Public	💰 Payable
36	1

External	Internal	Private	Pure	View
25	37	19	1	17

StateVariables

Total	🌐 Public
29	12

Capabilities

Solidity Versions observed	✏️ Experimental Features	💰 Can Receive Funds	🖥️ Uses Assembly	🍪 Has Destroyable Contracts
0.8.4		yes		

💧 Transfers ETH	⚡ Low-Level Calls	👥 DelegateCall	🎰 Uses Hash Functions	🔑 ECRecover	🌀 New/Create/Create2
yes					

♻️ TryCatch	Σ Unchecked

- ## Source Units In Scope

Source Units in Scope

Source Units Analyzed: 1
Source Units in Scope: 1 (100%)

Type	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
📝	blocvault.sol	1	———	761	755	444	209	419	💰💧
📝	Totals	1	———	761	755	444	209	419	💰💧

Legend: [−]

- **Lines**: total lines of the source unit

- **nLines**: normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)

- **nSLOC**: normalized source lines of code (only source-code lines; no comments, no blank lines)

- **Comment Lines**: lines containing single or block comments

- **Complexity Score**: a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces, ...)

- ## **Function Signature**

```
 11902160  =>  _getTValues(uint256)
39509351  =>  increaseAllowance(address,uint256)
548fbab5  =>  get_vest_info(address)
b43cb3d0  =>  vesting(uint256,uint256)
ed6a413e  =>  cliam_vest()
127f4b2e  =>  withdrawBNB(uint256)
885a4cd0  =>  withdrawForeignToken(address)
2a50d278  =>  transferBNBToAddress(address,uint256)
41cb87fc  =>  setRouterAddress(address)
06fdde03  =>  name()
95d89b41  =>  symbol()
313ce567  =>  decimals()
18160ddd  =>  totalSupply()
70a08231  =>  balanceOf(address)
a9059cbb  =>  transfer(address,uint256)
dd62ed3e  =>  allowance(address,address)
095ea7b3  =>  approve(address,uint256)
23b872dd  =>  transferFrom(address,address,uint256)
a457c2d7  =>  decreaseAllowance(address,uint256)
104e81ff  =>  _approve(address,address,uint256)
ae267735  =>  getTotalReflections()
5342acb4  =>  isExcludedFromFee(address)
7d459db3  =>  isExcludedFromReflection(address)
437823ec  =>  excludeFromFee(address)
ea2f0b37  =>  includeInFee(address)
061c82d0  =>  setTaxFeePercent(uint256)
086e29d8  =>  setPreSaleTaxFeePercent(uint256)
ec28438a  =>  setMaxTxAmount(uint256)
59ecf39e  =>  setTokenSwapThreshold(uint256)
906e9dd0  =>  setMarketingAddress(address)
7e99d454  =>  setPreSaleAddress(address)
0f0e4f73  =>  setPreSaleTime(uint256)
8e281cf2  =>  setDevelopAddress(address)
e4d75c9d  =>  setVestingAddress(address)
64ad2bbf  =>  setLiquidity(bool)
```

```
4549b039  =>  reflectionFromToken(uint256,bool)
2d838119  =>  tokenFromReflection(uint256)
5ec01e4d  =>  random()
6b130f9a  =>  removeAllFees()
b5803e2a  =>  restoreAllFees()
d4780e36  =>  _getValues(uint256)
c2264c6a  =>  _getRValues(uint256,uint256,uint256)
94e10784  =>  _getRate()
97a9d560  =>  _getCurrentSupply()
52390c02  =>  excludeFromReward(address)
3685d419  =>  includeInReward(address)
557ed1ba  =>  getTime()
30e0789e  =>  _transfer(address,address,uint256)
8f8ef9b5  =>  _tokenTransfer_normal(address,address,uint256)
f147aa74  =>  _tokenTransfer(address,address,uint256)
4631db54  =>  _burnTokens(uint256)
c1890627  =>  _reflectTokens(uint256)
b4f93db5  =>  _takeTokens(uint256)
173865ad  =>  swapAndLiquify(uint256)
56c3726b  =>  swapTokensForBNB(uint256)
cf36bec9  =>  swapBNBForTokens(uint256)
9cd441da  =>  addLiquidity(uint256,uint256)
053ab182  =>  reflect(uint256)
```

- ## **Automatic General Report**

Files Description Table

File Name	SHA-1 Hash
/Users/macbook/Desktop/smart contracts/blocvault.sol	919bd201c39e3c96d984a4b7208845938d427a43

Contracts Description Table

Contract	Type	Bases		
∟	**Function Name**	**Visibility**	**Mutability**	**Modifiers**
BlocVaultToken	Implementation	Context, IERC20, Ownable		
∟	get_vest_info	Public ▮		|NO▮
∟	vesting	Public ▮	◎	NO▮
∟	cliam_vest	Public ▮	◎	NO▮
∟	<Constructor>	Public ▮	◎	NO▮
∟	<Receive Ether>	External ▮	🈯	NO▮
∟	withdrawBNB	Public ▮	◎	onlyOwner
∟	withdrawForeignToken	Public ▮	◎	onlyOwner
∟	transferBNBToAddress	Private 🔐	◎	
∟	setRouterAddress	Public ▮	◎	onlyOwner
∟	name	External ▮		NO▮
∟	symbol	External ▮		NO▮
∟	decimals	External ▮		NO▮
∟	totalSupply	External ▮		NO▮
∟	balanceOf	Public ▮		NO▮
∟	transfer	External ▮	◎	NO▮
∟	allowance	External ▮		NO▮
∟	approve	External ▮	◎	NO▮
∟	transferFrom	External ▮	◎	NO▮
∟	increaseAllowance	External ▮	◎	NO▮
∟	decreaseAllowance	External ▮	◎	NO▮

└	_approve	Private 🍞	◉	
└	getTotalReflections	External 🛇		NO🛇
└	isExcludedFromFee	External 🛇		NO🛇
└	isExcludedFromReflection	External 🛇		NO🛇
└	excludeFromFee	External 🛇	◉	onlyOwner
└	includeInFee	External 🛇	◉	onlyOwner
└	setTaxFeePercent	External 🛇	◉	onlyOwner
└	setMaxTxAmount	External 🛇	◉	onlyOwner
└	setTokenSwapThreshold	External 🛇	◉	onlyOwner
└	setMarketingAddress	External 🛇	◉	onlyOwner
└	setDevelopAddress	External 🛇	◉	onlyOwner
└	setVestingAddress	External 🛇	◉	onlyOwner
└	setLiquidity	External 🛇	◉	onlyOwner
└	reflectionFromToken	Public 🛇		NO🛇
└	tokenFromReflection	Public 🛇		NO🛇
└	removeAllFees	Private 🍞	◉	
└	restoreAllFees	Private 🍞	◉	
└	_getValues	Private 🍞		
└	_getTValues	Private 🍞		
└	_getRValues	Private 🍞		
└	_getRate	Private 🍞		
└	_getCurrentSupply	Private 🍞		
└	excludeFromReward	External 🛇	◉	onlyOwner
└	includeInReward	External 🛇	◉	onlyOwner
└	getTime	Public 🛇		NO🛇
└	_transfer	Private 🍞	◉	
└	_tokenTransfer_normal	Private 🍞	◉	
└	_tokenTransfer	Private 🍞	◉	
└	_burnTokens	Private 🍞	◉	
└	_reflectTokens	Private 🍞	◉	
└	_takeTokens	Private 🍞	◉	
└	swapAndLiquify	Private 🍞	◉	lockSwapping
└	swapTokensForBNB	Private 🍞	◉	
└	swapBNBForTokens	Private 🍞	◉	
└	addLiquidity	Private 🍞	◉	
└	reflect	Public 🛇	◉	NO🛇

Legend

Symbol	Meaning
⬡	Function can modify state
💵	Function is payable

• Summary of the Audit

According to automatically test, the customer`s solidity smart contract is **Secured**.

The general overview is presented in the Project Information section and all issues found are located in the audit overview section.

The test found 0 critical, 0 high, 0 medium, 3 low issues, and 3 notes.