FACILITY SAFETY ASSESSMENT

Occupational Safety & Health Compliance Evaluation

ASSESSMENT DETAILS

Report Title *

Assessment ID

Assessment Date *

Review Status: ◯ Draft ◯ Final ◯ Approved

SITE INFORMATION

Location / Department *

Operational Scope

PERSONNEL

Assessor Name(s) *

Point of Contact

INSTRUCTIONS FOR COMPLETION

- For each question, select a Compliance Status: Yes, No, Unsure, or N/A.
- For No or Unsure responses, assign a Risk Rating: High, Medium, or Low.
- Use the Findings and Recommendations fields to document observations and corrective actions.

Section 01 — CONFINED SPACE

01.01.001

Has a workplace evaluation been conducted to identify all confined spaces and determine if they are permit-required?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

01.01.002

Are exposed employees informed of the existence and location of permit spaces via posted danger signs or other equally effective means?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

01.02.001

If the employer has decided that employees will not enter permit spaces, have effective measures been taken to prevent employees from entering?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

01.03.001

If the employer has decided that employees will enter permit spaces, has a written permit space program been developed and implemented?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

01.04.001

Does the written program include specific procedures for summoning rescue and emergency services, preventing unauthorized rescue, and rescuing entrants?"

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

01.04.002

Has the employer evaluated and verified that the designated rescue service is capable of responding in a timely manner and is equipped to handle the specific hazards of the space?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 02 — ELECTRICAL

02.01.001

Has an arc flash risk assessment been completed for this facility in the last five years?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

02.02.001

Is absence-of-voltage testing being performed prior to work on or near exposed conductors?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

02.03.001

Are all unused openings in cabinets, boxes, and fittings closed?

Compliance Status: Yes No Unsure N/A

Risk Rating: High Medium Low Good

Findings / Observations:

Recommendations / Corrective Actions:

02.03.002

Is all electrical equipment in use labeled and listed?

Compliance Status: Yes No Unsure N/A

Risk Rating: High Medium Low Good

Findings / Observations:

Recommendations / Corrective Actions:

02.03.003

Is all electrical equipment in use adequately maintained in accordance with the manufacturer's instructions and applicable codes and standards? NFPA 70B 2023

Compliance Status: Yes No Unsure N/A

Risk Rating: High Medium Low Good

Findings / Observations:

Recommendations / Corrective Actions:

02.03.004

Is the electrical equipment clearly marked with the manufacturer's identification and electrical ratings, and are appropriate safety signs or tags visible to warn employees of electrical hazards?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

02.04.001

Is sufficient space and access maintained by electrical equipment 600 volts or less?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

02.05.001

Are all flexible power cords used as a temporary wiring means and NOT permanent wiring?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

02.06.001

Are all employees performing electrical work properly trained and qualified?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 03 — EMPLOYEE TEMPERATURE STRESS

03.01.001

Do you have practices, products, or procedures in place to minimize employee exposure to extreme hot temperatures?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

03.01.002

Do you have a written Heat Stress Prevention Program?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

03.02.001

Do you have practices, products, or procedures in place to minimize employee exposure to extreme cold temperatures?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

03.02.002

Do you have a written Cold Stress Prevention Program?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

03.03.001

Do you currently monitor employees for temperature stress?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 04 — ERGONOMICS

04.01.001

Do employees at all levels of the organization understand what ergonomics is and can identify ergonomic risk factors (awkward postures, forces, repetitive motion, etc.)?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

04.02.001

Do you have a formal process for quantifying risk across workstations and tasks?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

04.02.002

Do you have a quantitative measure for all physical demands within each job (e.g., push forces are 50 lbs, horizontal reach in front of the body is 18 inches?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

04.03.001

Do you have a formal process in place for procurement or design of equipment, workstations, hand tools, etc., to ensure ergonomic design specifications are being considered?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

04.04.001

Do you have a formal ergonomics process with roles and responsibilities clearly defined at all levels of the organization?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

04.04.002

Can you prioritize corrective actions within your ergonomics program based on cost, ease of implementation, and overall risk?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

04.05.001

Can you demonstrate the collection of ergonomic solutions that have been put in place that have a proven record of risk reduction or benefits to productivity or quality?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

04.06.001

Have you identified the light-duty task within each job?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 05 — EXITS AND FIRE PROTECTION

05.01.001

Does this facility have a current emergency action plan?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

05.01.002

Does this facility have a current fire prevention plan?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

05.02.001

Are all exits clearly visible and marked with an Exit sign?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

05.02.002

Are evacuation alarms serviced and tested to ensure reliable and safe operation?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

05.03.001

Are adequate fire extinguishers provided in the workplace?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

05.03.002

Are all portable fire extinguishers visually tagged to show they have received an annual maintenance check within the last 12 months?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 06 — HAND TOOLS

06.01.001

Are hand tools inspected and maintained regularly to ensure safe operation?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

06.01.002

Are power tools equipped with the necessary guards and safety features to prevent injuries?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

06.01.003

Are lithium batteries stored safely in accordance with fire safety and hazardous materials regulations?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

06.02.001

Are tools stored and handled correctly to prevent damage to the tools and ensure safe access?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

06.03.001

Are employees trained on the proper selection and use of the correct tool for each task?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

06.03.002

Are appropriate PPE and safety protocols followed when using higher potential risk tools, such as portable grinders or saws?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

06.03.003

Are corded tools managed and used in a way that minimizes slip, trip, and fall hazards?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 07 — HAZARDOUS SUBSTANCES

07.01.001

Have you done a hazard assessment to ensure hazardous substances are being stored properly?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

07.01.002

Do you currently store chemicals in an approved container, cabinet, or room?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

07.02.001

Is secondary containment in use where hazardous chemicals are transferred or stored?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

07.02.002

Are adequate means, such as spill or neutralization kits, provided for clean-up in the event of a hazardous chemical spill?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

07.03.001

Do you have engineering or administrative controls in place to prevent dust accumulations that could pose a fire or explosion hazard?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

07.03.002

Is exposure to silica dust prevented?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 08 — HAZCOM

08.01.001

Does your organization have a written hazard communication program?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

08.02.001

Are all hazardous chemical containers labeled with either shipped container labels or in-plant workplace labels?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

08.02.002

Are you currently meeting the requirements of the Global Harmonized System (GHS) under the OSHA HAZCOM standard?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

08.03.001

Do you conduct training for your employees on hazardous chemicals used in their work area?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

08.04.001

Are the most current Safety Data Sheets (SDS) maintained (hard copy or electronic) for each hazardous chemical on-site?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 09 — LOCKOUT / TAGOUT

09.01.001

Do you have a comprehensive written LO/TO program established at this facility?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

09.02.001

Are written procedures developed, documented, and utilized for all equipment at this facility that requires procedures to isolate and control the energy?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

09.02.002

Has a periodic inspection of your LO/TO procedures, including the application of the procedures by authorized persons, been performed within the last year?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

09.03.001

Are all necessary LO/TO devices available for use?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

09.04.001

Have all affected employees been adequately trained on LOTO programs and procedures?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 10 — MACHINE SAFETY

10.01.001

Do you have practices... in place to minimize employee exposure to nip points, rotating parts, flying chips, and sparks...?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

10.01.002

Have machine guards been provided to protect the operator and other employees...?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

10.02.001

Are all machines that are designed for a fixed location securely anchored?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

10.03.001

Are adequate measures in place to provide safe operation of pneumatic tools and compressed air?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 11 — MATERIAL HANDLING

11.01.001

Are sufficient safe clearances allowed for aisles, at loading docks, through doorways, and wherever turns or passages must be made where mechanical handling equipment is used?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.01.002

Is the material stored in such a way that it does not create a hazard?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.02.001

Has each powered industrial truck operator been properly trained?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.03.001

Are all powered industrial trucks operated in a safe manner?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.03.002

Are inspections of powered industrial trucks performed and documented at an adequate frequency?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.04.001

Has the facility conducted an assessment of potential hazards resulting from PIT and pedestrian interactions?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.04.002

Is the facility designed to minimize interaction between PITs and pedestrians?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.04.003

Are designated paths provided and clearly marked for pedestrians where PIT traffic is present?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.04.004

Are designated crosswalks provided and clearly marked where pedestrian and PIT traffic intersections are present?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.04.005

Are doorways that open directly into designated PIT traffic routes protected?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.04.006

Are cranes and hoists inspected at an adequate frequency?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

11.05.001

Are all slings inspected at an adequate frequency?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 12 — MEDICAL FIRST AID

12.01.001

Is there a hospital, clinic, or infirmary for medical care near your workplace, or is at least one employee on each shift currently qualified to render first aid?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

12.01.002

Are your first aid kits or supplies adequate, easily accessible, periodically inspected, and replenished as needed?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

12.02.001

Do you have adequate AEDs present at this facility?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

12.03.001

Are all employees who may be exposed to blood or other infectious bodily fluids included in your exposure control plan?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

12.04.001

Do you have adequate emergency eyewash/showers present at this facility?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 13 — OCCUPATIONAL HEALTH HAZARDS

13.01.001

Has a noise monitoring survey been conducted to identify employees who may be exposed to noise at or above the Action Level of 85 dBA (8-hour TWA)?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

13.01.002

If noise exposures equal or exceed the Action Level (85 dBA), has a continuing, effective Hearing Conservation Program been implemented?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

13.01.003

Are feasible administrative or engineering controls utilized to reduce sound levels?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

13.01.004

Where controls fail to reduce exposure, is adequate hearing protection provided and mandatory?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

13.02.001

Have potential employee exposures to airborne contaminants (dust, fumes, vapors) been evaluated to determine if they exceed permissible limits?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

13.02.002

Is effective local exhaust or general ventilation maintained in areas where hazardous air contaminants are generated?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

13.02.003

If engineering controls fail to reduce exposure limits, has a written Respiratory Protection Program been implemented in accordance with 29 CFR 1910.134?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

13.03.001

Have indoor air quality assessments for mold been conducted in areas with known moisture intrusion, water damage, or high humidity?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

13.04.001

Has an exposure determination been conducted for other regulated hazards present in the facility (e.g., Lead, Asbestos, Silica, Hexavalent Chromium) as required by their specific OSHA standards?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 14 — PERSONAL PROTECTIVE EQUIPMENT

14.01.001

Are employees using the required PPE for this facility?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.01.002

Do you have a current workplace hazard assessment to determine the required PPE for each job in this facility?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.02.001

Do employees receive training on the selection and use of PPE?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.03.001

Is PPE of safe design or construction for the work to be performed?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.04.001

Is the required PPE properly fitted?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.04.002

Are simultaneously worn PPE items compatible and effective together?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.05.001

Is all PPE maintained in a sanitary condition and ready for use?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.06.001

Have you conducted a workplace hazard assessment to determine which jobs and areas in this facility require protective footwear?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.06.002

Are employees wearing protective safety footwear in areas where applicable hazards exist? (e.g., impact, compression, electrical, static, and puncture hazards)

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

14.06.003

Do you provide protective footwear to each affected employee through a subsidy, stipend, or other footwear program?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 15 — SAFETY AND HEALTH PROGRAMS AND RECORDKEEPING

15.01.001

Does your written safety and health program address all of the following: management commitment, employee involvement, worksite analyses, hazard prevention and control, and training?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

15.02.001

Does your recordkeeping process ensure all of the following: Obtaining a report on every injury or job-related illness requiring medical treatment Recording each injury or job-related illness on the OSHA Form 300 Preparing a supplementary record for recordable cases on an OSHA Form 301 or other equivalent forms Preparing an annual summary using OSHA Form 300 Posting the OSHA Form 300A from February 1 - May 1 If required, electronically submitting the Form 300A to OSHA Retaining these records for at least five years?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

15.02.002

If required, are records on the exposure of employees to toxic substances and hazardous exposures, physical examination reports, and employment records maintained?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 16 — SAFETY COMMUNICATION

16.01.001

Are all hazards or dangerous conditions adequately communicated using signs, lights, alarms, or other methods at this facility?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 17 — SECURITY

17.01.001

Are there written security policies for your facility?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

17.01.002

Are adequate security measures in place to address potential issues?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

17.02.001

Is there adequate illumination in all areas of the building and exterior grounds?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

17.02.002

Have adequate measures been taken, such as installing security cameras, to deter theft and/or monitor activities?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

17.03.001

Is there adequate signage to communicate security policies to employees and visitors throughout the facility?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

Section 18 — SLIPS, TRIPS, AND FALLS

18.01.001

Do you have practices, products, or procedures in place to minimize slips, trips, and falls?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

18.02.001

When working at elevated heights, is fall protection equipment being used?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

18.03.001

Are all employees who use personal fall protection systems... trained on fall and equipment hazards?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

18.04.001

Do you have a process for inspecting portable ladders?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

18.04.002

Do your fixed ladders meet the requirements of the latest walking working surfaces standard (i.e., self-closing safety gates, ladder safety systems as required)?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

18.05.001

Are all walking and working surfaces inspected regularly and maintained in a safe condition?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

18.06.001

Are employees adequately protected from exposure to falling objects?

Compliance Status: ◯ Yes ◯ No ◯ Unsure ◯ N/A

Risk Rating: ◯ High ◯ Medium ◯ Low ◯ Good

Findings / Observations:

Recommendations / Corrective Actions:

CERTIFICATION & SIGNATURE

I certify that the information contained in this assessment is accurate and complete to the best of my knowledge, and that this evaluation was conducted in accordance with applicable OSHA standards and organizational safety protocols.

Assessor Name (Print)

Title / Position

Assessor Signature: _____

Date

Point of Contact (Print)

Title / Position

Point of Contact Signature: _____