

# Lab Catalog + Lab Order Integration

## Frontend Implementation Guide

Audience: Frontend developers | Scope: Phase 1 catalog and Phase 2 order integration | Date: 25 August 2026

This guide explains the API contract, UI responsibilities, migration behavior, and the rules that protect historical prices. Existing frontend code can continue using the temporary name-based compatibility path until catalog selection is migrated.

### 1. Source of Truth

```
lab_tests.price           = current catalog price
lab_test_orders.price     = price captured when order was created
lab_test_orders.test_name = test name captured when order was created
```

**Never calculate an old order price from the catalog.**

When  
values

### 2. Phase 1 - Lab Test Catalog

Phase 1 creates the Admin-managed catalog. It does not change the existing order workflow or frontend test selector.

#### Catalog record

```
{
  "id": 1,
  "test_name": "CBC",
  "department_id": 10,
  "price": "500.00",
  "active": true,
  "created_at": "2026-08-25T10:00:00+05:30",
  "updated_at": "2026-08-25T10:00:00+05:30"
}
```

#### Catalog endpoints

```
GET    /lab-catalog?active=true&department_id=10
POST   /lab-catalog
PATCH /lab-catalog/{test_id}
PATCH /lab-catalog/{test_id}/activate
```

Create request:

```
{
  "test_name": "CBC",
  "department_id": 10,
  "price": "500.00"
}
```

Update request may contain only the fields being changed:

```
{ "price": "600.00" }
{ "test_name": "Complete Blood Count" }
```

- Use the active=true filter for doctor selection lists.

- Use

### 3. Phase 2 - Order Integration

## SaffoCare HMS - Lab Catalog and Order Integration

Phase 2 connects an order to the catalog and stores a permanent price snapshot. The new order fields are nullable during migration so legacy orders are not broken.

### Order response

```
{
  "id": 42,
  "lab_test_id": 1,
  "test_name": "CBC",
  "price": "500.00",
  "department_id": 10,
  "status": "ordered"
}
```

### Preferred create request

```
{
  "appointment_id": 100,
  "lab_test_id": 1,
  "priority": "Normal",
  "clinical_notes": "Routine screening"
}
```

The backend looks up catalog ID 1, verifies that it exists and is active, then derives test\_name, department, category, and price. The frontend must not send price as an authoritative field.

### Temporary compatibility request

```
{
  "appointment_id": 100,
  "test_name": "CBC",
  "category": "Laboratory",
  "priority": "Normal"
}
```

Until the frontend migration is deployed, the backend resolves an exact test\_name within the selected department. Unknown, inactive, or mismatched catalog tests are rejected.

## 4. Frontend Migration

After the catalog is populated and verified, replace hardcoded test options with active catalog data.

```
GET /lab-catalog?active=true
  |
  v
Filter by department_id and show test_name + price
  |
  v
On selection, retain lab_test_id
  |
  v
POST /lab-tests with lab_test_id
```

### Frontend responsibilities

- Load catalog data and show only active tests in new-order selectors.

- Sto

## Suggested frontend files

|                                                      |                           |
|------------------------------------------------------|---------------------------|
| src/features/doctor/constants.js                     | replace hardcoded source  |
| src/features/doctor/components/LabTestNameField.jsx  | catalog options           |
| src/features/doctor/components/AddLabTestModal.jsx   | retain lab_test_id        |
| src/features/doctor/components/ConsultationModal.jsx | retain lab_test_id        |
| src/features/doctor/components/LabsSection.jsx       | show order price          |
| src/shared/api/mappers/clinicalMapper.js             | map lab_test_id and price |
| src/shared/api/mappers/labMapper.js                  | map order/report price    |
| src/shared/api/services/doctorLabs.js                | catalog API service       |
| src/features/lab/**                                  | show stored order price   |

## 5. Historical and Error Behavior

### Price and rename example

```
Catalog: CBC = 500.00
Order A: CBC = 500.00

Admin changes catalog: CBC = 600.00
Order A remains: CBC = 500.00
New Order B: CBC = 600.00

Admin renames catalog: Complete Blood Count
Order A remains: CBC = 500.00
New Order C: Complete Blood Count = 600.00
```

### Inactive test

- New order using an inactive lab\_test\_id: reject with a clear 400 error.

### Legacy order migration

- Migration matches exact test\_name plus department\_id.

## 6. API and UI Checklist

- [ ] Catalog list loads successfully with active filtering.

## 7. Final Rule

**Catalog = current configuration. Order = immutable historical record.**