

Doctor Patient Vitals & Nursing Notes

Frontend Developer Guide

Version: 1.0 | Date: 24 August 2026 | Audience: Frontend developers

Backend: HM-System-Backend (FastAPI) | Auth: JWT Bearer token

Doctor prefix: /doctor/patients/{patient_id} | Read-only (view only)

BACKEND IS DONE - FRONTEND IS NOT WIRED

Doctors can already view nurse-recorded vitals and nursing notes for their assigned patients. Wire this into the doctor EMR (PatientHistoryProfile), the same way Doctor Visits was added. Do NOT call nurse APIs. Do NOT add create / edit / delete actions for the doctor.

1. Purpose

A doctor must be able to read the vitals and nursing notes that nurses recorded for a patient assigned to that doctor (OPD appointment or IPD admission). This is a clinical read of nurse data, not the doctor's own consultation notes / prescriptions.

- VIEW vitals timeline for one assigned patient: YES
- VIEW nursing notes timeline for one assigned patient: YES
- CREATE / UPDATE / DELETE vitals or notes: NO
- Hospital-wide vitals registry (like nurse /nurse/vitals): NO
- No new database tables. Reuses patient_vitals + nursing_notes
- No Alembic migration. Permissions already in seed.py

2. Critical: do not reuse Nurse APIs

Wrong (nurse / other)	Correct (doctor)
GET /nurse/vitals	GET /doctor/patients/{patient_id}/vitals
GET /nurse/vitals/search?patient_id=	GET /doctor/patients/{patient_id}/vitals
GET /nurse/notes	GET /doctor/patients/{patient_id}/notes
POST /nurse/vitals (record)	Not allowed for doctor

Nurse endpoints require nurse_vitals:view / nurse_notes:view and filter by occupied / allocated beds. A doctor JWT will 403. Do not import nurse.js, useNurseQuery, or nurse mapper hooks.

3. Two different 'notes' - do not mix them

Source	What it is	Where it lives today
Doctor clinical notes	Symptoms / diagnosis / follow-up the doctor writes in consultation	ConsultationModal + appointment PATCH + prescriptions
Nursing notes (THIS API)	Nurse observations: symptoms, treatment_response, additional_notes	GET /doctor/patients/{id}/notes -- not wired yet

Do not dump nursing notes into ConsultationModal. Add a separate 'Nursing Notes' panel on the patient profile, next to Prescriptions / Labs / Doctor Visits.

4. Permissions (two view keys)

Permission	Role	Used for
doctor_vitals:view	doctor	GET /doctor/patients/{id}/vitals
doctor_notes:view	doctor	GET /doctor/patients/{id}/notes

All requests require: Authorization: Bearer <access_token>

401 = token missing/expired. 403 = permission missing OR patient not assigned.

There is NO doctor_vitals:create / doctor_notes:update.

- Add keys to useDoctorPermission.js (vitalsView, notesView)
- Add keys to seedPermissions.js
- Add a view-only group in doctorManagementConfig.js (Nurse clinical read)
- Add keys to adminEditLocks.js doctor_clinical
- Hide each panel when the matching permission is false

5. API endpoints (2 total)

#	Method	URL	Purpose
1	GET	/doctor/patients/{patient_id}/vitals	Paginated vitals for one patient
2	GET	/doctor/patients/{patient_id}/notes	Paginated nursing notes for one patient

No POST / PUT / PATCH / DELETE under these paths. No list-all-patients endpoint.

6. patient_id is the NUMERIC id, not UHID

EASIEST BUG TO SHIP

Path param patient_id is the internal integer (e.g. 1037), NOT the display UHID (P-1037). GET /patients/{uhid} uses UHID. These two APIs do not. If you pass P-1037 you get 422.

Value	Example	Use here?
Internal patient_id	1037	YES - path param
UHID / patient_uid	P-1037	NO - display only
appointment_id	88	NO - not in this URL

On PatientHistoryProfile the numeric id is already resolved:

```
const patientId = resolvedPatientId ?? historyData?.patientId ?? null;
```

That is the same patientId used for prescriptions and Doctor Visits. Enable the vitals/notes queries only when Number.isFinite(patientId).

- From EMR list row: row.patientId (mapped from patient_id)
- From today's appointment: appt.patientDbId
- From visitRowToPatientSummary: patient.patientId
- If patientId is null, show empty copy. Do not call the API with UHID.

7. Assigned-patient scope (backend enforces)

The logged-in doctor is 'assigned' to a patient if ANY of these is true:

- An OPD appointment exists with Appointment.doctor_id = current user id
- An IPD admission exists with IpdAdmission.doctor_id = current user id

Status is not filtered (past / cancelled / discharged still count). There is no allocated_only / shift / ward filter. The doctor sees the full vitals and notes history for that patient, newest first.

403 IS NOT ALWAYS A MISSING PERMISSION

If the JWT has doctor_vitals:view but the patient was never this doctor's OPD or IPD patient, the API returns 403 detail: 'Patient is not assigned to this doctor'. Hide the panel for missing permission. For assignment 403, show: 'This patient is not assigned to you.' Do not treat it as an empty list.

8. Shared query parameters (both endpoints)

Param	Type	Default	Description
patient_id	int path	required	Internal id, ge=1
page	int	1	Page number, ge=1
page_size	int	20	Max 100
from_date	date	-	YYYY-MM-DD inclusive start
to_date	date	-	YYYY-MM-DD inclusive end

Date filter field: vitals use recorded_at. Notes use created_at. to_date is inclusive (backend uses < to_date + 1 day). No search, allocated_only, shift_name, or patient_uid query params.

Example requests

```
GET /doctor/patients/1037/vitals?page=1&page_size=20
```

```
Authorization: Bearer <doctor_token>
```

```
GET /doctor/patients/1037/notes?from_date=2026-08-01&to_date=2026-08-24
```

Authorization: Bearer <doctor_token>

9. GET /doctor/patients/{patient_id}/vitals

Success response (200)

```
{
  "success": true,
  "total": 2,
  "page": 1,
  "page_size": 20,
  "items": [
    {
      "id": 51,
      "appointment_id": 88,
      "patient_id": 1037,
      "patient_uid": "P-1037",
      "patient_name": "Sumit Sharma",
      "bed_number": "G-12",
      "ward_name": "General",
      "doctor_id": 9,
      "doctor_name": "Dr. Arora",
      "recorded_by": 22,
      "recorded_by_name": "Nurse Priya",
      "temperature": 37.4,
      "blood_pressure": "120/80",
      "heart_rate": 78,
      "respiratory_rate": 18,
      "oxygen_saturation": 98,
      "blood_sugar": 110.0,
      "weight": 68.5,
      "pain_level": 2,
      "observation_notes": "Stable, afebrile",
      "status": "recorded",
      "recorded_at": "2026-08-24T08:15:00+05:30",
      "updated_at": "2026-08-24T08:15:00+05:30",
      "history": [
        {
          "history_id": 51,
          "recorded_at": "2026-08-24T08:15:00+05:30",
          "recorded_by": "Nurse Priya",
          "status": "recorded",
          "temperature": 37.4,
          "blood_pressure": "120/80",
          "heart_rate": 78,
          "respiratory_rate": 18,
          "oxygen_saturation": 98,
          "blood_sugar": 110.0,
          "weight": 68.5,
          "pain_level": 2,
          "observation_notes": "Stable, afebrile"
        }
      ]
    }
  ]
}
```

Vitals fields to display

SaffoCare HMS - Doctor Vitals & Nursing Notes Frontend Guide

API field	UI label	Notes
recorded_at	Recorded at	ISO datetime IST. Sort is newest first
recorded_by_name	Recorded by	Nurse display name
temperature	Temp	Number; show unit C in the label
blood_pressure	BP	String e.g. 120/80
heart_rate	HR	bpm
respiratory_rate	RR	breaths/min
oxygen_saturation	SpO2	percent
blood_sugar	Blood sugar	Number; may be null
weight	Weight	kg; may be null
pain_level	Pain	0-10; may be null
observation_notes	Observation	Free text; may be null
status	Status	recorded reviewed
ward_name / bed_number	Ward / Bed	From occupied bed; may be null for OPD
patient_uid	Patient ID	Display UHID, never numeric patient_id

Any vital field may be null. Show an em dash. Do not invent 0. appointment_id may be null for IPD-only recordings.

history[] on each item

Because the serializer reuses the nurse helper, EVERY item includes history: the full newest-first list of all recordings for that patient (not paginated). Do NOT render history inside every table row.

- Table / timeline = items[] (respects page, page_size, from_date, to_date)
- Optional date picker of all timestamps = items[0].history only
- If total is large, prefer pagination on items[] and ignore history

10. GET /doctor/patients/{patient_id}/notes

Success response (200)

```
{
  "success": true,
  "total": 1,
  "page": 1,
  "page_size": 20,
  "items": [
    {
      "id": 19,
      "appointment_id": 88,
      "patient_id": 1037,
      "patient_uid": "P-1037",
      "patient_name": "Sumit Sharma",
      "bed_number": "G-12",
      "ward_name": "General",
      "doctor_id": 9,
      "doctor_name": "Dr. Arora",
      "nurse_id": 22,
      "nurse_name": "Nurse Priya",
      "created_by_name": "Nurse Priya",
      "symptoms": "Mild headache, afebrile",
      "treatment_response": "Paracetamol given, pain reduced",
      "additional_notes": "Encourage fluids",
      "status": "active",
      "created_at": "2026-08-24T08:40:00+05:30",
      "updated_at": "2026-08-24T08:40:00+05:30",
      "history": [
        {
          "history_id": 19,
          "created_at": "2026-08-24T08:40:00+05:30",
          "created_by": "Nurse Priya",
          "status": "active",
          "symptoms": "Mild headache, afebrile",
          "treatment_response": "Paracetamol given, pain reduced",
          "additional_notes": "Encourage fluids"
        }
      ]
    }
  ]
}
```

Nursing note fields to display

API field	UI label	Notes
created_at	Created at	ISO datetime IST. Newest first
nurse_name	Nurse	Fallback created_by_name
symptoms	Symptoms	Nurse observation, not doctor diagnosis
treatment_response	Treatment response	May be null
additional_notes	Additional notes	May be null
status	Status	active archived

SaffoCare HMS - Doctor Vitals & Nursing Notes Frontend Guide

ward_name / bed_number	Ward / Bed	May be null for OPD
patient_uid	Patient ID	Display UHID

Same history[] rule as vitals: use items[] for the list. Do not show Edit / Archive buttons. Doctor is read-only.

11. Errors

Status	When	UI action
401	Missing/expired JWT	Redirect to login
403	Missing doctor_vitals:view or doctor_notes:view	Hide that panel / nav
403	Patient not assigned to this doctor	Message: not assigned. Do not leak why
422	patient_id not an integer >= 1 (e.g. passed UHID)	Do not call; fix the id source
200 + empty items	Assigned patient, nurse has recorded nothing yet	Empty state, not an error

12. Suggested UI (mirror Doctor Visits)

Do not add a new top-level sidebar item unless product asks. Doctor workflow is: open a patient from Patients EMR / queue / IPD, then read vitals and notes on that profile.

Screen	Where	APIs
Vitals panel	PatientHistoryProfile	GET .../{id}/vitals
Nursing notes panel	PatientHistoryProfile	GET .../{id}/notes
Optional latest vitals	IPD patient table row	Same vitals API page_size=1

Copy DoctorPatientVisitsPanel.jsx

- New components: DoctorPatientVitalsPanel.jsx + DoctorPatientNotesPanel.jsx
- Pass patientId (numeric). Hide if permission is false (return null)
- Show on OPD AND IPD profile (visits panel is IPD-only; these are both)
- Place after Prescriptions / Labs, before or after Doctor Visits
- Date range optional: from_date + to_date as YYYY-MM-DD
- Pagination: page + page_size; use total from the payload
- Empty copy: 'No vitals recorded for this patient.' / 'No nursing notes...'
- Loading / error copy: same tone as Doctor Visits panel
- No Record / Edit / Delete buttons

Suggested vitals table columns

- Recorded at | Temp | BP | HR | RR | SpO2 | Pain | Recorded by
- Expand row or modal for observation_notes, weight, blood sugar, ward/bed

Suggested notes table columns

- Created at | Symptoms | Treatment response | Nurse
- Expand row for additional_notes

13. Frontend files to add or change

Touch doctor + shared doctor API only. Do not modify nurse feature files.

```

ADD
src/features/doctor/api/patientClinical.js
  getDoctorPatientVitals(patientId, params, token)
  getDoctorPatientNotes(patientId, params, token)

src/features/doctor/components/DoctorPatientVitalsPanel.jsx
src/features/doctor/components/DoctorPatientNotesPanel.jsx

CHANGE
src/shared/api/services/doctorPatients.js
  fetchDoctorPatientVitals(patientId, token, params)
  fetchDoctorPatientNotes(patientId, token, params)

src/features/doctor/hooks/useDoctorPatientQuery.js
  useDoctorPatientVitalsQuery(patientId, filters)
  useDoctorPatientNotesQuery(patientId, filters)
  enabled: canView && Number.isFinite(Number(patientId))

src/shared/api/queryKeys.js
  doctor.patients.vitals(patientId, filters)
  doctor.patients.notes(patientId, filters)

src/shared/api/mappers/doctorPatientMapper.js
  mapDoctorVitalItem(row)    // keep snake_case or camelCase consistently
  mapDoctorNoteItem(row)
  // Do NOT import nurseMapper.js

src/features/doctor/hooks/useDoctorPermission.js
  vitalsView: 'doctor_vitals:view'
  notesView: 'doctor_notes:view'

src/features/doctor/components/PatientHistoryProfile.jsx
  Render both panels with patientId={patientId}
  Show for OPD and IPD (not IPD-only)

src/features/admin/doctor/constants/doctorManagementConfig.js
src/features/admin/constants/adminEditLocks.js  (doctor_clinical)
src/features/super-admin/constants/seedPermissions.js
  doctor_vitals:view
  doctor_notes:view

DO NOT CHANGE
src/features/nurse/**  (nurse record/edit vitals and notes stay nurse-only)
src/features/doctor/api/clinical.js  (that file is doctor consultation records)
src/features/doctor/components/ConsultationModal.jsx

```

14. Suggested service wrappers

```

// src/features/doctor/api/patientClinical.js
import { apiClient } from '@shared/api/client';

function appendQuery(path, params = {}) {

```

```
const search = new URLSearchParams();
for (const [key, value] of Object.entries(params)) {
  if (value !== null && value !== '') search.set(key, String(value));
}
const qs = search.toString();
return qs ? `${path}?${qs}` : path;
}

export function getDoctorPatientVitals(patientId, params, token) {
  return apiClient(
    appendQuery(`/doctor/patients/${patientId}/vitals`, params),
    { token }
  );
}

export function getDoctorPatientNotes(patientId, params, token) {
  return apiClient(
    appendQuery(`/doctor/patients/${patientId}/notes`, params),
    { token }
  );
}
```

Hook example (same pattern as useDoctorPatientPrescriptionsQuery):

```
useDoctorPatientVitalsQuery(patientId, {
  page: 1,
  page_size: 20,
  from_date,    // optional 'YYYY-MM-DD'
  to_date,      // optional 'YYYY-MM-DD'
})
// enabled only when doctor_vitals:view AND numeric patientId
```

15. Display rules

- Patient ID column / header chip = patient_uid (P-1037).
- Numeric patient_id is for the URL only. Never show it in the table.
- Null numbers and empty strings: em dash. Do not coerce to 0.
- Ward / Bed empty for OPD is normal.
- Read-only: no forms, no status change, no nurse-style Edit.
- Format recorded_at / created_at with the same datetime helper as Doctor Visits.
- Do not map nursing symptoms onto visit.diagnosis.

16. What backend already does (do not reimplement)

- Assignment check (OPD appointment OR IPD admission for this doctor)
- 403 when the patient is not assigned
- Pagination total / page / page_size / items
- Inclusive from_date / to_date
- Newest-first order
- Nurse display name, UHID, ward/bed snapshot when occupied
- Audit: doctor.patient_vitals.view and doctor.patient_notes.view

17. Backend setup (local / devops)

```
cd HM-System-Backend
```

```
python seed.py
# Ensures doctor_vitals:view and doctor_notes:view exist on the doctor role.
# No alembic migration for this feature.
```

Until seed.py is run on an old database, doctor calls return 403.

Aligned with Routers/doctor_patient_clinical_router.py and Services/doctor_patient_clinical_service.py (24 August 2026).

18. QA checklist for frontend

- Doctor without doctor_vitals:view: vitals panel hidden
- Doctor without doctor_notes:view: notes panel hidden
- Assigned OPD patient: both lists load (ward/bed may be empty)
- Assigned IPD patient: both lists load; ward/bed shown if occupied
- Patient assigned to another doctor: 403 handled, not an empty table
- UHID is never sent as the path param
- Date range filters the list
- Pagination uses total from the payload
- Empty assigned patient shows empty copy, not an error toast
- No Record / Edit / Delete UI on doctor screens
- Nurse module still uses /nurse/vitals and /nurse/notes unchanged
- ConsultationModal still saves doctor clinical notes, not nursing notes