

Nurse Medications: OPD vs IPD Source

Frontend Developer Guide

Date: 31 August 2026. Backend is already shipped. Current nurse screens keep working with no frontend change. New fields are additive. Extra JSON keys are ignored until you display them.

Compatibility (do not break current UI)

All previous keys on GET /nurse/medications/patient/{patient_id} are unchanged. Administer APIs are unchanged. The nurse can still see every medicine (OPD + IPD) and can still administer them. This change only labels each medicine so the UI can show that it came from OPD and which doctor prescribed it.

1. What changed

Nurse MAR still returns all prescription items for the patient. Each item now includes the encounter source and the prescribing doctor.

- Workflow: unchanged (view all medicines, administer still allowed).
- New per-item label: source = OPD or IPD.
- New per-item doctor: doctor_id + doctor_name of the doctor who wrote that Rx.
- Frontend was not modified. Display the new fields when you are ready.

2. Endpoint (no URL change)

Permission: nurse_medication:view

```
GET /nurse/medications/patient/{patient_id}
```

Unchanged endpoints (no payload change for this feature):

- GET /nurse/medications/patients (patient list)
- POST /nurse/medications/administer
- PUT /nurse/medications/administer/{administration_id}
- GET /nurse/medications/history and GET /nurse/medications/history/{patient_id}

3. How to detect OPD vs IPD

Use medications[].source. Do not guess from the page-level doctor_name.

source	Meaning	appointment_id	admission_id
OPD	Prescribed in an OPD visit	number (set)	null
IPD	Prescribed on an IPD admission	null	number (set)

```
const isOpd = item.source === 'OPD';
const isIpd = item.source === 'IPD';
```

Do not use top-level doctor_name as the prescriber

Response.doctor_name is still the IPD attending / ward doctor for the patient (same as before). For each medicine row, use medications[].doctor_name (the doctor who prescribed that medicine). An OPD medicine can have a different doctor than the IPD attending.

4. Field map for the nurse table

Keep existing columns. Add Source and Prescribed by when you update UI.

SaffoCare HMS - Nurse Medications OPD/IPD Source (Frontend Guide)

UI label	API key	Required	Example
Medicine	medicine_name	Yes (old)	Paracetamol
Strength	dosage	Yes (old)	500 mg
Form	form	No (old)	Tablet
Duration	duration	Yes (old)	5 Days
Frequency	frequency	Yes (old)	1-0-1
Route	route	No (old)	Oral
Timing	timing	No (old)	After food
Instruction	instructions	No (old)	Take with water
Source (NEW)	source	Always set	OPD or IPD
Prescribed by (NEW)	doctor_name	If doctor exists	Dr. Sharma
Prescribing doctor id	doctor_id	If doctor exists	12
OPD visit id	appointment_id	OPD only	88
IPD admission id	admission_id	IPD only	41
Parent prescription id	prescription_id	Always set	301

5. Suggested UI (when frontend is ready)

Recommended on NursePatientMedicationsPage and the patient overview Meds tab:

- Keep the current medicine table and Administer / Record dose buttons.
- On the medicine name cell, show a small badge: OPD or IPD.
- Under the name (or a new column), show Prescribed by: Dr. ...
- Example OPD row: Paracetamol 500 mg [OPD] Dr. Sharma
- Example IPD row: Ceftriaxone 1g [IPD] Dr. Patel

mapper already reads item.doctor_name in mapMedicationToPrescription (nurseMapper.js). After this API change, that mapped doctor_name is the prescribing doctor, not the ward attending doctor. You still need to render source and doctor_name in the table; they are not shown today.

6. Example response

Existing keys first; new keys at the end of each medications[] object.

```
{
  "patient_id": 15,
  "patient_uid": "P-1028",
  "patient_name": "Anita Desai",
  "bed_number": "B-12",
  "ward_name": "General",
  "doctor_id": 7,
  "doctor_name": "Dr. Patel",
  "medications": [
    {
      "prescription_item_id": 501,
      "prescription_id": 301,
      "medicine_name": "Paracetamol",
      "dosage": "500 mg",
      "form": "Tablet",
      "route": "Oral",
      "timing": "After food",
```

```

    "frequency": "1-0-1",
    "duration": "5 Days",
    "quantity": 10,
    "instructions": "Take with water",
    "source": "OPD",
    "appointment_id": 88,
    "admission_id": null,
    "doctor_id": 4,
    "doctor_name": "Dr. Sharma"
  },
  {
    "prescription_item_id": 610,
    "prescription_id": 340,
    "medicine_name": "Ceftriaxone",
    "dosage": "1 g",
    "form": "Injection",
    "route": "IV",
    "timing": null,
    "frequency": "1-0-1",
    "duration": "3 Days",
    "quantity": 6,
    "instructions": null,
    "source": "IPD",
    "appointment_id": null,
    "admission_id": 41,
    "doctor_id": 7,
    "doctor_name": "Dr. Patel"
  }
]
}

```

7. What frontend must NOT do

- Do not require the new fields to render the current table.
- Do not hide OPD medicines. Current workflow still shows all items.
- Do not disable Administer for OPD. Backend still allows it.
- Do not copy OPD medicines into a new IPD prescription on the client.
- Do not replace medications[].doctor_name with response.doctor_name.
- Do not treat missing source as an error; default display to IPD if needed.

8. Optional display snippet

```

function sourceBadge(item) {
  const source = String(item.source || '').toUpperCase();
  if (source === 'OPD') return 'OPD';
  if (source === 'IPD') return 'IPD';
  return item.admission_id !== null ? 'IPD' : 'OPD';
}
function prescribedBy(item) {
  return item.doctor_name || item.prescribed_by_name || '?';
}
// Medicine cell:
//   {item.medicine_name}
//   [{sourceBadge(item)}] {prescribedBy(item)}

```

9. Current nurse pages to update later

- NursePatientMedicationsPage.jsx (MAR / Administer table)
- NursePatientOverviewPage.jsx (Meds tab also has Administer)
- shared/api/mappers/nurseMapper.js (mapMedicationToPrescription already maps doctor_name)

No API client URL change is needed. `getPatientMedications` already calls `GET /nurse/medications/patient/{id}`.

Summary

Backend added source + prescribing doctor on each MAR medicine. Old UI keeps working. When frontend is ready, show an OPD/IPD badge and the prescribing doctor name next to each medicine.