

Nurse Doctor Visits

Frontend Developer Guide

Version: 1.0 | Date: August 2026 | Audience: Frontend developers

Backend: HM-System-Backend (FastAPI) | Auth: JWT Bearer token

Nurse prefix: /nurse/doctor-visits | Doctor prefix: /doctor/patient-visits

1. Purpose & Scope

This document describes the new Nurse Doctor Visit Tracking APIs and the Doctor read-only Patient Visits API. Nurses log how many times a doctor checked a patient. Doctors can view visit counts and history for their patients (read-only).

Backend is fully implemented. Frontend is NOT yet wired - use this guide to build the Nurse 'Doctor Visits' screen and the Doctor patient visit panel.

- Single database table: nurse_doctor_visits
- No separate summary API - compute KPIs client-side from GET list + bed patients
- Visit numbers (Visit #1, #2) are computed by backend per patient per day
- Void = soft delete; voided rows never appear in normal list/count

2. Permissions

Permission	Role	Used for
nurse_doctor_visits:view	nurse	GET list, GET doctors
nurse_doctor_visits:create	nurse	POST log visit
nurse_doctor_visits:update	nurse	PUT edit, PUT void
doctor_patient_visits:view	doctor	GET patient visits (read-only)

All requests require: Authorization: Bearer <access_token>

403 if permission missing. 401 if token expired.

3. Nurse API Endpoints (5 total)

#	Method	URL	Purpose
1	POST	/nurse/doctor-visits	Log a doctor visit
2	GET	/nurse/doctor-visits	List/filter visits
3	PUT	/nurse/doctor-visits/{id}	Correct doctor/time/notes
4	PUT	/nurse/doctor-visits/{id}/void	Void wrong/duplicate log
5	GET	/nurse/doctor-visits/doctors	Active doctors dropdown

4. Doctor API Endpoint (1 total - read-only)

#	Method	URL	Purpose
1	GET	/doctor/patient-visits	Visit history + count for one patient

Doctor cannot call nurse POST/PUT/void endpoints.

5. Patient Selection Rules (same as Vitals/Notes)

When logging a visit (POST), patient must be valid under existing nurse rules:

- IPD: patient_id if patient currently occupies a bed
- OPD: appointment_id from today's queue or patient appointments
- Reject if: no appointment AND not on occupied bed

IMPORTANT: POST has NO allocated_only restriction. Nurse can log for ANY valid patient in the hospital.

allocated_only applies ONLY to GET list (view filter), matching vitals/notes/beds scope bar behaviour:

allocated_only=false (default) = all visits

allocated_only=true = only visits for patients on nurse's allocated beds

Reuse existing APIs for patient picker - do NOT build a new patient API:

- GET /nurse/beds/patients - primary patient list
- GET /nurse/beds/allocation-summary - Allocated / All toggle default

6. POST /nurse/doctor-visits - Log Visit

Request body

```
{
  "patient_id": 1037,
  "doctor_id": 12,
  "visited_at": "2026-08-14T09:00:00+05:30",
  "notes": "Routine check, stable"
}
```

Field	Type	Required	Notes
patient_id	number	One of*	For IPD / bed patients
appointment_id	number	One of*	For OPD queue patients
doctor_id	number	Yes	From GET /doctors - never free text
visited_at	datetime	No	Defaults to server now (IST)
notes	string	No	Free text observation

*Provide patient_id OR appointment_id (same rule as vitals/notes).

Server auto-sets (never send from frontend): recorded_by, recorded_by_name, created_at, doctor_name (snapshot from doctor_id).

Success response (201)

```
{
  "id": 1,
  "patient_id": 1037,
  "patient_uid": "P-1037",
  "patient_name": "Sumit",
  "doctor_id": 12,
  "doctor_name": "Dr. Arora",
  "visited_at": "2026-08-14T09:00:00+05:30",
  "notes": "Routine check, stable",
  "visit_number": 1,
  "recorded_by": 45,
  "recorded_by_name": "Anita Sharma",
  "created_at": "2026-08-14T09:05:00+05:30",
  "updated_by": null,
  "updated_by_name": null,
  "updated_at": null,
  "is_voided": false
}
```

Common errors

Status	detail	UI action
400	patient_id is only allowed for patients...	Show invalid patient message
400	Provide appointment_id or patient_id	Require patient selection
404	Doctor not found	Refresh doctors list
404	Patient not found	Invalid patient
403	Missing permission	Hide action / show hint

7. GET /nurse/doctor-visits - List Visits

Query parameters

Param	Type	Default	Description
patient_id	int	-	Filter by patient
patient_uid	string	-	Filter by UHID
doctor_id	int	-	Filter by visiting doctor
visit_date	date	-	IST calendar day e.g. 2026-08-14
search	string	-	Patient name/UHID, doctor name, notes
allocated_only	bool	false	Scope to nurse allocated beds
assignment_date	date	-	With allocated_only
shift_name	string	-	With allocated_only
page	int	1	Page number
page_size	int	20	Max 100

Response

```
{
  "total": 6,
  "page": 1,
  "page_size": 20,
  "items": [
    {
      "id": 1,
      "patient_id": 1037,
      "patient_uid": "P-1037",
      "patient_name": "Sumit",
      "doctor_id": 12,
      "doctor_name": "Dr. Arora",
      "visited_at": "...",
      "notes": "Routine check, stable",
      "visit_number": 1,
      "recorded_by": 45,
      "recorded_by_name": "Anita Sharma",
      "is_voided": false
    }
  ]
}
```

Only active (non-voided) visits returned. visit_number is computed per patient per IST calendar day, ordered by visited_at ASC.

8. KPI Cards - Client-Side (no summary API)

Build dashboard KPIs by combining two existing calls:

```
GET /nurse/beds/patients?page=1&page_size=100&allocated_only=true|false
GET /nurse/doctor-visits?visit_date=2026-08-14&allocated_only=true|false&page_size=100
```

KPI	How to compute
Total Visits Today	visits.items.length
Patients Visited	unique patient_id count in visits
Not Yet Visited	bedPatients without any visit today
Most Visits	max visit count grouped by patient_id

SaffoCare HMS - Nurse Doctor Visits Frontend Guide

Per-card badge	visits filtered by patient_id .length
----------------	---------------------------------------

9. GET /nurse/doctor-visits/doctors - Doctor Dropdown

Returns ALL active registered doctors (role=doctor, is_active=true). Do NOT use department-then-doctor two-step picker unless product requires it.

Query parameters

Param	Type	Default	Description
search	string	-	Name, specialization, department
page	int	1	Page number
page_size	int	50	Max 100

Response

```
{
  "total": 15,
  "page": 1,
  "page_size": 50,
  "doctors": [
    { "id": 12, "name": "Dr. Arora", "specialization": "Cardiology" },
    { "id": 15, "name": "Dr. Mehta", "specialization": "General Medicine" }
  ]
}
```

UI: searchable dropdown. Send doctor_id in POST - never doctor name as text.

10. PUT /nurse/doctor-visits/{id} - Correct Visit

Use when nurse picked wrong doctor, time, or notes. Do NOT change patient.

```
{
  "doctor_id": 15,
  "visited_at": "2026-08-14T10:30:00+05:30",
  "notes": "Corrected note"
}
```

- Allowed: doctor_id, visited_at, notes
- Forbidden: patient_id, recorded_by, recorded_by_name, created_at
- On doctor_id change: doctor_name refreshed; updated_by/updated_by_name/updated_at set
- recorded_by / recorded_by_name / created_at NEVER change
- 400 if visit already voided

11. PUT /nurse/doctor-visits/{id}/void - Void Visit

Use for wrong patient or duplicate log. Soft delete - row kept for audit.

```
{ "void_reason": "Logged against wrong patient - meant P-1040" }
```

- void_reason required (3-500 chars)
- 400 if already voided
- After void: row excluded from GET list and visit counts
- Wrong patient flow: void then POST new visit for correct patient

12. GET /doctor/patient-visits - Doctor Read-Only

Doctor views nurse-logged visit history for ONE patient. Read-only - no POST/PUT.

Query parameters (one patient identifier required)

Param	Type	Required	Description
patient_id	int	One of*	Internal patient ID
patient_uid	string	One of*	UHID e.g. P-1037
visit_date	date	No	Defaults to today IST

Response

```
{
  "patient_id": 1037,
  "patient_uid": "P-1037",
  "patient_name": "Sumit",
  "visit_date": "2026-08-14",
  "visit_count": 2,
  "visits": [
    {
      "id": 1,
      "visit_number": 1,
      "doctor_id": 12,
      "doctor_name": "Dr. Arora",
      "visited_at": "...",
      "notes": "Routine check",
      "recorded_by": 45,
      "recorded_by_name": "Anita Sharma"
    }
  ]
}
```

- 403 if patient is not doctor's (no IPD admission or OPD appointment link)
- Show visit_count prominently; list visits chronologically

13. Suggested Frontend Screens & Routes

Screen	Route	APIs
Doctor Visits (nurse)	/nurse/doctor-visits	GET list + beds/patients
Log Visit modal	/nurse/doctor-visits (modal)	POST + GET doctors
Edit Visit modal	same page	PUT /{id}
Void confirm	same page	PUT /{id}/void
Doctor patient panel	IPD/patient detail	GET /doctor/patient-visits

Nav suggestion

Add 'Doctor Visits' to NurseLayout sidebar (between Medications and Handover). Wire NursePatientScopeBar allocated_only into GET list queries.

14. Suggested Frontend File Structure

```
src/features/nurse/
  api/doctorVisits.js      - raw HTTP calls
  pages/NurseDoctorVisitsPage.jsx
  components/NurseLogVisitModal.jsx
  components/NurseEditVisitModal.jsx

src/shared/api/services/nurse.js - add mapper + service wrappers
src/shared/hooks/queries/useNurseQuery.js - React Query hooks

src/routes/nurseRoutes.jsx - add /nurse/doctor-visits route
src/shared/constants/index.js - ROUTES.NURSE_DOCTOR_VISITS
```

15. User Workflows

WF-01: Log visit

1. Nurse opens /nurse/doctor-visits
2. GET /nurse/beds/patients + GET /nurse/doctor-visits?visit_date=today
3. Click '+ Log Visit' on patient card
4. GET /nurse/doctor-visits/doctors?search=
5. POST /nurse/doctor-visits { patient_id, doctor_id, notes }
6. Invalidate queries - refresh list + KPIs

WF-02: Fix wrong doctor

Edit modal - PUT /nurse/doctor-visits/{id} { doctor_id, notes }

WF-03: Wrong patient

Void - PUT /nurse/doctor-visits/{id}/void { void_reason }
Log again - POST for correct patient

WF-04: Doctor views count

Doctor opens patient detail
GET /doctor/patient-visits?patient_id=1037&visit_date=today
Display visit_count + visit list (read-only)

16. TypeScript Interfaces (suggested)

```
export interface NurseDoctorVisit {
  id: number;
  patient_id: number;
  patient_uid?: string;
  patient_name?: string;
  doctor_id: number;
  doctor_name: string;
  visited_at: string;
  notes?: string;
  visit_number?: number;
  recorded_by: number;
  recorded_by_name: string;
  created_at: string;
  updated_by?: number;
  updated_by_name?: string;
  updated_at?: string;
  is_voided: boolean;
}

export interface NurseDoctorVisitCreate {
  patient_id?: number;
  appointment_id?: number;
  doctor_id: number;
  visited_at?: string;
  notes?: string;
}

export interface NurseDoctorOption {
  id: number;
  name: string;
  specialization?: string;
}
```

17. Backend Setup (for devops / local)

```
cd HM-System-Backend
alembic upgrade head          # creates nurse_doctor_visits table
python seed.py                # adds permissions to nurse + doctor roles
```

Migration revision: e6f7a8b9c0d1_create_nurse_doctor_visits.py

Aligned with Routers/nurse_doctor_visit_router.py and Routers/doctor_patient_visit_router.py (August 2026).