

Receptionist Profile & Notifications

Frontend Developer Guide

Version: 1.0 | Date: July 2026 | Audience: Frontend developers

Backend: HM-System (FastAPI) | Auth: JWT Bearer token

Modules: /receptionist/profile + /receptionist/notifications

1. Purpose & Scope

This document describes the Receptionist Profile and Receptionist Notifications APIs so frontend developers can build the front-desk UI correctly. Receptionist role is view-only for OPD queue boards; this guide covers self-service profile and a simple HR/admin notification inbox only.

What this covers

- Receptionist self-service profile: view, update, upload/delete profile image
- Editable vs admin-owned fields (read-only in UI)
- Profile completion rules and image upload constraints
- In-app notifications: list, unread badge, mark one/all as read
- Receptionist-relevant notification types only (shift, department, account)
- Suggested TypeScript types and frontend checklist

What this does NOT cover

- Receptionist queue boards (dashboard, today-queue, doctor-queue, history, schedule) - see receptionist module docs
- Clinical notifications (appointments, lab, prescriptions, emergencies, handovers)
- Admin staff APIs (/users) except as notification triggers for shift/dept/account
- Push notifications, WebSocket, or SSE (not implemented - poll unread-count)
- Delete notification or notification preferences (not implemented)

Product rule (important)

Receptionist notifications are intentionally simple. Inbox receives only admin/HR events: SHIFT_UPDATED and ADMIN_UPDATE (department / deactivate / delete). Do not build UI filters or deep-links for doctor/nurse clinical notification types.

Auth header (all endpoints)

Authorization: Bearer <access_token>

Login via POST /auth/login. JWT must include the required permission. Only role name "receptionist" can use profile endpoints. Inactive accounts: 403. Soft-deleted / missing users: 404.

Required JWT permissions (receptionist seed)

Permission	Used for
receptionist_profile:view	GET /receptionist/profile
receptionist_profile:update	PUT /receptionist/profile
receptionist_profile:upload_image	POST /receptionist/profile/image
receptionist_profile:delete_image	DELETE /receptionist/profile/image

SaffoCare HMS - Receptionist Profile & Notifications Frontend Guide

notifications:view	List + unread-count
notifications:update	Mark one / mark all read

After seed/permission changes, receptionists must re-login so the JWT includes notifications:view and notifications:update.

2. Module A - Receptionist Profile

Prefix: /receptionist | Router: Routers/receptionist_profile_router.py | Tag: Receptionist Profile

Only users with role "receptionist" can call these endpoints. Admins manage employee_id, joining_date, department, and shift via admin staff APIs - not via /receptionist/profile.

2.1 Endpoint summary

Method + Path	Status	Permission	Purpose
GET /receptionist/profile	200	receptionist_profile:view	Load full profile
PUT /receptionist/profile	200	receptionist_profile:update	Update editable fields
POST /receptionist/profile/image	200	receptionist_profile:upload_image	Upload avatar
DELETE /receptionist/profile/image	200	receptionist_profile:delete_image	Remove avatar

2.2 GET /receptionist/profile

Request body: none. Returns ReceptionistProfileResponse (nested address, emergency_contact, department, role, shift).

```
{
  "user_id": 31,
  "first_name": "Riya",
  "last_name": "Patel",
  "email": "riya.reception@hospital.com",
  "phone": "9000000099",
  "phone_code": "+91",
  "address": {
    "line": "5 Main Lobby",
    "city": "Pune",
    "state": "Maharashtra"
  },
  "date_of_birth": "1995-04-12",
  "gender": 2,
  "emergency_contact": {
    "name": "Karan Patel",
    "phone": "9123456789"
  },
  "department": { "id": 1, "name": "Front Desk" },
  "role": { "id": 7, "name": "receptionist" },
  "employee_id": "REC-042",
  "qualification": "Front Desk Diploma",
  "experience_years": 3,
  "joining_date": "2023-01-15",
  "bio": "Patient guidance and OPD queue support.",
  "languages": ["English", "Hindi", "Marathi"],
  "shift": {
    "name": "Morning",
    "start_time": "08:00",
    "end_time": "16:00"
  }
}
```

SaffoCare HMS - Receptionist Profile & Notifications Frontend Guide

```
{,
"profile_image_url": "/uploads/receptionist_image/a1b2c3d4.jpg",
"is_profile_completed": true,
"profile_completion_percentage": 100,
"is_active": true,
"last_login": "2026-07-15T08:01:00+05:30",
"created_at": "2026-01-10T10:00:00+05:30",
"updated_at": "2026-07-14T18:20:00+05:30"
}
```

Response field reference:

Field	Type	Notes
user_id	number	Receptionist user id
first_name	string	Read-only
last_name	string null	Read-only
email	string (email)	Read-only
phone	string null	Editable
phone_code	string null	Editable (e.g. +91)
address	object	{ line, city, state } - editable
date_of_birth	string null	YYYY-MM-DD, editable
gender	number null	1-4, see Gender codes
emergency_contact	object	{ name, phone } - editable
department	object null	{ id, name } - admin-owned, read-only
role	object null	{ id, name } - read-only
employee_id	string null	Admin-owned, read-only
qualification	string null	Editable
experience_years	number null	Editable, 0-60
joining_date	string null	Admin-owned, read-only
bio	string null	Editable
languages	string[]	Editable, default []
shift	object null	{ name, start_time, end_time } - admin-owned
profile_image_url	string null	Relative path under /uploads
is_profile_completed	boolean	Server-computed (see rules below)
profile_completion_percentage	number	0-100, 14 field checks
is_active	boolean	Account status
last_login	datetime null	ISO with timezone
created_at / updated_at	datetime null	Profile timestamps

Gender codes (integer, not label)

- 1 = Male
- 2 = Female
- 3 = Other
- 4 = Prefer not to say

API returns the integer. Map to labels in the UI.

Profile completion rules

SaffoCare HMS - Receptionist Profile & Notifications Frontend Guide

- is_profile_completed = true only when qualification AND experience_years (not null) AND bio are all set.
 - profile_completion_percentage: 14 checks - phone, phone_code, address.line, city, state, DOB, gender, emergency name/phone, qualification, experience_years, bio, languages (non-empty), profile image.
- Show a completion progress bar using profile_completion_percentage.

Errors (GET)

- 401 - Missing/invalid JWT
- 403 - Missing permission, inactive account, or role is not receptionist
- 404 - User/profile not found ("Receptionist profile not found. Contact admin.")

2.3 PUT /receptionist/profile

Content-Type: application/json. Schema: ReceptionistProfileUpdate with extra="forbid". Partial updates are allowed. Empty body / no fields => 400 "No fields to update". Unknown or admin-only fields => 422.

```
{
  "qualification": "Front Desk Diploma",
  "experience_years": 3,
  "bio": "Patient guidance and OPD queue support.",
  "languages": ["English", "Hindi"],
  "phone": "9000000099",
  "phone_code": "+91",
  "address": {
    "line": "5 Main Lobby",
    "city": "Pune",
    "state": "Maharashtra"
  },
  "date_of_birth": "1995-04-12",
  "gender": 2,
  "emergency_contact": {
    "name": "Karan Patel",
    "phone": "9123456789"
  }
}
```

Editable vs read-only

Field	Receptionist edit?	UI tip
qualification	Yes	Text, max 255
experience_years	Yes	Number 0-60
bio	Yes	Textarea
languages	Yes	Tag input; trimmed, deduped
phone / phone_code	Yes	max 20 / max 10
address.{line,city,state}	Yes	city/state max 100
date_of_birth	Yes	Date picker YYYY-MM-DD
gender	Yes	Select 1-4
emergency_contact	Yes	name max 120, phone max 20
first_name, last_name, email	No	Display only
employee_id	No	Admin-owned
joining_date	No	Admin-owned
department / role	No	Display only

SaffoCare HMS - Receptionist Profile & Notifications Frontend Guide

shift	No	Admin updates; receptionist gets SHIFT_UPDATED
profile_image_url	No in PUT	Use image upload/delete endpoints

Do NOT send name, email, employee_id, joining_date, department, role, shift, profile_image_url, is_profile_completed, or profile_completion_percentage in PUT.

Success response: full ReceptionistProfileResponse (same shape as GET).

2.4 POST /receptionist/profile/image

multipart/form-data. Field name: file (required).

- Allowed: .jpg .jpeg .png .webp
- Max size: 5 MB
- Empty file rejected
- Stores under uploads/receptionist_image/ (or RECEPTIONIST_PROFILE_UPLOAD_DIR)
- Replaces previous image file on success

```
{
  "message": "Profile image uploaded successfully",
  "profile_image_url": "/uploads/receptionist_image/<uuid>.jpg"
}
```

Display image as: API_BASE + profile_image_url (e.g. http://localhost:8000/uploads/receptionist_image/...).

2.5 DELETE /receptionist/profile/image

```
{
  "message": "Profile image deleted successfully",
  "profile_image_url": null
}
```

- 404 if no image set

Image / update errors

- 400 - Invalid type, empty file, >5 MB, empty PUT body
- 401 / 403 / 404 - same auth/role/profile rules as GET
- 422 - Forbidden extra fields on PUT

3. Module B - Receptionist Notifications

Prefix: /receptionist/notifications | Router: Routers/receptionist_notification_router.py | Tag: Receptionist Notifications

Uses the shared notifications table, filtered by the logged-in receptionist user_id. Same response schema as doctor/nurse notifications, different URL prefix and a much smaller trigger set (HR/admin only).

3.1 Endpoint summary

Method + Path	Status	Permission	Purpose
GET /receptionist/notifications/unread-count	200	notifications:view	Badge count
GET /receptionist/notifications	200	notifications:view	Paginated list
PATCH /receptionist/notifications/{id}/read	200	notifications:update	Mark one read
PATCH /receptionist/notifications/read-all	200	notifications:update	Mark all read

3.2 GET /receptionist/notifications/unread-count

```
{ "count": 2 }
```

Poll every 15-30 seconds for the header badge. No WebSocket/SSE in backend yet.

3.3 GET /receptionist/notifications

Query parameters:

Param	Type / rules	Purpose
page	int >= 1, default 1	Page number
limit	int 1-100, default 20	Page size
search	string min 1	ILIKE title, message, created_by_name
is_read	bool optional	Filter unread/read
source_module	enum optional	Receptionist usually ADMIN
notification_type	enum optional	SHIFT_UPDATED or ADMIN_UPDATE
start_date / end_date	date optional	Inclusive Asia/Kolkata

Sort order: priority CRITICAL then HIGH then NORMAL, then created_at DESC (newest first within priority).

```
GET /receptionist/notifications?page=1&limit=20&is_read=false
```

```
{
  "total": 2,
  "page": 1,
  "limit": 20,
  "items": [
    {
      "id": 901,
      "user_id": 31,
      "title": "Shift updated by admin",
      "message": "Admin changed your duty shift:\n- Shift name: Evening\n- Shift start time: 14:00\n- Shift end time: 22:00",
      "notification_type": "SHIFT_UPDATED",
      "priority": "HIGH",
      "source_module": "ADMIN",
      "reference_type": "SCHEDULE",
      "reference_id": 31,
```

SaffoCare HMS - Receptionist Profile & Notifications Frontend Guide

```
{
  "created_by": 2,
  "created_by_name": "Hospital Admin",
  "is_read": false,
  "read_at": null,
  "created_at": "2026-07-15T09:15:00+05:30"
}
```

NotificationResponse fields:

Field	Type	Notes
id	number	Notification id
user_id	number	Recipient receptionist
title	string	Short headline
message	string null	Body text (may include newlines)
notification_type	enum string	See type table below
priority	NORMAL HIGH CRITICAL	UI badge styling
source_module	enum string	Usually ADMIN
reference_type	enum string	Deep-link entity type
reference_id	number	Deep-link entity id
created_by	number null	Actor user id
created_by_name	string null	Actor display name
is_read	boolean	Read flag
read_at	datetime null	Set when marked read
created_at	datetime	ISO with timezone

3.4 PATCH /receptionist/notifications/{notification_id}/read

Marks one notification as read for the current receptionist. Idempotent (already-read returns success). Sets is_read=true and read_at=now(IST). 404 if notification does not belong to this receptionist.

Response: full NotificationResponse.

3.5 PATCH /receptionist/notifications/read-all

```
{ "message": "All notifications marked as read" }
```

Marks every unread notification for this receptionist as read.

4. Receptionist notification types (what you will actually receive)

The shared NotificationType enum has many clinical values. Receptionists only receive the types below. Build filters, copy, and deep-links around these only.

notification_type	priority	source	reference	When created
SHIFT_UPDATED	HIGH	ADMIN	SCHEDULE	Admin changes shift_name / start / end on receptionist profile
ADMIN_UPDATE	HIGH	ADMIN	USER	
				Admin reassigns department, deactivates, or deletes receptionist account

Example titles / messages (for UI copy)

- SHIFT_UPDATED title: "Shift updated by admin"
- ADMIN_UPDATE (dept) title: "Department reassigned"

SaffoCare HMS - Receptionist Profile & Notifications Frontend Guide

- ADMIN_UPDATE (deactivate) title: "Account disabled by admin"
- ADMIN_UPDATE (delete) title: "Account removed by admin"

Deep-link suggestions

- reference_type = SCHEDULE -> open Profile page, focus read-only shift section
- reference_type = USER + ADMIN_UPDATE (department) -> open Profile, show department
- reference_type = USER + account disabled/removed -> show notice; force logout on next 401/403

Do NOT expect these for receptionist

- NEW_APPOINTMENT / APPOINTMENT_CANCELLED / APPOINTMENT_RESCHEDULED
- LAB_REPORT_READY / PRESCRIPTION_* / PATIENT_CHECKED_IN
- EMERGENCY_ALERT / HANDOVER_TAKEN_OVER

Those stay on doctor/nurse. Receptionist uses queue board screens for live OPD patient guidance instead of clinical notification spam.

Enums (full, for TypeScript union types)

NotificationType: NEW_APPOINTMENT | APPOINTMENT_CANCELLED | APPOINTMENT_RESCHEDULED | PATIENT_CHECKED_IN | LAB_REPORT_READY | LAB_REPORT_UPDATED | PRESCRIPTION_CREATED | PRESCRIPTION_UPDATED | EMERGENCY_ALERT | ADMIN_UPDATE | HANDOVER_TAKEN_OVER | SHIFT_UPDATED

Priority: NORMAL | HIGH | CRITICAL

SourceModule: OPD_BILLING | LAB | RECEPTIONIST | NURSE | PHARMACY | ADMIN | SYSTEM

ReferenceType: APPOINTMENT | LAB_ORDER | PRESCRIPTION | BILL | PATIENT | USER | SCHEDULE | LEAVE | HANDOVER | ALERT

5. Suggested TypeScript types

```
type GenderCode = 1 | 2 | 3 | 4;

interface AddressInfo {
  line?: string | null;
  city?: string | null;
  state?: string | null;
}

interface EmergencyContactInfo {
  name?: string | null;
  phone?: string | null;
}

interface ReceptionistProfile {
  user_id: number;
  first_name: string;
  last_name?: string | null;
  email: string;
  phone?: string | null;
  phone_code?: string | null;
  address: AddressInfo;
  date_of_birth?: string | null;
  gender?: GenderCode | null;
  emergency_contact: EmergencyContactInfo;
```


SaffoCare HMS - Receptionist Profile & Notifications Frontend Guide

```
department?: { id: number; name: string } | null;
role?: { id: number; name: string } | null;
employee_id?: string | null;
qualification?: string | null;
experience_years?: number | null;
joining_date?: string | null;
bio?: string | null;
languages: string[];
shift?: {
  name?: string | null;
  start_time?: string | null; // "HH:MM"
  end_time?: string | null;   // "HH:MM"
} | null;
profile_image_url?: string | null;
is_profile_completed: boolean;
profile_completion_percentage: number;
is_active: boolean;
last_login?: string | null;
created_at?: string | null;
updated_at?: string | null;
}

interface ReceptionistProfileUpdate {
  qualification?: string;
  experience_years?: number;
  bio?: string;
  languages?: string[];
  phone?: string;
  phone_code?: string;
  address?: AddressInfo;
  date_of_birth?: string;
  gender?: GenderCode;
  emergency_contact?: EmergencyContactInfo;
}

/** Types a receptionist actually receives */
type ReceptionistNotificationType = "SHIFT_UPDATED" | "ADMIN_UPDATE";

interface ReceptionistNotification {
  id: number;
  user_id: number;
  title: string;
  message?: string | null;
  notification_type: ReceptionistNotificationType | string;
  priority: "NORMAL" | "HIGH" | "CRITICAL";
  source_module: string;
  reference_type: string;
  reference_id: number;
  created_by?: number | null;
  created_by_name?: string | null;
  is_read: boolean;
  read_at?: string | null;
  created_at: string;
}

interface NotificationListResponse {
  total: number;
```

```
page: number;  
limit: number;  
items: ReceptionistNotification[];  
}
```

6. Suggested UI behaviour

Profile page

- Sections: Personal info | Professional | Shift (read-only) | Avatar
- Disable employee_id, joining_date, department, role, shift inputs
- Show shift as chips/labels: name + HH:MM - HH:MM
- Progress bar from profile_completion_percentage; banner if incomplete
- Avatar: show API_BASE + profile_image_url; upload/delete buttons

Notifications inbox

- Header bell + badge from unread-count (poll 15-30s)
- List cards: title, message (preserve newlines), priority chip, relative time
- Filters: Unread / All, type chips SHIFT_UPDATED | ADMIN_UPDATE, search
- Click row -> PATCH ../read then navigate by reference_type
- "Mark all as read" toolbar action
- Empty state when total === 0
- Visual priority: HIGH amber (receptionist MVP is all HIGH)
- Do not invent delete/archive/preferences UI until backend supports it

7. Frontend implementation checklist

Profile

- [] Load GET /receptionist/profile on Profile page mount
- [] Render nested address / emergency_contact / department / shift
- [] Disable admin-owned fields (employee_id, joining_date, dept, shift)
- [] PUT only editable fields; reject extra keys (extra=forbid)
- [] Show completion % progress + is_profile_completed banner
- [] Map gender int 1-4 to UI labels
- [] Image upload via multipart field `file`; preview with API_BASE + url
- [] Delete image updates UI to null avatar

Notifications

- [] Poll GET /receptionist/notifications/unread-count for header badge
- [] Inbox: list with page/limit; tabs or filter for is_read
- [] Style HIGH / NORMAL (CRITICAL rare for receptionist)
- [] Click item -> PATCH ../read then deep-link by reference_type
- [] Mark all read -> PATCH ../read-all then refresh count
- [] Handle SHIFT_UPDATED and ADMIN_UPDATE only
- [] After admin deactivate/delete notice, force re-auth if 401/403

Common

- [] Always send Authorization: Bearer <token>

SaffoCare HMS - Receptionist Profile & Notifications Frontend Guide

- [] Handle 401 (login), 403 (permission/role), 404, 422 validation
- [] Re-login after seed if receptionist_profile:* or notifications:* missing in JWT

8. Quick reference - base URLs

Profile:

```
GET    /receptionist/profile
PUT    /receptionist/profile
POST   /receptionist/profile/image    (multipart file)
DELETE /receptionist/profile/image
```

Notifications:

```
GET    /receptionist/notifications/unread-count
GET    /receptionist/notifications
PATCH /receptionist/notifications/{notification_id}/read
PATCH /receptionist/notifications/read-all
```

Static files:

```
GET    /uploads/receptionist_image/<filename>
```

Generated from HM-System-Backend Docs/generate_receptionist_profile_notification_pdf.py. Aligned with Routers/receptionist_profile_router.py and Routers/receptionist_notification_router.py (July 2026).