ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 28762

Study of Women's Health Across the Nation (SWAN): Baseline Dataset, [United States], 1996-1997

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN): Baseline Dataset, [United States], 1996-1997

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers R. (Mary Frances Roy)
University of Michigan

Robert Neer
Massachusetts General Hospital

Lynda Powell
Rush-Presbyterian-St. Luke's Medical Center

Ellen Gold
University of California, Davis

Gail Greendale
University of California, Los Angeles

Gerson Weiss
University of Medicine and Dentistry of New Jersey

Karen A. Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/28762/terms

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #28762

Study of Women's Health Across the Nation (SWAN): Baseline Dataset, [United States], 1996-1997.

1. **Related Data Collections:** This collection is part of the Study of Women's Health Across the Nation (SWAN) series, ICPSR Series 253. For similar study information and characteristics, please refer to the other datasets in the series.

2. **Stata Limitations:** Due to Stata limitations, the variables **LANGFFQ0, PROGSPE0, READSPE0, SPEKSPE0, SPORT10, SPORT20,** and **THNKSPE0** do not contain value labels for non-integer values within the Stata files.

3. **Additional Information:** For additional information on the Study of Women's Health Across the Nation (SWAN) series, please visit the SWAN Study website.

ICPSR 28762

Study of Women's Health Across the Nation (SWAN): Baseline Dataset, [United States], 1996-1997

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

SWANID: Respondent ID

Respondent ID

Based upon 3,302 valid cases out of 3,302 total cases.

- Mean: 54361.66
- Minimum: 10005.00
- Maximum: 99992.00
- Standard Deviation: 25723.74

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

VISIT: Study visit

Swan study visit number

Value	Label	Unweighted Frequency	%
00	-	3302	100.0 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

Location: 6-7 (width: 2; decimal: 0)
Variable Type: character

INTDAY0: Interview day

Date form completed

Value	Label	Unweighted Frequency	%
0	-	3302	100.0 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 8-8 (width: 1; decimal: 0)
Variable Type: numeric

AGE0: Age in years

Value	Label	Unweighted Frequency	%
42	-	367	11.1 %
43	-	421	12.7 %
44	-	416	12.6 %
45	-	389	11.8 %
46	-	400	12.1 %
47	-	392	11.9 %
48	-	299	9.1 %
49	-	255	7.7 %
50	-	168	5.1 %
51	-	115	3.5 %
52	-	71	2.2 %
53	-	4	0.1 %
	Missing Data		
.	-	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Mean: 45.85
- Median: 46.00
- Mode: 43.00
- Minimum: 42.00
- Maximum: 53.00
- Standard Deviation: 2.69

Location: 9-10 (width: 2; decimal: 0)
Variable Type: numeric

PREGNAN0: Currently pregnant?

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	3295	99.8 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 11-12 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1

PREVBLO0: Blood drawn previously

Was blood drawn previously?

Value	Label	Unweighted Frequency	%
1	No	752	22.8 %
2	Yes	1	0.0 %
	Missing Data		
.	-	2549	77.2 %
	Total	**3,302**	**100%**

Based upon 753 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 13-14 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL240: Alcohol in last 24 hours

Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	No	2823	85.5 %
2	Yes	419	12.7 %
	Missing Data		
-9	Missing	16	0.5 %
-1	N/A	2	0.1 %
.	-	42	1.3 %
	Total	**3,302**	**100%**

Based upon 3,242 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 15-16 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN0: Eat/drink in last 12 hours

Have you had anything to eat or drink in the last 12 hours? That is, since __:___ last night?

Value	Label	Unweighted Frequency	%
1	No	3137	95.0 %
2	Yes	104	3.1 %
	Missing Data		
-9	Missing	17	0.5 %
-1	N/A	2	0.1 %
.	-	42	1.3 %
	Total	**3,302**	**100%**

Based upon 3,241 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 17-18 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER0: Start period in last week

Did you start a menstrual period in the last week (7 days)?

Value	Label	Unweighted Frequency	%
1	No	417	12.6 %
2	Yes	2827	85.6 %
	Missing Data		
-9	Missing	14	0.4 %
-1	N/A	2	0.1 %
.	-	42	1.3 %
	Total	**3,302**	**100%**

Based upon 3,244 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 19-20 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDRWAT0: Blood draw attempted

Blood draw attempted?

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	2745	83.1 %
2	Yes, menses too variable	91	2.8 %

Value	Label	Unweighted Frequency	%
3	Yes, Last attempt	405	12.3 %
4	No, Not fasting and/or not in window	1	0.0 %
	Missing Data		
-9	Missing	16	0.5 %
-1	N/A	2	0.1 %
.	-	42	1.3 %
	Total	**3,302**	**100%**

Based upon 3,242 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 21-22 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDDRAW0: Blood drawn

Blood drawn

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	3259	98.7 %
	Missing Data		
-1	N/A	1	0.0 %
.	-	42	1.3 %
	Total	**3,302**	**100%**

Based upon 3,259 valid cases out of 3,302 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 23-24 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICOA0: Current medications - anticoagulants

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Have you taken any medication, pills, or other medicine to thin you blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	3266	98.9 %

Value	Label	Unweighted Frequency	%
2	Yes	25	0.8 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 25-26 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ACOAYS0: Anticoagulants taken yesterday

Did you take your anticoagulants yesterday?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	22	0.7 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3272	99.1 %
	Total	**3,302**	**100%**

Based upon 25 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 27-28 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HEART0: Current medications - heart medication

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	3229	97.8 %
2	Yes	61	1.8 %
	Missing Data		
-9	Missing	12	0.4 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 29-30 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HARTYS0: Heart medication taken yesterday

Did you take your heart medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	14	0.4 %
2	Yes	46	1.4 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3236	98.0 %
	Total	**3,302**	**100%**

Based upon 60 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 31-32 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ULCER0: Current medications - ulcer medication

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Anything for ulcers?

Value	Label	Unweighted Frequency	%
1	No	3212	97.3 %
2	Yes	77	2.3 %
	Missing Data		
-9	Missing	13	0.4 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ULCRYS0: Ulcer medications taken yesterday

Did you take your ulcer medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	35	1.1 %
2	Yes	42	1.3 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3220	97.5 %
	Total	**3,302**	**100%**

Based upon 77 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CHOLEST0: Current medications - cholesterol medications

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	3254	98.5 %
2	Yes	36	1.1 %
	Missing Data		
-9	Missing	12	0.4 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CHOLYS0: Cholesterol medications taken yesterday

Did you take your cholesterol medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	30	0.9 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3261	98.8 %
	Total	**3,302**	**100%**

Based upon 35 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BP0: Current medications - blood pressures medications

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Blood pressures pills?

Value	Label	Unweighted Frequency	%
1	No	2902	87.9 %
2	Yes	389	11.8 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 41-42 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BPYS0: Blood pressure medications taken yesterday

Did you take your blood pressure medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	46	1.4 %

Value	Label	Unweighted Frequency	%
2	Yes	343	10.4 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	2908	88.1 %
	Total	**3,302**	**100%**

Based upon 389 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

THYROID0: Current medications - thyroid medications

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	3104	94.0 %
2	Yes	187	5.7 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

THYRYS0: Thyroid medications taken yesterday

Did you take your thyroid medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	7	0.2 %
2	Yes	179	5.4 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3110	94.2 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 186 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

INSULIN0: Current medications - insulin medications

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	3191	96.6 %
2	Yes	100	3.0 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

INSUYS0: Insulin medications taken yesterday

Did you take your insulin medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	90	2.7 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3197	96.8 %
	Total	**3,302**	**100%**

Based upon 99 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 51-52 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

NERVOUS0: Current medications - nervous condition

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	2963	89.7 %
2	Yes	328	9.9 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

NERVYS0: Nervous condition medications taken yesterday

Did you take your medication(s) for a nervous condition yesterday?

Value	Label	Unweighted Frequency	%
1	No	84	2.5 %
2	Yes	243	7.4 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	2969	89.9 %
	Total	**3,302**	**100%**

Based upon 327 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STEROID0: Current medications - steroids

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Steroid pills such as prednisone or cortisone?

Value	Label	Unweighted Frequency	%
1	No	3236	98.0 %
2	Yes	55	1.7 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STERYS0: Steroids taken yesterday

Did you take your steroid medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	27	0.8 %
2	Yes	27	0.8 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3242	98.2 %
	Total	**3,302**	**100%**

Based upon 54 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

INHALER0: Current medications - steroid inhaler

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Steroid inhalers such as Vanceril?

Value	Label	Unweighted Frequency	%
1	No	3115	94.3 %
2	Yes	175	5.3 %
	Missing Data		
-9	Missing	12	0.4 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

INHAYS0: Steroid inhaler used yesterday

Did you use your steroid inhaler(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	68	2.1 %
2	Yes	107	3.2 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3122	94.5 %
	Total	**3,302**	**100%**

Based upon 175 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HORMCRE0: Current medications - hormone cream

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Hormone creams or suppositories for vaginal dryness?

Value	Label	Unweighted Frequency	%
1	No	3290	99.6 %
2	Yes	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HCRMYS0: Hormone cream used yesterday

Did you use hormone creams or suppositories for vaginal dryness yesterday?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3297	99.8 %
	Total	**3,302**	**100%**

Based upon 0 valid cases out of 3,302 total cases.

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HORMPIL0: Current medications - hormone pill

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Hormone pills such as estrogen or progesterone; for example Premarin, Provera, Ogen?

Value	Label	Unweighted Frequency	%
1	No	3291	99.7 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HORMYS0: Hormone pill taken yesterday

Did you take a prescribed hormone pill(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3297	99.8 %
	Total	**3,302**	**100%**

Based upon 0 valid cases out of 3,302 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ESTRPTC0: Current medications - estrogen patch

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. An estrogen patch, such as Estraderm?

Value	Label	Unweighted Frequency	%
1	No	3291	99.7 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ESTRYS0: Estrogen patch used yesterday

Did you use an estrogen patch yesterday?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3297	99.8 %
	Total	**3,302**	**100%**

Based upon 0 valid cases out of 3,302 total cases.

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BCP0: Current medications - birth control pills

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken in the last month. Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	3291	99.7 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BCPYS0: Birth control pills used yesterday

Did you take your birth control pill(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3297	99.8 %
	Total	**3,302**	**100%**

Based upon 0 valid cases out of 3,302 total cases.

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OTHMED0: Current medications - other medications

Are there any other prescription pills or medications that you have taken in the last month that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	2112	64.0 %
2	Yes	1178	35.7 %
	Missing Data		
-9	Missing	12	0.4 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OTHRYS0: Other medications taken yesterday

Have you taken other prescribed medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	454	13.7 %
2	Yes	718	21.7 %
	Missing Data		
-9	Missing	10	0.3 %
-8	Do not know	1	0.0 %
-1	N/A	2119	64.2 %
	Total	**3,302**	**100%**

Based upon 1,172 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PAIN0: Current medications - over-the-counter pain medication

Now I would like to ask you about over-the-counter (non-prescription) medications that you have taken at least two times per week throughout the last month. Are you taking any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	2435	73.7 %
2	Yes	856	25.9 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PAINYS0: Over-the-counter pain medication taken yesterday

Did you take over-the-counter pain medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	449	13.6 %
2	Yes	407	12.3 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	2441	73.9 %
	Total	**3,302**	**100%**

Based upon 856 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SLEEP0: Current medication - over-the-counter sleep medications

Now I would like to ask you about over-the-counter (non-prescription) medications that you have taken at least two times per week throughout the last month. Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	3182	96.4 %

Value	Label	Unweighted Frequency	%
2	Yes	108	3.3 %
	Missing Data		
-9	Missing	12	0.4 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SLEPYS0: Over-the-counter sleeps medications taken yesterday

Did you take over-the-counter sleep medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	48	1.5 %
2	Yes	58	1.8 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3189	96.6 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 106 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOWEL0: Current medications - over-the-counter bowel medications

Now I would like to ask you about over-the-counter (non-prescription) medications that you have taken at least two times per week throughout the last month. Anything for problems with your bowels?

Value	Label	Unweighted Frequency	%
1	No	3166	95.9 %
2	Yes	122	3.7 %
	Missing Data		
-9	Missing	14	0.4 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,288 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BOWLYS0: Over-the-counter bowel medications taken yesterday

Did you take over-the-counter bowel medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	58	1.8 %
2	Yes	64	1.9 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3175	96.2 %
	Total	**3,302**	**100%**

Based upon 122 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HEARTBR0: Current medications - over-the-counter heartburn

Now I would like to ask you about over-the-counter (non-prescription) medications that you have taken at least two times per week throughout the last month. Anything for heartburn, indigestion, upset stomach, or gastritis?

Value	Label	Unweighted Frequency	%
1	No	2977	90.2 %
2	Yes	314	9.5 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HBRNYS0: Over-the-counter heartburn taken yesterday

Did you take over-the-counter heartburn medication(s) yesterday?

Value	Label	Unweighted Frequency	%
1	No	190	5.8 %
2	Yes	124	3.8 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	2983	90.3 %
	Total	**3,302**	**100%**

Based upon 314 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OTHOTC0: Current medications - other over-the-counter medications

Are there any other over-the-counter pills or other medications (including liquids or ointments) you have taken at least twice per week throughout the last month that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	2552	77.3 %
2	Yes	738	22.4 %
	Missing Data		
-9	Missing	12	0.4 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OTCYS0: Other over-the-counter medications taken yesterday

Did you take other over-the-counter medications yesterday?

Value	Label	Unweighted Frequency	%
1	No	216	6.5 %
2	Yes	518	15.7 %
	Missing Data		
-9	Missing	9	0.3 %
-1	N/A	2559	77.5 %
	Total	**3,302**	**100%**

Based upon 734 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

INSUEVE0: Insulin ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Insulin or pills for high blood sugar?

Value	Label	Unweighted Frequency	%
1	No	3203	97.0 %
2	Yes	88	2.7 %
	Missing Data		
-9	Missing	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

INSUEVM0: Insulin used months

How many months altogether did you use insulin or pills for high blood sugar?

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	10	0.3 %

Value	Label	Unweighted Frequency	%
3	-	6	0.2 %
4	-	4	0.1 %
6	-	2	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
12	-	6	0.2 %
13	-	1	0.0 %
24	-	11	0.3 %
30	-	3	0.1 %
36	-	5	0.2 %
48	-	3	0.1 %
53	-	1	0.0 %
60	-	6	0.2 %
72	-	2	0.1 %
84	-	3	0.1 %
96	-	4	0.1 %
120	-	3	0.1 %
132	-	1	0.0 %
180	-	2	0.1 %
192	-	3	0.1 %
216	-	2	0.1 %
240	-	1	0.0 %
384	-	2	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3209	97.2 %
	Total	**3,302**	**100%**

Based upon 88 valid cases out of 3,302 total cases.

- Mean: 55.93
- Median: 24.00
- Mode: 24.00
- Minimum: 1.00
- Maximum: 384.00
- Standard Deviation: 77.56

Location: 107-109 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

THYREVE0: Thyroid medication ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Estrogen by injection or patch (ex. Synthroid)?

Value	Label	Unweighted Frequency	%
1	No	3034	91.9 %
2	Yes	249	7.5 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	8	0.2 %
	Total	**3,302**	**100%**

Based upon 3,283 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 110-111 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

THYREVM0: Thyroid medications used months

How many months altogether did you use thyroid medication(s)?

Value	Label	Unweighted Frequency	%
1	-	12	0.4 %
2	-	8	0.2 %
3	-	11	0.3 %
4	-	3	0.1 %
5	-	2	0.1 %
6	-	36	1.1 %
8	-	3	0.1 %
9	-	1	0.0 %
12	-	36	1.1 %
17	-	1	0.0 %
18	-	6	0.2 %
20	-	1	0.0 %
24	-	24	0.7 %
27	-	1	0.0 %
30	-	2	0.1 %
36	-	14	0.4 %
42	-	3	0.1 %
48	-	9	0.3 %

Value	Label	Unweighted Frequency	%
60	-	10	0.3 %
66	-	1	0.0 %
72	-	8	0.2 %
84	-	5	0.2 %
96	-	5	0.2 %
108	-	1	0.0 %
111	-	1	0.0 %
114	-	1	0.0 %
120	-	12	0.4 %
132	-	3	0.1 %
134	-	1	0.0 %
144	-	2	0.1 %
168	-	2	0.1 %
180	-	3	0.1 %
192	-	2	0.1 %
204	-	1	0.0 %
216	-	1	0.0 %
228	-	1	0.0 %
240	-	3	0.1 %
241	-	1	0.0 %
249	-	1	0.0 %
252	-	1	0.0 %
264	-	1	0.0 %
288	-	1	0.0 %
300	-	2	0.1 %
312	-	1	0.0 %
360	-	1	0.0 %
372	-	1	0.0 %
480	-	1	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	3048	92.3 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 247 valid cases out of 3,302 total cases.

- Mean: 54.30
- Median: 24.00

- Minimum: 1.00
- Maximum: 480.00
- Standard Deviation: 77.53

Location: 112-114 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CORTEVE0: Corticosteroids ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Corticosteroid pills (ex. Prednisone)?

Value	Label	Unweighted Frequency	%
1	No	3096	93.8 %
2	Yes	186	5.6 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	9	0.3 %
	Total	**3,302**	**100%**

Based upon 3,282 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CORTEVM0: Corticosteroids used months

How many months altogether did you use corticosteroid pills?

Value	Label	Unweighted Frequency	%
1	-	58	1.8 %
2	-	20	0.6 %
3	-	12	0.4 %
4	-	6	0.2 %
5	-	3	0.1 %
6	-	16	0.5 %
9	-	3	0.1 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	15	0.5 %
14	-	1	0.0 %
18	-	5	0.2 %

Value	Label	Unweighted Frequency	%
24	-	8	0.2 %
26	-	1	0.0 %
36	-	3	0.1 %
42	-	1	0.0 %
48	-	3	0.1 %
54	-	1	0.0 %
60	-	7	0.2 %
72	-	1	0.0 %
84	-	3	0.1 %
96	-	1	0.0 %
108	-	2	0.1 %
120	-	7	0.2 %
144	-	1	0.0 %
180	-	1	0.0 %
228	-	1	0.0 %
240	-	2	0.1 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3111	94.2 %
	Total	**3,302**	**100%**

Based upon 185 valid cases out of 3,302 total cases.

- Mean: 22.19
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 240.00
- Standard Deviation: 43.01

Location: 117-119 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

COAGEVE0: Anticoagulants ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Anticoagulants or blood thinners (ex. Warfarin, Heparin, Coumadin)?

Value	Label	Unweighted Frequency	%
1	No	3218	97.5 %
2	Yes	69	2.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.3 %
-8	Do not know	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-121 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

COAGEVM0: Anticoagulants used months

How many months altogether did you use anticoagulants or blood thinners?

Value	Label	Unweighted Frequency	%
1	-	19	0.6 %
2	-	11	0.3 %
3	-	3	0.1 %
4	-	4	0.1 %
5	-	1	0.0 %
6	-	6	0.2 %
7	-	1	0.0 %
8	-	1	0.0 %
12	-	8	0.2 %
14	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
36	-	2	0.1 %
48	-	1	0.0 %
54	-	1	0.0 %
60	-	1	0.0 %
72	-	1	0.0 %
84	-	1	0.0 %
144	-	1	0.0 %
156	-	1	0.0 %
204	-	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %

Value	Label	Unweighted Frequency	%
-1	N/A	3228	97.8 %
	Total	**3,302**	**100%**

Based upon 68 valid cases out of 3,302 total cases.

- Mean: 17.41
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 204.00
- Standard Deviation: 37.20

Location: 122-124 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BARBEVE0: Barbiturates ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Barbiturates, sleeping pills, antidepressants, or tranquilizers (ex. Valium, Librium, Phenobarbital, Prozac, Seconal, Thorazine, Mellaril, Zoloft, Elavil, Ativan/Lorazepam, Ambien)?

Value	Label	Unweighted Frequency	%
1	No	2762	83.6 %
2	Yes	528	16.0 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BARBEVM0: Barbiturates used months

How many months altogether did you use barbiturates, sleeping pills, or tranquilizers?

Value	Label	Unweighted Frequency	%
1	-	69	2.1 %
2	-	45	1.4 %
3	-	40	1.2 %

Value	Label	Unweighted Frequency	%
4	-	13	0.4 %
5	-	12	0.4 %
6	-	52	1.6 %
7	-	8	0.2 %
8	-	8	0.2 %
9	-	10	0.3 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	71	2.2 %
13	-	2	0.1 %
14	-	2	0.1 %
15	-	1	0.0 %
16	-	2	0.1 %
18	-	11	0.3 %
19	-	3	0.1 %
24	-	38	1.2 %
25	-	1	0.0 %
27	-	1	0.0 %
30	-	4	0.1 %
36	-	31	0.9 %
39	-	1	0.0 %
42	-	1	0.0 %
48	-	19	0.6 %
54	-	1	0.0 %
60	-	25	0.8 %
64	-	1	0.0 %
66	-	1	0.0 %
72	-	11	0.3 %
78	-	1	0.0 %
84	-	3	0.1 %
90	-	1	0.0 %
96	-	7	0.2 %
108	-	2	0.1 %
120	-	8	0.2 %
132	-	1	0.0 %
144	-	2	0.1 %
180	-	5	0.2 %
216	-	2	0.1 %
228	-	1	0.0 %

Value	Label	Unweighted Frequency	%
240	-	1	0.0 %
252	-	1	0.0 %
256	-	1	0.0 %
264	-	1	0.0 %
300	-	2	0.1 %
360	-	2	0.1 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	2769	83.9 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 527 valid cases out of 3,302 total cases.

- Mean: 27.31
- Median: 12.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 360.00
- Standard Deviation: 47.78

Location: 127-129 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DIUREVE0: Diuretics ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Diuretics for water retention (ex. water pills, Lasix, HydroDiuril, thiazide)?

Value	Label	Unweighted Frequency	%
1	No	2967	89.9 %
2	Yes	319	9.7 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 130-131 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1

DIUREVM0: Diuretics used months

How many months altogether did you use diuretics for water retention?

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	54	1.6 %
2	-	30	0.9 %
3	-	16	0.5 %
4	-	8	0.2 %
5	-	3	0.1 %
6	-	31	0.9 %
8	-	2	0.1 %
9	-	4	0.1 %
11	-	1	0.0 %
12	-	35	1.1 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	5	0.2 %
21	-	1	0.0 %
24	-	38	1.2 %
30	-	1	0.0 %
36	-	12	0.4 %
42	-	2	0.1 %
48	-	7	0.2 %
60	-	16	0.5 %
72	-	8	0.2 %
84	-	3	0.1 %
96	-	3	0.1 %
120	-	17	0.5 %
126	-	1	0.0 %
132	-	1	0.0 %
156	-	1	0.0 %
180	-	6	0.2 %
204	-	1	0.0 %
240	-	3	0.1 %
264	-	1	0.0 %
360	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	2978	90.2 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 316 valid cases out of 3,302 total cases.

- Mean: 31.60
- Median: 12.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 360.00
- Standard Deviation: 50.74

Location: 132-134 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONVEVE0: Anticonvulsants ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Anticonvulsants for seizures or epilepsy (ex. Dilantin, Phenytoin, Phenobarbital, Tegretol)?

Value	Label	Unweighted Frequency	%
1	No	3240	98.1 %
2	Yes	50	1.5 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CONVEVM0: Anticonvulsants used months

How many months altogether did you use diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	-	8	0.2 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	2	0.1 %
6	-	4	0.1 %
12	-	5	0.2 %
18	-	2	0.1 %
24	-	4	0.1 %
30	-	3	0.1 %
36	-	4	0.1 %
48	-	3	0.1 %
72	-	1	0.0 %
84	-	1	0.0 %
96	-	1	0.0 %
120	-	3	0.1 %
168	-	1	0.0 %
180	-	1	0.0 %
252	-	1	0.0 %
276	-	1	0.0 %
306	-	1	0.0 %
360	-	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3247	98.3 %
	Total	**3,302**	**100%**

Based upon 50 valid cases out of 3,302 total cases.

- Mean: 55.44
- Median: 24.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 360.00
- Standard Deviation: 84.90

Location: 137-139 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LITHEVE0: Lithium ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Lithium?

Value	Label	Unweighted Frequency	%
1	No	3245	98.3 %
2	Yes	42	1.3 %
	Missing Data		
-9	Missing	12	0.4 %
-8	Do not know	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 140-141 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LITHEVM0: Lithium used months

How many months altogether did you use lithium?

Value	Label	Unweighted Frequency	%
1	-	8	0.2 %
2	-	4	0.1 %
3	-	2	0.1 %
4	-	2	0.1 %
6	-	8	0.2 %
7	-	1	0.0 %
12	-	4	0.1 %
19	-	1	0.0 %
24	-	1	0.0 %
36	-	2	0.1 %
60	-	1	0.0 %
72	-	2	0.1 %
84	-	1	0.0 %
96	-	2	0.1 %
120	-	1	0.0 %
132	-	1	0.0 %
168	-	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3255	98.6 %
	Total	**3,302**	**100%**

Based upon 42 valid cases out of 3,302 total cases.

- Mean: 27.33
- Median: 6.00
- Minimum: 1.00
- Maximum: 168.00
- Standard Deviation: 42.09

Location: 142-144 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

AMPHEVE0: Amphetamines ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Amphetamines by pill, capsule, or injection?

Value	Label	Unweighted Frequency	%
1	No	3143	95.2 %
2	Yes	136	4.1 %
	Missing Data		
-9	Missing	12	0.4 %
-8	Do not know	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,279 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 145-146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

AMPHEVM0: Amphetamines used months

How many months altogether did you use amphetamines by pill, capsule, or injection?

Value	Label	Unweighted Frequency	%
1	-	16	0.5 %
2	-	3	0.1 %
3	-	10	0.3 %
4	-	7	0.2 %
5	-	3	0.1 %
6	-	23	0.7 %
8	-	2	0.1 %
9	-	2	0.1 %

Value	Label	Unweighted Frequency	%
12	-	21	0.6 %
18	-	3	0.1 %
24	-	18	0.5 %
30	-	1	0.0 %
36	-	8	0.2 %
48	-	3	0.1 %
60	-	6	0.2 %
96	-	1	0.0 %
120	-	3	0.1 %
240	-	1	0.0 %
241	-	1	0.0 %
300	-	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	3161	95.7 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 133 valid cases out of 3,302 total cases.

- Mean: 23.04
- Median: 12.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 300.00
- Standard Deviation: 42.91

Location: 147-149 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREMEVE0: Premarin ever used

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Premarin or other oral estrogen?

Value	Label	Unweighted Frequency	%
1	No	3206	97.1 %
2	Yes	66	2.0 %
	Missing Data		
-9	Missing	15	0.5 %
-8	Do not know	15	0.5 %
	Total	**3,302**	**100%**

Based upon 3,272 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 150-151 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PREMEVM0: Premarin used months

How many months altogether did you use Premarin or other oral estrogen?

Value	Label	Unweighted Frequency	%
1	-	21	0.6 %
2	-	5	0.2 %
3	-	13	0.4 %
4	-	3	0.1 %
6	-	8	0.2 %
7	-	2	0.1 %
9	-	1	0.0 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
18	-	3	0.1 %
24	-	2	0.1 %
36	-	1	0.0 %
96	-	1	0.0 %
180	-	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3231	97.8 %
	Total	**3,302**	**100%**

Based upon 66 valid cases out of 3,302 total cases.

- Mean: 9.55
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 180.00
- Standard Deviation: 24.96

Location: 152-154 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PTCHEVE0: Estrogen patch/injection ever taken

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Estrogen by injection or patch?

Value	Label	Unweighted Frequency	%
1	No	3260	98.7 %
2	Yes	21	0.6 %
	Missing Data		
-9	Missing	14	0.4 %
-8	Do not know	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,281 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PTCHEVM0: Estrogen patch used months

How many months altogether did you use estrogen by injection or patch?

Value	Label	Unweighted Frequency	%
1	-	6	0.2 %
2	-	3	0.1 %
3	-	4	0.1 %
5	-	1	0.0 %
6	-	2	0.1 %
7	-	1	0.0 %
18	-	1	0.0 %
24	-	2	0.1 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3276	99.2 %
	Total	**3,302**	**100%**

Based upon 20 valid cases out of 3,302 total cases.

- Mean: 5.70
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 24.00
- Standard Deviation: 7.35

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

COMBEVE0: Combo estrogen/progestin ever taken

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Combination of estrogen/progestin (except birth control pills)?

Value	Label	Unweighted Frequency	%
1	No	3248	98.4 %
2	Yes	20	0.6 %
	Missing Data		
-9	Missing	16	0.5 %
-8	Do not know	18	0.5 %
	Total	**3,302**	**100%**

Based upon 3,268 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

COMBEVM0: Combo estrogen/progestin taken months

How many months altogether did you use a combination of estrogen/progestin (except birth control pills)?

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	2	0.1 %
3	-	7	0.2 %
5	-	1	0.0 %
7	-	2	0.1 %
12	-	2	0.1 %
13	-	1	0.0 %
24	-	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3277	99.2 %
	Total	**3,302**	**100%**

Based upon 19 valid cases out of 3,302 total cases.

- Mean: 5.68
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 5.85

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PROVEVE0: Provera ever taken

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Provera or other progestin?

Value	Label	Unweighted Frequency	%
1	No	3111	94.2 %
2	Yes	161	4.9 %
	Missing Data		
-9	Missing	14	0.4 %
-8	Do not know	16	0.5 %
	Total	**3,302**	**100%**

Based upon 3,272 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 163-164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PROVEVM0: Provera taken months

How many months altogether did you use Provera or other progestin?

Value	Label	Unweighted Frequency	%
1	-	58	1.8 %
2	-	21	0.6 %
3	-	21	0.6 %
4	-	5	0.2 %
5	-	3	0.1 %
6	-	19	0.6 %
8	-	1	0.0 %
9	-	3	0.1 %

Value	Label	Unweighted Frequency	%
12	-	12	0.4 %
13	-	1	0.0 %
18	-	4	0.1 %
24	-	3	0.1 %
36	-	3	0.1 %
60	-	4	0.1 %
96	-	1	0.0 %
144	-	1	0.0 %
180	-	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3136	95.0 %
	Total	**3,302**	**100%**

Based upon 161 valid cases out of 3,302 total cases.

- Mean: 8.80
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 180.00
- Standard Deviation: 21.59

Location: 165-167 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

TAMOEVE0: Tamoxifen ever taken

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Tamoxifen (Nolvadex)?

Value	Label	Unweighted Frequency	%
1	No	3284	99.5 %
2	Yes	3	0.1 %
	Missing Data		
-9	Missing	14	0.4 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

TAMOEVM0: Tamoxifen taken months

How many months altogether did you use Tamoxifen (Nolvadex)?

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
60	-	2	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3294	99.8 %
	Total	**3,302**	**100%**

Based upon 3 valid cases out of 3,302 total cases.

- Mean: 41.00
- Median: 60.00
- Mode: 60.00
- Minimum: 3.00
- Maximum: 60.00
- Standard Deviation: 32.91

Location: 170-171 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DESEVER0: Diethyl-stilbesterol (DES) ever taken

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Diethy-stilbesterol (DES)?

Value	Label	Unweighted Frequency	%
1	No	3279	99.3 %
2	Yes	6	0.2 %
	Missing Data		
-9	Missing	14	0.4 %
-8	Do not know	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,285 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 172-173 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DESEVMO0: Diethyl-stilbesterol (DES) taken months

How many months altogether did you use diethy-stilbesterol (DES)?

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
4	-	1	0.0 %
6	-	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3291	99.7 %
	Total	**3,302**	**100%**

Based upon 6 valid cases out of 3,302 total cases.

- Mean: 2.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 2.16

Location: 174-175 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DEPOEVE0: Depo-provera ever taken

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Depo-Provera injection for birth control?

Value	Label	Unweighted Frequency	%
1	No	3260	98.7 %
2	Yes	26	0.8 %
	Missing Data		
-9	Missing	14	0.4 %
-8	Do not know	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 176-177 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DEPOEVM0: Depo-provera taken months

How many months altogether did you use Depo-Provera injection for birth control?

Value	Label	Unweighted Frequency	%
1	-	7	0.2 %
6	-	1	0.0 %
9	-	2	0.1 %
12	-	7	0.2 %
24	-	4	0.1 %
36	-	2	0.1 %
48	-	1	0.0 %
60	-	1	0.0 %
144	-	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3271	99.1 %
	Total	**3,302**	**100%**

Based upon 26 valid cases out of 3,302 total cases.

- Mean: 20.58
- Median: 12.00
- Minimum: 1.00
- Maximum: 144.00
- Standard Deviation: 29.49

Location: 178-180 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FERTEVE0: Fertility medications ever taken

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	3120	94.5 %
2	Yes	165	5.0 %
	Missing Data		
-9	Missing	14	0.4 %
-8	Do not know	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,285 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FERTEVM0: Fertility medications taken months

How many months altogether did you use fertility medications to help you get pregnant?

Value	Label	Unweighted Frequency	%
1	-	23	0.7 %
2	-	22	0.7 %
3	-	21	0.6 %
4	-	6	0.2 %
5	-	5	0.2 %
6	-	23	0.7 %
7	-	4	0.1 %
8	-	3	0.1 %
9	-	4	0.1 %
12	-	14	0.4 %
15	-	1	0.0 %
18	-	6	0.2 %
20	-	1	0.0 %
24	-	12	0.4 %
30	-	2	0.1 %
32	-	1	0.0 %
36	-	6	0.2 %
42	-	1	0.0 %
48	-	1	0.0 %
60	-	1	0.0 %
72	-	1	0.0 %
90	-	1	0.0 %
96	-	1	0.0 %
120	-	2	0.1 %
138	-	1	0.0 %
161	-	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3132	94.9 %
	Total	**3,302**	**100%**

Based upon 164 valid cases out of 3,302 total cases.

- Mean: 13.77
- Median: 6.00
- Minimum: 1.00
- Maximum: 161.00
- Standard Deviation: 24.39

Location: 183-185 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BCEVER0: Birth control pills ever taken

We would like to know the medications that you have used in the past, but no longer take. Have you ever used any of these medications regularly (at least twice a week throughout the month) for more than one month: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	888	26.9 %
2	Yes	2398	72.6 %
	Missing Data		
-9	Missing	14	0.4 %
-8	Do not know	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 186-187 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BCEVMO0: Birth control pills taken months

How many months altogether did you use birth control pills?

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	106	3.2 %
2	-	56	1.7 %
3	-	93	2.8 %
4	-	27	0.8 %
5	-	12	0.4 %
6	-	125	3.8 %
7	-	6	0.2 %
8	-	10	0.3 %

Value	Label	Unweighted Frequency	%
9	-	21	0.6 %
10	-	10	0.3 %
11	-	3	0.1 %
12	-	235	7.1 %
13	-	4	0.1 %
14	-	1	0.0 %
15	-	2	0.1 %
16	-	2	0.1 %
18	-	32	1.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	286	8.7 %
25	-	2	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	13	0.4 %
35	-	1	0.0 %
36	-	196	5.9 %
38	-	1	0.0 %
41	-	1	0.0 %
42	-	9	0.3 %
48	-	147	4.5 %
50	-	2	0.1 %
51	-	1	0.0 %
54	-	5	0.2 %
60	-	218	6.6 %
61	-	3	0.1 %
65	-	2	0.1 %
66	-	4	0.1 %
72	-	90	2.7 %
73	-	1	0.0 %
78	-	3	0.1 %
84	-	101	3.1 %
85	-	1	0.0 %
90	-	2	0.1 %
96	-	78	2.4 %
102	-	1	0.0 %
103	-	1	0.0 %
108	-	26	0.8 %

Value	Label	Unweighted Frequency	%
114	-	1	0.0 %
120	-	187	5.7 %
	Missing Data		
-9	Missing	37	1.1 %
-8	Do not know	1	0.0 %
-1	N/A	899	27.2 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,361 valid cases out of 3,302 total cases.

- Mean: 55.47
- Median: 36.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 360.00
- Standard Deviation: 54.86

Location: 188-190 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCREAS0: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	Prevent Pregnancy	2197	66.5 %
2	Help Control Pre Menstrual Symptoms	28	0.8 %
3	Help Control Menopausal Symptoms	6	0.2 %
4	Control Other Symptoms	28	0.8 %
5	Regulate Periods	115	3.5 %
6	Prevent Osteoporosis	0	0.0 %
7	Reduce Bleeding	16	0.5 %
8	Other	0	0.0 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	2	0.1 %
-1	N/A	899	27.2 %
	Total	**3,302**	**100%**

Based upon 2,390 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STROKE0: Stroke

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Stroke?

Value	Label	Unweighted Frequency	%
1	No	3257	98.6 %
2	Yes	38	1.2 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STROKMD0: Take medications for stroke

Do you currently take medication for strokes?

Value	Label	Unweighted Frequency	%
1	No	33	1.0 %
2	Yes	5	0.2 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3259	98.7 %
	Total	**3,302**	**100%**

Based upon 38 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HBCHOLE0: High cholesterol

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: High blood cholesterol?

Value	Label	Unweighted Frequency	%
1	No	2670	80.9 %
2	Yes	614	18.6 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	12	0.4 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HBCHOMD0: Take medications for high cholesterol

Do you currently take medication for high blood cholesterol?

Value	Label	Unweighted Frequency	%
1	No	571	17.3 %
2	Yes	42	1.3 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	2683	81.3 %
	Total	**3,302**	**100%**

Based upon 613 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

MIGRAIN0: Migraines

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Migraine headaches?

Value	Label	Unweighted Frequency	%
1	No	2752	83.3 %
2	Yes	537	16.3 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

MIGRAMD0: Take medications for migraines

Do you currently take medication for migraine headaches?

Value	Label	Unweighted Frequency	%
1	No	362	11.0 %
2	Yes	171	5.2 %
	Missing Data		
-9	Missing	9	0.3 %
-1	N/A	2760	83.6 %
	Total	**3,302**	**100%**

Based upon 533 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

GALLSTO0: Gallstones

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Gallstones?

Value	Label	Unweighted Frequency	%
1	No	3080	93.3 %
2	Yes	210	6.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.2 %
-8	Do not know	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

GALLSMD0: Take medications for gallstones

Do you currently take medication for gallstones?

Value	Label	Unweighted Frequency	%
1	No	207	6.3 %
2	Yes	3	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3087	93.5 %
	Total	**3,302**	**100%**

Based upon 210 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OSTEOAR0: Arthritis or osteo-arthritis

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Arthritis or oesteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	No	2628	79.6 %
2	Yes	659	20.0 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	9	0.3 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OSTEOMD0: Take medications for arthritis

Do you currently take medication for arthritis or oesteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	No	469	14.2 %
2	Yes	189	5.7 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	2638	79.9 %
	Total	**3,302**	**100%**

Based upon 658 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OATHYRO0: Over-active thyroid

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Over-active thyroid?

Value	Label	Unweighted Frequency	%
1	No	3141	95.1 %
2	Yes	119	3.6 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	36	1.1 %
	Total	**3,302**	**100%**

Based upon 3,260 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1

OATHYMD0: Take medications for over-active thyroid

Do you currently take medication for over-active thyroid?

Value	Label	Unweighted Frequency	%
1	No	80	2.4 %
2	Yes	38	1.2 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3178	96.2 %
	Total	**3,302**	**100%**

Based upon 118 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

UATHYRO0: Under-active thyroid

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Under-active thyroid?

Value	Label	Unweighted Frequency	%
1	No	3010	91.2 %
2	Yes	251	7.6 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	35	1.1 %
	Total	**3,302**	**100%**

Based upon 3,261 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

UATHYMD0: Take medications for under-active thyroid

Do you currently take medication for under-active thyroid?

Value	Label	Unweighted Frequency	%
1	No	125	3.8 %
2	Yes	126	3.8 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3046	92.2 %
	Total	**3,302**	**100%**

Based upon 251 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HBCALCI0: High blood calcium

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: High blood calcium?

Value	Label	Unweighted Frequency	%
1	No	3259	98.7 %
2	Yes	25	0.8 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	10	0.3 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HBCALMD0: Take medications for high blood calcium

Do you currently take medication for high blood calcium?

Value	Label	Unweighted Frequency	%
1	No	21	0.6 %
2	Yes	4	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
-1	N/A	3272	99.1 %
	Total	**3,302**	**100%**

Based upon 25 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ANEMIA0: Anemia

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Anemia (low blood count, low blood iron)?

Value	Label	Unweighted Frequency	%
1	No	2131	64.5 %
2	Yes	1154	34.9 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,285 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ANEMIMD0: Take medications for anemia

Do you currently take medication for anemia (low blood count, low blood iron)?

Value	Label	Unweighted Frequency	%
1	No	995	30.1 %
2	Yes	158	4.8 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	2143	64.9 %
	Total	**3,302**	**100%**

Based upon 1,153 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LIVER0: Chronic liver disease

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Chronic liver disease (chronic or persistent hepatitis, cirrhosis)?

Value	Label	Unweighted Frequency	%
1	No	3247	98.3 %
2	Yes	46	1.4 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LIVERMD0: Take medications for chronic liver disease

Do you currently take medication for chronic liver disease (chronic or persistent hepatitis, cirrhosis)?

Value	Label	Unweighted Frequency	%
1	No	42	1.3 %
2	Yes	4	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3251	98.5 %
	Total	**3,302**	**100%**

Based upon 46 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1

EPILEPS0: Epilepsy

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Epilepsy, seizure disorder, or convulsions?

Value	Label	Unweighted Frequency	%
1	No	3234	97.9 %
2	Yes	57	1.7 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

EPILEMD0: Take medications for epilepsy

Do you currently take medication for epilepsy, seizure disorder, or convulsions?

Value	Label	Unweighted Frequency	%
1	No	36	1.1 %
2	Yes	20	0.6 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3240	98.1 %
	Total	**3,302**	**100%**

Based upon 56 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PHLEBIT0: Ever had phlebitis

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Phlebitis (inflammation of veins usually in arms or legs)?

Value	Label	Unweighted Frequency	%
1	No	3227	97.7 %
2	Yes	67	2.0 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PHLEBMD0: Take medications for phlebitis

Do you currently take medication for phlebitis (inflammation of veins usually in arms or legs)?

Value	Label	Unweighted Frequency	%
1	No	65	2.0 %
2	Yes	2	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3230	97.8 %
	Total	**3,302**	**100%**

Based upon 67 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ANOREXI0: Anorexia nervosa

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Anorexia nervosa (not eating and losing extreme amounts of weight)?

Value	Label	Unweighted Frequency	%
1	No	3267	98.9 %

Value	Label	Unweighted Frequency	%
2	Yes	28	0.8 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ANOREMD0: Take medications for anorexia nervosa

Do you currently take medication for anorexia nervosa (not eating and losing extreme amounts of weight)?

Value	Label	Unweighted Frequency	%
1	No	27	0.8 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3269	99.0 %
	Total	**3,302**	**100%**

Based upon 28 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BULIMIA0: Bulimia

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Bulimia (eating, sometimes large amounts of food and then vomiting)?

Value	Label	Unweighted Frequency	%
1	No	3280	99.3 %
2	Yes	16	0.5 %
	Missing Data		
-9	Missing	6	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BULIMMD0: Take medications for bulimia

Do you currently take medication for bulimia (eating, sometimes large amounts of food and then vomiting)?

Value	Label	Unweighted Frequency	%
1	No	14	0.4 %
2	Yes	2	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3281	99.4 %
	Total	**3,302**	**100%**

Based upon 16 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

TUBERCU0: Tuberculosis

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Tuberculosis (TB)?

Value	Label	Unweighted Frequency	%
1	No	3246	98.3 %
2	Yes	47	1.4 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

TUBERMD0: Take medications for tuberculosis

Do you currently take medication for tuberculosis (TB)?

Value	Label	Unweighted Frequency	%
1	No	46	1.4 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3250	98.4 %
	Total	**3,302**	**100%**

Based upon 47 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

AIDS0: Acquired AIDS/HIV

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: AIDS or HIV?

Value	Label	Unweighted Frequency	%
1	No	3295	99.8 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

AIDSMED0: Take medications for AIDS/HIV

Do you currently take medication for AIDS or HIV?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3296	99.8 %
	Total	**3,302**	**100%**

Based upon 1 valid cases out of 3,302 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LUPUS0: Lupus

Has a doctor, nurse practitioner, or other health care provider ever told you that you have any of the following conditions: Lupus (SLE)?

Value	Label	Unweighted Frequency	%
1	No	3277	99.2 %
2	Yes	18	0.5 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LUPUSMD0: Take medications for lupus

Do you currently take medication for Lupus (SLE)?

Value	Label	Unweighted Frequency	%
1	No	7	0.2 %
2	Yes	11	0.3 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	3279	99.3 %
	Total	**3,302**	**100%**

Based upon 18 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LISTEN0: Support - have someone who will listen

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it: Someone you can count on to listen to you when you need to talk?

Value	Label	Unweighted Frequency	%
1	None Of The Time	43	1.3 %
2	A Little Of The Time	126	3.8 %
3	Some Of The Time	425	12.9 %
4	Most Of The Time	1219	36.9 %
5	All Of The Time	1484	44.9 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

TAKETOM0: Support - have someone to take you to doctor

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it: Someone to take you to the doctor if you needed it?

Value	Label	Unweighted Frequency	%
1	None Of The Time	146	4.4 %
2	A Little Of The Time	167	5.1 %
3	Some Of The Time	347	10.5 %
4	Most Of The Time	944	28.6 %
5	All Of The Time	1692	51.2 %
	Missing Data		
-9	Missing	6	0.2 %
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CONFIDE0: Support - have someone to confide in

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it: Someone to confide in or talk to about yourself or your problems?

Value	Label	Unweighted Frequency	%
1	None Of The Time	50	1.5 %
2	A Little Of The Time	167	5.1 %
3	Some Of The Time	411	12.4 %
4	Most Of The Time	1148	34.8 %
5	All Of The Time	1521	46.1 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HELPSIC0: Support - have someone to help with chores when sick

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to help with daily chores if you were sick?

Value	Label	Unweighted Frequency	%
1	None Of The Time	207	6.3 %
2	A Little Of The Time	340	10.3 %
3	Some Of The Time	648	19.6 %
4	Most Of The Time	990	30.0 %
5	All Of The Time	1112	33.7 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

COMMITE0: In a committed relationship w/ significant other

Are you in a committed relationship with a significant other person?

Value	Label	Unweighted Frequency	%
1	No	756	22.9 %
2	Yes	2541	77.0 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DEGHAPP0: Degree of happiness in relationship

The dots on the line in front of you represent different degrees of happiness in your relationship with your significant other. Please tell me which best describes the degree of happiness, all things considered, of your relationship.

Value	Label	Unweighted Frequency	%
1	Extremely Unhappy	25	0.8 %
2	Fairly Unhappy	94	2.8 %

Value	Label	Unweighted Frequency	%
3	A little Unhappy	336	10.2 %
4	Happy	648	19.6 %
5	Very Happy	737	22.3 %
6	Extremely Happy	606	18.4 %
7	Perfect	93	2.8 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	756	22.9 %
	Total	**3,302**	**100%**

Based upon 2,539 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STARTAG0: Age started menstrual cycles

How old were you when your periods or menstrual cycles started?

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
8	-	13	0.4 %
9	-	79	2.4 %
10	-	200	6.1 %
11	-	498	15.1 %
12	-	849	25.7 %
13	-	873	26.4 %
14	-	397	12.0 %
15	-	184	5.6 %
16	-	117	3.5 %
17	-	35	1.1 %
18	-	18	0.5 %
19	-	4	0.1 %
22	-	1	0.0 %
23	-	2	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-8	Do not know	26	0.8 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,271 valid cases out of 3,302 total cases.

- Mean: 12.56
- Median: 12.00
- Mode: 13.00
- Minimum: 6.00
- Maximum: 23.00
- Standard Deviation: 1.68

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FLOWDAY0: How long menstrual flow lasted past year

During the last year, how long has your menstrual flow usually lasted from the time bleeding began until it stopped completely? By "usually" we mean at least half of the time.

Value	Label	Unweighted Frequency	%
1	1-2 days	70	2.1 %
2	3-7 days	3027	91.7 %
3	More than 7 days	193	5.8 %
	Missing Data		
-9	Missing	5	0.2 %
-8	Do not know	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

TENDAFL0: Menstrual flow that lasted more than 10 days past year

During the last year, have you had a menstrual flow that lasted more than 10 days?

Value	Label	Unweighted Frequency	%
1	No	2963	89.7 %
2	Yes	327	9.9 %
	Missing Data		
-9	Missing	6	0.2 %

Value	Label	Unweighted Frequency	%
-8	Do not know	6	0.2 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SPOTBET0: Bleed or spot between periods past year

During the last year, did you bleed or spot between your periods more than half of the time?

Value	Label	Unweighted Frequency	%
1	No	2992	90.6 %
2	Yes	302	9.1 %
	Missing Data		
-9	Missing	5	0.2 %
-8	Do not know	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FLOWAMT0: Heaviest menstrual flow amount past year

On the heaviest days of your menstrual flow, during the last year, was the amount that you usually bled: Light (change protection 1-3 times/day); Moderate (change protection every 3-4 hours); Heavy (change protection every 2 hours); Very heavy (change protection every hour); or don't know?

Value	Label	Unweighted Frequency	%
1	Light	229	6.9 %
2	Moderate	1306	39.6 %
3	Heavy	1259	38.1 %
4	Very heavy	503	15.2 %
	Missing Data		
-9	Missing	5	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FLOODIN0: Heaviest menstrual flow flooding past year

On the heaviest days of your menstrual flow, during the last year, did you ever experience flooding or gushing?

Value	Label	Unweighted Frequency	%
1	No	1943	58.8 %
2	Yes	1344	40.7 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	9	0.3 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CLOTS0: Heaviest menstrual flow clotting past year

On the heaviest days of your menstrual flow, during the last year, did you ever pass clots larger than a dime?

Value	Label	Unweighted Frequency	%
1	No	1598	48.4 %
2	Yes	1672	50.6 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	26	0.8 %
	Total	**3,302**	**100%**

Based upon 3,270 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STARTDA0: Menstrual flow start within 4 days of when expected past year

During the last year, did your menstrual flow usually start within 4 days of the day you expected it to start? By "usually" we mean for at least half of your periods.

Value	Label	Unweighted Frequency	%
1	No	597	18.1 %
2	Yes	2589	78.4 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	110	3.3 %
	Total	**3,302**	**100%**

Based upon 3,186 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

USUALDA0: Average days per menstrual cycle past year

On average, during the last year, how many days were there in a typical menstrual cycle (from the beginning of bleeding of one menstrual period to the beginning of bleeding of the next period)?

Value	Label	Unweighted Frequency	%
1	Less than 21 days	103	3.1 %
2	21-25 days	718	21.7 %
3	26-32 days	2068	62.6 %
4	33-35 days	72	2.2 %
5	36-90 days	71	2.2 %
6	More than 90 days	19	0.6 %
7	Too variable to say	193	5.8 %
	Missing Data		
-9	Missing	5	0.2 %
-8	Do not know	53	1.6 %
	Total	**3,302**	**100%**

Based upon 3,244 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CRAMPS0: Abdominal pain/cramps prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Abdominal pain or cramps?

Value	Label	Unweighted Frequency	%
1	No	1226	37.1 %
2	Yes	2052	62.1 %
	Missing Data		
-9	Missing	6	0.2 %
.	-	18	0.5 %
	Total	**3,302**	**100%**

Based upon 3,278 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BREASTP0: Breast pain prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Breast pain, tenderness or swelling?

Value	Label	Unweighted Frequency	%
1	No	1049	31.8 %
2	Yes	2247	68.0 %
	Missing Data		
-9	Missing	6	0.2 %
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1

BLOATED0: Weight gain/bloated prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Weight gain or feeling bloated?

Value	Label	Unweighted Frequency	%
1	No	741	22.4 %
2	Yes	2530	76.6 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	25	0.8 %
	Total	**3,302**	**100%**

Based upon 3,271 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

MOODCHN0: Mood change prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Changes in your mood (suddenly sad)?

Value	Label	Unweighted Frequency	%
1	No	976	29.6 %
2	Yes	2281	69.1 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	21	0.6 %
.	-	18	0.5 %
	Total	**3,302**	**100%**

Based upon 3,257 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRAVING0: Food cravings prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them? Increase in appetite or food cravings?

Value	Label	Unweighted Frequency	%
1	No	1324	40.1 %
2	Yes	1944	58.9 %
	Missing Data		
-9	Missing	5	0.2 %
-8	Do not know	29	0.9 %
	Total	**3,302**	**100%**

Based upon 3,268 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 299-300 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ANXIOUS0: Anxious/jittery prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Anxious, jittery, nervousness?

Value	Label	Unweighted Frequency	%
1	No	1604	48.6 %
2	Yes	1669	50.5 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	23	0.7 %
	Total	**3,302**	**100%**

Based upon 3,273 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BACKPAI0: Back/joint pain prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Back, joint, or muscle pain?

Value	Label	Unweighted Frequency	%
1	No	1404	42.5 %
2	Yes	1876	56.8 %
	Missing Data		
-9	Missing	5	0.2 %
-8	Do not know	17	0.5 %
	Total	**3,302**	**100%**

Based upon 3,280 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LESSSEX0: Less sexual interest prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Less sexual interest than usual?

Value	Label	Unweighted Frequency	%
1	No	2090	63.3 %
2	Yes	1114	33.7 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	73	2.2 %
.	-	18	0.5 %
	Total	**3,302**	**100%**

Based upon 3,204 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MORESEX0: More sexual interest prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: More sexual interest than usual?

Value	Label	Unweighted Frequency	%
1	No	2421	73.3 %

Value	Label	Unweighted Frequency	%
2	Yes	820	24.8 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	55	1.7 %
	Total	**3,302**	**100%**

Based upon 3,241 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

INTERFE0: Job/home interference prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Interference with job or home activities?

Value	Label	Unweighted Frequency	%
1	No	2668	80.8 %
2	Yes	623	18.9 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HEADACH0: Headache/migraine prior to half of periods past year

During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them: Severe headaches (including migraines)?

Value	Label	Unweighted Frequency	%
1	No	2405	72.8 %
2	Yes	883	26.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.2 %
-8	Do not know	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,288 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CHARACT0: Characteristics disappear within 1-3 days after period started

Did characteristics occurring during or before your period (cramps, breast pain, etc.) usually (more than half the time) disappear within 1-3 days after your period started?

Value	Label	Unweighted Frequency	%
1	No	171	5.2 %
2	Yes	3003	90.9 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	15	0.5 %
-1	N/A	106	3.2 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,174 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTERVA0: Past 12 months, period interval has

In the past 12 months have your periods become farther apart; become closer together; occur at more variable intervals; stay the same; or become more regular?

Value	Label	Unweighted Frequency	%
1	Become Farther Apart	324	9.8 %
2	Become Closer Together	463	14.0 %
3	Occurred At More Variable Intervals	736	22.3 %

Value	Label	Unweighted Frequency	%
4	Stayed The Same	1592	48.2 %
5	Become More Regular	167	5.1 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	12	0.4 %
	Total	**3,302**	**100%**

Based upon 3,282 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BC25TO30: Ages 25-35 birth control without a break

Now I would like you to think back to when you were between the ages of 25 and 35 years. During the interval from age 25 to 35, did you take birth control pills or other female hormones all the time without a break?

Value	Label	Unweighted Frequency	%
1	No	3033	91.9 %
2	Yes	262	7.9 %
	Missing Data		
-9	Missing	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FLOAGE20: Ages 25-35 typical menstrual flow lasted more than 10 days

For that time period (age 25-35), consider a typical year of menstrual periods. By typical, I mean that your periods were not interrupted by pregnancy, breastfeeding or a major illness, and you were not taking birth control pills or other hormones during that typical year. During a typical year did you have a menstrual flow that lasted more than 10 days?

Value	Label	Unweighted Frequency	%
1	No	2872	87.0 %
2	Yes	134	4.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	4	0.1 %
-1	N/A	286	8.7 %
	Total	**3,302**	**100%**

Based upon 3,006 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SPOT2530: Ages 25-35 bleed or spot between periods

For that time period (age 25-35), consider a typical year of menstrual periods. By typical, I mean that your periods were not interrupted by pregnancy, breastfeeding or a major illness, and you were not taking birth control pills or other hormones during that typical year. During that typical year, did you bleed or spot between your periods at least half the time?

Value	Label	Unweighted Frequency	%
1	No	2853	86.4 %
2	Yes	151	4.6 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	6	0.2 %
-1	N/A	286	8.7 %
	Total	**3,302**	**100%**

Based upon 3,004 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FLOD2530: Ages 25-35 heaviest flow flooding

For that time period (age 25-35), consider a typical year of menstrual periods. By typical, I mean that your periods were not interrupted by pregnancy, breastfeeding or a major illness, and you were not taking birth control pills or other hormones during that typical year. On the heaviest days of your menstrual flow, during a typical year, did you ever experience flooding or gushing?

Value	Label	Unweighted Frequency	%
1	No	2191	66.4 %

Value	Label	Unweighted Frequency	%
2	Yes	792	24.0 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	25	0.8 %
-1	N/A	286	8.7 %
	Total	**3,302**	**100%**

Based upon 2,983 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CLOT2530: Ages 25-35 heaviest flow clotting

For that time period (age 25-35), consider a typical year of menstrual periods. By typical, I mean that your periods were not interrupted by pregnancy, breastfeeding or a major illness, and you were not taking birth control pills or other hormones during that typical year. On the heaviest days of your menstrual flow, during a typical year, did you ever pass clots larger than a dime?

Value	Label	Unweighted Frequency	%
1	No	1803	54.6 %
2	Yes	1149	34.8 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	56	1.7 %
-1	N/A	287	8.7 %
	Total	**3,302**	**100%**

Based upon 2,952 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STRT2530: Ages 25-35 start period within 4 days of when expected

For that time period (age 25-35), consider a typical year of menstrual periods. By typical, I mean that your periods were not interrupted by pregnancy, breastfeeding or a major illness, and you were not taking birth control pills or other hormones during that typical year. Did your menstrual flow usually start within 4 days of the day you expected it to start, during a typical year? By "usually" we mean for at least half of your periods.

Value	Label	Unweighted Frequency	%
1	No	414	12.5 %
2	Yes	2519	76.3 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	77	2.3 %
-1	N/A	286	8.7 %
	Total	**3,302**	**100%**

Based upon 2,933 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

NOPERIO0: Since age 18, ever went 3 months without a period

Since the age of 18, have you ever experienced a time interval of 3 or more months when you did not have a menstrual period? If yes, was this one time only or more than once?

Value	Label	Unweighted Frequency	%
1	No	791	24.0 %
2	Yes - One time only	437	13.2 %
3	Yes - More than once	2054	62.2 %
	Missing Data		
-9	Missing	15	0.5 %
-8	Do not know	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,282 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BREASTF0: Were you breastfeeding/pregnant at the time that you went 3 months without a period

Were you breastfeeding or pregnant at the time you experienced a time interval of 3 or more months when you did not have a menstrual period?

Value	Label	Unweighted Frequency	%
1	No	107	3.2 %
2	Yes	323	9.8 %
	Missing Data		
-9	Missing	22	0.7 %
-1	N/A	2849	86.3 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 430 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BFEVE0: Were you breastfeeding/pregnant every time that you went 3 months without a period

Were you breastfeeding or pregnant every time that you experienced time intervals of 3 or more months when you did not have a menstrual period?

Value	Label	Unweighted Frequency	%
1	No	411	12.4 %
2	Yes	1634	49.5 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	1	0.0 %
-1	N/A	1244	37.7 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 2,045 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMPREG0: How many times have you been pregnant?

How many times have you been pregnant? Please include miscarriages, stillbirths, tubal pregnancies, abortions, and live births.

Value	Label	Unweighted Frequency	%
0	-	361	10.9 %
1	-	340	10.3 %
2	-	746	22.6 %
3	-	711	21.5 %
4	-	520	15.7 %
5	-	319	9.7 %
6	-	148	4.5 %
7	-	74	2.2 %
8	-	28	0.8 %
9	-	21	0.6 %
10	-	12	0.4 %
11	-	4	0.1 %
12	-	2	0.1 %
13	-	5	0.2 %
14	-	1	0.0 %
15	-	1	0.0 %
	Missing Data		
-9	Missing	9	0.3 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Mean: 2.96
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.98

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OUTCM10: Outcome of pregnancy number 1

I would like to ask you some questions about each pregnancy. What was the outcome of your first pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	2096	63.5 %
2	Still Birth	36	1.1 %
3	Miscarriage	309	9.4 %
4	Abortion	475	14.4 %
5	Tubal (Ectopic) Pregnancy	15	0.5 %

Value	Label	Unweighted Frequency	%
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	365	11.1 %
	Total	**3,302**	**100%**

Based upon 2,931 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR10: Type of delivery number 1

If your first pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	1834	55.5 %
2	Cesarean	262	7.9 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	1200	36.3 %
	Total	**3,302**	**100%**

Based upon 2,096 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO10: How long breastfed number 1

If your first pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	1056	32.0 %
1	-	174	5.3 %
2	-	89	2.7 %
3	-	136	4.1 %
4	-	72	2.2 %

Value	Label	Unweighted Frequency	%
5	-	38	1.2 %
6	-	153	4.6 %
7	-	30	0.9 %
8	-	42	1.3 %
9	-	45	1.4 %
10	-	28	0.8 %
11	-	15	0.5 %
12	-	102	3.1 %
13	-	13	0.4 %
14	-	9	0.3 %
15	-	9	0.3 %
16	-	4	0.1 %
17	-	1	0.0 %
18	-	20	0.6 %
19	-	2	0.1 %
21	-	1	0.0 %
23	-	3	0.1 %
24	-	20	0.6 %
25	-	1	0.0 %
26	-	1	0.0 %
30	-	9	0.3 %
34	-	1	0.0 %
36	-	12	0.4 %
38	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
48	-	2	0.1 %
60	-	1	0.0 %
	Missing Data		
-9	Missing	10	0.3 %
-1	N/A	1200	36.3 %
	Total	**3,302**	**100%**

Based upon 2,092 valid cases out of 3,302 total cases.

- Mean: 3.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.12

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR10: Weight before pregnancy number 1

Before your first pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	1317	39.9 %
2	Thinner	1121	33.9 %
3	The Same	345	10.4 %
4	Heavier	130	3.9 %
5	Much Heavier	15	0.5 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	366	11.1 %
	Total	**3,302**	**100%**

Based upon 2,928 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

KGGN10: How much weight gained (kg) - pregnancy number 1

How much weight did you gain during your first pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	536	16.2 %
0.453597024404	-	3	0.1 %
0.907194048807	-	28	0.8 %
1.000000000000	-	1	0.0 %
1.360791073211	-	13	0.4 %
1.814388097614	-	15	0.5 %
2.267985122018	-	75	2.3 %
2.721582146421	-	8	0.2 %
3.175179170825	-	8	0.2 %
3.628776195228	-	17	0.5 %

Value	Label	Unweighted Frequency	%
4.000000000000	-	3	0.1 %
4.082373219632	-	5	0.2 %
4.535970244035	-	111	3.4 %
4.989567268439	-	6	0.2 %
5.000000000000	-	1	0.0 %
5.443164292842	-	25	0.8 %
5.896761317246	-	11	0.3 %
6.000000000000	-	2	0.1 %
6.350358341649	-	11	0.3 %
6.803955366053	-	78	2.4 %
7.000000000000	-	1	0.0 %
7.257552390456	-	15	0.5 %
7.711149414860	-	12	0.4 %
8.000000000000	-	4	0.1 %
8.164746439263	-	40	1.2 %
8.618343463667	-	12	0.4 %
9.071940488070	-	272	8.2 %
9.525537512474	-	12	0.4 %
9.979134536877	-	45	1.4 %
10.000000000000	-	23	0.7 %
10.432731561281	-	28	0.8 %
10.886328585684	-	18	0.5 %
11.339925610088	-	229	6.9 %
11.793522634492	-	17	0.5 %
12.000000000000	-	9	0.3 %
12.247119658895	-	18	0.5 %
12.700716683299	-	36	1.1 %
13.000000000000	-	2	0.1 %
13.154313707702	-	8	0.2 %
13.607910732106	-	280	8.5 %
14.000000000000	-	1	0.0 %
14.061507756509	-	5	0.2 %
14.515104780913	-	18	0.5 %
14.968701805316	-	6	0.2 %
15.000000000000	-	4	0.1 %
15.422298829720	-	3	0.1 %
15.875895854123	-	123	3.7 %
16.000000000000	-	1	0.0 %
16.329492878527	-	13	0.4 %

Value	Label	Unweighted Frequency	%
16.783089902930	-	8	0.2 %
	Missing Data		
-9.000000000000	Missing	9	0.3 %
-8.000000000000	Do not know	110	3.3 %
-1.000000000000	N/A	368	11.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,815 valid cases out of 3,302 total cases.

- Mean: 10.666271185922
- Median: 10.432731561281
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 68.039553660528
- Standard Deviation: 8.274614731790

Location: 345-359 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT10: Weight after pregnancy number 1

One year after your first pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	846	25.6 %
2	Thinner	1246	37.7 %
3	The Same	510	15.4 %
4	Heavier	247	7.5 %
5	Much Heavier	27	0.8 %
6	Pregnant	45	1.4 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	7	0.2 %
-1	N/A	366	11.1 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 2,921 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCM20: Outcome of pregnancy number 2

I would like to ask you some questions about each pregnancy. What was the outcome of your second pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	1894	57.4 %
2	Still Birth	27	0.8 %
3	Miscarriage	314	9.5 %
4	Abortion	328	9.9 %
5	Tubal (Ectopic) Pregnancy	28	0.8 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	705	21.4 %
	Total	**3,302**	**100%**

Based upon 2,591 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 362-363 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR20: Type of delivery number 2

If your second pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	1601	48.5 %
2	Cesarean	293	8.9 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	1402	42.5 %
	Total	**3,302**	**100%**

Based upon 1,894 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 364-365 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO20: How long breastfed number 2

If your second pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	856	25.9 %
1	-	104	3.1 %
2	-	114	3.5 %
3	-	114	3.5 %
4	-	73	2.2 %
5	-	33	1.0 %
6	-	154	4.7 %
7	-	39	1.2 %
8	-	39	1.2 %
9	-	55	1.7 %
10	-	26	0.8 %
11	-	16	0.5 %
12	-	101	3.1 %
13	-	18	0.5 %
14	-	23	0.7 %
15	-	10	0.3 %
16	-	7	0.2 %
17	-	2	0.1 %
18	-	33	1.0 %
19	-	2	0.1 %
20	-	2	0.1 %
22	-	3	0.1 %
24	-	32	1.0 %
25	-	2	0.1 %
27	-	1	0.0 %
30	-	3	0.1 %
31	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	17	0.5 %
37	-	1	0.0 %
42	-	5	0.2 %
46	-	1	0.0 %
48	-	1	0.0 %

Value	Label	Unweighted Frequency	%
49	-	1	0.0 %
60	-	1	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	1402	42.5 %
	Total	**3,302**	**100%**

Based upon 1,892 valid cases out of 3,302 total cases.

- Mean: 4.48
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 7.05

Location: 366-367 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR20: Weight before pregnancy number 2

Before your second pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	756	22.9 %
2	Thinner	1216	36.8 %
3	The Same	434	13.1 %
4	Heavier	166	5.0 %
5	Much Heavier	13	0.4 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	3	0.1 %
-1	N/A	705	21.4 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 2,585 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 368-369 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KGGN20: How much weight gained (kg) - pregnancy number 2

How much weight did you gain during your second pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	473	14.3 %
0.907194048807	-	11	0.3 %
1.000000000000	-	1	0.0 %
1.360791073211	-	7	0.2 %
1.814388097614	-	6	0.2 %
2.000000000000	-	1	0.0 %
2.267985122018	-	55	1.7 %
2.721582146421	-	8	0.2 %
3.175179170825	-	5	0.2 %
3.628776195228	-	16	0.5 %
4.000000000000	-	1	0.0 %
4.082373219632	-	6	0.2 %
4.535970244035	-	99	3.0 %
4.989567268439	-	5	0.2 %
5.000000000000	-	3	0.1 %
5.443164292842	-	18	0.5 %
5.896761317246	-	6	0.2 %
6.350358341649	-	3	0.1 %
6.803955366053	-	75	2.3 %
7.000000000000	-	1	0.0 %
7.257552390456	-	18	0.5 %
7.711149414860	-	14	0.4 %
8.000000000000	-	6	0.2 %
8.164746439263	-	33	1.0 %
8.618343463667	-	6	0.2 %
9.071940488070	-	241	7.3 %
9.525537512474	-	12	0.4 %
9.979134536877	-	36	1.1 %
10.000000000000	-	15	0.5 %
10.432731561281	-	19	0.6 %
10.886328585684	-	11	0.3 %
11.339925610088	-	241	7.3 %
11.793522634492	-	17	0.5 %
12.000000000000	-	4	0.1 %
12.247119658895	-	18	0.5 %
12.700716683299	-	34	1.0 %

Value	Label	Unweighted Frequency	%
13.000000000000	-	4	0.1 %
13.154313707702	-	3	0.1 %
13.607910732106	-	293	8.9 %
14.061507756509	-	5	0.2 %
14.515104780913	-	16	0.5 %
14.968701805316	-	6	0.2 %
15.000000000000	-	6	0.2 %
15.422298829720	-	4	0.1 %
15.875895854123	-	143	4.3 %
16.329492878527	-	10	0.3 %
16.783089902930	-	6	0.2 %
17.000000000000	-	2	0.1 %
17.236686927334	-	8	0.2 %
17.690283951737	-	3	0.1 %
	Missing Data		
-9.000000000000	Missing	13	0.4 %
-8.000000000000	Do not know	74	2.2 %
-1.000000000000	N/A	707	21.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,508 valid cases out of 3,302 total cases.

- Mean: 10.682360653475
- Median: 11.339925610088
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 45.359702440352
- Standard Deviation: 7.834776505673

Location: 370-384 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT20: Weight after pregnancy number 2

One year after your second pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	588	17.8 %
2	Thinner	1195	36.2 %
3	The Same	523	15.8 %

Value	Label	Unweighted Frequency	%
4	Heavier	226	6.8 %
5	Much Heavier	28	0.8 %
6	Pregnant	22	0.7 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	5	0.2 %
-1	N/A	705	21.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 2,582 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCM30: Outcome of pregnancy number 3

I would like to ask you some questions about each pregnancy. What was the outcome of your third pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	1266	38.3 %
2	Still Birth	12	0.4 %
3	Miscarriage	283	8.6 %
4	Abortion	260	7.9 %
5	Tubal (Ectopic) Pregnancy	23	0.7 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	1451	43.9 %
	Total	**3,302**	**100%**

Based upon 1,844 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR30: Type of delivery number 3

If your third pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	1051	31.8 %
2	Cesarean	215	6.5 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	2030	61.5 %
	Total	**3,302**	**100%**

Based upon 1,266 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 389-390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO30: How long breastfed number 3

If your third pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	539	16.3 %
1	-	72	2.2 %
2	-	56	1.7 %
3	-	88	2.7 %
4	-	68	2.1 %
5	-	16	0.5 %
6	-	106	3.2 %
7	-	15	0.5 %
8	-	25	0.8 %
9	-	39	1.2 %
10	-	33	1.0 %
11	-	14	0.4 %
12	-	81	2.5 %
13	-	8	0.2 %
14	-	10	0.3 %
15	-	3	0.1 %
16	-	4	0.1 %
17	-	4	0.1 %

Value	Label	Unweighted Frequency	%
18	-	23	0.7 %
20	-	3	0.1 %
21	-	1	0.0 %
22	-	3	0.1 %
24	-	31	0.9 %
25	-	2	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.1 %
36	-	12	0.4 %
38	-	1	0.0 %
48	-	2	0.1 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	2030	61.5 %
	Total	**3,302**	**100%**

Based upon 1,264 valid cases out of 3,302 total cases.

- Mean: 4.77
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 6.96

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR30: Weight before pregnancy number 3

Before your third pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	445	13.5 %
2	Thinner	927	28.1 %
3	The Same	330	10.0 %
4	Heavier	124	3.8 %
5	Much Heavier	9	0.3 %
6	Pregnant	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.3 %
-8	Do not know	3	0.1 %
-1	N/A	1452	44.0 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 1,835 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KGGN30: How much weight gained (kg) - pregnancy number 3

How much weight did you gain during your third pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	377	11.4 %
0.453597024404	-	1	0.0 %
0.907194048807	-	10	0.3 %
1.000000000000	-	1	0.0 %
1.360791073211	-	11	0.3 %
1.814388097614	-	6	0.2 %
2.000000000000	-	2	0.1 %
2.267985122018	-	49	1.5 %
2.721582146421	-	6	0.2 %
3.175179170825	-	5	0.2 %
3.628776195228	-	13	0.4 %
4.082373219632	-	3	0.1 %
4.535970244035	-	79	2.4 %
4.989567268439	-	1	0.0 %
5.443164292842	-	13	0.4 %
5.896761317246	-	4	0.1 %
6.000000000000	-	2	0.1 %
6.350358341649	-	6	0.2 %
6.803955366053	-	60	1.8 %
7.257552390456	-	3	0.1 %
7.711149414860	-	5	0.2 %
8.000000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
8.164746439263	-	24	0.7 %
8.618343463667	-	6	0.2 %
9.000000000000	-	1	0.0 %
9.071940488070	-	156	4.7 %
9.525537512474	-	5	0.2 %
9.979134536877	-	25	0.8 %
10.000000000000	-	8	0.2 %
10.432731561281	-	14	0.4 %
10.886328585684	-	6	0.2 %
11.339925610088	-	157	4.8 %
11.793522634492	-	9	0.3 %
12.000000000000	-	5	0.2 %
12.247119658895	-	9	0.3 %
12.700716683299	-	21	0.6 %
13.000000000000	-	3	0.1 %
13.154313707702	-	8	0.2 %
13.607910732106	-	206	6.2 %
14.061507756509	-	2	0.1 %
14.515104780913	-	16	0.5 %
14.968701805316	-	1	0.0 %
15.000000000000	-	2	0.1 %
15.875895854123	-	98	3.0 %
16.329492878527	-	8	0.2 %
16.783089902930	-	2	0.1 %
17.236686927334	-	8	0.2 %
17.690283951737	-	1	0.0 %
18.000000000000	-	1	0.0 %
18.143880976141	-	118	3.6 %
	Missing Data		
-9.000000000000	Missing	14	0.4 %
-8.000000000000	Do not know	51	1.5 %
-1.000000000000	N/A	1453	44.0 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,784 valid cases out of 3,302 total cases.

- Mean: 10.152063164708
- Median: 10.432731561281

- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 54.431642928422
- Standard Deviation: 7.892939894250

Location: 395-409 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT30: Weight after pregnancy number 3

One year after your third pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	328	9.9 %
2	Thinner	889	26.9 %
3	The Same	372	11.3 %
4	Heavier	209	6.3 %
5	Much Heavier	18	0.5 %
6	Pregnant	9	0.3 %
	Missing Data		
-9	Missing	12	0.4 %
-8	Do not know	12	0.4 %
-1	N/A	1452	44.0 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 1,825 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 410-411 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCM40: Outcome of pregnancy number 4

I would like to ask you some questions about each pregnancy. What was the outcome of your fourth pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	706	21.4 %
2	Still Birth	5	0.2 %
3	Miscarriage	188	5.7 %
4	Abortion	215	6.5 %
5	Tubal (Ectopic) Pregnancy	19	0.6 %

Value	Label	Unweighted Frequency	%
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	2162	65.5 %
	Total	**3,302**	**100%**

Based upon 1,133 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 412-413 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR40: Type of delivery number 4

If fourth pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	586	17.7 %
2	Cesarean	119	3.6 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	2589	78.4 %
	Total	**3,302**	**100%**

Based upon 705 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 414-415 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO40: How long breastfed number 4

If fourth pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	296	9.0 %
1	-	35	1.1 %
2	-	37	1.1 %
3	-	42	1.3 %
4	-	29	0.9 %

Value	Label	Unweighted Frequency	%
5	-	15	0.5 %
6	-	65	2.0 %
7	-	11	0.3 %
8	-	16	0.5 %
9	-	22	0.7 %
10	-	9	0.3 %
11	-	4	0.1 %
12	-	47	1.4 %
13	-	2	0.1 %
14	-	11	0.3 %
15	-	4	0.1 %
16	-	2	0.1 %
18	-	11	0.3 %
20	-	2	0.1 %
22	-	3	0.1 %
24	-	18	0.5 %
28	-	1	0.0 %
30	-	2	0.1 %
36	-	15	0.5 %
38	-	1	0.0 %
42	-	2	0.1 %
48	-	1	0.0 %
54	-	1	0.0 %
60	-	1	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	2589	78.4 %
	Total	**3,302**	**100%**

Based upon 705 valid cases out of 3,302 total cases.

- Mean: 5.44
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 8.45

Location: 416-417 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR40: Weight before pregnancy number 4

Before your fourth pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	244	7.4 %
2	Thinner	561	17.0 %
3	The Same	223	6.8 %
4	Heavier	95	2.9 %
5	Much Heavier	5	0.2 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	3	0.1 %
-1	N/A	2162	65.5 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 1,128 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 418-419 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KGGN40: How much weight gained (kg) - pregnancy number 4

How much weight did you gain during your fourth pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	288	8.7 %
0.907194048807	-	5	0.2 %
1.360791073211	-	10	0.3 %
1.814388097614	-	6	0.2 %
2.267985122018	-	33	1.0 %
2.721582146421	-	8	0.2 %
3.175179170825	-	4	0.1 %
3.628776195228	-	5	0.2 %
4.082373219632	-	1	0.0 %
4.535970244035	-	56	1.7 %
4.989567268439	-	1	0.0 %
5.443164292842	-	6	0.2 %
5.896761317246	-	4	0.1 %

Value	Label	Unweighted Frequency	%
6.350358341649	-	5	0.2 %
6.803955366053	-	30	0.9 %
7.257552390456	-	1	0.0 %
7.711149414860	-	4	0.1 %
8.000000000000	-	1	0.0 %
8.164746439263	-	18	0.5 %
8.618343463667	-	2	0.1 %
9.071940488070	-	78	2.4 %
9.525537512474	-	3	0.1 %
9.979134536877	-	10	0.3 %
10.000000000000	-	4	0.1 %
10.432731561281	-	7	0.2 %
11.339925610088	-	99	3.0 %
11.793522634492	-	6	0.2 %
12.000000000000	-	1	0.0 %
12.247119658895	-	4	0.1 %
12.700716683299	-	8	0.2 %
13.154313707702	-	2	0.1 %
13.607910732106	-	105	3.2 %
14.515104780913	-	3	0.1 %
14.968701805316	-	3	0.1 %
15.000000000000	-	2	0.1 %
15.875895854123	-	56	1.7 %
16.329492878527	-	3	0.1 %
16.783089902930	-	2	0.1 %
17.236686927334	-	7	0.2 %
17.690283951737	-	1	0.0 %
18.143880976141	-	77	2.3 %
19.051075024948	-	4	0.1 %
19.504672049351	-	1	0.0 %
20.411866098158	-	22	0.7 %
21.319060146965	-	1	0.0 %
22.679851220176	-	52	1.6 %
23.587045268983	-	1	0.0 %
24.947836342194	-	9	0.3 %
25.000000000000	-	1	0.0 %
27.215821464211	-	22	0.7 %
	Missing Data		
-9.000000000000	Missing	11	0.3 %

Value	Label	Unweighted Frequency	%
-8.000000000000	Do not know	32	1.0 %
-1.000000000000	N/A	2163	65.5 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,096 valid cases out of 3,302 total cases.

- Mean: 9.501338359542
- Median: 9.071940488070
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 45.359702440352
- Standard Deviation: 8.228503727562

Location: 420-434 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT40: Weight after pregnancy number 4

One year after your fourth pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	191	5.8 %
2	Thinner	518	15.7 %
3	The Same	257	7.8 %
4	Heavier	132	4.0 %
5	Much Heavier	22	0.7 %
6	Pregnant	6	0.2 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	5	0.2 %
-1	N/A	2162	65.5 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 1,126 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 435-436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCM50: Outcome of pregnancy number 5

I would like to ask you some questions about each pregnancy. What was the outcome of your fifth pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	350	10.6 %
2	Still Birth	8	0.2 %
3	Miscarriage	116	3.5 %
4	Abortion	128	3.9 %
5	Tubal (Ectopic) Pregnancy	10	0.3 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	2682	81.2 %
	Total	**3,302**	**100%**

Based upon 612 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR50: Type of delivery number 5

If fifth pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	281	8.5 %
2	Cesarean	69	2.1 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	2944	89.2 %
	Total	**3,302**	**100%**

Based upon 350 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO50: How long breastfed number 5

If fifth pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	160	4.8 %
1	-	18	0.5 %
2	-	17	0.5 %
3	-	18	0.5 %
4	-	13	0.4 %
5	-	6	0.2 %
6	-	20	0.6 %
7	-	6	0.2 %
8	-	11	0.3 %
9	-	13	0.4 %
10	-	9	0.3 %
11	-	2	0.1 %
12	-	19	0.6 %
13	-	1	0.0 %
14	-	3	0.1 %
15	-	1	0.0 %
17	-	1	0.0 %
18	-	9	0.3 %
24	-	7	0.2 %
27	-	1	0.0 %
30	-	1	0.0 %
36	-	9	0.3 %
48	-	1	0.0 %
72	-	1	0.0 %
146	-	1	0.0 %
	Missing Data		
-9	Missing	10	0.3 %
-1	N/A	2944	89.2 %
	Total	**3,302**	**100%**

Based upon 348 valid cases out of 3,302 total cases.

- Mean: 5.63
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 146.00
- Standard Deviation: 11.58

Location: 441-443 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR50: Weight before pregnancy number 5

Before your fifth pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	131	4.0 %
2	Thinner	301	9.1 %
3	The Same	108	3.3 %
4	Heavier	58	1.8 %
5	Much Heavier	11	0.3 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	9	0.3 %
-8	Do not know	2	0.1 %
-1	N/A	2682	81.2 %
	Total	**3,302**	**100%**

Based upon 609 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 444-445 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

KGGN50: How much weight gained (kg) - pregnancy number 5

How much weight did you gain during your fifth pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	176	5.3 %
0.453597024404	-	1	0.0 %
1.360791073211	-	3	0.1 %
1.814388097614	-	4	0.1 %
2.267985122018	-	29	0.9 %
2.721582146421	-	6	0.2 %
3.175179170825	-	2	0.1 %
3.628776195228	-	5	0.2 %
4.535970244035	-	39	1.2 %
4.989567268439	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.443164292842	-	7	0.2 %
6.803955366053	-	12	0.4 %
7.257552390456	-	1	0.0 %
7.711149414860	-	3	0.1 %
8.164746439263	-	5	0.2 %
8.618343463667	-	1	0.0 %
9.071940488070	-	40	1.2 %
9.525537512474	-	1	0.0 %
9.979134536877	-	4	0.1 %
10.000000000000	-	1	0.0 %
10.432731561281	-	3	0.1 %
11.339925610088	-	55	1.7 %
11.793522634492	-	1	0.0 %
12.000000000000	-	1	0.0 %
12.247119658895	-	2	0.1 %
12.700716683299	-	4	0.1 %
13.154313707702	-	2	0.1 %
13.607910732106	-	55	1.7 %
14.515104780913	-	6	0.2 %
14.968701805316	-	1	0.0 %
15.875895854123	-	27	0.8 %
16.329492878527	-	4	0.1 %
16.783089902930	-	3	0.1 %
17.236686927334	-	1	0.0 %
18.143880976141	-	35	1.1 %
19.051075024948	-	2	0.1 %
20.411866098158	-	10	0.3 %
21.772657171369	-	1	0.0 %
22.679851220176	-	15	0.5 %
24.947836342194	-	1	0.0 %
26.762224439808	-	1	0.0 %
27.215821464211	-	11	0.3 %
28.576612537422	-	1	0.0 %
29.483806586229	-	4	0.1 %
31.298194683843	-	1	0.0 %
31.751791708246	-	4	0.1 %
34.019776830264	-	1	0.0 %
36.287761952282	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9.000000000000	Missing	11	0.3 %
-8.000000000000	Do not know	15	0.5 %
-1.000000000000	N/A	2682	81.2 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 594 valid cases out of 3,302 total cases.

- Mean: 8.552290267885
- Median: 9.071940488070
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 36.287761952282
- Standard Deviation: 8.056844096603

Location: 446-460 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT50: Weight after pregnancy number 5

One year after your fifth pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	99	3.0 %
2	Thinner	271	8.2 %
3	The Same	144	4.4 %
4	Heavier	81	2.5 %
5	Much Heavier	10	0.3 %
6	Pregnant	3	0.1 %
	Missing Data		
-9	Missing	9	0.3 %
-8	Do not know	3	0.1 %
-1	N/A	2682	81.2 %
	Total	**3,302**	**100%**

Based upon 608 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 461-462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OUTCM60: Outcome of pregnancy number 6

I would like to ask you some questions about each pregnancy. What was the outcome of your sixth pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	172	5.2 %
2	Still Birth	3	0.1 %
3	Miscarriage	57	1.7 %
4	Abortion	56	1.7 %
5	Tubal (Ectopic) Pregnancy	5	0.2 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3001	90.9 %
	Total	**3,302**	**100%**

Based upon 293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 463-464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR60: Type of delivery number 6

If sixth pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	138	4.2 %
2	Cesarean	34	1.0 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	3123	94.6 %
	Total	**3,302**	**100%**

Based upon 172 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 465-466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO60: How long breastfed number 6

If sixth pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	82	2.5 %
1	-	4	0.1 %
2	-	6	0.2 %
3	-	12	0.4 %
4	-	8	0.2 %
6	-	16	0.5 %
7	-	3	0.1 %
8	-	4	0.1 %
10	-	2	0.1 %
12	-	16	0.5 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
18	-	7	0.2 %
21	-	1	0.0 %
24	-	4	0.1 %
30	-	1	0.0 %
36	-	2	0.1 %
72	-	1	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	3123	94.6 %
	Total	**3,302**	**100%**

Based upon 172 valid cases out of 3,302 total cases.

- Mean: 5.28
- Median: 1.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 72.00
- Standard Deviation: 8.84

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR60: Weight before pregnancy number 6

Before your sixth pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	56	1.7 %
2	Thinner	141	4.3 %
3	The Same	62	1.9 %
4	Heavier	31	0.9 %
5	Much Heavier	3	0.1 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	3002	90.9 %
	Total	**3,302**	**100%**

Based upon 293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

KGGN60: How much weight gained (kg) - pregnancy number 6

How much weight did you gain during your sixth pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	72	2.2 %
1.360791073211	-	5	0.2 %
1.814388097614	-	1	0.0 %
2.267985122018	-	9	0.3 %
3.175179170825	-	1	0.0 %
3.628776195228	-	3	0.1 %
4.082373219632	-	1	0.0 %
4.535970244035	-	22	0.7 %
4.989567268439	-	1	0.0 %
5.443164292842	-	3	0.1 %
5.896761317246	-	1	0.0 %
6.350358341649	-	1	0.0 %
6.803955366053	-	8	0.2 %
7.000000000000	-	1	0.0 %
7.711149414860	-	1	0.0 %
8.164746439263	-	8	0.2 %
8.618343463667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.071940488070	-	28	0.8 %
11.339925610088	-	24	0.7 %
11.793522634492	-	2	0.1 %
12.247119658895	-	1	0.0 %
12.700716683299	-	3	0.1 %
13.607910732106	-	28	0.8 %
14.515104780913	-	1	0.0 %
15.875895854123	-	12	0.4 %
16.329492878527	-	2	0.1 %
18.143880976141	-	11	0.3 %
20.411866098158	-	4	0.1 %
22.679851220176	-	9	0.3 %
24.947836342194	-	3	0.1 %
25.855030391001	-	1	0.0 %
26.762224439808	-	1	0.0 %
27.215821464211	-	4	0.1 %
29.483806586229	-	1	0.0 %
31.751791708246	-	3	0.1 %
33.112582781457	-	1	0.0 %
34.019776830264	-	1	0.0 %
43.091717318334	-	1	0.0 %
45.359702440352	-	1	0.0 %
	Missing Data		
-9.000000000000	Missing	10	0.3 %
-8.000000000000	Do not know	9	0.3 %
-1.000000000000	N/A	3002	90.9 %
	Total	**3,302**	**100%**

Based upon 281 valid cases out of 3,302 total cases.

- Mean: 9.054881688659
- Median: 9.071940488070
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 45.359702440352
- Standard Deviation: 8.507059320843

Location: 471-485 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT60: Weight after pregnancy number 6

One year after your sixth pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	34	1.0 %
2	Thinner	131	4.0 %
3	The Same	85	2.6 %
4	Heavier	34	1.0 %
5	Much Heavier	7	0.2 %
6	Pregnant	1	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3002	90.9 %
	Total	**3,302**	**100%**

Based upon 292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 486-487 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OUTCM70: Outcome of pregnancy number 7

I would like to ask you some questions about each pregnancy. What was the outcome of your seventh pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	72	2.2 %
2	Still Birth	1	0.0 %
3	Miscarriage	33	1.0 %
4	Abortion	35	1.1 %
5	Tubal (Ectopic) Pregnancy	4	0.1 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3149	95.4 %
	Total	**3,302**	**100%**

Based upon 145 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 488-489 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR70: Type of delivery number 7

If seventh pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	56	1.7 %
2	Cesarean	15	0.5 %
	Missing Data		
-9	Missing	9	0.3 %
-1	N/A	3222	97.6 %
	Total	**3,302**	**100%**

Based upon 71 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 490-491 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO70: How long breastfed number 7

If seventh pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	26	0.8 %
1	-	3	0.1 %
2	-	5	0.2 %
3	-	6	0.2 %
4	-	4	0.1 %
5	-	2	0.1 %
6	-	7	0.2 %
8	-	1	0.0 %
9	-	2	0.1 %
11	-	1	0.0 %
12	-	5	0.2 %
13	-	1	0.0 %
14	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
24	-	4	0.1 %
36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3222	97.6 %
	Total	**3,302**	**100%**

Based upon 72 valid cases out of 3,302 total cases.

- Mean: 6.07
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 8.97

Location: 492-493 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR70: Weight before pregnancy number 7

Before your seventh pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	25	0.8 %
2	Thinner	73	2.2 %
3	The Same	26	0.8 %
4	Heavier	15	0.5 %
5	Much Heavier	4	0.1 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	9	0.3 %
-8	Do not know	1	0.0 %
-1	N/A	3149	95.4 %
	Total	**3,302**	**100%**

Based upon 143 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 494-495 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

KGGN70: How much weight gained (kg) - pregnancy number 7

How much weight did you gain during your seventh pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	47	1.4 %
0.907194048807	-	1	0.0 %
1.360791073211	-	1	0.0 %
1.814388097614	-	1	0.0 %
2.267985122018	-	5	0.2 %
2.721582146421	-	1	0.0 %
4.535970244035	-	9	0.3 %
6.803955366053	-	5	0.2 %
9.071940488070	-	10	0.3 %
9.979134536877	-	1	0.0 %
10.000000000000	-	1	0.0 %
10.886328585684	-	1	0.0 %
11.339925610088	-	12	0.4 %
12.700716683299	-	2	0.1 %
13.607910732106	-	11	0.3 %
14.061507756509	-	1	0.0 %
14.515104780913	-	3	0.1 %
15.875895854123	-	4	0.1 %
16.329492878527	-	1	0.0 %
17.236686927334	-	1	0.0 %
18.143880976141	-	9	0.3 %
20.411866098158	-	1	0.0 %
22.679851220176	-	5	0.2 %
27.215821464211	-	2	0.1 %
45.359702440352	-	1	0.0 %
	Missing Data		
-9.000000000000	Missing	9	0.3 %
-8.000000000000	Do not know	7	0.2 %
-1.000000000000	N/A	3150	95.4 %
	Total	**3,302**	**100%**

Based upon 136 valid cases out of 3,302 total cases.

- Mean: 7.921424988393
- Median: 6.803955366053
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 45.359702440352
- Standard Deviation: 8.100113032378

Location: 496-510 (width: 15; decimal: 12)

Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT70: Weight after pregnancy number 7

One year after your seventh pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	18	0.5 %
2	Thinner	73	2.2 %
3	The Same	30	0.9 %
4	Heavier	17	0.5 %
5	Much Heavier	5	0.2 %
6	Pregnant	1	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3150	95.4 %
	Total	**3,302**	**100%**

Based upon 144 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 511-512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OUTCM80: Outcome of pregnancy number 8

I would like to ask you some questions about each pregnancy. What was the outcome of your eighth pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	36	1.1 %
2	Still Birth	1	0.0 %
3	Miscarriage	19	0.6 %
4	Abortion	15	0.5 %
5	Tubal (Ectopic) Pregnancy	2	0.1 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3223	97.6 %
	Total	**3,302**	**100%**

Based upon 73 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 513-514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR80: Type of delivery number 8

If eighth pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	27	0.8 %
2	Cesarean	9	0.3 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3260	98.7 %
	Total	**3,302**	**100%**

Based upon 36 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 515-516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO80: How long breastfed number 8

If eighth pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	18	0.5 %
1	-	3	0.1 %
3	-	3	0.1 %
6	-	5	0.2 %
12	-	3	0.1 %
13	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
36	-	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3260	98.7 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 36 valid cases out of 3,302 total cases.

- Mean: 4.69
- Median: 0.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 7.95

Location: 517-518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR80: Weight before pregnancy number 8

Before your eighth pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	17	0.5 %
2	Thinner	34	1.0 %
3	The Same	13	0.4 %
4	Heavier	6	0.2 %
5	Much Heavier	1	0.0 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3223	97.6 %
	Total	**3,302**	**100%**

Based upon 71 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

KGGN80: How much weight gained (kg)- pregnancy number 8

How much weight did you gain during your eighth pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	28	0.8 %
2.267985122018	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.175179170825	-	1	0.0 %
4.535970244035	-	3	0.1 %
5.443164292842	-	3	0.1 %
6.803955366053	-	4	0.1 %
8.164746439263	-	1	0.0 %
9.071940488070	-	2	0.1 %
10.886328585684	-	1	0.0 %
11.339925610088	-	4	0.1 %
13.607910732106	-	6	0.2 %
15.875895854123	-	1	0.0 %
18.143880976141	-	4	0.1 %
22.679851220176	-	2	0.1 %
27.215821464211	-	2	0.1 %
34.019776830264	-	1	0.0 %
36.287761952282	-	1	0.0 %
	Missing Data		
-9.000000000000	Missing	8	0.2 %
-8.000000000000	Do not know	5	0.2 %
-1.000000000000	N/A	3223	97.6 %
	Total	**3,302**	**100%**

Based upon 66 valid cases out of 3,302 total cases.

- Mean: 7.388133352027
- Median: 4.535970244035
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 36.287761952282
- Standard Deviation: 9.014453393137

Location: 521-535 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT80: Weight after pregnancy number 8

One year after your eighth pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	15	0.5 %
2	Thinner	29	0.9 %
3	The Same	17	0.5 %
4	Heavier	7	0.2 %

Value	Label	Unweighted Frequency	%
5	Much Heavier	3	0.1 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3223	97.6 %
	Total	**3,302**	**100%**

Based upon 71 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 536-537 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OUTCM90: Outcome of pregnancy number 9

I would like to ask you some questions about each pregnancy. What was the outcome of your ninth pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	24	0.7 %
2	Still Birth	0	0.0 %
3	Miscarriage	10	0.3 %
4	Abortion	11	0.3 %
5	Tubal (Ectopic) Pregnancy	0	0.0 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3251	98.5 %
	Total	**3,302**	**100%**

Based upon 45 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 538-539 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR90: Type of delivery number 9

If ninth pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	19	0.6 %
2	Cesarean	5	0.2 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3272	99.1 %
	Total	**3,302**	**100%**

Based upon 24 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 540-541 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO90: How long breastfed number 9

If ninth pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	10	0.3 %
2	-	1	0.0 %
3	-	4	0.1 %
6	-	1	0.0 %
9	-	1	0.0 %
12	-	3	0.1 %
24	-	1	0.0 %
30	-	1	0.0 %
36	-	1	0.0 %
42	-	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3272	99.1 %
	Total	**3,302**	**100%**

Based upon 24 valid cases out of 3,302 total cases.

- Mean: 8.21
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 42.00
- Standard Deviation: 12.35

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR90: Weight before pregnancy number 9

Before your ninth pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	11	0.3 %
2	Thinner	24	0.7 %
3	The Same	6	0.2 %
4	Heavier	1	0.0 %
5	Much Heavier	1	0.0 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3251	98.5 %
	Total	**3,302**	**100%**

Based upon 43 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 544-545 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

KGGN90: How much weight gained (kg) - pregnancy number 9

How much weight did you gain during your ninth pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	12	0.4 %
1.814388097614	-	1	0.0 %
2.267985122018	-	1	0.0 %
4.535970244035	-	4	0.1 %
6.350358341649	-	1	0.0 %
6.803955366053	-	3	0.1 %
9.071940488070	-	3	0.1 %
11.793522634492	-	1	0.0 %
13.607910732106	-	6	0.2 %
15.875895854123	-	2	0.1 %
18.143880976141	-	2	0.1 %
20.411866098158	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27.669418488615	-	1	0.0 %
36.287761952282	-	2	0.1 %
	Missing Data		
-9.000000000000	Missing	7	0.2 %
-8.000000000000	Do not know	4	0.1 %
-1.000000000000	N/A	3251	98.5 %
	Total	**3,302**	**100%**

Based upon 40 valid cases out of 3,302 total cases.

- Mean: 8.958541231970
- Median: 6.803955366053
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 36.287761952282
- Standard Deviation: 9.520690157057

Location: 546-560 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT90: Weight after pregnancy number 9

One year after your ninth pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	12	0.4 %
2	Thinner	14	0.4 %
3	The Same	11	0.3 %
4	Heavier	5	0.2 %
5	Much Heavier	1	0.0 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3251	98.5 %
	Total	**3,302**	**100%**

Based upon 43 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 561-562 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OUTCM100: Outcome of pregnancy number 10

I would like to ask you some questions about each pregnancy. What was the outcome of your tenth pregnancy: Live birth(s), stillbirth, miscarriage, abortion, or tubal/ectopic?

Value	Label	Unweighted Frequency	%
1	Live Birth	11	0.3 %
2	Still Birth	0	0.0 %
3	Miscarriage	6	0.2 %
4	Abortion	7	0.2 %
5	Tubal (Ectopic) Pregnancy	0	0.0 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3272	99.1 %
	Total	**3,302**	**100%**

Based upon 24 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 563-564 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DELVR100: Type of delivery number 10

If tenth pregnancy was a live birth: Was this a vaginal or Cesarean (C-Section) delivery?

Value	Label	Unweighted Frequency	%
1	Vaginal	10	0.3 %
2	Cesarean	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3285	99.5 %
	Total	**3,302**	**100%**

Based upon 11 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 565-566 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BFMO100: How long breastfed number 10

If tenth pregnancy was a live birth and you breastfed: How long did you breastfeed?

Value	Label	Unweighted Frequency	%
0	-	4	0.1 %
1	-	2	0.1 %
2	-	1	0.0 %
3	-	2	0.1 %
9	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	3285	99.5 %
	Total	**3,302**	**100%**

Based upon 11 valid cases out of 3,302 total cases.

- Mean: 2.82
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 4.02

Location: 567-568 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WTBFR100: Weight before pregnancy number 10

Before your tenth pregnancy, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	7	0.2 %
2	Thinner	9	0.3 %
3	The Same	3	0.1 %
4	Heavier	3	0.1 %
5	Much Heavier	1	0.0 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	3272	99.1 %
	Total	**3,302**	**100%**

Based upon 23 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 569-570 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

KGGN100: How much weight gained (kg) - pregnancy number 10

How much weight did you gain during your tenth pregnancy?

Value	Label	Unweighted Frequency	%
0.000000000000	-	8	0.2 %
4.535970244035	-	6	0.2 %
6.803955366053	-	1	0.0 %
8.164746439263	-	1	0.0 %
9.071940488070	-	1	0.0 %
13.607910732106	-	4	0.1 %
15.875895854123	-	2	0.1 %
	Missing Data		
-9.000000000000	Missing	6	0.2 %
-8.000000000000	Do not know	1	0.0 %
-1.000000000000	N/A	3272	99.1 %
	Total	**3,302**	**100%**

Based upon 23 valid cases out of 3,302 total cases.

- Mean: 5.975647756272
- Median: 4.535970244035
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 15.875895854123
- Standard Deviation: 5.808316175342

Location: 571-585 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: -9.000000000000 , -8.000000000000 , -7.000000000000 , -1.000000000000

WTAFT100: Weight after pregnancy number 10

One year after your tenth pregnancy ended, were you much thinner; thinner; the same; heavier; or much heavier than you are now?

Value	Label	Unweighted Frequency	%
1	Much Thinner	8	0.2 %
2	Thinner	6	0.2 %

Value	Label	Unweighted Frequency	%
3	The Same	3	0.1 %
4	Heavier	3	0.1 %
5	Much Heavier	3	0.1 %
6	Pregnant	0	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	3272	99.1 %
	Total	**3,302**	**100%**

Based upon 23 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 586-587 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

AGFIRPR0: Age of first pregnancy

How old were you when you became pregnant for the first time?

Value	Label	Unweighted Frequency	%
13	-	9	0.3 %
14	-	23	0.7 %
15	-	60	1.8 %
16	-	109	3.3 %
17	-	171	5.2 %
18	-	202	6.1 %
19	-	286	8.7 %
20	-	234	7.1 %
21	-	216	6.5 %
22	-	175	5.3 %
23	-	162	4.9 %
24	-	160	4.8 %
25	-	167	5.1 %
26	-	132	4.0 %
27	-	127	3.8 %
28	-	130	3.9 %
29	-	132	4.0 %
30	-	94	2.8 %
31	-	63	1.9 %

Value	Label	Unweighted Frequency	%
32	-	54	1.6 %
33	-	37	1.1 %
34	-	48	1.5 %
35	-	44	1.3 %
36	-	23	0.7 %
37	-	17	0.5 %
38	-	16	0.5 %
39	-	9	0.3 %
40	-	13	0.4 %
41	-	5	0.2 %
43	-	2	0.1 %
44	-	2	0.1 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	4	0.1 %
-1	N/A	365	11.1 %
	Total	**3,302**	**100%**

Based upon 2,922 valid cases out of 3,302 total cases.

- Mean: 23.41
- Median: 22.00
- Mode: 19.00
- Minimum: 13.00
- Maximum: 44.00
- Standard Deviation: 5.60

Location: 588-589 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

AGLASPR0: Age of last pregnancy

How old were you when you became pregnant the last time?

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
15	-	2	0.1 %
16	-	8	0.2 %
17	-	13	0.4 %
18	-	20	0.6 %
19	-	39	1.2 %
20	-	49	1.5 %

Value	Label	Unweighted Frequency	%
21	-	56	1.7 %
22	-	69	2.1 %
23	-	67	2.0 %
24	-	95	2.9 %
25	-	111	3.4 %
26	-	117	3.5 %
27	-	131	4.0 %
28	-	148	4.5 %
29	-	174	5.3 %
30	-	179	5.4 %
31	-	165	5.0 %
32	-	183	5.5 %
33	-	174	5.3 %
34	-	182	5.5 %
35	-	177	5.4 %
36	-	148	4.5 %
37	-	129	3.9 %
38	-	122	3.7 %
39	-	116	3.5 %
40	-	72	2.2 %
41	-	56	1.7 %
42	-	47	1.4 %
43	-	31	0.9 %
44	-	14	0.4 %
45	-	16	0.5 %
46	-	3	0.1 %
47	-	3	0.1 %
49	-	1	0.0 %
	Missing Data		
-9	Missing	12	0.4 %
-8	Do not know	7	0.2 %
-1	N/A	365	11.1 %
	Total	**3,302**	**100%**

Based upon 2,918 valid cases out of 3,302 total cases.

- Mean: 31.33
- Median: 32.00
- Mode: 32.00
- Minimum: 14.00
- Maximum: 49.00

- Standard Deviation: 6.06

Location: 590-591 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

AGFIRKI0: Age first child born

How old were you when your first child was born?

Value	Label	Unweighted Frequency	%
13	-	4	0.1 %
14	-	12	0.4 %
15	-	28	0.8 %
16	-	74	2.2 %
17	-	102	3.1 %
18	-	165	5.0 %
19	-	169	5.1 %
20	-	236	7.1 %
21	-	173	5.2 %
22	-	145	4.4 %
23	-	151	4.6 %
24	-	147	4.5 %
25	-	149	4.5 %
26	-	157	4.8 %
27	-	123	3.7 %
28	-	135	4.1 %
29	-	132	4.0 %
30	-	121	3.7 %
31	-	98	3.0 %
32	-	68	2.1 %
33	-	71	2.2 %
34	-	56	1.7 %
35	-	53	1.6 %
36	-	47	1.4 %
37	-	29	0.9 %
38	-	25	0.8 %
39	-	19	0.6 %
40	-	20	0.6 %
41	-	14	0.4 %
42	-	3	0.1 %
43	-	3	0.1 %
45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	563	17.1 %
	Total	**3,302**	**100%**

Based upon 2,730 valid cases out of 3,302 total cases.

- Mean: 24.94
- Median: 24.00
- Mode: 20.00
- Minimum: 13.00
- Maximum: 45.00
- Standard Deviation: 6.01

Location: 592-593 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

AGLASKI0: Age last child born

How old were you when your last child was born?

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
15	-	3	0.1 %
16	-	3	0.1 %
17	-	11	0.3 %
18	-	25	0.8 %
19	-	36	1.1 %
20	-	53	1.6 %
21	-	53	1.6 %
22	-	69	2.1 %
23	-	89	2.7 %
24	-	85	2.6 %
25	-	103	3.1 %
26	-	112	3.4 %
27	-	133	4.0 %
28	-	141	4.3 %
29	-	159	4.8 %
30	-	182	5.5 %
31	-	164	5.0 %
32	-	189	5.7 %

Value	Label	Unweighted Frequency	%
33	-	143	4.3 %
34	-	166	5.0 %
35	-	158	4.8 %
36	-	153	4.6 %
37	-	130	3.9 %
38	-	95	2.9 %
39	-	97	2.9 %
40	-	72	2.2 %
41	-	48	1.5 %
42	-	24	0.7 %
43	-	13	0.4 %
44	-	7	0.2 %
45	-	5	0.2 %
46	-	3	0.1 %
48	-	1	0.0 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	2	0.1 %
-1	N/A	563	17.1 %
	Total	**3,302**	**100%**

Based upon 2,726 valid cases out of 3,302 total cases.

- Mean: 30.88
- Median: 31.00
- Mode: 32.00
- Minimum: 14.00
- Maximum: 48.00
- Standard Deviation: 5.87

Location: 594-595 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

NOGETPR0: 12 months attempting but not getting pregnant

Have you ever had a period of 12 months when you could not get pregnant although you were attempting to get pregnant or were letting yourself get pregnant?

Value	Label	Unweighted Frequency	%
1	No	2440	73.9 %
2	Yes	765	23.2 %
3	Never Tried	26	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.3 %
-8	Do not know	3	0.1 %
.	-	57	1.7 %
	Total	**3,302**	**100%**

Based upon 3,231 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 596-597 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRYPREG0: Currently trying to get pregnant

Are you currently trying to or letting yourself get pregnant?

Value	Label	Unweighted Frequency	%
1	No	3195	96.8 %
2	Yes	91	2.8 %
	Missing Data		
-9	Missing	16	0.5 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 598-599 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BOTHER0: Bothered past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1788	54.1 %
2	Some/A Little Of The Time (1-2 Days)	918	27.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	422	12.8 %
4	Most/All Of The Time (5-7 Days)	169	5.1 %
	Missing Data		
-9	Missing	5	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 600-601 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

APPETIT0: Lost appetite past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I did not feel like eating; my appetite was poor.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2481	75.1 %
2	Some/A Little Of The Time (1-2 Days)	502	15.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	228	6.9 %
4	Most/All Of The Time (5-7 Days)	86	2.6 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 602-603 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BLUES0: Had blues past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt that I could not shake off the blues even with help from my friends.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2282	69.1 %
2	Some/A Little Of The Time (1-2 Days)	612	18.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	249	7.5 %
4	Most/All Of The Time (5-7 Days)	154	4.7 %
	Missing Data		
-9	Missing	5	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 604-605 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

GOOD0: As good as others past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt that I was just as good as other people.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	130	3.9 %
2	Some/A Little Of The Time (1-2 Days)	256	7.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	347	10.5 %
4	Most/All Of The Time (5-7 Days)	2555	77.4 %
	Missing Data		
-9	Missing	10	0.3 %
-8	Do not know	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,288 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 606-607 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

KEEPMIN0: Mind on what doing past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I had trouble keeping my mind on what I was doing.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1552	47.0 %
2	Some/A Little Of The Time (1-2 Days)	928	28.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	626	19.0 %
4	Most/All Of The Time (5-7 Days)	191	5.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 608-609 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DEPRESS0: Felt depressed past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt depressed.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1849	56.0 %
2	Some/A Little Of The Time (1-2 Days)	891	27.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	372	11.3 %
4	Most/All Of The Time (5-7 Days)	185	5.6 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 610-611 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

EFFORT0: Everything an effort past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt that everything I did was an effort.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1650	50.0 %
2	Some/A Little Of The Time (1-2 Days)	953	28.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	407	12.3 %
4	Most/All Of The Time (5-7 Days)	286	8.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 612-613 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HOPEFUL0: Hopeful about future past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt hopeful about the future.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	209	6.3 %
2	Some/A Little Of The Time (1-2 Days)	426	12.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	674	20.4 %
4	Most/All Of The Time (5-7 Days)	1979	59.9 %
	Missing Data		
-9	Missing	11	0.3 %
-8	Do not know	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,288 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 614-615 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FAILURE0: Life has been failure past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I thought my life had been a failure.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2692	81.5 %
2	Some/A Little Of The Time (1-2 Days)	368	11.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	148	4.5 %
4	Most/All Of The Time (5-7 Days)	86	2.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 616-617 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FEARFUL0: Felt fearful past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt fearful.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2442	74.0 %
2	Some/A Little Of The Time (1-2 Days)	600	18.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	182	5.5 %
4	Most/All Of The Time (5-7 Days)	70	2.1 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 618-619 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

RESTLES0: Sleep was restless past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: My sleep was restless.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1558	47.2 %
2	Some/A Little Of The Time (1-2 Days)	948	28.7 %

Value	Label	Unweighted Frequency	%
3	Occasionally/Mod Amt Of The Time (3-4 Days)	453	13.7 %
4	Most/All Of The Time (5-7 Days)	336	10.2 %
	Missing Data		
-9	Missing	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 620-621 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HAPPY0: Happy past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I was happy.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	185	5.6 %
2	Some/A Little Of The Time (1-2 Days)	489	14.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	884	26.8 %
4	Most/All Of The Time (5-7 Days)	1739	52.7 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 622-623 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

TALKLES0: Talked less than usual past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I talked less than usual.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2179	66.0 %
2	Some/A Little Of The Time (1-2 Days)	680	20.6 %

Value	Label	Unweighted Frequency	%
3	Occasionally/Mod Amt Of The Time (3-4 Days)	337	10.2 %
4	Most/All Of The Time (5-7 Days)	97	2.9 %
	Missing Data		
-9	Missing	9	0.3 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 624-625 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LONELY0: Felt lonely past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt lonely.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2205	66.8 %
2	Some/A Little Of The Time (1-2 Days)	711	21.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	242	7.3 %
4	Most/All Of The Time (5-7 Days)	139	4.2 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 626-627 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

UNFRNDL0: People unfriendly past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: People were unfriendly.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2697	81.7 %
2	Some/A Little Of The Time (1-2 Days)	414	12.5 %

Value	Label	Unweighted Frequency	%
3	Occasionally/Mod Amt Of The Time (3-4 Days)	127	3.8 %
4	Most/All Of The Time (5-7 Days)	55	1.7 %
	Missing Data		
-9	Missing	8	0.2 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 628-629 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ENJOY0: Enjoyed life past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I enjoyed life.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	183	5.5 %
2	Some/A Little Of The Time (1-2 Days)	402	12.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	627	19.0 %
4	Most/All Of The Time (5-7 Days)	2082	63.1 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 630-631 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

CRYING0: Crying spells past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I had crying spells.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2544	77.0 %
2	Some/A Little Of The Time (1-2 Days)	460	13.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	213	6.5 %
4	Most/All Of The Time (5-7 Days)	76	2.3 %
	Missing Data		
-9	Missing	9	0.3 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 632-633 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SAD0: Felt sad past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt sad.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1910	57.8 %
2	Some/A Little Of The Time (1-2 Days)	968	29.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	306	9.3 %
4	Most/All Of The Time (5-7 Days)	113	3.4 %
	Missing Data		
-9	Missing	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 634-635 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DISLIKE0: People disliked me past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt that people disliked me.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2791	84.5 %
2	Some/A Little Of The Time (1-2 Days)	360	10.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	101	3.1 %
4	Most/All Of The Time (5-7 Days)	43	1.3 %
	Missing Data		
-9	Missing	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 636-637 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

GETGOIN0: Could not get going past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I could not get going.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1813	54.9 %
2	Some/A Little Of The Time (1-2 Days)	957	29.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	374	11.3 %
4	Most/All Of The Time (5-7 Days)	151	4.6 %
	Missing Data		
-9	Missing	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 638-639 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

HSWRKHR0: Housework hours per week

These next few questions concern employment. We are interested in your work both around the house and at your job or business. Since many people have more than one job at any given time, we will ask you to tell us about all of your jobs. Approximately how many hours per week do you perform work around your house?

Value	Label	Unweighted Frequency	%
0	-	18	0.5 %
1	-	24	0.7 %
2	-	92	2.8 %
3	-	100	3.0 %
4	-	123	3.7 %
5	-	151	4.6 %
6	-	100	3.0 %
7	-	92	2.8 %
8	-	153	4.6 %
9	-	15	0.5 %
10	-	412	12.5 %
11	-	7	0.2 %
12	-	148	4.5 %
13	-	14	0.4 %
14	-	212	6.4 %
15	-	212	6.4 %
16	-	46	1.4 %
17	-	7	0.2 %
18	-	41	1.2 %
19	-	3	0.1 %
20	-	359	10.9 %
21	-	134	4.1 %
22	-	9	0.3 %
23	-	2	0.1 %
24	-	36	1.1 %
25	-	103	3.1 %
26	-	7	0.2 %
27	-	5	0.2 %
28	-	95	2.9 %
29	-	1	0.0 %
30	-	152	4.6 %
31	-	2	0.1 %
32	-	13	0.4 %
33	-	1	0.0 %
35	-	104	3.1 %
36	-	6	0.2 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	122	3.7 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	21	0.6 %
43	-	1	0.0 %
45	-	14	0.4 %
46	-	1	0.0 %
48	-	7	0.2 %
49	-	5	0.2 %
50	-	23	0.7 %
51	-	1	0.0 %
52	-	1	0.0 %
55	-	2	0.1 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	2	0.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,293 valid cases out of 3,302 total cases.

- Mean: 17.86
- Median: 14.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 13.93

Location: 640-641 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

JOB0: Work ever in past 2 weeks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home and unpaid work in the family farm/business?

Value	Label	Unweighted Frequency	%
1	No	649	19.7 %
2	Yes	2643	80.0 %
	Missing Data		
-9	Missing	10	0.3 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 642-643 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DAYSHFT0: Work day shift (6AM - 6PM)?

What are/were your usual hours of work each day (select all that apply)? Day (between 6 AM and 6 PM)

Value	Label	Unweighted Frequency	%
1	No	167	5.1 %
2	Yes	2472	74.9 %
	Missing Data		
-9	Missing	9	0.3 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,639 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 644-645 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

EVESHFT0: Work evening/swing shift (3PM - 11PM)?

What are/were your usual hours of work each day (select all that apply)? Evening/swing (between 3 PM and 11 PM)

Value	Label	Unweighted Frequency	%
1	No	1911	57.9 %
2	Yes	718	21.7 %
	Missing Data		
-9	Missing	19	0.6 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,629 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 646-647 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

NGHTSHF0: Work night shift (9PM - 9AM)?

What are/were your usual hours of work each day (select all that apply)? Night (between 9 PM and 9 AM)

Value	Label	Unweighted Frequency	%
1	No	2373	71.9 %
2	Yes	255	7.7 %
	Missing Data		
-9	Missing	20	0.6 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,628 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 648-649 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

ROTSHFT0: Work rotating shifts (alternating weekly/monthly)?

What are/were your usual hours of work each day (select all that apply)? Rotating (alternating weekly/monthly)

Value	Label	Unweighted Frequency	%
1	No	2400	72.7 %
2	Yes	226	6.8 %
	Missing Data		
-9	Missing	22	0.7 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,626 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 650-651 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

PHYSWOR0: Work physical compared to other women same age

In comparison with other women your age, do you think your work is physically much lighter; lighter; the same; heavier; or much heavier?

Value	Label	Unweighted Frequency	%
1	Much Lighter	158	4.8 %
2	Lighter	612	18.5 %
3	The Same	1102	33.4 %
4	Heavier	553	16.7 %
5	Much Heavier	184	5.6 %
	Missing Data		
-9	Missing	10	0.3 %
-8	Do not know	29	0.9 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,609 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 652-653 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SIT0: How often sit in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Sit?

Value	Label	Unweighted Frequency	%
1	Never	268	8.1 %
2	Less Than Half Of The Time	730	22.1 %
3	About Half Of The Time	508	15.4 %
4	More Than Half Of The Time	780	23.6 %
5	Always	354	10.7 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,640 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 654-655 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STAND0: How often stand in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Stand?

Value	Label	Unweighted Frequency	%
1	Never	192	5.8 %
2	Less Than Half Of The Time	1075	32.6 %
3	About Half Of The Time	509	15.4 %
4	More Than Half Of The Time	541	16.4 %
5	Always	324	9.8 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,641 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 656-657 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

WALK0: How often walk in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Walk?

Value	Label	Unweighted Frequency	%
1	Never	135	4.1 %
2	Less Than Half Of The Time	1292	39.1 %
3	About Half Of The Time	481	14.6 %
4	More Than Half Of The Time	475	14.4 %
5	Always	258	7.8 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,641 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 658-659 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LIFT0: How often lift more than 15 lbs in current job?

In your current job(s), on a typical day/shift, how often do you do each of the following: Lift heavy loads greater than 15 pounds (more than the weight of 2 gallons of milk)?

Value	Label	Unweighted Frequency	%
1	Never	1492	45.2 %
2	Less Than Half Of The Time	800	24.2 %
3	About Half Of The Time	154	4.7 %
4	More Than Half Of The Time	114	3.5 %
5	Always	82	2.5 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,642 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 660-661 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

STOOP0: How often stoop/bend in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Stoop and bend?

Value	Label	Unweighted Frequency	%
1	Never	582	17.6 %
2	Less Than Half Of The Time	1235	37.4 %
3	About Half Of The Time	357	10.8 %
4	More Than Half Of The Time	278	8.4 %
5	Always	190	5.8 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,642 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 662-663 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1

PUSH0: How often push heavy equipment in current job?

In your current job(s), on a typical day/shift, how often do you do each of the following: Push or move heavy equipment?

Value	Label	Unweighted Frequency	%
1	Never	1760	53.3 %
2	Less Than Half Of The Time	654	19.8 %
3	About Half Of The Time	90	2.7 %
4	More Than Half Of The Time	74	2.2 %
5	Always	63	1.9 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,641 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 664-665 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SWEAT0: How often sweat from exertion in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Sweat from exertion?

Value	Label	Unweighted Frequency	%
1	Never	1805	54.7 %
2	Less Than Half Of The Time	559	16.9 %
3	About Half Of The Time	123	3.7 %
4	More Than Half Of The Time	66	2.0 %
5	Always	89	2.7 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	654	19.8 %
	Total	**3,302**	**100%**

Based upon 2,642 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LANGREA0: What language read/speak

In general, what language do you read and speak?

Value	Label	Unweighted Frequency	%
1	Only English	2700	81.8 %
2	Only Chinese	44	1.3 %
3	English more than Chinese	44	1.3 %
4	Chinese more than English	36	1.1 %
5	Chinese & English Equally	29	0.9 %
6	Only Japanese	86	2.6 %
7	English more than Japanese	8	0.2 %
8	Japanese more than English	19	0.6 %
9	Japanese & English Equally	16	0.5 %
10	Only Spanish	202	6.1 %
11	English more than Spanish	25	0.8 %
12	Spanish more than English	19	0.6 %
13	Spanish & English Equally	45	1.4 %
14	Other	23	0.7 %
	Missing Data		
-9	Missing	5	0.2 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 668-669 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

READSPE0: What language read/speak - other

In general,

Value	Label	Unweighted Frequency	%
-1	N/A	3275	99.2 %
-9	Missing	6	0.2 %
ARMENIAN	-	1	0.0 %
CREOLE	-	2	0.1 %

Value	Label	Unweighted Frequency	%
ENG,PORTUG,SPAN	-	1	0.0 %
ENG,SPAN,FRENCH	-	1	0.0 %
ENG. & POLISH	-	1	0.0 %
ENGL & SWEDISH	-	1	0.0 %
ENGLIGH+GERMAN	-	1	0.0 %
ENGLISH	-	1	0.0 %
ENGLISH, ITAL	-	1	0.0 %
ENGLISH, MORE	-	1	0.0 %
ENGLISH,GERMAN	-	1	0.0 %
FARSI	-	1	0.0 %
FRENCH	-	1	0.0 %
FRENCH AND	-	1	0.0 %
FRENCH, CREOLE,	-	1	0.0 %
GAELICK	-	1	0.0 %
GERMAN	-	1	0.0 %
PORTUGUESE	-	1	0.0 %
SEE COMMENT	-	1	0.0 %
YORUBA &ENGLISH	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

Location: 670-684 (width: 15; decimal: 0)
Variable Type: character

LANGTHN0: What language think

In what language do you usually think?

Value	Label	Unweighted Frequency	%
1	Only English	2722	82.4 %
2	Only Chinese	90	2.7 %
3	English more than Chinese	20	0.6 %
4	Chinese more than English	24	0.7 %
5	Chinese & English Equally	18	0.5 %
6	Only Japanese	115	3.5 %
7	English more than Japanese	2	0.1 %
8	Japanese more than English	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Japanese & English Equally	9	0.3 %
10	Only Spanish	220	6.7 %
11	English more than Spanish	12	0.4 %
12	Spanish more than English	11	0.3 %
13	Spanish & English Equally	29	0.9 %
14	Other	23	0.7 %
	Missing Data		
-9	Missing	5	0.2 %
-8	Do not know	1	0.0 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 685-686 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THNKSPE0: What language think - other

Value	Label	Unweighted Frequency	%
-1	N/A	3275	99.2 %
-9	Missing	5	0.2 %
ARMENIAN	-	1	0.0 %
CREOLE	-	3	0.1 %
CREOLE MORE OFT	-	1	0.0 %
ENG,PORTUG,SPAN	-	1	0.0 %
ENG. & POLISH	-	1	0.0 %
ENGLISH+GERMAN	-	1	0.0 %
ENGLISH+ITALIAN	-	1	0.0 %
ENGLISH,GERMAN	-	1	0.0 %
FARSI	-	1	0.0 %
FRENCH	-	1	0.0 %
GAELICK	-	1	0.0 %
ITALIAN	-	1	0.0 %
POLISH	-	1	0.0 %
POLISH &RUSSIAN	-	1	0.0 %
PORT; CREOLE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
PORTUGUES	-	1	0.0 %
PORTUGUESE	-	1	0.0 %
RUSSIAN	-	1	0.0 %
SEE D.3 COMMENT	-	1	0.0 %
YORUBA	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

Location: 687-701 (width: 15; decimal: 0)
Variable Type: character

LANGSPE0: What language speak with friends?

What language do you usually speak with your friends?

Value	Label	Unweighted Frequency	%
1	Only English	2717	82.3 %
2	Only Chinese	80	2.4 %
3	English more than Chinese	18	0.5 %
4	Chinese more than English	25	0.8 %
5	Chinese & English Equally	29	0.9 %
6	Only Japanese	83	2.5 %
7	English more than Japanese	5	0.2 %
8	Japanese more than English	18	0.5 %
9	Japanese & English Equally	20	0.6 %
10	Only Spanish	206	6.2 %
11	English more than Spanish	14	0.4 %
12	Spanish more than English	17	0.5 %
13	Spanish & English Equally	43	1.3 %
14	Other	21	0.6 %
	Missing Data		
-9	Missing	5	0.2 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 702-703 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPEKSPE0: What language speak with friends - other

Value	Label	Unweighted Frequency	%
-1	N/A	3277	99.2 %
-9	Missing	5	0.2 %
AMHARIC	-	1	0.0 %
BASSA & ENGLISH	-	1	0.0 %
BURMESE	-	1	0.0 %
CHNSE & INDONES	-	1	0.0 %
CREOLE	-	2	0.1 %
CREOLE MORE THA	-	1	0.0 %
ENG. & POLISH	-	1	0.0 %
ENGLISH+GERMAN	-	1	0.0 %
ENGLISH+ITALIAN	-	1	0.0 %
ENGLISH, MORE	-	1	0.0 %
ENGLISH,GERMAN	-	1	0.0 %
FARSI	-	1	0.0 %
FRENCH	-	2	0.1 %
GAELICK	-	1	0.0 %
POLISH &RUSSIAN	-	1	0.0 %
PORTUGUESE	-	1	0.0 %
RUSSIAN	-	1	0.0 %
SIGN	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

Location: 704-718 (width: 15; decimal: 0)
Variable Type: character

LANGPRO0: What language TV/radio program prefer

What is/are the language(s) of the radio or TV programs that you prefer to watch?

Value	Label	Unweighted Frequency	%
1	Only English	2758	83.5 %
2	Only Chinese	51	1.5 %
3	English more than Chinese	32	1.0 %
4	Chinese more than English	20	0.6 %
5	Chinese & English Equally	33	1.0 %
6	Only Japanese	68	2.1 %
7	English more than Japanese	9	0.3 %

Value	Label	Unweighted Frequency	%
8	Japanese more than English	11	0.3 %
9	Japanese & English Equally	17	0.5 %
10	Only Spanish	190	5.8 %
11	English more than Spanish	33	1.0 %
12	Spanish more than English	17	0.5 %
13	Spanish & English Equally	40	1.2 %
14	Other	15	0.5 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 719-720 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGSPE0: What language TV/radio - other

Value	Label	Unweighted Frequency	%
-1	N/A	3282	99.4 %
-9	Missing	6	0.2 %
BRITISH ENGLISH	-	1	0.0 %
CREOLE3	-	1	0.0 %
ENG,PORTUG,SPAN	-	1	0.0 %
ENG,SPAN,HAITIA	-	1	0.0 %
ENG. & POLISH	-	1	0.0 %
ENGL,ITAL,FRNCH	-	1	0.0 %
ENGL. MORE THAN	-	1	0.0 %
ENGLISH,GERMAN	-	1	0.0 %
FRENCH	-	2	0.1 %
ITALIAN	-	1	0.0 %
NO TV OR RADIO	-	1	0.0 %
NOTE	-	1	0.0 %
SPANISH/CHINESE	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

Location: 721-735 (width: 15; decimal: 0)
Variable Type: character

HOUSEHL0: Anyone other than self in household

Other than yourself, is there anyone else living in the household?

Value	Label	Unweighted Frequency	%
1	No	327	9.9 %
2	Yes	2967	89.9 %
	Missing Data		
-9	Missing	7	0.2 %
-7	Refused	1	0.0 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 736-737 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

MALEPAR0: Male partner/husband in household

Which of the following relatives or other persons live with you: Male partner/husband?

Value	Label	Unweighted Frequency	%
1	No	757	22.9 %
2	Yes	2210	66.9 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 738-739 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FEMPART0: Female partner in household

Which of the following relatives or other persons live with you: Female partner?

Value	Label	Unweighted Frequency	%
1	No	2926	88.6 %
2	Yes	41	1.2 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 740-741 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

MOTHER0: Mother in household

Which of the following relatives or other persons live with you: Mother?

Value	Label	Unweighted Frequency	%
1	No	2814	85.2 %
2	Yes	153	4.6 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 742-743 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FATHER0: Father in household

Which of the following relatives or other persons live with you: Father?

Value	Label	Unweighted Frequency	%
1	No	2911	88.2 %
2	Yes	56	1.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 744-745 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

MOTINLA0: Mother-in-law in household

Which of the following relatives or other persons live with you: Mother-in-law?

Value	Label	Unweighted Frequency	%
1	No	2935	88.9 %
2	Yes	32	1.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 746-747 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

FATINLA0: Father-in-law in household

Which of the following relatives or other persons live with you: Father-in-law?

Value	Label	Unweighted Frequency	%
1	No	2958	89.6 %
2	Yes	9	0.3 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 748-749 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

DAUGHTE0: Daughter(s) in household

How many of each of the following relatives or other persons live with you: Daughter(s)?

Value	Label	Unweighted Frequency	%
0	-	1373	41.6 %
1	-	1087	32.9 %
2	-	404	12.2 %
3	-	85	2.6 %
4	-	12	0.4 %
5	-	4	0.1 %
7	-	2	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Mean: 0.75
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.86

Location: 750-751 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SON0: Son(s) in household

How many of each of the following relatives or other persons live with you: Son(s)?

Value	Label	Unweighted Frequency	%
0	-	1292	39.1 %
1	-	1085	32.9 %
2	-	465	14.1 %
3	-	103	3.1 %

Value	Label	Unweighted Frequency	%
4	-	18	0.5 %
5	-	4	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.88

Location: 752-753 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

SISTER0: Sister(s) in household

How many of each of the following relatives or other persons live with you: Sister(s)?

Value	Label	Unweighted Frequency	%
0	-	2898	87.8 %
1	-	63	1.9 %
2	-	5	0.2 %
4	-	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.18

Location: 754-755 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

BROTHER0: Brother(s) in household

How many of each of the following relatives or other persons live with you? Brother(s)?

Value	Label	Unweighted Frequency	%
0	-	2911	88.2 %
1	-	51	1.5 %
2	-	4	0.1 %
3	-	1	0.0 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.16

Location: 756-757 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OTHFEMA0: Other female(s) in household

How many of each of the following relatives or other persons live with you? Other female(s) not already mentioned?

Value	Label	Unweighted Frequency	%
0	-	2735	82.8 %
1	-	182	5.5 %
2	-	34	1.0 %
3	-	12	0.4 %
4	-	4	0.1 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,967 valid cases out of 3,302 total cases.

- Mean: 0.10
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.39

Location: 758-759 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

OTHRMAL0: Other male(s) in household

How many of each of the following relatives or other persons live with you? Other male(s) not already mentioned?

Value	Label	Unweighted Frequency	%
0	-	2708	82.0 %
1	-	217	6.6 %
2	-	30	0.9 %
3	-	6	0.2 %
4	-	5	0.2 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	330	10.0 %
	Total	**3,302**	**100%**

Based upon 2,966 valid cases out of 3,302 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.38

Location: 760-761 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1

LANGUAG0: Language of interview

Value	Label	Unweighted Frequency	%
1	English	2851	86.3 %
2	Spanish	231	7.0 %
3	Cantonese	97	2.9 %
4	Japanese	115	3.5 %
	Missing Data		
-9	Missing	3	0.1 %
.	-	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 762-763 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAADAY0: Self-administered - part A day

Date form completed

Value	Label	Unweighted Frequency	%
-92	-	1	0.0 %
-77	-	1	0.0 %
-71	-	1	0.0 %
-57	-	1	0.0 %
-46	-	2	0.1 %
-36	-	1	0.0 %
-35	-	1	0.0 %
-32	-	1	0.0 %
-30	-	1	0.0 %
-25	-	1	0.0 %
-22	-	1	0.0 %
-18	-	1	0.0 %
-17	-	1	0.0 %
-15	-	1	0.0 %
-13	-	1	0.0 %
-12	-	1	0.0 %
-11	-	1	0.0 %
-10	-	2	0.1 %
-9	-	2	0.1 %
-8	-	3	0.1 %
-7	-	3	0.1 %
-6	-	5	0.2 %
-5	-	4	0.1 %
-4	-	4	0.1 %
-3	-	7	0.2 %
-2	-	5	0.2 %
-1	-	28	0.8 %
0	-	3100	93.9 %
1	-	19	0.6 %

Value	Label	Unweighted Frequency	%
2	-	7	0.2 %
3	-	6	0.2 %
4	-	6	0.2 %
5	-	4	0.1 %
6	-	5	0.2 %
7	-	7	0.2 %
8	-	1	0.0 %
9	-	1	0.0 %
11	-	2	0.1 %
12	-	2	0.1 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	3	0.1 %
16	-	2	0.1 %
18	-	1	0.0 %
19	-	2	0.1 %
20	-	2	0.1 %
21	-	2	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
	Missing Data		
.	-	2	0.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,300 valid cases out of 3,302 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: -92.00
- Maximum: 260.00
- Standard Deviation: 12.87

Location: 764-766 (width: 3; decimal: 0)
Variable Type: numeric

LANGSA0: Language of self-administered, part A

Value	Label	Unweighted Frequency	%
1	English	2853	86.4 %

Value	Label	Unweighted Frequency	%
2	Spanish	233	7.1 %
3	Cantonese	96	2.9 %
4	Japanese	115	3.5 %
	Missing Data		
-9	Missing	3	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 767-768 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHAYR0: Overall health compared to 12 months ago

Compared to 12 months ago, how would you rate your overall health?

Value	Label	Unweighted Frequency	%
1	Much Better Now Than Yr Ago	263	8.0 %
2	Somewhat Better Now Than Yr Ago	445	13.5 %
3	About The Same Now As Yr Ago	2045	61.9 %
4	Somewhat Worse Now Than Yr Ago	485	14.7 %
5	Much Worse Now Than Yr Ago	36	1.1 %
	Missing Data		
-9	Missing	26	0.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,274 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 769-770 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSPSTA0: Number of hospital stays past 12 months

During the last 12 months, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	3077	93.2 %
1	-	130	3.9 %
2	-	28	0.8 %
3	-	23	0.7 %
4	-	5	0.2 %
5	-	4	0.1 %
6	-	1	0.0 %
	Missing Data		
-9	Missing	32	1.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,268 valid cases out of 3,302 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.44

Location: 771-772 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK0: Number of times see/talk to doctor past 12 months

During the past 12 months, about how many times did you see or talk to a medical doctor or assistant regarding your own health (do not count doctors seen while an overnight patient in a hospital)?

Value	Label	Unweighted Frequency	%
0	-	476	14.4 %
1	-	637	19.3 %
2	-	624	18.9 %
3	-	442	13.4 %
4	-	350	10.6 %
5	-	154	4.7 %
6	-	178	5.4 %
7	-	43	1.3 %
8	-	75	2.3 %
9	-	24	0.7 %
10	-	90	2.7 %
11	-	4	0.1 %
12	-	59	1.8 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
14	-	4	0.1 %
15	-	13	0.4 %
16	-	9	0.3 %
17	-	3	0.1 %
18	-	1	0.0 %
20	-	19	0.6 %
21	-	1	0.0 %
22	-	3	0.1 %
23	-	1	0.0 %
24	-	11	0.3 %
25	-	6	0.2 %
26	-	1	0.0 %
28	-	3	0.1 %
30	-	11	0.3 %
35	-	1	0.0 %
36	-	3	0.1 %
37	-	1	0.0 %
40	-	2	0.1 %
41	-	1	0.0 %
50	-	3	0.1 %
52	-	1	0.0 %
80	-	1	0.0 %
99	-	2	0.1 %
	Missing Data		
-9	Missing	42	1.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,258 valid cases out of 3,302 total cases.

- Mean: 3.63
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 5.40

Location: 773-774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTAKEN0: How long since blood pressure taken

About how long has it been since you had your blood pressure taken by a doctor, nurse, or other health professional?

Value	Label	Unweighted Frequency	%
1	Within Past Year	2833	85.8 %
2	Within Past 2 Yrs	272	8.2 %
3	Within Past 3 Yrs	86	2.6 %
4	More than 3 Yrs Ago	89	2.7 %
5	Never	4	0.1 %
	Missing Data		
-9	Missing	2	0.1 %
-8	Do not know	14	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 775-776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLCHC0: How long since cholesterol checked

About how long has it been since you last had your blood cholesterol checked?

Value	Label	Unweighted Frequency	%
1	Within Past Year	1453	44.0 %
2	Within Past 2 Yrs	665	20.1 %
3	Within Past 3 Yrs	291	8.8 %
4	More than 3 Yrs Ago	379	11.5 %
5	Never	334	10.1 %
	Missing Data		
-9	Missing	3	0.1 %
-8	Do not know	175	5.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,122 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 777-778 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA0: How long since pap smear?

A pap smear is a routine medical test in which the doctor examines the cervix (internal female organ) and sends a cell sample to the lab. About how long has it been since you had a pap smear test?

Value	Label	Unweighted Frequency	%
1	Within Past Year	2019	61.1 %
2	Within Past 2 Yrs	679	20.6 %
3	Within Past 3 Yrs	208	6.3 %
4	More than 3 Yrs Ago	327	9.9 %
5	Never	42	1.3 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	24	0.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,275 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 779-780 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA0: How long since breast exam

A breast physical exam is when the breast is felt for lumps by a doctor or medical assistant. About how long has it been since you had such a breast examination by a doctor or other health professional?

Value	Label	Unweighted Frequency	%
1	Within Past Year	2147	65.0 %
2	Within Past 2 Yrs	631	19.1 %
3	Within Past 3 Yrs	186	5.6 %
4	More than 3 Yrs Ago	258	7.8 %
5	Never	58	1.8 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	19	0.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,280 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 781-782 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA0: How long since mammogram

A mammogram is an x-ray taken only of the breasts by a machine that presses the breast against a glass plate. When did you have your most recent mammogram?

Value	Label	Unweighted Frequency	%
1	Within Past Year	1498	45.4 %
2	Within Past 2 Yrs	820	24.8 %
3	Within Past 3 Yrs	310	9.4 %
4	More than 3 Yrs Ago	309	9.4 %
5	Never	349	10.6 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	13	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 783-784 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREPAID0: Pre-paid private insurance

Which of the following categories best describes how you usually pay for your medical care (select all that apply): Pre-paid private insurance (ex. Health Maintenance Organization, HMO Blue, Kaiser Permanente, or other group health-type plan)?

Value	Label	Unweighted Frequency	%
1	No	1346	40.8 %
2	Yes	1952	59.1 %
	Missing Data		
-9	Missing	2	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,298 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 785-786 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRPRI0: Other private insurance

Which of the following categories best describes how you usually pay for your medical care (select all that apply): Other private health insurance (ex. Blue Cross, Aetna, Prudential)?

Value	Label	Unweighted Frequency	%
1	No	2455	74.3 %
2	Yes	843	25.5 %
	Missing Data		
-9	Missing	2	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,298 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 787-788 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEDICAR0: Medicare

Which of the following categories best describes how you usually pay for your medical care (select all that apply): Medicare?

Value	Label	Unweighted Frequency	%
1	No	3233	97.9 %
2	Yes	65	2.0 %
	Missing Data		
-9	Missing	2	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,298 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 789-790 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEDICAI0: Medicaid

Which of the following categories best describes how you usually pay for your medical care (select all that apply): Medicaid (or MediCal)?

Value	Label	Unweighted Frequency	%
1	No	3186	96.5 %
2	Yes	112	3.4 %
	Missing Data		
-9	Missing	2	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,298 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 791-792 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MILITAR0: Military/Veterans Administration-sponsored

Which of the following categories best describes how you usually pay for your medical care (select all that apply): Military or Veterans Administration-sponsored?

Value	Label	Unweighted Frequency	%
1	No	3289	99.6 %
2	Yes	9	0.3 %
	Missing Data		
-9	Missing	2	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,298 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 793-794 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOINSUR0: No insurance

Which of the following categories best describes how you usually pay for your medical care (select all that apply): No insurance?

Value	Label	Unweighted Frequency	%
1	No	3025	91.6 %
2	Yes	273	8.3 %
	Missing Data		
-9	Missing	2	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,298 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 795-796 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHINSU0: Other insurance

Which of the following categories best describes how you usually pay for your medical care (select all that apply): Other, please specify

Value	Label	Unweighted Frequency	%
1	No	3092	93.6 %
2	Yes	202	6.1 %
	Missing Data		
-9	Missing	6	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 797-798 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HSWTKG0: Weight in high school (kg)

Approximately how much did you weigh when you left high school? Please indicate in either pounds or kilograms.

Value	Label	Unweighted Frequency	%
31.75179170825	-	2	0.1 %
34.01977683027	-	1	0.0 %
35.38056790348	-	1	0.0 %

Value	Label	Unweighted Frequency	%
36.28776195229	-	6	0.2 %
37.00000000000	-	1	0.0 %
37.19495600109	-	1	0.0 %
38.00000000000	-	5	0.2 %
38.55574707430	-	7	0.2 %
39.00000000000	-	1	0.0 %
39.46294112311	-	3	0.1 %
39.91653814752	-	4	0.1 %
40.00000000000	-	5	0.2 %
40.37013517192	-	4	0.1 %
40.82373219632	-	58	1.8 %
41.00000000000	-	1	0.0 %
41.27732922074	-	1	0.0 %
41.73092624513	-	10	0.3 %
42.00000000000	-	6	0.2 %
42.18452326953	-	5	0.2 %
42.63812029394	-	6	0.2 %
43.00000000000	-	7	0.2 %
43.09171731834	-	48	1.5 %
43.54531434274	-	7	0.2 %
43.99891136715	-	11	0.3 %
44.00000000000	-	1	0.0 %
44.45250839155	-	75	2.3 %
44.90610541595	-	15	0.5 %
45.00000000000	-	19	0.6 %
45.35970244036	-	150	4.5 %
45.81329946476	-	7	0.2 %
46.00000000000	-	5	0.2 %
46.26689648916	-	23	0.7 %
46.72049351357	-	25	0.8 %
47.00000000000	-	8	0.2 %
47.17409053797	-	8	0.2 %
47.62768756237	-	141	4.3 %
48.00000000000	-	17	0.5 %
48.08128458678	-	10	0.3 %
48.53488161118	-	12	0.4 %
48.98847863559	-	21	0.6 %
49.00000000000	-	4	0.1 %
49.44207565999	-	8	0.2 %

Value	Label	Unweighted Frequency	%
49.89567268439	-	241	7.3 %
50.00000000000	-	22	0.7 %
50.80286673320	-	39	1.2 %
51.00000000000	-	4	0.1 %
51.25646375760	-	7	0.2 %
51.71006078201	-	11	0.3 %
52.00000000000	-	14	0.4 %
52.16365780641	-	220	6.7 %
	Missing Data		
.	-	34	1.0 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,268 valid cases out of 3,302 total cases.

- Mean: 56.37743783417
- Median: 54.43164292843
- Mode: 54.43164292843
- Minimum: 31.75179170825
- Maximum: 172.36686927334
- Standard Deviation: 11.59486944533

Location: 799-813 (width: 15; decimal: 11)
Variable Type: numeric
(Range of) Missing Values: -9.00000000000 , -8.00000000000 , -7.00000000000 , -1.00000000000 , .

GAIN10L0: Number of times gained 10 or more lbs since age 18

Up until now, about how many times have you gained 10 or more pounds (besides during pregnancy) since you were 18 years old (circle one)?

Value	Label	Unweighted Frequency	%
1	Never	462	14.0 %
2	1-5 Times	1917	58.1 %
3	6-10 Times	509	15.4 %
4	More Than 10 Times	392	11.9 %
	Missing Data		
-9	Missing	19	0.6 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,280 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 814-815 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOSE10L0: Number of times lost 10 or more lbs since age 18

Up until now, about how many times have you lost 10 or more pounds (besides during pregnancy) since you were 18 years old (circle one)?

Value	Label	Unweighted Frequency	%
1	Never	854	25.9 %
2	1-5 Times	1923	58.2 %
3	6-10 Times	298	9.0 %
4	More Than 10 Times	217	6.6 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 816-817 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE0: Ever smoked regularly

Have you ever smoked a total of at least 20 packs of cigarettes over your lifetime or at least 1 cigarette per day for at least 1 year?

Value	Label	Unweighted Frequency	%
1	No	1876	56.8 %
2	Yes	1397	42.3 %
	Missing Data		
-9	Missing	15	0.5 %
-8	Do not know	10	0.3 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,273 valid cases out of 3,302 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 818-819 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTSMO0: Age began smoking

At what age did you start smoking cigarettes?

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
9	-	9	0.3 %
10	-	9	0.3 %
11	-	11	0.3 %
12	-	33	1.0 %
13	-	67	2.0 %
14	-	92	2.8 %
15	-	127	3.8 %
16	-	199	6.0 %
17	-	157	4.8 %
18	-	260	7.9 %
19	-	97	2.9 %
20	-	104	3.1 %
21	-	45	1.4 %
22	-	41	1.2 %
23	-	17	0.5 %
24	-	12	0.4 %
25	-	21	0.6 %
26	-	13	0.4 %
27	-	12	0.4 %
28	-	12	0.4 %
29	-	7	0.2 %
30	-	11	0.3 %
31	-	6	0.2 %
32	-	6	0.2 %
33	-	3	0.1 %
34	-	2	0.1 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
38	-	3	0.1 %
39	-	4	0.1 %
40	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.1 %
46	-	1	0.0 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	1903	57.6 %
.	-	5	0.2 %
	Total	**3,302**	**100%**

Based upon 1,392 valid cases out of 3,302 total cases.

- Mean: 17.96
- Median: 17.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 46.00
- Standard Deviation: 4.56

Location: 820-821 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA0: Average cigarettes per day since started smoking

On the average, since you started smoking, how many cigarettes did you smoke per day?

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	36	1.1 %
2	-	36	1.1 %
3	-	63	1.9 %
4	-	40	1.2 %
5	-	87	2.6 %
6	-	39	1.2 %
7	-	14	0.4 %
8	-	39	1.2 %
9	-	3	0.1 %
10	-	265	8.0 %
11	-	3	0.1 %

Value	Label	Unweighted Frequency	%
12	-	27	0.8 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	126	3.8 %
16	-	2	0.1 %
17	-	3	0.1 %
18	-	9	0.3 %
19	-	1	0.0 %
20	-	301	9.1 %
21	-	3	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.1 %
25	-	27	0.8 %
28	-	1	0.0 %
30	-	63	1.9 %
34	-	1	0.0 %
35	-	6	0.2 %
40	-	49	1.5 %
50	-	3	0.1 %
60	-	5	0.2 %
70	-	1	0.0 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	125	3.8 %
-1	N/A	1903	57.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,265 valid cases out of 3,302 total cases.

- Mean: 14.45
- Median: 12.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 9.92

Location: 822-823 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKENO0: Do you smoke now

Do you smoke cigarettes now?

Value	Label	Unweighted Frequency	%
1	No	825	25.0 %
2	Yes	569	17.2 %
	Missing Data		
-9	Missing	3	0.1 %
-1	N/A	1903	57.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,394 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 824-825 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPSMO0: Age stopped smoking

At what age did you stop smoking cigarettes?

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
13	-	1	0.0 %
15	-	2	0.1 %
16	-	3	0.1 %
17	-	5	0.2 %
18	-	5	0.2 %
19	-	7	0.2 %
20	-	19	0.6 %
21	-	27	0.8 %
22	-	31	0.9 %
23	-	22	0.7 %
24	-	29	0.9 %
25	-	41	1.2 %
26	-	25	0.8 %
27	-	27	0.8 %
28	-	34	1.0 %
29	-	28	0.8 %
30	-	56	1.7 %

Value	Label	Unweighted Frequency	%
31	-	23	0.7 %
32	-	30	0.9 %
33	-	21	0.6 %
34	-	33	1.0 %
35	-	47	1.4 %
36	-	31	0.9 %
37	-	19	0.6 %
38	-	21	0.6 %
39	-	25	0.8 %
40	-	44	1.3 %
41	-	20	0.6 %
42	-	18	0.5 %
43	-	17	0.5 %
44	-	22	0.7 %
45	-	18	0.5 %
46	-	21	0.6 %
47	-	11	0.3 %
48	-	17	0.5 %
49	-	4	0.1 %
50	-	2	0.1 %
	Missing Data		
-9	Missing	18	0.5 %
-1	N/A	2472	74.9 %
.	-	5	0.2 %
	Total	**3,302**	**100%**

Based upon 807 valid cases out of 3,302 total cases.

- Mean: 32.53
- Median: 32.00
- Mode: 30.00
- Minimum: 5.00
- Maximum: 50.00
- Standard Deviation: 8.16

Location: 826-827 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CIGSNOW0: Average cigarettes per day now

How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
1	-	15	0.5 %
2	-	18	0.5 %
3	-	12	0.4 %
4	-	16	0.5 %
5	-	45	1.4 %
6	-	16	0.5 %
7	-	13	0.4 %
8	-	23	0.7 %
9	-	4	0.1 %
10	-	90	2.7 %
11	-	1	0.0 %
12	-	12	0.4 %
14	-	1	0.0 %
15	-	62	1.9 %
16	-	1	0.0 %
17	-	2	0.1 %
18	-	7	0.2 %
20	-	137	4.1 %
21	-	2	0.1 %
22	-	1	0.0 %
25	-	15	0.5 %
30	-	29	0.9 %
32	-	1	0.0 %
35	-	7	0.2 %
38	-	1	0.0 %
40	-	20	0.6 %
	Missing Data		
-9	Missing	4	0.1 %
-8	Do not know	14	0.4 %
-1	N/A	2731	82.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 551 valid cases out of 3,302 total cases.

- Mean: 14.74
- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 9.31

Location: 828-829 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKEYR0: How long smoked current amount of cigarettes per day?

About how long have you smoked your current amount of cigarettes per day?

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	59	1.8 %
2	-	43	1.3 %
3	-	36	1.1 %
4	-	17	0.5 %
5	-	37	1.1 %
6	-	6	0.2 %
7	-	4	0.1 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	63	1.9 %
11	-	2	0.1 %
12	-	5	0.2 %
13	-	3	0.1 %
14	-	2	0.1 %
15	-	26	0.8 %
16	-	4	0.1 %
17	-	2	0.1 %
18	-	5	0.2 %
19	-	2	0.1 %
20	-	66	2.0 %
21	-	2	0.1 %
22	-	5	0.2 %
23	-	6	0.2 %
24	-	7	0.2 %
25	-	33	1.0 %
26	-	3	0.1 %
27	-	6	0.2 %
28	-	8	0.2 %
29	-	5	0.2 %
30	-	34	1.0 %
31	-	2	0.1 %
32	-	3	0.1 %

Value	Label	Unweighted Frequency	%
33	-	4	0.1 %
34	-	6	0.2 %
35	-	6	0.2 %
36	-	2	0.1 %
37	-	1	0.0 %
38	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
	Missing Data		
-9	Missing	30	0.9 %
-1	N/A	2745	83.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 525 valid cases out of 3,302 total cases.

- Mean: 13.66
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 46.00
- Standard Deviation: 10.75

Location: 830-831 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HHMEMSM0: Household members who smoke

The next question is about your exposure to smoke. If you are a smoker, please do not include yourself when answering question. How many members of your household smoke tobacco in the house (at least 1 cigarette, cigar or pipe bowl per day)?

Value	Label	Unweighted Frequency	%
0	-	2441	73.9 %
1	-	653	19.8 %
2	-	126	3.8 %
3	-	31	0.9 %
4	-	9	0.3 %
5	-	1	0.0 %
7	-	2	0.1 %
9	-	2	0.1 %
	Missing Data		
-9	Missing	35	1.1 %
.	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,265 valid cases out of 3,302 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.68

Location: 832-833 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPD0: Days exposed to smoke in home past week

The next question is about your exposure to smoke. If you are a smoker, please do not include yourself when answering question. During the past 7 days, on how many days were you exposed to tobacco smoke inside your home?

Value	Label	Unweighted Frequency	%
0	-	2482	75.2 %
1	-	84	2.5 %
2	-	69	2.1 %
3	-	48	1.5 %
4	-	27	0.8 %
5	-	28	0.8 %
6	-	8	0.2 %
7	-	489	14.8 %
	Missing Data		
-9	Missing	62	1.9 %
.	-	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,235 valid cases out of 3,302 total cases.

- Mean: 1.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.55

Location: 834-835 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPH0: Hours exposed to smoke in home past week

The next question is about your exposure to smoke. If you are a smoker, please do not include yourself when answering question. Over the past 7 days, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	23	0.7 %
1	-	181	5.5 %
2	-	107	3.2 %
3	-	90	2.7 %
4	-	85	2.6 %
5	-	39	1.2 %
6	-	43	1.3 %
7	-	15	0.5 %
8	-	64	1.9 %
9	-	2	0.1 %
10	-	16	0.5 %
12	-	27	0.8 %
13	-	1	0.0 %
14	-	6	0.2 %
15	-	6	0.2 %
16	-	8	0.2 %
18	-	4	0.1 %
20	-	3	0.1 %
24	-	17	0.5 %
	Missing Data		
-9	Missing	16	0.5 %
-1	N/A	2545	77.1 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 737 valid cases out of 3,302 total cases.

- Mean: 4.66
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.78

Location: 836-837 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPD0: Days exposed to smoke at work past week

The next question is about your exposure to smoke. If you are a smoker, please do not include yourself when answering question. During the past 7 days, on how many days were you exposed to tobacco smoke while at work?

Value	Label	Unweighted Frequency	%
0	-	2781	84.2 %
1	-	71	2.2 %
2	-	54	1.6 %
3	-	39	1.2 %
4	-	47	1.4 %
5	-	169	5.1 %
6	-	14	0.4 %
7	-	63	1.9 %
	Missing Data		
-9	Missing	58	1.8 %
-8	Do not know	1	0.0 %
.	-	5	0.2 %
	Total	**3,302**	**100%**

Based upon 3,238 valid cases out of 3,302 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.59

Location: 838-839 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPH0: Hours exposed to smoke at work past week

The next question is about your exposure to smoke. If you are a smoker, please do not include yourself when answering question. Over the past 7 days, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	29	0.9 %
1	-	210	6.4 %
2	-	49	1.5 %
3	-	22	0.7 %
4	-	32	1.0 %
5	-	20	0.6 %
6	-	19	0.6 %
7	-	9	0.3 %

Value	Label	Unweighted Frequency	%
8	-	39	1.2 %
9	-	2	0.1 %
10	-	6	0.2 %
12	-	6	0.2 %
14	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	2841	86.0 %
.	-	7	0.2 %
	Total	**3,302**	**100%**

Based upon 446 valid cases out of 3,302 total cases.

- Mean: 2.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.07

Location: 840-841 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPE0: Exposed to smoke at work - number of people smoking

The next question is about your exposure to smoke. If you are a smoker, please do not include yourself when answering question. During the past 7 days, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

Value	Label	Unweighted Frequency	%
0	-	29	0.9 %
1	-	138	4.2 %
2	-	98	3.0 %
3	-	61	1.8 %
4	-	42	1.3 %
5	-	22	0.7 %
6	-	7	0.2 %
7	-	7	0.2 %
8	-	5	0.2 %
9	-	1	0.0 %
10	-	14	0.4 %

Value	Label	Unweighted Frequency	%
12	-	2	0.1 %
13	-	2	0.1 %
15	-	2	0.1 %
20	-	8	0.2 %
30	-	2	0.1 %
40	-	3	0.1 %
50	-	1	0.0 %
99	-	1	0.0 %
	Missing Data		
-9	Missing	15	0.5 %
-1	N/A	2841	86.0 %
.	-	1	0.0 %
	Total	**3,302**	**100%**

Based upon 445 valid cases out of 3,302 total cases.

- Mean: 3.69
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 7.01

Location: 842-843 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTEXPH0: Hours exposed to smoke other places past week

The next question is about your exposure to smoke. If you are a smoker, please do not include yourself when answering question. During the past 7 days, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

Value	Label	Unweighted Frequency	%
0	-	1881	57.0 %
1	-	469	14.2 %
2	-	334	10.1 %
3	-	165	5.0 %
4	-	131	4.0 %
5	-	78	2.4 %
6	-	46	1.4 %
7	-	19	0.6 %
8	-	32	1.0 %
9	-	2	0.1 %

Value	Label	Unweighted Frequency	%
10	-	22	0.7 %
11	-	1	0.0 %
12	-	10	0.3 %
14	-	6	0.2 %
15	-	7	0.2 %
16	-	3	0.1 %
18	-	2	0.1 %
20	-	6	0.2 %
21	-	2	0.1 %
24	-	5	0.2 %
	Missing Data		
-9	Missing	54	1.6 %
.	-	27	0.8 %
	Total	**3,302**	**100%**

Based upon 3,221 valid cases out of 3,302 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 2.55

Location: 844-845 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYCTDW0: Cut down on activity/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down the amount of time you spent on work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2624	79.5 %
2	Yes	671	20.3 %
	Missing Data		
-9	Missing	5	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 846-847 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYACCO0: Accomplished less past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like?

Value	Label	Unweighted Frequency	%
1	No	2257	68.4 %
2	Yes	1038	31.4 %
	Missing Data		
-9	Missing	5	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 848-849 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYLIMI0: Limited in activity/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2601	78.8 %
2	Yes	696	21.1 %
	Missing Data		
-9	Missing	3	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 850-851 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDFCL0: Difficulty performing activity/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities (for example, it took extra effort)?

Value	Label	Unweighted Frequency	%
1	No	2406	72.9 %
2	Yes	891	27.0 %
	Missing Data		
-9	Missing	3	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,297 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 852-853 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCTDW0: Cut down on activity/work past month due to emotional problem

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious): Cut down the amount of time you spent on work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2671	80.9 %
2	Yes	622	18.8 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 854-855 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOACCO0: Accomplished less past month due to emotional problem

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious): Accomplished less than you would like?

Value	Label	Unweighted Frequency	%
1	No	2328	70.5 %
2	Yes	968	29.3 %
	Missing Data		
-9	Missing	4	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 856-857 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCARE0: Activity/work less carefully past month due to emotional problem

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious): Didn't do work or other activities as carefully as usual?

Value	Label	Unweighted Frequency	%
1	No	2613	79.1 %
2	Yes	683	20.7 %
	Missing Data		
-9	Missing	4	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,296 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 858-859 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTERFR0: Physical health/emotional problem interfered w/ normal social activity

During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

Value	Label	Unweighted Frequency	%
1	Not At All	1638	49.6 %
2	Slightly	977	29.6 %

Value	Label	Unweighted Frequency	%
3	Moderately	467	14.1 %
4	Quite A Bit	177	5.4 %
5	Extremely	36	1.1 %
	Missing Data		
-9	Missing	5	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 860-861 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BODYPAI0: Bodily pain past month

How much bodily pain have you had during the past 4 weeks?

Value	Label	Unweighted Frequency	%
1	None	558	16.9 %
2	Very Mild	1060	32.1 %
3	Mild	709	21.5 %
4	Moderately	731	22.1 %
5	Severe	190	5.8 %
6	Very Severe	46	1.4 %
	Missing Data		
-9	Missing	6	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 862-863 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTRF0: Pain interfere with work past month

During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?

Value	Label	Unweighted Frequency	%
1	Not At All	1665	50.4 %
2	A Little Bit	967	29.3 %
3	Moderately	429	13.0 %
4	Quite A Bit	201	6.1 %
5	Extremely	30	0.9 %
	Missing Data		
-9	Missing	8	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 864-865 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PEP0: Full of pep last month

These questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks did you feel "full of pep"?

Value	Label	Unweighted Frequency	%
1	All Of The Time	79	2.4 %
2	Most Of The Time	701	21.2 %
3	A Good Bit Of The Time	836	25.3 %
4	Some Of The Time	904	27.4 %
5	A Little Of The Time	580	17.6 %
6	None Of The Time	192	5.8 %
	Missing Data		
-9	Missing	8	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 866-867 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENERGY0: Lots energy last month

These questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks did you have a lot of energy?

Value	Label	Unweighted Frequency	%
1	All Of The Time	79	2.4 %
2	Most Of The Time	727	22.0 %
3	A Good Bit Of The Time	765	23.2 %
4	Some Of The Time	952	28.8 %
5	A Little Of The Time	590	17.9 %
6	None Of The Time	177	5.4 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 868-869 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORNOUT0: Felt worn out last month

These questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks did you feel worn out?

Value	Label	Unweighted Frequency	%
1	All Of The Time	73	2.2 %
2	Most Of The Time	325	9.8 %
3	A Good Bit Of The Time	494	15.0 %
4	Some Of The Time	1014	30.7 %
5	A Little Of The Time	1101	33.3 %
6	None Of The Time	283	8.6 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 870-871 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TIRED0: Felt tired last month

These questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks did you feel tired?

Value	Label	Unweighted Frequency	%
1	All Of The Time	92	2.8 %
2	Most Of The Time	361	10.9 %
3	A Good Bit Of The Time	530	16.1 %
4	Some Of The Time	1109	33.6 %
5	A Little Of The Time	1082	32.8 %
6	None Of The Time	119	3.6 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 872-873 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOCIAL0: Physical health/emotional problem interfered w/ social activity/visiting

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?

Value	Label	Unweighted Frequency	%
1	All Of The Time	73	2.2 %
2	Most Of The Time	168	5.1 %
3	Some Of The Time	554	16.8 %
4	A Little Of The Time	817	24.7 %
5	None Of The Time	1682	50.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 874-875 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHLDCAR0: Time spent past year caring for child

We want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please select only one answer to each question. During the past year (in the last 12 months), how much time did you spend on average caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)

Value	Label	Unweighted Frequency	%
1	None Or Less Than 1 Hr/Wk	2294	69.5 %
2	At Least 1 hr But < 20 Hrs/Wk	556	16.8 %
3	20 Hrs Or More/Wk	440	13.3 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 876-877 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREPMEA0: Time spent past year preparing meals

We want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please select only one answer to each question. During the past year (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals?

Value	Label	Unweighted Frequency	%
1	1 Hour Or Less Per Day	902	27.3 %

Value	Label	Unweighted Frequency	%
2	Between 1 And 2 Hrs/Day	1541	46.7 %
3	More Than 2 Hrs/Day	849	25.7 %
	Missing Data		
-9	Missing	8	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 878-879 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LGTCHOR0: Time spent past year light chores

We want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please select only one answer to each question. During the past year (in the last 12 months), how often did you do routine chores requiring light physical effort; such as dusting, laundry, changing linens, grocery shopping, or other shopping?

Value	Label	Unweighted Frequency	%
1	Once/Wk Or Less	554	16.8 %
2	More Than Once/Wk But < Daily	1577	47.8 %
3	Daily Or More	1162	35.2 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 880-881 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MODCHOR0: Time spent past year moderate chores

We want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please select only one answer to each question. During the past year (in the last 12 months), how often did you do chores requiring moderate physical effort; such as vacuuming, washing floors, or gardening/yard work such as mowing the lawn or raking leaves?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	648	19.6 %
2	2-3 Times/Month	904	27.4 %
3	4 Or More Times/Month	1738	52.6 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 882-883 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VIGCHOR0: Time spent past year vigorous chores

We want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please select only one answer to each question. During the past year (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling, or outdoor painting?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	2681	81.2 %
2	2-3 Times/Month	435	13.2 %
3	4 Or More Times/Month	170	5.1 %
	Missing Data		
-9	Missing	12	0.4 %
-1	N/A	2	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 884-885 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RECACTI0: Recreational activity compared to other women same age

In comparison with other women of your own age, do you think your recreational physical activity is much less; somewhat less; the same; somewhat more; or much more?

Value	Label	Unweighted Frequency	%
1	Much Less	495	15.0 %
2	Somewhat Less	888	26.9 %
3	The Same	970	29.4 %
4	Somewhat More	734	22.2 %
5	Much More	202	6.1 %
	Missing Data		
-9	Missing	11	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 886-887 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WATCHTV0: Time spent past year watching TV

During the past year, when you were not working or doing chores around the house, how often did you watch television?

Value	Label	Unweighted Frequency	%
1	Never Or Less Than 1 Hr/Wk	184	5.6 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	674	20.4 %
3	1-2 Hrs/Day	1241	37.6 %
4	2-4 Hrs/Day	856	25.9 %
5	More Than 4 Hrs/Day	337	10.2 %
	Missing Data		
-9	Missing	8	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 888-889 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKBIK0: Time spent past year walk/bike

During the past year, when you were not working or doing chores around the house, how often did you walk or bike to and from work, school, or errands?

Value	Label	Unweighted Frequency	%
1	Never/ < 5 Minutes Per Day	1706	51.7 %
2	5-15 Minutes/Day	689	20.9 %
3	16-30 Minutes/Day	520	15.7 %
4	31-45 Minutes/Day	193	5.8 %
5	More Than 45 Minutes/Day	179	5.4 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 890-891 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SWEATPA0: Time spent past year sweat from exertion

During the past year, when you were not working or doing chores around the house, how often did you sweat from exertion?

Value	Label	Unweighted Frequency	%
1	Never/Less Than Once A Month	1188	36.0 %
2	Once A Month	424	12.8 %
3	2-3 Times A Month	417	12.6 %
4	Once/Wk	372	11.3 %
5	More Than Once/Wk	885	26.8 %
	Missing Data		
-9	Missing	14	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 892-893 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORTS0: Time spent past year sport/exercise

During the past year, when you were not working or doing chores around the house, how often did you play sports or exercise?

Value	Label	Unweighted Frequency	%
1	Never	900	27.3 %
2	Less Than Once A Month	425	12.9 %
3	Once A Month	175	5.3 %
4	2-3 Times A Month	357	10.8 %
5	Once A Week	357	10.8 %
6	More Than Once A Week	1054	31.9 %
	Missing Data		
-9	Missing	32	1.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,268 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 894-895 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORT10: Sport (number 1) done most frequently past year

Which sport or exercise did you do most frequently during the past year? (Specify only one)

Value	Label	Unweighted Frequency	%
	-	2	0.1 %
-1	N/A	903	27.3 %
-9	Missing	20	0.6 %
MASKED BY ICPSR	-	2377	72.0 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

Location: 896-910 (width: 15; decimal: 0)
Variable Type: character

HARTRT10: Increased heart rate when doing sport number 1

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	151	4.6 %
2	Yes, A Small Increase	785	23.8 %
3	Yes, A Moderate Increase	1062	32.2 %
4	Yes, A Large Increase	342	10.4 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	951	28.8 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 2,340 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 911-912 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORT1M0: Number of months did sport number 1 past year

How many months in this past year did you do this activity (sport #1)?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	161	4.9 %
2	1-3 Months	447	13.5 %
3	4-6 Months	482	14.6 %
4	7-9 Months	316	9.6 %
5	More Than 9 Months	937	28.4 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	951	28.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 2,343 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 913-914 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORT1W0: Sport number 1 number of hours per week

During these months, on average, how many hours a week did you do this activity (sport #1)?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	482	14.6 %
2	At Least 1 But < 2 Hrs	591	17.9 %
3	At Least 2 But < 3 Hrs	479	14.5 %
4	At Least 3 But < 4 Hrs	386	11.7 %
5	More Than 4 Hours	405	12.3 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	951	28.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 2,343 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 915-916 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHSPOR0: Other sports done past year

Did you do any other exercise or play any other sport in this past year?

Value	Label	Unweighted Frequency	%
1	No	1164	35.3 %
2	Yes	1197	36.3 %
	Missing Data		
-9	Missing	39	1.2 %
-1	N/A	900	27.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 2,361 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 917-918 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORT20: Sport (number 2) done second most frequently past year

What was the second most frequent sport or exercise you did during the past year?

Value	Label	Unweighted Frequency	%
	-	2	0.1 %
-1	N/A	2050	62.1 %
-9	Missing	4	0.1 %
MASKED BY ICPSR	-	1246	37.7 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

Location: 919-933 (width: 15; decimal: 0)
Variable Type: character

HARTRT20: Increased heart rate when doing sport number 2

When you did this activity (sport #2), did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	79	2.4 %
2	Yes, A Small Increase	396	12.0 %
3	Yes, A Moderate Increase	524	15.9 %
4	Yes, A Large Increase	189	5.7 %
	Missing Data		
-9	Missing	3	0.1 %
-1	N/A	2109	63.9 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,188 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 934-935 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORT2M0: Number of months did sport number 2 past year

How many months in this past year did you do this activity (sport #2)?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	128	3.9 %
2	1-3 Months	377	11.4 %
3	4-6 Months	271	8.2 %

Value	Label	Unweighted Frequency	%
4	7-9 Months	112	3.4 %
5	More Than 9 Months	302	9.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2109	63.9 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,190 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 936-937 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORT2W0: Sport number 2 number of hours per week

During these months, on average, how many hours a week did you do this activity (sport #2)?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	273	8.3 %
2	At Least 1 But < 2 Hrs	371	11.2 %
3	At Least 2 But < 3 Hrs	291	8.8 %
4	At Least 3 But < 4 Hrs	139	4.2 %
5	More Than 4 Hours	115	3.5 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2109	63.9 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,189 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 938-939 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STIFF0: Stiffness/soreness past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Stiffness or soreness in joints, neck, or shoulders?

Value	Label	Unweighted Frequency	%
1	Not At All	866	26.2 %
2	1-5 Days	1471	44.5 %
3	6-8 Days	236	7.1 %
4	9-13 Days	149	4.5 %
5	Every Day	564	17.1 %
	Missing Data		
-9	Missing	14	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 940-941 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE0: Cold sweats past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Cold sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	2841	86.0 %
2	1-5 Days	283	8.6 %
3	6-8 Days	34	1.0 %
4	9-13 Days	16	0.5 %
5	Every Day	32	1.0 %
	Missing Data		
-9	Missing	37	1.1 %
.	-	59	1.8 %
	Total	**3,302**	**100%**

Based upon 3,206 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 942-943 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE0: Night sweats past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Night sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	2321	70.3 %
2	1-5 Days	745	22.6 %
3	6-8 Days	96	2.9 %
4	9-13 Days	49	1.5 %
5	Every Day	73	2.2 %
	Missing Data		
-9	Missing	16	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 944-945 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR0: Vaginal dryness past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	Not At All	2640	80.0 %
2	1-5 Days	462	14.0 %
3	6-8 Days	60	1.8 %
4	9-13 Days	44	1.3 %
5	Every Day	71	2.2 %
	Missing Data		
-9	Missing	23	0.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,277 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 946-947 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU0: Feeling blue past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	Not At All	1278	38.7 %
2	1-5 Days	1596	48.3 %
3	6-8 Days	194	5.9 %
4	9-13 Days	120	3.6 %
5	Every Day	94	2.8 %
	Missing Data		
-9	Missing	18	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,282 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 948-949 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKURI0: Leaking urine past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Leaking urine?

Value	Label	Unweighted Frequency	%
1	Not At All	2262	68.5 %
2	1-5 Days	704	21.3 %
3	6-8 Days	103	3.1 %
4	9-13 Days	62	1.9 %
5	Every Day	153	4.6 %
	Missing Data		
-9	Missing	16	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 950-951 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY0: Dizzy spells past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	Not At All	2518	76.3 %
2	1-5 Days	679	20.6 %
3	6-8 Days	45	1.4 %
4	9-13 Days	20	0.6 %
5	Every Day	19	0.6 %
	Missing Data		
-9	Missing	19	0.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,281 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 952-953 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB0: Irritability past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not At All	912	27.6 %
2	1-5 Days	1919	58.1 %
3	6-8 Days	271	8.2 %
4	9-13 Days	115	3.5 %
5	Every Day	67	2.0 %
	Missing Data		
-9	Missing	16	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 954-955 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS0: Tense/nervous past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	Not At All	1149	34.8 %
2	1-5 Days	1636	49.5 %
3	6-8 Days	285	8.6 %
4	9-13 Days	105	3.2 %
5	Every Day	106	3.2 %
	Missing Data		
-9	Missing	19	0.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,281 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 956-957 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET0: Forgetfulness past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	Not At All	1244	37.7 %
2	1-5 Days	1440	43.6 %
3	6-8 Days	276	8.4 %
4	9-13 Days	132	4.0 %
5	Every Day	192	5.8 %
	Missing Data		
-9	Missing	16	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 958-959 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG0: Frequent mood changes past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	Not At All	1608	48.7 %
2	1-5 Days	1295	39.2 %
3	6-8 Days	215	6.5 %
4	9-13 Days	98	3.0 %
5	Every Day	66	2.0 %
	Missing Data		
-9	Missing	18	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,282 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 960-961 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC0: Heart pounding/racing past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	Not At All	2272	68.8 %
2	1-5 Days	823	24.9 %
3	6-8 Days	112	3.4 %
4	9-13 Days	42	1.3 %
5	Every Day	35	1.1 %
	Missing Data		
-9	Missing	16	0.5 %

Value	Label	Unweighted Frequency	%
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 962-963 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA0: Feeling fearful past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	Not At All	2649	80.2 %
2	1-5 Days	486	14.7 %
3	6-8 Days	79	2.4 %
4	9-13 Days	41	1.2 %
5	Every Day	28	0.8 %
	Missing Data		
-9	Missing	17	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,283 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 964-965 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE0: Headaches past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Headaches?

Value	Label	Unweighted Frequency	%
1	Not At All	1257	38.1 %
2	1-5 Days	1641	49.7 %
3	6-8 Days	212	6.4 %

Value	Label	Unweighted Frequency	%
4	9-13 Days	106	3.2 %
5	Every Day	69	2.1 %
	Missing Data		
-9	Missing	15	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,285 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 966-967 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS0: Hot flashes past 2 weeks

Thinking back over the past two weeks, please circle the number corresponding to how often you experienced the following: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not At All	2407	72.9 %
2	1-5 Days	624	18.9 %
3	6-8 Days	108	3.3 %
4	9-13 Days	70	2.1 %
5	Every Day	76	2.3 %
	Missing Data		
-9	Missing	15	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,285 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 968-969 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLASHPH0: Hot flash makes uncomfortable

If you reported that you experienced hot flashes or flushes, please complete the following question: When you had a hot flash, did you feel physically uncomfortable?

Value	Label	Unweighted Frequency	%
1	No	187	5.7 %
2	Yes	677	20.5 %
	Missing Data		
-9	Missing	14	0.4 %
-1	N/A	2422	73.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 864 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 970-971 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLASHEB0: Hot flash makes emotionally upset

If you reported that you experienced hot flashes or flushes, please complete the following question: When you had a hot flash, did you feel emotionally upset?

Value	Label	Unweighted Frequency	%
1	No	640	19.4 %
2	Yes	184	5.6 %
	Missing Data		
-9	Missing	52	1.6 %
-1	N/A	2423	73.4 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 824 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 972-973 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLASHEM0: Hot flash makes embarrassed

If you reported that you experienced hot flashes or flushes, please complete the following question: When you had a hot flash, did you feel embarrassed, especially with other people?

Value	Label	Unweighted Frequency	%
1	No	635	19.2 %
2	Yes	191	5.8 %
	Missing Data		
-9	Missing	50	1.5 %
-1	N/A	2423	73.4 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 826 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 974-975 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE0: Trouble falling asleep past 2 weeks

Pick the answer that best describes how often you experienced the situation in the past 2 weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1869	56.6 %
2	Yes, < Once A Wk	613	18.6 %
3	Yes, 1-2 Times/Wk	462	14.0 %
4	Yes, 3-4 Times/Wk	186	5.6 %
5	Yes, 5 or More Times/Wk	158	4.8 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,288 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 976-977 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP0: Wake up several times per night past 2 weeks

Pick the answer that best describes how often you experienced the situation in the past 2 weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1049	31.8 %
2	Yes, < Once A Wk	734	22.2 %
3	Yes, 1-2 Times/Wk	643	19.5 %
4	Yes, 3-4 Times/Wk	432	13.1 %
5	Yes, 5 or More Times/Wk	426	12.9 %
	Missing Data		
-9	Missing	16	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 978-979 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL0: Wake up early past 2 weeks

Pick the answer that best describes how often you experienced the situation in the past 2 weeks: Did you wake up earlier than you had planned to and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1608	48.7 %
2	Yes, < Once A Wk	716	21.7 %
3	Yes, 1-2 Times/Wk	541	16.4 %
4	Yes, 3-4 Times/Wk	243	7.4 %
5	Yes, 5 or More Times/Wk	179	5.4 %
	Missing Data		
-9	Missing	13	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 980-981 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TYPNIGH0: Typical night's sleep past 2 weeks

Overall, was your typical night's sleep during the past 2 weeks very sound or restful; sound or restful; average quality; restless; or very restless?

Value	Label	Unweighted Frequency	%
1	Very sound or restful	373	11.3 %
2	Sound or restful	879	26.6 %
3	Average quality	1353	41.0 %
4	Restless	570	17.3 %
5	Very restless	112	3.4 %
	Missing Data		
-9	Missing	13	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 982-983 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETUPUR0: How often get up to urinate

How often do you usually get up from bed at night to urinate?

Value	Label	Unweighted Frequency	%
1	Never	522	15.8 %
2	Rarely (< Once A Wk)	810	24.5 %
3	Once/Wk	241	7.3 %
4	A Few Times/Wk	611	18.5 %
5	Once A Night, Every Night	760	23.0 %
6	More Than Once Per Night	345	10.4 %
	Missing Data		
-9	Missing	11	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 984-985 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INVOLEA0: Involuntary urine leakage past year

In the past year, have you ever leaked even a very small amount of urine involuntarily?

Value	Label	Unweighted Frequency	%
1	No	1404	42.5 %
2	Yes	1854	56.1 %
	Missing Data		
-9	Missing	42	1.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,258 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 986-987 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTILEA0: How long ago notice urine leakage

How long ago did you first notice leakage of urine?

Value	Label	Unweighted Frequency	%
1	Within past year	670	20.3 %
2	1-2 Years Ago	540	16.4 %
3	3-4 Years Ago	318	9.6 %
4	5-9 Years Ago	161	4.9 %
5	10 or more Years Ago	155	4.7 %
	Missing Data		
-9	Missing	10	0.3 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,844 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 988-989 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYSLEA0: Urine leakage days past month

In the last month, on about how many days have you lost any urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	Never	355	10.8 %
2	Less Than 1 Day/Week	996	30.2 %
3	Several Days/Week	321	9.7 %
4	Almost Daily/Daily	175	5.3 %
	Missing Data		
-9	Missing	7	0.2 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,847 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 990-991 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGHIN0: Coughing caused urine leakage

Under what circumstances does involuntarily urine leakage occur: Coughing?

Value	Label	Unweighted Frequency	%
1	No	808	24.5 %
2	Yes	1042	31.6 %
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,850 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 992-993 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LAUGHIN0: Laughing caused urine leakage

Under what circumstances does involuntarily urine leakage occur: Laughing?

Value	Label	Unweighted Frequency	%
1	No	1373	41.6 %
2	Yes	477	14.4 %
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,850 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 994-995 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SNEEZIN0: Sneezing caused urine leakage

Under what circumstances does involuntarily urine leakage occur: Sneezing?

Value	Label	Unweighted Frequency	%
1	No	834	25.3 %
2	Yes	1016	30.8 %
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,850 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 996-997 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOGGING0: Jogging caused urine leakage

Under what circumstances does involuntarily urine leakage occur: Jogging?

Value	Label	Unweighted Frequency	%
1	No	1670	50.6 %
2	Yes	180	5.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,850 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 998-999 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PICKUP0: Picking up object caused urine leakage

Under what circumstances does involuntarily urine leakage occur: Picking up an object from the floor?

Value	Label	Unweighted Frequency	%
1	No	1717	52.0 %
2	Yes	133	4.0 %
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,850 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1000-1001 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGEVOI0: Urge to void caused urine leakage

Under what circumstances does involuntarily urine leakage occur: When you have an urge to void and can't reach a toilet fast enough?

Value	Label	Unweighted Frequency	%
1	No	1093	33.1 %
2	Yes	757	22.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,850 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1002-1003 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRLEA0: Other causes of urine leakage

Under what circumstances does involuntarily urine leakage occur: Other? Please specificy.

Value	Label	Unweighted Frequency	%
1	No	1671	50.6 %
2	Yes	171	5.2 %
	Missing Data		
-9	Missing	12	0.4 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,842 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1004-1005 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AMTLEAK0: Amount of urine leakage

How much urine do you lose when you leak involuntarily?

Value	Label	Unweighted Frequency	%
1	A Drop Or Two	1134	34.3 %
2	Enough to Change Underwear/Wear Liner	647	19.6 %
3	Enough to Wet Outer Clothing	50	1.5 %
4	Enough to Wet Floor	6	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	17	0.5 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,837 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1006-1007 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKBOT0: Urine leakage bothers you (scale 0-10)

On a scale from 0 to 10, where 0 = not at all bothered and 10 = extremely bothered, how much does the involuntarily leakage of urine bother you?

Value	Label	Unweighted Frequency	%
0	-	121	3.7 %
1	-	250	7.6 %
2	-	202	6.1 %
3	-	198	6.0 %
4	-	151	4.6 %
5	-	314	9.5 %
6	-	102	3.1 %
7	-	115	3.5 %
8	-	111	3.4 %
9	-	76	2.3 %
10	-	203	6.1 %
	Missing Data		
-9	Missing	11	0.3 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,843 valid cases out of 3,302 total cases.

- Mean: 4.58
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.07

Location: 1008-1009 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RMDYLEA0: Measures taken to remedy urine leakage

Have you taken any measures to control or remedy the involuntarily urine leakage?

Value	Label	Unweighted Frequency	%
1	No	1133	34.3 %
2	Yes	705	21.4 %
	Missing Data		
-9	Missing	16	0.5 %
-1	N/A	1446	43.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,838 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1010-1011 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISCLEA0: Discussed urine leakage w/ doctor

If you've taken measures to control or remedy involuntarily urine leakage, which measures did you take: Discussed leakage with doctor, nurse, or other health care professional?

Value	Label	Unweighted Frequency	%
1	No	495	15.0 %
2	Yes	210	6.4 %
	Missing Data		
-1	N/A	2595	78.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 705 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1012-1013 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEDILEA0: Medication for urine leakage

If you've taken measures to control or remedy involuntarily urine leakage, which measures did you take: Medication?

Value	Label	Unweighted Frequency	%
1	No	679	20.6 %
2	Yes	26	0.8 %
	Missing Data		
-1	N/A	2595	78.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 705 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1014-1015 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEGELEX0: Kegel/pelvic floor exercise for urine leakage

If you've taken measures to control or remedy involuntarily urine leakage, which measures did you take: Kegel or pelvic floor exercises?

Value	Label	Unweighted Frequency	%
1	No	370	11.2 %
2	Yes	335	10.1 %
	Missing Data		
-1	N/A	2595	78.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 705 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1016-1017 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WEARPRO0: Wear protection for urine leakage

If you've taken measures to control or remedy involuntarily urine leakage, which measures did you take: Wear protection?

Value	Label	Unweighted Frequency	%
1	No	377	11.4 %
2	Yes	326	9.9 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2595	78.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 703 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1018-1019 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WETPADS0: Number of wet pads used per day for urine leakage

If you wear protection to control or remedy involuntarily urine leakage, how many wet pads/liners do you usually change in a day?

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	180	5.5 %
2	-	72	2.2 %
3	-	22	0.7 %
4	-	13	0.4 %
5	-	2	0.1 %
6	-	2	0.1 %
10	-	1	0.0 %
	Missing Data		
-9	Missing	28	0.8 %
-1	N/A	2975	90.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 297 valid cases out of 3,302 total cases.

- Mean: 1.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.07

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URINOFT0: Urinate more often for urine leakage

If you've taken measures to control or remedy involuntarily urine leakage, which measures did you take: Urinate more often or on a schedule?

Value	Label	Unweighted Frequency	%
1	No	399	12.1 %
2	Yes	306	9.3 %
	Missing Data		
-1	N/A	2595	78.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 705 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1022-1023 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTRAC0: Restrict activity for urine leakage

If you've taken measures to control or remedy involuntarily urine leakage, which measures did you take: Restrict activity?

Value	Label	Unweighted Frequency	%
1	No	655	19.8 %
2	Yes	50	1.5 %
	Missing Data		
-1	N/A	2595	78.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 705 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1024-1025 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SURGLEA0: Surgery for urine leakage

If you've taken measures to control or remedy involuntarily urine leakage, which measures did you take: Surgery?

Value	Label	Unweighted Frequency	%
1	No	689	20.9 %
2	Yes	16	0.5 %
	Missing Data		
-1	N/A	2595	78.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 705 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1026-1027 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRMEA0: Other measures for urine leakage

If you've taken measures to control or remedy involuntarily urine leakage, which measures did you take: Other? Please specify.

Value	Label	Unweighted Frequency	%
1	No	641	19.4 %
2	Yes	63	1.9 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2595	78.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 704 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1028-1029 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKBON0: Ever had broken bone since age 20

Since you were age 20 years, has a doctor ever told you that you had a broken bone?

Value	Label	Unweighted Frequency	%
1	No	2680	81.2 %

Value	Label	Unweighted Frequency	%
2	Yes	601	18.2 %
	Missing Data		
-9	Missing	16	0.5 %
-8	Do not know	3	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,281 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1030-1031 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIPBRK0: Broken hip

Since you were age 20 years, did you break any of the following bones: Hip?

Value	Label	Unweighted Frequency	%
1	No	565	17.1 %
2	Yes	8	0.2 %
	Missing Data		
-9	Missing	28	0.8 %
-1	N/A	2699	81.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 573 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1032-1033 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIPAGE0: Broken hip - age

How old were you when you first broke your hip? If you don't know the exact age the bone was broken, please guess as close as you can.

Value	Label	Unweighted Frequency	%
21	-	2	0.1 %
22	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30	-	2	0.1 %
35	-	2	0.1 %
47	-	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	3291	99.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 8 valid cases out of 3,302 total cases.

- Mean: 30.12
- Median: 30.00
- Minimum: 21.00
- Maximum: 47.00
- Standard Deviation: 8.98

Location: 1034-1035 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BACKBRK0: Broken back

Since you were age 20 years, did you break any of the following bones: Spine or back (vertebra)?

Value	Label	Unweighted Frequency	%
1	No	541	16.4 %
2	Yes	31	0.9 %
	Missing Data		
-9	Missing	29	0.9 %
-1	N/A	2699	81.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 572 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1036-1037 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BACKAGE0: Broken back - age

How old were you when you first broke your spine or back (vertebra)? If you don't know the exact age the bone was broken, please guess as close as you can.

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
21	-	2	0.1 %
23	-	1	0.0 %
25	-	3	0.1 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	3	0.1 %
32	-	3	0.1 %
34	-	3	0.1 %
35	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.1 %
42	-	1	0.0 %
46	-	1	0.0 %
51	-	1	0.0 %
	Missing Data		
.	-	3273	99.1 %
	Total	**3,302**	**100%**

Based upon 29 valid cases out of 3,302 total cases.

- Mean: 32.28
- Median: 32.00
- Minimum: 20.00
- Maximum: 51.00
- Standard Deviation: 7.62

Location: 1038-1039 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UPARMBR0: Broken upper arm

Since you were age 20 years, did you break any of the following bones: Upper arm (above the elbow)?

Value	Label	Unweighted Frequency	%
1	No	535	16.2 %
2	Yes	38	1.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	28	0.8 %
-1	N/A	2699	81.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 573 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1040-1041 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UPARMAG0: Broken upper arm - age

How old were you when you first broke your upper arm (above the elbow)? If you don't know the exact age the bone was broken, please guess as close as you can.

Value	Label	Unweighted Frequency	%
20	-	2	0.1 %
21	-	2	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	4	0.1 %
26	-	3	0.1 %
29	-	2	0.1 %
30	-	4	0.1 %
35	-	4	0.1 %
37	-	1	0.0 %
39	-	2	0.1 %
40	-	1	0.0 %
43	-	2	0.1 %
44	-	3	0.1 %
45	-	2	0.1 %
47	-	1	0.0 %
	Missing Data		
.	-	3267	98.9 %
	Total	**3,302**	**100%**

Based upon 35 valid cases out of 3,302 total cases.

- Mean: 32.37
- Median: 30.00
- Minimum: 20.00
- Maximum: 47.00
- Standard Deviation: 8.58

Location: 1042-1043 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOARMBR0: Broken lower arm

Since you were age 20 years, did you break any of the following bones: Lower arm or wrist (not finger)?

Value	Label	Unweighted Frequency	%
1	No	480	14.5 %
2	Yes	87	2.6 %
	Missing Data		
-9	Missing	34	1.0 %
-1	N/A	2699	81.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 567 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1044-1045 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOARMAG0: Broken lower arm - age

How old were you when you first broke your lower arm or wrist (not finger)? If you don't know the exact age the bone was broken, please guess as close as you can.

Value	Label	Unweighted Frequency	%
20	-	3	0.1 %
21	-	2	0.1 %
22	-	3	0.1 %
23	-	4	0.1 %
24	-	2	0.1 %
25	-	5	0.2 %
26	-	3	0.1 %
27	-	5	0.2 %
29	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30	-	8	0.2 %
32	-	2	0.1 %
33	-	5	0.2 %
34	-	5	0.2 %
35	-	3	0.1 %
36	-	2	0.1 %
37	-	2	0.1 %
39	-	5	0.2 %
40	-	6	0.2 %
41	-	1	0.0 %
42	-	3	0.1 %
43	-	3	0.1 %
44	-	4	0.1 %
45	-	1	0.0 %
48	-	2	0.1 %
50	-	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	3220	97.5 %
	Total	**3,302**	**100%**

Based upon 81 valid cases out of 3,302 total cases.

- Mean: 32.88
- Median: 33.00
- Mode: 30.00
- Minimum: 20.00
- Maximum: 50.00
- Standard Deviation: 7.88

Location: 1046-1047 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOLEGBR0: Broken lower leg

Since you were age 20 years, did you break any of the following bones: Lower leg or ankle?

Value	Label	Unweighted Frequency	%
1	No	421	12.7 %
2	Yes	151	4.6 %
	Missing Data		
-9	Missing	29	0.9 %

Value	Label	Unweighted Frequency	%
-1	N/A	2699	81.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 572 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1048-1049 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOLEGAG0: Broken lower leg - age

How old were you when you first broke your lower leg or ankle? If you don't know the exact age the bone was broken, please guess as close as you can.

Value	Label	Unweighted Frequency	%
20	-	2	0.1 %
21	-	5	0.2 %
22	-	3	0.1 %
23	-	3	0.1 %
24	-	7	0.2 %
25	-	7	0.2 %
26	-	3	0.1 %
27	-	3	0.1 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	14	0.4 %
31	-	3	0.1 %
32	-	3	0.1 %
33	-	3	0.1 %
34	-	8	0.2 %
35	-	6	0.2 %
36	-	3	0.1 %
37	-	5	0.2 %
38	-	3	0.1 %
39	-	6	0.2 %
40	-	17	0.5 %
41	-	6	0.2 %
42	-	9	0.3 %
43	-	5	0.2 %

Value	Label	Unweighted Frequency	%
44	-	5	0.2 %
45	-	4	0.1 %
46	-	2	0.1 %
47	-	3	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
52	-	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	3156	95.6 %
	Total	**3,302**	**100%**

Based upon 145 valid cases out of 3,302 total cases.

- Mean: 34.68
- Median: 35.00
- Mode: 40.00
- Minimum: 20.00
- Maximum: 52.00
- Standard Deviation: 7.74

Location: 1050-1051 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOOTBRK0: Broken foot (not toe)

Since you were age 20 years, did you break any of the following bones: Foot (not toe)?

Value	Label	Unweighted Frequency	%
1	No	475	14.4 %
2	Yes	94	2.8 %
	Missing Data		
-9	Missing	32	1.0 %
-1	N/A	2699	81.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 569 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1052-1053 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOOTAGE0: Broken foot - age

How old were you when you first broke your foot (not toe)? If you don't know the exact age the bone was broken, please guess as close as you can.

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
22	-	5	0.2 %
23	-	5	0.2 %
24	-	4	0.1 %
25	-	3	0.1 %
26	-	4	0.1 %
27	-	2	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	5	0.2 %
31	-	3	0.1 %
32	-	3	0.1 %
33	-	3	0.1 %
34	-	6	0.2 %
35	-	9	0.3 %
36	-	4	0.1 %
37	-	2	0.1 %
39	-	1	0.0 %
40	-	10	0.3 %
41	-	2	0.1 %
42	-	6	0.2 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	7	0.2 %
47	-	3	0.1 %
48	-	1	0.0 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	3205	97.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 93 valid cases out of 3,302 total cases.

- Mean: 34.10
- Median: 35.00

- Mode: 40.00
- Minimum: 21.00
- Maximum: 48.00
- Standard Deviation: 7.60

Location: 1054-1055 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHBOBR0: Other broken bone

Since you were age 20 years, did you break any of the following bones: Other? Please specify.

Value	Label	Unweighted Frequency	%
1	No	276	8.4 %
2	Yes	273	8.3 %
	Missing Data		
-9	Missing	52	1.6 %
-1	N/A	2699	81.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 549 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1056-1057 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHBOAG0: Other broken bone - age

How old were you when you first broke the specified bone? If you don't know the exact age the bone was broken, please guess as close as you can.

Value	Label	Unweighted Frequency	%
20	-	5	0.2 %
21	-	4	0.1 %
22	-	9	0.3 %
23	-	5	0.2 %
24	-	7	0.2 %
25	-	16	0.5 %
26	-	10	0.3 %
27	-	6	0.2 %
28	-	11	0.3 %
29	-	10	0.3 %

Value	Label	Unweighted Frequency	%
30	-	13	0.4 %
31	-	4	0.1 %
32	-	4	0.1 %
33	-	7	0.2 %
34	-	6	0.2 %
35	-	19	0.6 %
36	-	11	0.3 %
37	-	16	0.5 %
38	-	7	0.2 %
39	-	8	0.2 %
40	-	18	0.5 %
41	-	7	0.2 %
42	-	13	0.4 %
43	-	9	0.3 %
44	-	9	0.3 %
45	-	5	0.2 %
46	-	6	0.2 %
47	-	2	0.1 %
48	-	2	0.1 %
49	-	3	0.1 %
50	-	2	0.1 %
51	-	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	3046	92.2 %
	Total	**3,302**	**100%**

Based upon 255 valid cases out of 3,302 total cases.

- Mean: 34.19
- Median: 35.00
- Mode: 35.00
- Minimum: 20.00
- Maximum: 51.00
- Standard Deviation: 7.69

Location: 1058-1059 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BACKPN0: Back pain consulted doctor ever

Have you ever consulted a doctor for back pain?

Value	Label	Unweighted Frequency	%
1	No	1822	55.2 %
2	Yes	1449	43.9 %
	Missing Data		
-9	Missing	20	0.6 %
-8	Do not know	9	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,271 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1060-1061 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCKPNAG0: Back pain - age

About how old were you when you consulted a doctor for back pain?

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	3	0.1 %
12	-	5	0.2 %
13	-	3	0.1 %
14	-	2	0.1 %
15	-	9	0.3 %
16	-	19	0.6 %
17	-	9	0.3 %
18	-	10	0.3 %
19	-	18	0.5 %
20	-	21	0.6 %
21	-	12	0.4 %
22	-	21	0.6 %
23	-	19	0.6 %
24	-	19	0.6 %
25	-	55	1.7 %
26	-	30	0.9 %

Value	Label	Unweighted Frequency	%
27	-	32	1.0 %
28	-	38	1.2 %
29	-	22	0.7 %
30	-	92	2.8 %
31	-	22	0.7 %
32	-	36	1.1 %
33	-	35	1.1 %
34	-	31	0.9 %
35	-	103	3.1 %
36	-	50	1.5 %
37	-	31	0.9 %
38	-	54	1.6 %
39	-	51	1.5 %
40	-	152	4.6 %
41	-	52	1.6 %
42	-	78	2.4 %
43	-	54	1.6 %
44	-	41	1.2 %
45	-	64	1.9 %
46	-	40	1.2 %
47	-	38	1.2 %
48	-	25	0.8 %
49	-	10	0.3 %
50	-	15	0.5 %
51	-	2	0.1 %
52	-	2	0.1 %
	Missing Data		
-9	Missing	20	0.6 %
-1	N/A	1851	56.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,429 valid cases out of 3,302 total cases.

- Mean: 35.14
- Median: 36.00
- Mode: 40.00
- Minimum: 4.00
- Maximum: 52.00

- Standard Deviation: 8.66

Location: 1062-1063 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BACKSUR0: Back pain surgery

If you've ever consulted a doctor for back pain, did you have surgery on your back for this problem?

Value	Label	Unweighted Frequency	%
1	No	1375	41.6 %
2	Yes	64	1.9 %
	Missing Data		
-9	Missing	9	0.3 %
-8	Do not know	1	0.0 %
-1	N/A	1851	56.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,439 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1064-1065 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BKSRGAG0: Back pain surgery - age

If you've had surgery for back pain, at what age did you have surgery?

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
11	-	2	0.1 %
16	-	2	0.1 %
18	-	1	0.0 %
19	-	2	0.1 %
21	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	2	0.1 %
28	-	1	0.0 %
30	-	1	0.0 %

Value	Label	Unweighted Frequency	%
31	-	3	0.1 %
32	-	5	0.2 %
34	-	3	0.1 %
36	-	3	0.1 %
38	-	8	0.2 %
39	-	2	0.1 %
40	-	1	0.0 %
41	-	2	0.1 %
42	-	3	0.1 %
43	-	3	0.1 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	3	0.1 %
47	-	3	0.1 %
	Missing Data		
-9	Missing	8	0.2 %
-1	N/A	3235	98.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 57 valid cases out of 3,302 total cases.

- Mean: 33.63
- Median: 36.00
- Mode: 38.00
- Minimum: 10.00
- Maximum: 47.00
- Standard Deviation: 9.94

Location: 1066-1067 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BACKPRO0: Nature of back problem

If you've ever consulted a doctor for back pain, what was the nature of the problem?

Value	Label	Unweighted Frequency	%
1	Disk	191	5.8 %
2	Injury	283	8.6 %
3	Pain	521	15.8 %
4	Other Back Problem	311	9.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	59	1.8 %
-8	Do not know	84	2.5 %
-1	N/A	1851	56.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,306 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1068-1069 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BACKTRE0: Back pain being treated

If you've ever consulted a doctor for back pain, are you currently being treated for this problem?

Value	Label	Unweighted Frequency	%
1	No	1225	37.1 %
2	Yes	218	6.6 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	1851	56.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,443 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1070-1071 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TUBETIE0: Had tubes tied

Have you ever had any of the following surgeries or procedures: Tubes tied?

Value	Label	Unweighted Frequency	%
1	No	2161	65.4 %
2	Yes	1109	33.6 %
	Missing Data		
-9	Missing	30	0.9 %

Value	Label	Unweighted Frequency	%
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,270 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1072-1073 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC0: Had dilation and curettage (D & C)

Have you ever had any of the following surgeries or procedures: Dilation and curettage (D & C) (scraping of the uterus for any reason including abortion)?

Value	Label	Unweighted Frequency	%
1	No	1716	52.0 %
2	Yes	1537	46.5 %
	Missing Data		
-9	Missing	30	0.9 %
-8	Do not know	17	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,253 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1074-1075 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDCNU0: Number of times had dilation and curettage (D & C)

If you've ever had a dilation and curettage (D & C), how many times have you had it?

Value	Label	Unweighted Frequency	%
1	-	847	25.7 %
2	-	373	11.3 %
3	-	145	4.4 %
4	-	49	1.5 %
5	-	19	0.6 %
6	-	10	0.3 %

Value	Label	Unweighted Frequency	%
7	-	2	0.1 %
8	-	1	0.0 %
10	-	1	0.0 %
22	-	1	0.0 %
	Missing Data		
-9	Missing	89	2.7 %
-1	N/A	1762	53.4 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 1,448 valid cases out of 3,302 total cases.

- Mean: 1.68
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 22.00
- Standard Deviation: 1.15

Location: 1076-1077 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INFALLO0: Had infected fallopian tubes

Have you ever had any of the following surgeries or procedures: Treatment of an infected fallopian tube?

Value	Label	Unweighted Frequency	%
1	No	3084	93.4 %
2	Yes	149	4.5 %
	Missing Data		
-9	Missing	46	1.4 %
-8	Do not know	21	0.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,233 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1078-1079 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO0: Had uterine procedures

Have you ever had any of the following surgeries or procedures: Uterine procedures?

Value	Label	Unweighted Frequency	%
1	No	2905	88.0 %
2	Yes	306	9.3 %
	Missing Data		
-9	Missing	52	1.6 %
-8	Do not know	37	1.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,211 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1080-1081 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRDRM0: Had thyroid gland removed

Have you ever had any of the following surgeries or procedures: Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	No	3171	96.0 %
2	Yes	74	2.2 %
	Missing Data		
-9	Missing	52	1.6 %
-8	Do not know	3	0.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,245 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1082-1083 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRIRE0: Nutritional remedies past year

In the past 12 months, have you used any of the following dietary or behavioral therapies for any reason: Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?

Value	Label	Unweighted Frequency	%
1	No	2239	67.8 %
2	Yes	1052	31.9 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1084-1085 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRSYM0: Nutritional remedies for period/menopause

In the past 12 months, have you used special diets or nutritional remedies (such as macrobiotic or vegetarian diets, or vitamin supplements or therapy) to regulate your menstrual period, for premenstrual or menstrual symptoms, or for menopause-related symptoms?

Value	Label	Unweighted Frequency	%
1	No	857	26.0 %
2	Yes	156	4.7 %
	Missing Data		
-9	Missing	39	1.2 %
-1	N/A	2248	68.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 1,013 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1086-1087 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HERBREM0: Herbal remedies past year

In the past 12 months, have you used any of the following for any reason: Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?

Value	Label	Unweighted Frequency	%
1	No	2694	81.6 %
2	Yes	594	18.0 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,288 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1088-1089 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HERBSYM0: Herbal remedies for period/menopause

In the past 12 months, have you used herbs or herbal remedies (such as homeopathy or Chinese herbs or teas) to regulate your menstrual period, for premenstrual or menstrual symptoms, or for menopause-related symptoms?

Value	Label	Unweighted Frequency	%
1	No	401	12.1 %
2	Yes	158	4.8 %
	Missing Data		
-9	Missing	35	1.1 %
-1	N/A	2706	82.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 559 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1090-1091 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCMET0: Psychological methods past year

In the past 12 months, have you used any of the following for any reason: Psychological methods, such as meditation, mental imagery, or relaxation techniques?

Value	Label	Unweighted Frequency	%
1	No	2629	79.6 %

Value	Label	Unweighted Frequency	%
2	Yes	658	19.9 %
	Missing Data		
-9	Missing	13	0.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,287 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1092-1093 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCSYM0: Psychological methods for period/menopause

In the past 12 months, have you used psychological methods (such as meditation, mental imagery, or relaxation techniques) to regulate your menstrual period, for premenstrual or menstrual symptoms, or for menopause-related symptoms?

Value	Label	Unweighted Frequency	%
1	No	542	16.4 %
2	Yes	85	2.6 %
	Missing Data		
-9	Missing	31	0.9 %
-1	N/A	2642	80.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 627 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1094-1095 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSMET0: Physical methods past year

In the past 12 months, have you used any of the following for any reason: Physical methods, such as massage, acupressure, or acupuncture?

Value	Label	Unweighted Frequency	%
1	No	2730	82.7 %
2	Yes	554	16.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	16	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1096-1097 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSSYM0: Physical methods for period/menopause

In the past 12 months, have you used physical methods (such as massage, acupressure, or acupuncture) to regulate your menstrual period, for premenstrual or menstrual symptoms, or for menopause-related symptoms?

Value	Label	Unweighted Frequency	%
1	No	481	14.6 %
2	Yes	52	1.6 %
	Missing Data		
-9	Missing	21	0.6 %
-1	N/A	2746	83.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 533 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1098-1099 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOLKMED0: Folk medicine past year

In the past 12 months, have you used any of the following for any reason: Folk medicine or traditional Chinese medicine?

Value	Label	Unweighted Frequency	%
1	No	3101	93.9 %
2	Yes	182	5.5 %
	Missing Data		
-9	Missing	17	0.5 %

Value	Label	Unweighted Frequency	%
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,283 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1100-1101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOLKSYM0: Folk medicine for period/menopause

In the past 12 months, have you used folk medicine or traditional Chinese medicine to regulate your menstrual period, for premenstrual or menstrual symptoms, or for menopause-related symptoms?

Value	Label	Unweighted Frequency	%
1	No	130	3.9 %
2	Yes	40	1.2 %
	Missing Data		
-9	Missing	12	0.4 %
-1	N/A	3118	94.4 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 170 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1102-1103 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAITH0: How important is religious faith

How important is your religious faith or spirituality to you?

Value	Label	Unweighted Frequency	%
1	Not At All Important	219	6.6 %
2	Not Very Important	307	9.3 %
3	Somewhat Important	873	26.4 %
4	Very Important	1893	57.3 %
	Missing Data		
-9	Missing	8	0.2 %

Value	Label	Unweighted Frequency	%
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1104-1105 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOURCOM0: How much is religion a source of strength/comfort

How much is religion /spirituality a source of strength and comfort to you?

Value	Label	Unweighted Frequency	%
1	None	334	10.1 %
2	A Little	909	27.5 %
3	A Great Deal	2050	62.1 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1106-1107 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELIPRE0: Religious preference

What is your current religious preference?

Value	Label	Unweighted Frequency	%
1	Lutheran	81	2.5 %
2	Methodist	154	4.7 %
3	Baptist	540	16.4 %
4	Episcopal	84	2.5 %
5	Presbyterian	100	3.0 %
6	Other Protestant	351	10.6 %
7	Roman Catholic	917	27.8 %

Value	Label	Unweighted Frequency	%
8	Jewish	70	2.1 %
9	Orthodox Christian	15	0.5 %
10	Islam	14	0.4 %
11	Buddhism	166	5.0 %
15	Spiritual, not religious	293	8.9 %
16	Other, incl agnostic/atheist	210	6.4 %
17	None	274	8.3 %
	Missing Data		
-9	Missing	31	0.9 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,269 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 1108-1109 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAY0: How often pray/meditate

How often do you pray or meditate?

Value	Label	Unweighted Frequency	%
1	Never	288	8.7 %
2	< Once a Yr	124	3.8 %
3	Yearly/Few Times a Yr	290	8.8 %
4	Monthly/Few Times a Mon	326	9.9 %
5	At Least Once/Wk - 1-3 times/wk	637	19.3 %
6	Nearly every day - >=4 times/wk	1628	49.3 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1110-1111 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELISRV0: How often attend religious services

How often do you attend religious services?

Value	Label	Unweighted Frequency	%
1	Never	554	16.8 %
2	< Once a Yr	405	12.3 %
3	Yearly/Few Times a Yr	639	19.4 %
4	Monthly/Few Times a Mon	527	16.0 %
5	At Least Once/Wk - 1-3 times/wk	1101	33.3 %
6	Nearly every day - >=4 times/wk	68	2.1 %
	Missing Data		
-9	Missing	6	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1112-1113 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELICOM0: Can turn to religious community with problems

When I need suggestions on how to deal with problems, I know someone in my spiritual or religious community that I can turn to.

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	809	24.5 %
2	Somewhat Disagree	389	11.8 %
3	Somewhat Agree	890	27.0 %
4	Strongly Agree	975	29.5 %
	Missing Data		
-9	Missing	27	0.8 %
.	-	212	6.4 %
	Total	**3,302**	**100%**

Based upon 3,063 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1114-1115 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COURTES0: Treated w/ less courtesy than others

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: You are treated with less courtesy than other people.

Value	Label	Unweighted Frequency	%
1	Often	68	2.1 %
2	Sometimes	794	24.0 %
3	Rarely	1656	50.2 %
4	Never	772	23.4 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,290 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1116-1117 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPECT0: Treated w/ less respect than others

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: You are treated with less respect than other people.

Value	Label	Unweighted Frequency	%
1	Often	58	1.8 %
2	Sometimes	681	20.6 %
3	Rarely	1704	51.6 %
4	Never	846	25.6 %
	Missing Data		
-9	Missing	11	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1118-1119 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

POORSER0: Received poorer service than others

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: You receive poorer service than other people at restaurants or stores.

Value	Label	Unweighted Frequency	%
1	Often	33	1.0 %
2	Sometimes	458	13.9 %
3	Rarely	1687	51.1 %
4	Never	1116	33.8 %
	Missing Data		
-9	Missing	6	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1120-1121 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTSMAR0: People think not as smart as others

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: People act as if they think you are not smart.

Value	Label	Unweighted Frequency	%
1	Often	71	2.2 %
2	Sometimes	520	15.7 %
3	Rarely	1447	43.8 %
4	Never	1254	38.0 %
	Missing Data		
-9	Missing	8	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1122-1123 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAIDO0: People act as if afraid of you

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: People act as if they are afraid of you.

Value	Label	Unweighted Frequency	%
1	Often	49	1.5 %
2	Sometimes	419	12.7 %
3	Rarely	1090	33.0 %
4	Never	1735	52.5 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1124-1125 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISHONS0: People think you are dishonest

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: People act as if they think you are dishonest.

Value	Label	Unweighted Frequency	%
1	Often	25	0.8 %
2	Sometimes	154	4.7 %
3	Rarely	878	26.6 %
4	Never	2235	67.7 %
	Missing Data		
-9	Missing	8	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,292 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1126-1127 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTER0: People act as if better than you

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: People act as if they're better than you are.

Value	Label	Unweighted Frequency	%
1	Often	82	2.5 %
2	Sometimes	854	25.9 %
3	Rarely	1487	45.0 %
4	Never	871	26.4 %
	Missing Data		
-9	Missing	6	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1128-1129 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULTE0: Insulted by other people

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: You or your family members are called names or insulted.

Value	Label	Unweighted Frequency	%
1	Often	24	0.7 %
2	Sometimes	208	6.3 %
3	Rarely	866	26.2 %
4	Never	2195	66.5 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1130-1131 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARASSE0: Harassed by other people

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: You are threatened or harassed.

Value	Label	Unweighted Frequency	%
1	Often	30	0.9 %
2	Sometimes	144	4.4 %
3	Rarely	740	22.4 %
4	Never	2380	72.1 %
	Missing Data		
-9	Missing	6	0.2 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1132-1133 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IGNORED0: Ignored by other people

In your day-to-day life have you had the following experiences often, sometimes, rarely, or never: People ignore you or act as if you are not there.

Value	Label	Unweighted Frequency	%
1	Often	33	1.0 %
2	Sometimes	480	14.5 %
3	Rarely	1322	40.0 %
4	Never	1459	44.2 %
	Missing Data		
-9	Missing	5	0.2 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,294 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1134-1135 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAINREA0: Main reason for experiences

If you've had one or more of the listed experiences often or sometimes, what do you think the main reason is for these experiences?

Value	Label	Unweighted Frequency	%
1	Race	426	12.9 %
2	Ethnicity	49	1.5 %
3	Gender	202	6.1 %
4	Age	77	2.3 %
5	Income Level	90	2.7 %
6	Language	61	1.8 %
7	Physical Appearance	184	5.6 %
8	Sexual Orientation	24	0.7 %
9	Other reason	398	12.1 %
	Missing Data		
-9	Missing	154	4.7 %
-1	N/A	1634	49.5 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 1,511 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1136-1137 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TREATBA0: Treated badly receiving health care past year

Thinking of your experience(s) with receiving health care in the past 12 months, have you been treated badly?

Value	Label	Unweighted Frequency	%
1	No	2842	86.1 %
2	Yes	150	4.5 %
3	Didn"t receive any health care	231	7.0 %
	Missing Data		
-9	Missing	40	1.2 %
-8	Do not know	37	1.1 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,223 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1138-1139 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME0: Total family income

What is your total family income (before taxes) from all sources within your household in the last year (mark the one that is your best guess)? This information is important for describing the women in the study as a group and is, like all other questions, kept confidential.

Value	Label	Unweighted Frequency	%
1	Less Than $19,999	490	14.8 %
2	$20,000 to $49,999	1088	32.9 %
3	$50,000 to $99,999	1162	35.2 %
4	$100,000 or More	472	14.3 %
	Missing Data		
-9	Missing	16	0.5 %
-8	Do not know	30	0.9 %
-7	Refused	42	1.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,212 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1140-1141 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STARTNE0: Started new job/school - how upsetting past year

During the last 12 months, have you experienced any of the following: Started school, a training program, or new job? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2380	72.1 %
2	Yes, Not At All Upsetting	477	14.4 %
3	Yes, Somewhat Upsetting	362	11.0 %
4	Yes, Very Upsetting	63	1.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	18	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,282 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1142-1143 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB0: Work problems - how upsetting past year

During the last 12 months, have you experienced any of the following: Had trouble with a boss or conditions at work got worse? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	1992	60.3 %
2	Yes, Not At All Upsetting	203	6.1 %
3	Yes, Somewhat Upsetting	782	23.7 %
4	Yes, Very Upsetting	305	9.2 %
	Missing Data		
-9	Missing	17	0.5 %
-1	N/A	1	0.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,282 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1144-1145 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB0: Quit job - how upsetting past year

During the last 12 months, have you experienced any of the following: Quit, got fired, or laid off from a job? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2950	89.3 %

Value	Label	Unweighted Frequency	%
2	Yes, Not At All Upsetting	123	3.7 %
3	Yes, Somewhat Upsetting	103	3.1 %
4	Yes, Very Upsetting	107	3.2 %
	Missing Data		
-9	Missing	17	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,283 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1146-1147 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOA0: Increase work load - how upsetting past year

During the last 12 months, have you experienced any of the following: Took on a greatly increased work load at a job? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2130	64.5 %
2	Yes, Not At All Upsetting	459	13.9 %
3	Yes, Somewhat Upsetting	582	17.6 %
4	Yes, Very Upsetting	108	3.3 %
	Missing Data		
-9	Missing	21	0.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,279 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1148-1149 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM0: Partner unemployed - how upsetting past year

During the last 12 months, have you experienced any of the following: Husband/partner became unemployed? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3027	91.7 %
2	Yes, Not At All Upsetting	43	1.3 %
3	Yes, Somewhat Upsetting	130	3.9 %
4	Yes, Very Upsetting	83	2.5 %
	Missing Data		
-9	Missing	16	0.5 %
-1	N/A	1	0.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,283 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1150-1151 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR0: Money problems - how upsetting past year

During the last 12 months, have you experienced any of the following: Major money problems? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2153	65.2 %
2	Yes, Not At All Upsetting	164	5.0 %
3	Yes, Somewhat Upsetting	624	18.9 %
4	Yes, Very Upsetting	340	10.3 %
	Missing Data		
-9	Missing	19	0.6 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,281 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1152-1153 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL0: Worsening relationship - how upsetting past year

During the last 12 months, have you experienced any of the following: Relationship with husband/partner changed for the worse but without separation or divorce? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2739	82.9 %
2	Yes, Not At All Upsetting	91	2.8 %
3	Yes, Somewhat Upsetting	279	8.4 %
4	Yes, Very Upsetting	166	5.0 %
	Missing Data		
-9	Missing	24	0.7 %
-1	N/A	1	0.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,275 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1154-1155 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN0: Ended relationship - how upsetting past year

During the last 12 months, have you experienced any of the following: Were separated, divorced, or long-term relationship ended? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3041	92.1 %
2	Yes, Not At All Upsetting	37	1.1 %
3	Yes, Somewhat Upsetting	92	2.8 %
4	Yes, Very Upsetting	114	3.5 %
	Missing Data		
-9	Missing	15	0.5 %
-1	N/A	1	0.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 1156-1157 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO0: Serious family problem - how upsetting past year

During the last 12 months, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2155	65.3 %
2	Yes, Not At All Upsetting	93	2.8 %
3	Yes, Somewhat Upsetting	575	17.4 %
4	Yes, Very Upsetting	466	14.1 %
	Missing Data		
-9	Missing	11	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1158-1159 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO0: Child moved - how upsetting past year

During the last 12 months, have you experienced any of the following: A child moved out of the house or left the area? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2646	80.1 %
2	Yes, Not At All Upsetting	257	7.8 %
3	Yes, Somewhat Upsetting	270	8.2 %
4	Yes, Very Upsetting	110	3.3 %
	Missing Data		
-9	Missing	17	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,283 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1160-1161 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HURT0: Hurt by someone close - how upsetting past year

During the last 12 months, have you experienced any of the following: Slapped, kicked, or otherwise hurt by husband/partner or someone else important to you? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3182	96.4 %
2	Yes, Not At All Upsetting	9	0.3 %
3	Yes, Somewhat Upsetting	36	1.1 %
4	Yes, Very Upsetting	62	1.9 %
	Missing Data		
-9	Missing	11	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1162-1163 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR0: Responsibility for care - how upsetting past year

During the last 12 months, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member, or friend? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2730	82.7 %
2	Yes, Not At All Upsetting	264	8.0 %
3	Yes, Somewhat Upsetting	226	6.8 %
4	Yes, Very Upsetting	69	2.1 %
	Missing Data		
-9	Missing	11	0.3 %

Value	Label	Unweighted Frequency	%
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1164-1165 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR0: Legal problems - how upsetting past year

During the last 12 months, have you experienced any of the following: Family member had legal problems or a problem with police? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2789	84.5 %
2	Yes, Not At All Upsetting	93	2.8 %
3	Yes, Somewhat Upsetting	239	7.2 %
4	Yes, Very Upsetting	170	5.1 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1166-1167 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOVEHOM0: Moved to new home - how upsetting past year

During the last 12 months, have you experienced any of the following: Moved to a new house or apartment? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3065	92.8 %
2	Yes, Not At All Upsetting	106	3.2 %
3	Yes, Somewhat Upsetting	80	2.4 %

Value	Label	Unweighted Frequency	%
4	Yes, Very Upsetting	38	1.2 %
	Missing Data		
-9	Missing	11	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1168-1169 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STARTRE0: Reconciled/married/new relationship - how upsetting past year

During the last 12 months, have you experienced any of the following: Married, started a new relationship, or got back together with a former partner? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3113	94.3 %
2	Yes, Not At All Upsetting	117	3.5 %
3	Yes, Somewhat Upsetting	44	1.3 %
4	Yes, Very Upsetting	15	0.5 %
	Missing Data		
-9	Missing	11	0.3 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,289 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1170-1171 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HUSBDIE0: Husband/partner died - how upsetting past year

During the last 12 months, have you experienced any of the following: Husband/partner died? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3165	95.9 %
2	Yes, Not At All Upsetting	2	0.1 %
3	Yes, Somewhat Upsetting	12	0.4 %
4	Yes, Very Upsetting	27	0.8 %
	Missing Data		
-9	Missing	94	2.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,206 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1172-1173 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHLDDIE0: Child died - how upsetting past year

During the last 12 months, have you experienced any of the following: Child died? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3145	95.2 %
2	Yes, Not At All Upsetting	3	0.1 %
3	Yes, Somewhat Upsetting	8	0.2 %
4	Yes, Very Upsetting	19	0.6 %
	Missing Data		
-9	Missing	124	3.8 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,175 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1174-1175 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRNTDIE0: Parent died - how upsetting past year

During the last 12 months, have you experienced any of the following: Parent died? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2967	89.9 %
2	Yes, Not At All Upsetting	13	0.4 %
3	Yes, Somewhat Upsetting	72	2.2 %
4	Yes, Very Upsetting	154	4.7 %
	Missing Data		
-9	Missing	93	2.8 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,206 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1176-1177 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRDIE0: Other close relative died - how upsetting past year

During the last 12 months, have you experienced any of the following: Close relative (other than husband/partner, child, or parent) died? Please specify. If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2762	83.6 %
2	Yes, Not At All Upsetting	31	0.9 %
3	Yes, Somewhat Upsetting	154	4.7 %
4	Yes, Very Upsetting	184	5.6 %
	Missing Data		
-9	Missing	168	5.1 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,131 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1178-1179 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRDDIED0: Close friend died - how upsetting past year

During the last 12 months, have you experienced any of the following: A close friend (other than husband/partner, child, or parent) died? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2830	85.7 %
2	Yes, Not At All Upsetting	31	0.9 %
3	Yes, Somewhat Upsetting	201	6.1 %
4	Yes, Very Upsetting	172	5.2 %
	Missing Data		
-9	Missing	65	2.0 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,234 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1180-1181 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRELD0: Other relative died - how upsetting past year

During the last 12 months, have you experienced any of the following: Other relative (other than husband/partner, child, or parent) died? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2716	82.3 %
2	Yes, Not At All Upsetting	95	2.9 %
3	Yes, Somewhat Upsetting	255	7.7 %
4	Yes, Very Upsetting	125	3.8 %
	Missing Data		
-9	Missing	108	3.3 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,191 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1182-1183 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTH2DIE0: Other person died - how upsetting past year

During the last 12 months, have you experienced any of the following: Other person died? Please specify. If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2845	86.2 %
2	Yes, Not At All Upsetting	27	0.8 %
3	Yes, Somewhat Upsetting	140	4.2 %
4	Yes, Very Upsetting	76	2.3 %
	Missing Data		
-9	Missing	210	6.4 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,088 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1184-1185 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO0: Violent event to self - how upsetting past year

During the last 12 months, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3068	92.9 %
2	Yes, Not At All Upsetting	9	0.3 %
3	Yes, Somewhat Upsetting	78	2.4 %
4	Yes, Very Upsetting	119	3.6 %
	Missing Data		
-9	Missing	25	0.8 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,274 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1186-1187 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HUSBVIO0: Violent event to partner - how upsetting past year

During the last 12 months, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to your husband/partner? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3161	95.7 %
2	Yes, Not At All Upsetting	4	0.1 %
3	Yes, Somewhat Upsetting	34	1.0 %
4	Yes, Very Upsetting	36	1.1 %
	Missing Data		
-9	Missing	63	1.9 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,235 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1188-1189 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHLDVIO0: Violent event to child - how upsetting past year

During the last 12 months, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to your child? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3047	92.3 %
2	Yes, Not At All Upsetting	16	0.5 %
3	Yes, Somewhat Upsetting	69	2.1 %
4	Yes, Very Upsetting	107	3.2 %
	Missing Data		
-9	Missing	60	1.8 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,239 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1190-1191 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHFMVI0: Violent event to other family member - how upsetting past year

During the last 12 months, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to other family member (other than self, husband/partner, or child)? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3095	93.7 %
2	Yes, Not At All Upsetting	9	0.3 %
3	Yes, Somewhat Upsetting	61	1.8 %
4	Yes, Very Upsetting	61	1.8 %
	Missing Data		
-9	Missing	72	2.2 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,226 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1192-1193 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHVIOL0: Violent event other person - how upsetting past year

During the last 12 months, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to other person (other than self, husband/partner, child, and other family members)? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3075	93.1 %
2	Yes, Not At All Upsetting	3	0.1 %
3	Yes, Somewhat Upsetting	25	0.8 %
4	Yes, Very Upsetting	29	0.9 %
	Missing Data		
-9	Missing	166	5.0 %
.	-	4	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,132 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1194-1195 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HUSBILL0: Serious illness partner - how upsetting past year

During the last 12 months, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in husband/partner? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2999	90.8 %
2	Yes, Not At All Upsetting	12	0.4 %
3	Yes, Somewhat Upsetting	120	3.6 %
4	Yes, Very Upsetting	132	4.0 %
	Missing Data		
-9	Missing	36	1.1 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,263 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1196-1197 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDIL0: Serious illness child - how upsetting past year

During the last 12 months, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in child? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	3006	91.0 %
2	Yes, Not At All Upsetting	15	0.5 %
3	Yes, Somewhat Upsetting	88	2.7 %
4	Yes, Very Upsetting	123	3.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	66	2.0 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,232 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1198-1199 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRNTILL0: Serious illness parent - how upsetting past year

During the last 12 months, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in parent? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2872	87.0 %
2	Yes, Not At All Upsetting	23	0.7 %
3	Yes, Somewhat Upsetting	171	5.2 %
4	Yes, Very Upsetting	167	5.1 %
	Missing Data		
-9	Missing	65	2.0 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,233 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1200-1201 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNDILL0: Serious illness close friend - how upsetting past year

During the last 12 months, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in close friend? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2977	90.2 %

Value	Label	Unweighted Frequency	%
2	Yes, Not At All Upsetting	17	0.5 %
3	Yes, Somewhat Upsetting	149	4.5 %
4	Yes, Very Upsetting	85	2.6 %
	Missing Data		
-9	Missing	70	2.1 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,228 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1202-1203 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRELI0: Serious illness other family member - how upsetting past year

During the last 12 months, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in other relative (other than husband/partner, child, or parent)? If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2807	85.0 %
2	Yes, Not At All Upsetting	36	1.1 %
3	Yes, Somewhat Upsetting	236	7.1 %
4	Yes, Very Upsetting	152	4.6 %
	Missing Data		
-9	Missing	68	2.1 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,231 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1204-1205 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHILL0: Serious illness other person - how upsetting past year

During the last 12 months, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in other person (other than husband/partner, child, parent, or close friend)? Please specify. If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2991	90.6 %
2	Yes, Not At All Upsetting	10	0.3 %
3	Yes, Somewhat Upsetting	46	1.4 %
4	Yes, Very Upsetting	45	1.4 %
	Missing Data		
-9	Missing	206	6.2 %
.	-	4	0.1 %
	Total	**3,302**	**100%**

Based upon 3,092 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1206-1207 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN0: Other major event - how upsetting past year

During the last 12 months, have you experienced any of the following: Other major event? Describe. If you have not, circle 1 (NO); if you have and it was not at all upsetting, circle 2; if you have and it was somewhat upsetting circle 3; if you have and it was very upsetting circle 4. Please circle one answer for each question.

Value	Label	Unweighted Frequency	%
1	No	2787	84.4 %
2	Yes, Not At All Upsetting	30	0.9 %
3	Yes, Somewhat Upsetting	125	3.8 %
4	Yes, Very Upsetting	176	5.3 %
	Missing Data		
-9	Missing	181	5.5 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,118 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1208-1209 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKEORD0: Often taken orders from someone less knowledgeable than self

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: I have often had to take orders from someone who did not know as much as I did.

Value	Label	Unweighted Frequency	%
1	False	2100	63.6 %
2	True	1183	35.8 %
	Missing Data		
-9	Missing	17	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,283 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1210-1211 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BADLUCK0: People make bad luck for sympathy

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: I think a great many people make a lot of their bad luck in order to gain the sympathy and help of others.

Value	Label	Unweighted Frequency	%
1	False	2270	68.7 %
2	True	1008	30.5 %
	Missing Data		
-9	Missing	22	0.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,278 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1212-1213 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARGUMEN0: Takes argument to convince people of truth

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: It takes a lot of argument to convince most people of the truth.

Value	Label	Unweighted Frequency	%
1	False	2288	69.3 %
2	True	984	29.8 %
	Missing Data		
-9	Missing	27	0.8 %
-8	Do not know	1	0.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,272 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1214-1215 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HONEST0: People honest for fear of being caught

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: Most people are honest mainly through fear of being caught.

Value	Label	Unweighted Frequency	%
1	False	2303	69.7 %
2	True	969	29.3 %
	Missing Data		
-9	Missing	26	0.8 %
-8	Do not know	1	0.0 %
-1	N/A	1	0.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,272 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1216-1217 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROFIT0: Unfair means for profit

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: Most people will use somewhat unfair means to gain profit or an advantage rather than to lose it.

Value	Label	Unweighted Frequency	%
1	False	1955	59.2 %
2	True	1315	39.8 %
	Missing Data		
-9	Missing	28	0.8 %
-8	Do not know	1	0.0 %
-1	N/A	1	0.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,270 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1218-1219 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NONECAR0: No one cares what happens to you

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: No one cares much what happens to you.

Value	Label	Unweighted Frequency	%
1	False	2836	85.9 %
2	True	448	13.6 %
	Missing Data		
-9	Missing	16	0.5 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,284 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1220-1221 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRUST0: Trust nobody

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: It is safer to trust nobody.

Value	Label	Unweighted Frequency	%
1	False	2681	81.2 %
2	True	588	17.8 %
	Missing Data		
-9	Missing	31	0.9 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,269 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1222-1223 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRIENDS0: Friends are useful

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: Most people make friends because friends are likely to be useful to them.

Value	Label	Unweighted Frequency	%
1	False	2660	80.6 %
2	True	612	18.5 %
	Missing Data		
-9	Missing	28	0.8 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,272 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1224-1225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PUTOUT0: Most don't want to put self out there to help others

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: Most people inwardly do not like putting themselves out to help other people.

Value	Label	Unweighted Frequency	%
1	False	2298	69.6 %
2	True	980	29.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	22	0.7 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,278 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1226-1227 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPERTS0: Experts no better than I

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: I have often met people who were supposed to be experts who were no better than I.

Value	Label	Unweighted Frequency	%
1	False	1736	52.6 %
2	True	1530	46.3 %
	Missing Data		
-9	Missing	34	1.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,266 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1228-1229 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RIGHTS0: Respect for rights

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: People often demand more respect for their own rights than they are willing to allow for others.

Value	Label	Unweighted Frequency	%
1	False	1203	36.4 %
2	True	2070	62.7 %
	Missing Data		
-9	Missing	27	0.8 %

Value	Label	Unweighted Frequency	%
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,273 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1230-1231 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEXBEHA0: Bad sexual behavior common

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: A large number of people are guilty of bad sexual behavior.

Value	Label	Unweighted Frequency	%
1	False	2334	70.7 %
2	True	903	27.3 %
	Missing Data		
-9	Missing	62	1.9 %
.	-	3	0.1 %
	Total	**3,302**	**100%**

Based upon 3,237 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1232-1233 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETAHEA0: Most would lie to get ahead

Below are statements people have made from time to time in their daily lives. Thinking about how you feel today, please circle true or false for each statement: I think most people would lie to get ahead.

Value	Label	Unweighted Frequency	%
1	False	2137	64.7 %
2	True	1129	34.2 %
	Missing Data		
-9	Missing	34	1.0 %
.	-	2	0.1 %
	Total	**3,302**	**100%**

Based upon 3,266 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1234-1235 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SABDAY0: Self-administered-part B day

Date form completed

Value	Label	Unweighted Frequency	%
-105	-	1	0.0 %
-77	-	1	0.0 %
-46	-	2	0.1 %
-38	-	1	0.0 %
-35	-	1	0.0 %
-32	-	1	0.0 %
-30	-	1	0.0 %
-15	-	1	0.0 %
-12	-	1	0.0 %
-11	-	1	0.0 %
-10	-	3	0.1 %
-9	-	2	0.1 %
-8	-	1	0.0 %
-7	-	1	0.0 %
-6	-	4	0.1 %
-5	-	2	0.1 %
-4	-	2	0.1 %
-3	-	1	0.0 %
-2	-	4	0.1 %
-1	-	7	0.2 %
0	-	3131	94.8 %
1	-	16	0.5 %
2	-	4	0.1 %
3	-	5	0.2 %
4	-	3	0.1 %
5	-	3	0.1 %
6	-	2	0.1 %
7	-	6	0.2 %
8	-	2	0.1 %

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
10	-	1	0.0 %
11	-	3	0.1 %
12	-	2	0.1 %
13	-	3	0.1 %
14	-	4	0.1 %
15	-	3	0.1 %
16	-	3	0.1 %
18	-	1	0.0 %
19	-	3	0.1 %
20	-	2	0.1 %
21	-	1	0.0 %
22	-	2	0.1 %
23	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.1 %
30	-	1	0.0 %
40	-	1	0.0 %
49	-	1	0.0 %
	Missing Data		
.	-	37	1.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,265 valid cases out of 3,302 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: -105.00
- Maximum: 161.00
- Standard Deviation: 6.87

Location: 1236-1239 (width: 4; decimal: 0)
Variable Type: numeric

LANGSB0: Language of self-administered, part B

Value	Label	Unweighted Frequency	%
1	English	2823	85.5 %

Value	Label	Unweighted Frequency	%
2	Spanish	233	7.1 %
3	Cantonese	94	2.8 %
4	Japanese	114	3.5 %
	Missing Data		
-9	Missing	3	0.1 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 3,264 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1240-1241 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPORSE0: Importance of sex

How important is sex in your life?

Value	Label	Unweighted Frequency	%
1	Extremely Important	229	6.9 %
2	Quite Important	820	24.8 %
3	Moderately Important	1448	43.9 %
4	Not Very Important	603	18.3 %
5	Not At All Important	157	4.8 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 3,257 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1242-1243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DESIRSE0: Desire to engage in sex

During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner?

Value	Label	Unweighted Frequency	%
1	Not At All	246	7.5 %
2	Once or Twice/Mon	1107	33.5 %
3	About Once/Wk	948	28.7 %
4	More than Once/Wk	843	25.5 %
5	Daily	109	3.3 %
	Missing Data		
-9	Missing	14	0.4 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 3,253 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1244-1245 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENGAGSE0: Engaged in sexual activity

During the past 6 months, have you engaged in sexual activities with a partner?

Value	Label	Unweighted Frequency	%
1	No	676	20.5 %
2	Yes	2470	74.8 %
	Missing Data		
-9	Missing	121	3.7 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 3,146 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1246-1247 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPARTN0: No sex last 6 months: no partner

People do not engage in sexual activities with partners for many reasons. Please circle (NO) or (YES) for each reason listed: I have not had sex in the last 6 months because I do not have a partner at this time.

Value	Label	Unweighted Frequency	%
1	No	201	6.1 %
2	Yes	432	13.1 %
	Missing Data		
-9	Missing	45	1.4 %
-1	N/A	2589	78.4 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 633 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1248-1249 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTPRO0: No sex last 6 months: partner physical problem

People do not engage in sexual activities with partners for many reasons. Please circle (NO) or (YES) for each reason listed: I have not had sex in the last 6 months because my partner has a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	511	15.5 %
2	Yes	64	1.9 %
	Missing Data		
-9	Missing	101	3.1 %
-1	N/A	2591	78.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 575 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1250-1251 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSPRO0: No sex last 6 months: physical problem

People do not engage in sexual activities with partners for many reasons. Please circle (NO) or (YES) for each reason listed: I have not had sex in the last 6 months because I have a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	559	16.9 %
2	Yes	24	0.7 %
	Missing Data		
-9	Missing	94	2.8 %
-1	N/A	2590	78.4 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 583 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1252-1253 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTIRED0: No sex last 6 months: tired/busy

People do not engage in sexual activities with partners for many reasons. Please circle (NO) or (YES) for each reason listed: I have not had sex in the last 6 months because I am too tired or busy.

Value	Label	Unweighted Frequency	%
1	No	488	14.8 %
2	Yes	95	2.9 %
	Missing Data		
-9	Missing	94	2.8 %
-1	N/A	2590	78.4 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 583 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1254-1255 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTIRE0: No sex last 6 months: partner tired/busy

People do not engage in sexual activities with partners for many reasons. Please circle (NO) or (YES) for each reason listed: I have not had sex in the last 6 months because my partner is too tired or busy.

Value	Label	Unweighted Frequency	%
1	No	497	15.1 %
2	Yes	71	2.2 %
	Missing Data		
-9	Missing	108	3.3 %
-1	N/A	2591	78.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 568 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1256-1257 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOINTRS0: No sex last 6 months: no interest

People do not engage in sexual activities with partners for many reasons. Please circle (NO) or (YES) for each reason listed: I have not had sex in the last 6 months because I am not interested.

Value	Label	Unweighted Frequency	%
1	No	405	12.3 %
2	Yes	175	5.3 %
	Missing Data		
-9	Missing	96	2.9 %
-1	N/A	2591	78.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 580 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1258-1259 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTNOI0: No sex last 6 months: partner no interest

People do not engage in sexual activities with partners for many reasons. Please circle (NO) or (YES) for each reason listed: I have not had sex in the last 6 months because my partner is not interested.

Value	Label	Unweighted Frequency	%
1	No	470	14.2 %
2	Yes	90	2.7 %
	Missing Data		
-9	Missing	116	3.5 %
-1	N/A	2591	78.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 560 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1260-1261 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOSEXOT0: No sex last 6 months: other reason

People do not engage in sexual activities with partners for many reasons. Please circle (NO) or (YES) for each reason listed: I have not had sex in the last 6 months because other reason.

Value	Label	Unweighted Frequency	%
1	No	293	8.9 %
2	Yes	84	2.5 %
	Missing Data		
-9	Missing	300	9.1 %
-1	N/A	2590	78.4 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 377 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1262-1263 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSPLE0: How physically pleasurable with main partner past 6 months?

In the past 6 months, how physically pleasurable was your relationship with your main partner?

Value	Label	Unweighted Frequency	%
1	Extremely Pleasurable	402	12.2 %

Value	Label	Unweighted Frequency	%
2	Very Pleasurable	1095	33.2 %
3	Moderately Pleasurable	791	24.0 %
4	Slightly Pleasurable	236	7.1 %
5	Not At All Pleasurable	43	1.3 %
	Missing Data		
-9	Missing	21	0.6 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,567 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1264-1265 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFY0: How emotionally satisfying with main partner past 6 months?

In the past 6 months, how emotionally satisfying was your relationship with your main partner?

Value	Label	Unweighted Frequency	%
1	Extremely Satisfying	348	10.5 %
2	Very Satisfying	1042	31.6 %
3	Moderately Satisfying	818	24.8 %
4	Slightly Satisfying	283	8.6 %
5	Not At All Satisfying	74	2.2 %
	Missing Data		
-9	Missing	23	0.7 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,565 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1266-1267 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOVE0: Reasons for having sex: love

People engage in sexual activities for a variety of reasons. During the past 6 months, what were your reasons for having sex with your partner? Please circle (NO) or (YES) for each reason listed: To express love or affection

Value	Label	Unweighted Frequency	%
1	No	209	6.3 %
2	Yes	2272	68.8 %
	Missing Data		
-9	Missing	107	3.2 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,481 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1268-1269 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TENSION0: Reasons for having sex: relieve tension

People engage in sexual activities for a variety of reasons. During the past 6 months, what were your reasons for having sex with your partner? Please circle (NO) or (YES) for each reason listed: To relieve sexual tension or arousal

Value	Label	Unweighted Frequency	%
1	No	650	19.7 %
2	Yes	1763	53.4 %
	Missing Data		
-9	Missing	175	5.3 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,413 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1270-1271 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTWAN0: Reasons for having sex: partner wanted

People engage in sexual activities for a variety of reasons. During the past 6 months, what were your reasons for having sex with your partner? Please circle (NO) or (YES) for each reason listed: Because my partner wanted me to

Value	Label	Unweighted Frequency	%
1	No	614	18.6 %
2	Yes	1795	54.4 %
	Missing Data		
-9	Missing	179	5.4 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,409 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1272-1273 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETPREG0: Reasons for having sex: get pregnant

People engage in sexual activities for a variety of reasons. During the past 6 months, what were your reasons for having sex with your partner? Please circle (NO) or (YES) for each reason listed: To get pregnant

Value	Label	Unweighted Frequency	%
1	No	2284	69.2 %
2	Yes	58	1.8 %
	Missing Data		
-9	Missing	246	7.5 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,342 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1274-1275 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PLEASUR0: Reasons for having sex: pleasure

People engage in sexual activities for a variety of reasons. During the past 6 months, what were your reasons for having sex with your partner? Please circle (NO) or (YES) for each reason listed: For pleasure or enjoyment

Value	Label	Unweighted Frequency	%
1	No	270	8.2 %
2	Yes	2162	65.5 %
	Missing Data		
-9	Missing	156	4.7 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,432 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1276-1277 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEXOTH0: Reasons for having sex: other reason

People engage in sexual activities for a variety of reasons. During the past 6 months, what were your reasons for having sex with your partner? Please circle (NO) or (YES) for each reason listed: Other

Value	Label	Unweighted Frequency	%
1	No	1168	35.4 %
2	Yes	57	1.7 %
	Missing Data		
-9	Missing	1363	41.3 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 1,225 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1278-1279 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KISSING0: Frequency of sexual activity: kissing

During the past 6 months, how often, on average, have you engaged in the following sexual activities: Kissing or hugging?

Value	Label	Unweighted Frequency	%
1	Not At All	71	2.2 %

Value	Label	Unweighted Frequency	%
2	Once or Twice/Mon	354	10.7 %
3	About Once/Wk	358	10.8 %
4	More than Once/Wk	606	18.4 %
5	Daily	1136	34.4 %
	Missing Data		
-9	Missing	63	1.9 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,525 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1280-1281 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOUCHIN0: Frequency of sexual activity: touching

During the past 6 months, how often, on average, have you engaged in the following sexual activities: Sexual touching or caressing?

Value	Label	Unweighted Frequency	%
1	Not At All	66	2.0 %
2	Once or Twice/Mon	583	17.7 %
3	About Once/Wk	613	18.6 %
4	More than Once/Wk	898	27.2 %
5	Daily	334	10.1 %
	Missing Data		
-9	Missing	94	2.8 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,494 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1282-1283 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORALSEX0: Frequency of sexual activity: oral sex

During the past 6 months, how often, on average, have you engaged in the following sexual activities: Oral sex?

Value	Label	Unweighted Frequency	%
1	Not At All	1007	30.5 %
2	Once or Twice/Mon	860	26.0 %
3	About Once/Wk	371	11.2 %
4	More than Once/Wk	185	5.6 %
5	Daily	15	0.5 %
	Missing Data		
-9	Missing	150	4.5 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,438 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1284-1285 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTCOUR0: Frequency of sexual activity: intercourse

During the past 6 months, how often, on average, have you engaged in the following sexual activities: Sexual intercourse?

Value	Label	Unweighted Frequency	%
1	Not At All	94	2.8 %
2	Once or Twice/Mon	847	25.7 %
3	About Once/Wk	809	24.5 %
4	More than Once/Wk	710	21.5 %
5	Daily	61	1.8 %
	Missing Data		
-9	Missing	67	2.0 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,521 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1286-1287 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AROUSED0: Frequency of arousal during sexual activity

During the last 6 months, how often did you feel aroused during sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	753	22.8 %
2	Almost Always	1019	30.9 %
3	Sometimes	644	19.5 %
4	Almost Never	120	3.6 %
5	Never	25	0.8 %
6	No Intercourse In Last 6 Mons	0	0.0 %
	Missing Data		
-9	Missing	27	0.8 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,561 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1288-1289 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVIC0: Vaginal or pelvic pain during intercourse

During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

Value	Label	Unweighted Frequency	%
1	Always	14	0.4 %
2	Almost Always	45	1.4 %
3	Sometimes	475	14.4 %
4	Almost Never	553	16.7 %
5	Never	1417	42.9 %
6	No Intercourse In Last 6 Mons	58	1.8 %
	Missing Data		
-9	Missing	26	0.8 %
-1	N/A	679	20.6 %
.	-	35	1.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 2,562 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1290-1291 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LUBRICN0: Use of lubricants

During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

Value	Label	Unweighted Frequency	%
1	Always	84	2.5 %
2	Almost Always	100	3.0 %
3	Sometimes	247	7.5 %
4	Almost Never	190	5.8 %
5	Never	1894	57.4 %
6	No Intercourse In Last 6 Mons	47	1.4 %
	Missing Data		
-9	Missing	26	0.8 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,562 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1292-1293 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TUBALIG0: Tubal ligation (tubes tied)

Have you ever had a tubal ligation (tubes tied)?

Value	Label	Unweighted Frequency	%
1	No	1637	49.6 %
2	Yes	928	28.1 %
	Missing Data		
-9	Missing	21	0.6 %

Value	Label	Unweighted Frequency	%
-8	Do not know	2	0.1 %
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,565 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1294-1295 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VASECTM0: Partner vasectomy

Has your husband or male partner ever had a vasectomy?

Value	Label	Unweighted Frequency	%
1	No	2084	63.1 %
2	Yes	415	12.6 %
	Missing Data		
-9	Missing	30	0.9 %
-8	Do not know	16	0.5 %
-1	N/A	722	21.9 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,499 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1296-1297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANC0: Methods to prevent pregnancy

During the past 6 months, have you and/or your partner used any methods to prevent pregnancy?

Value	Label	Unweighted Frequency	%
1	No	1763	53.4 %
2	Yes	705	21.4 %
	Missing Data		
-9	Missing	120	3.6 %

Value	Label	Unweighted Frequency	%
-1	N/A	679	20.6 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 2,468 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1298-1299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RHYTHM0: Prevent pregnancy: rhythm

Which method(s) have you and/or your partner used to prevent pregnancy? Select (NO) or (YES) for each method listed: Rhythm

Value	Label	Unweighted Frequency	%
1	No	435	13.2 %
2	Yes	168	5.1 %
	Missing Data		
-9	Missing	105	3.2 %
-1	N/A	2559	77.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 603 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1300-1301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOAM0: Prevent pregnancy: foam or cream

Which method(s) have you and/or your partner used to prevent pregnancy? Select (NO) or (YES) for each method listed: Foam or cream (spermicidal)

Value	Label	Unweighted Frequency	%
1	No	492	14.9 %
2	Yes	98	3.0 %
	Missing Data		
-9	Missing	118	3.6 %
-1	N/A	2559	77.5 %

Value	Label	Unweighted Frequency	%
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 590 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1302-1303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIAPHRG0: Prevent pregnancy: diaphragm

Which method(s) have you and/or your partner used to prevent pregnancy? Select (NO) or (YES) for each method listed: Diaphragm/cervical cap

Value	Label	Unweighted Frequency	%
1	No	490	14.8 %
2	Yes	107	3.2 %
	Missing Data		
-9	Missing	111	3.4 %
-1	N/A	2559	77.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 597 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1304-1305 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILL0: Prevent pregnancy: pill

Which method(s) have you and/or your partner used to prevent pregnancy? Select (NO) or (YES) for each method listed: Pill

Value	Label	Unweighted Frequency	%
1	No	581	17.6 %
2	Yes	3	0.1 %
	Missing Data		
-9	Missing	124	3.8 %
-1	N/A	2559	77.5 %
.	-	35	1.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 584 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1306-1307 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IUD0: Prevent pregnancy: intrauterine device (IUD)

Which method(s) have you and/or your partner used to prevent pregnancy? Select (NO) or (YES) for each method listed: Intrauterine device (IUD)

Value	Label	Unweighted Frequency	%
1	No	545	16.5 %
2	Yes	45	1.4 %
	Missing Data		
-9	Missing	118	3.6 %
-1	N/A	2559	77.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 590 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1308-1309 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WITHDRA0: Prevent pregnancy: withdrawal before ejaculation

Which method(s) have you and/or your partner used to prevent pregnancy? Select (NO) or (YES) for each method listed: Withdrawal before ejaculation

Value	Label	Unweighted Frequency	%
1	No	409	12.4 %
2	Yes	198	6.0 %
	Missing Data		
-9	Missing	101	3.1 %
-1	N/A	2559	77.5 %
.	-	35	1.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 607 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1310-1311 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONDOM0: Prevent pregnancy: condom

Which method(s) have you and/or your partner used to prevent pregnancy? Select (NO) or (YES) for each method listed: Condom

Value	Label	Unweighted Frequency	%
1	No	223	6.8 %
2	Yes	412	12.5 %
	Missing Data		
-9	Missing	73	2.2 %
-1	N/A	2559	77.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 635 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1312-1313 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABSTAIN0: Prevent pregnancy: abstention

Which method(s) have you and/or your partner used to prevent pregnancy? Select (NO) or (YES) for each method listed: No sex (abstention)

Value	Label	Unweighted Frequency	%
1	No	481	14.6 %
2	Yes	82	2.5 %
	Missing Data		
-9	Missing	145	4.4 %
-1	N/A	2559	77.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 563 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1314-1315 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MASTURB0: Frequency of masturbation past 6 months

On average, in the past 6 months, how often have you engaged in masturbation (self-stimulation)?

Value	Label	Unweighted Frequency	%
1	Not At All	1614	48.9 %
2	Less Than Once/Mon	676	20.5 %
3	Once or Twice/Mon	539	16.3 %
4	About Once/Wk	237	7.2 %
5	More than Once/Wk	109	3.3 %
6	Daily	8	0.2 %
	Missing Data		
-9	Missing	84	2.5 %
.	-	35	1.1 %
	Total	**3,302**	**100%**

Based upon 3,183 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1316-1317 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHOSEX0: Generally have sex w/ whom

Regardless of whether you are currently sexually active, which response best describes who you have generally had sex with over your adult lifetime?

Value	Label	Unweighted Frequency	%
1	Never had sex	38	1.2 %
2	Sex with a woman	44	1.3 %
3	Sex with a man	3046	92.2 %
4	Sex sometimes w/woman & sometimes w/man	30	0.9 %
	Missing Data		
-9	Missing	52	1.6 %
.	-	92	2.8 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,158 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1318-1319 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDAY0: Physical measures day

Date form completed

Value	Label	Unweighted Frequency	%
-105	-	1	0.0 %
-92	-	1	0.0 %
-88	-	1	0.0 %
-46	-	1	0.0 %
-38	-	1	0.0 %
-34	-	1	0.0 %
-12	-	1	0.0 %
-10	-	2	0.1 %
-9	-	1	0.0 %
-8	-	1	0.0 %
-7	-	1	0.0 %
-6	-	3	0.1 %
-4	-	1	0.0 %
-1	-	5	0.2 %
0	-	3190	96.6 %
1	-	7	0.2 %
2	-	5	0.2 %
4	-	3	0.1 %
5	-	4	0.1 %
6	-	3	0.1 %
7	-	4	0.1 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	2	0.1 %

Value	Label	Unweighted Frequency	%
13	-	5	0.2 %
14	-	4	0.1 %
15	-	2	0.1 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	2	0.1 %
19	-	2	0.1 %
20	-	4	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	2	0.1 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	3	0.1 %
44	-	1	0.0 %
46	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
58	-	2	0.1 %
65	-	1	0.0 %
67	-	1	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,301 valid cases out of 3,302 total cases.

- Mean: 0.68
- Median: 0.00
- Mode: 0.00
- Minimum: -105.00
- Maximum: 228.00
- Standard Deviation: 8.27

Location: 1320-1323 (width: 4; decimal: 0)
Variable Type: numeric

PULSE0: Pulse, beats per 30 seconds

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
18	-	2	0.1 %
19	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
23	-	3	0.1 %
24	-	11	0.3 %
25	-	16	0.5 %
26	-	18	0.5 %
27	-	33	1.0 %
28	-	72	2.2 %
29	-	106	3.2 %
30	-	276	8.4 %
31	-	201	6.1 %
32	-	293	8.9 %
33	-	209	6.3 %
34	-	295	8.9 %
35	-	349	10.6 %
36	-	277	8.4 %
37	-	183	5.5 %
38	-	209	6.3 %
39	-	144	4.4 %
40	-	183	5.5 %
41	-	91	2.8 %
42	-	100	3.0 %
43	-	47	1.4 %
44	-	56	1.7 %
45	-	30	0.9 %
46	-	26	0.8 %
47	-	22	0.7 %
48	-	11	0.3 %
49	-	2	0.1 %
50	-	13	0.4 %
51	-	3	0.1 %
52	-	5	0.2 %
53	-	3	0.1 %
68	-	1	0.0 %
84	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	7	0.2 %
	Total	**3,302**	**100%**

Based upon 3,295 valid cases out of 3,302 total cases.

- Mean: 35.19
- Median: 35.00
- Mode: 35.00
- Minimum: 17.00
- Maximum: 84.00
- Standard Deviation: 4.81

Location: 1324-1325 (width: 2; decimal: 0)
Variable Type: numeric

SYSBP10: Systolic blood pressure number 1

Value	Label	Unweighted Frequency	%
70	-	1	0.0 %
80	-	3	0.1 %
82	-	4	0.1 %
84	-	6	0.2 %
86	-	5	0.2 %
88	-	15	0.5 %
90	-	36	1.1 %
92	-	35	1.1 %
94	-	42	1.3 %
96	-	58	1.8 %
98	-	127	3.8 %
99	-	2	0.1 %
100	-	154	4.7 %
102	-	87	2.6 %
103	-	2	0.1 %
104	-	115	3.5 %
105	-	1	0.0 %
106	-	119	3.6 %
108	-	162	4.9 %
109	-	4	0.1 %
110	-	329	10.0 %
112	-	133	4.0 %
114	-	146	4.4 %
115	-	3	0.1 %
116	-	94	2.8 %

Value	Label	Unweighted Frequency	%
117	-	1	0.0 %
118	-	189	5.7 %
119	-	1	0.0 %
120	-	269	8.1 %
122	-	98	3.0 %
124	-	110	3.3 %
126	-	72	2.2 %
127	-	2	0.1 %
128	-	132	4.0 %
130	-	160	4.8 %
132	-	49	1.5 %
134	-	40	1.2 %
136	-	44	1.3 %
138	-	66	2.0 %
140	-	100	3.0 %
142	-	24	0.7 %
143	-	1	0.0 %
144	-	21	0.6 %
146	-	17	0.5 %
148	-	20	0.6 %
150	-	46	1.4 %
152	-	12	0.4 %
154	-	14	0.4 %
155	-	3	0.1 %
156	-	18	0.5 %
	Missing Data		
.	-	9	0.3 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,293 valid cases out of 3,302 total cases.

- Mean: 118.23
- Median: 116.00
- Mode: 110.00
- Minimum: 70.00
- Maximum: 230.00
- Standard Deviation: 17.24

Location: 1326-1328 (width: 3; decimal: 0)
Variable Type: numeric

DIABP10: Diastolic blood pressure number 1

Value	Label	Unweighted Frequency	%
40	-	4	0.1 %
42	-	5	0.2 %
44	-	2	0.1 %
46	-	1	0.0 %
48	-	5	0.2 %
50	-	12	0.4 %
52	-	11	0.3 %
54	-	22	0.7 %
55	-	1	0.0 %
56	-	29	0.9 %
58	-	50	1.5 %
60	-	139	4.2 %
62	-	96	2.9 %
63	-	1	0.0 %
64	-	133	4.0 %
65	-	3	0.1 %
66	-	112	3.4 %
68	-	225	6.8 %
70	-	431	13.1 %
71	-	1	0.0 %
72	-	159	4.8 %
74	-	183	5.5 %
75	-	1	0.0 %
76	-	148	4.5 %
77	-	1	0.0 %
78	-	216	6.5 %
79	-	1	0.0 %
80	-	477	14.4 %
82	-	106	3.2 %
83	-	1	0.0 %
84	-	118	3.6 %
86	-	88	2.7 %
87	-	1	0.0 %
88	-	112	3.4 %
90	-	187	5.7 %
92	-	37	1.1 %
94	-	36	1.1 %

Value	Label	Unweighted Frequency	%
95	-	1	0.0 %
96	-	24	0.7 %
98	-	36	1.1 %
100	-	33	1.0 %
102	-	9	0.3 %
104	-	3	0.1 %
106	-	3	0.1 %
108	-	9	0.3 %
110	-	9	0.3 %
112	-	2	0.1 %
116	-	1	0.0 %
118	-	1	0.0 %
122	-	2	0.1 %
	Missing Data		
.	-	13	0.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,289 valid cases out of 3,302 total cases.

- Mean: 75.57
- Median: 76.00
- Mode: 80.00
- Minimum: 40.00
- Maximum: 140.00
- Standard Deviation: 10.80

Location: 1329-1331 (width: 3; decimal: 0)
Variable Type: numeric

SYSBP20: Systolic blood pressure number 2

Value	Label	Unweighted Frequency	%
72	-	1	0.0 %
80	-	3	0.1 %
82	-	5	0.2 %
84	-	9	0.3 %
86	-	5	0.2 %
88	-	12	0.4 %
90	-	40	1.2 %
92	-	34	1.0 %
94	-	46	1.4 %

Value	Label	Unweighted Frequency	%
96	-	64	1.9 %
97	-	1	0.0 %
98	-	123	3.7 %
99	-	1	0.0 %
100	-	172	5.2 %
102	-	103	3.1 %
104	-	108	3.3 %
105	-	1	0.0 %
106	-	162	4.9 %
108	-	188	5.7 %
109	-	3	0.1 %
110	-	291	8.8 %
112	-	143	4.3 %
114	-	145	4.4 %
115	-	3	0.1 %
116	-	115	3.5 %
117	-	2	0.1 %
118	-	193	5.8 %
120	-	242	7.3 %
122	-	88	2.7 %
123	-	1	0.0 %
124	-	106	3.2 %
125	-	2	0.1 %
126	-	66	2.0 %
127	-	2	0.1 %
128	-	115	3.5 %
130	-	127	3.8 %
132	-	66	2.0 %
134	-	43	1.3 %
136	-	55	1.7 %
138	-	57	1.7 %
140	-	69	2.1 %
141	-	1	0.0 %
142	-	37	1.1 %
143	-	1	0.0 %
144	-	24	0.7 %
145	-	5	0.2 %
146	-	18	0.5 %
148	-	20	0.6 %

Value	Label	Unweighted Frequency	%
150	-	32	1.0 %
152	-	13	0.4 %
	Missing Data		
.	-	12	0.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,290 valid cases out of 3,302 total cases.

- Mean: 117.44
- Median: 114.00
- Mode: 110.00
- Minimum: 72.00
- Maximum: 226.00
- Standard Deviation: 17.14

Location: 1332-1334 (width: 3; decimal: 0)
Variable Type: numeric

DIABP20: Diastolic blood pressure number 2

Value	Label	Unweighted Frequency	%
40	-	5	0.2 %
42	-	1	0.0 %
44	-	3	0.1 %
48	-	4	0.1 %
50	-	10	0.3 %
52	-	9	0.3 %
54	-	22	0.7 %
56	-	19	0.6 %
58	-	73	2.2 %
60	-	124	3.8 %
62	-	118	3.6 %
63	-	1	0.0 %
64	-	138	4.2 %
65	-	1	0.0 %
66	-	118	3.6 %
67	-	1	0.0 %
68	-	225	6.8 %
69	-	1	0.0 %
70	-	380	11.5 %
72	-	186	5.6 %

Value	Label	Unweighted Frequency	%
74	-	209	6.3 %
76	-	166	5.0 %
78	-	235	7.1 %
79	-	1	0.0 %
80	-	439	13.3 %
82	-	111	3.4 %
83	-	2	0.1 %
84	-	118	3.6 %
85	-	1	0.0 %
86	-	89	2.7 %
87	-	1	0.0 %
88	-	129	3.9 %
90	-	151	4.6 %
92	-	43	1.3 %
94	-	24	0.7 %
95	-	2	0.1 %
96	-	28	0.8 %
98	-	28	0.8 %
100	-	35	1.1 %
102	-	5	0.2 %
104	-	9	0.3 %
106	-	3	0.1 %
108	-	2	0.1 %
110	-	6	0.2 %
112	-	2	0.1 %
114	-	2	0.1 %
120	-	4	0.1 %
128	-	1	0.0 %
146	-	1	0.0 %
	Missing Data		
.	-	16	0.5 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Mean: 75.38
- Median: 74.00
- Mode: 80.00
- Minimum: 40.00
- Maximum: 146.00
- Standard Deviation: 10.61

Location: 1335-1337 (width: 3; decimal: 0)
Variable Type: numeric

SYSBP30: Systolic blood pressure number 3

Value	Label	Unweighted Frequency	%
78	-	1	0.0 %
80	-	3	0.1 %
82	-	1	0.0 %
84	-	7	0.2 %
86	-	8	0.2 %
88	-	25	0.8 %
90	-	31	0.9 %
92	-	33	1.0 %
94	-	68	2.1 %
96	-	77	2.3 %
98	-	138	4.2 %
99	-	1	0.0 %
100	-	161	4.9 %
101	-	1	0.0 %
102	-	104	3.1 %
103	-	1	0.0 %
104	-	117	3.5 %
105	-	1	0.0 %
106	-	132	4.0 %
107	-	2	0.1 %
108	-	184	5.6 %
109	-	1	0.0 %
110	-	281	8.5 %
112	-	149	4.5 %
114	-	154	4.7 %
115	-	3	0.1 %
116	-	129	3.9 %
117	-	1	0.0 %
118	-	184	5.6 %
119	-	1	0.0 %
120	-	250	7.6 %
121	-	1	0.0 %
122	-	90	2.7 %
123	-	2	0.1 %
124	-	82	2.5 %

Value	Label	Unweighted Frequency	%
125	-	2	0.1 %
126	-	81	2.5 %
127	-	1	0.0 %
128	-	98	3.0 %
130	-	123	3.7 %
132	-	59	1.8 %
134	-	52	1.6 %
136	-	49	1.5 %
138	-	49	1.5 %
140	-	75	2.3 %
142	-	31	0.9 %
143	-	1	0.0 %
144	-	23	0.7 %
145	-	4	0.1 %
146	-	16	0.5 %
	Missing Data		
.	-	20	0.6 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,282 valid cases out of 3,302 total cases.

- Mean: 117.08
- Median: 114.00
- Mode: 110.00
- Minimum: 78.00
- Maximum: 238.00
- Standard Deviation: 17.26

Location: 1338-1340 (width: 3; decimal: 0)
Variable Type: numeric

DIABP30: Diastolic blood pressure number 3

Value	Label	Unweighted Frequency	%
40	-	3	0.1 %
42	-	3	0.1 %
44	-	4	0.1 %
46	-	3	0.1 %
48	-	1	0.0 %
50	-	11	0.3 %
52	-	6	0.2 %

Value	Label	Unweighted Frequency	%
54	-	20	0.6 %
56	-	24	0.7 %
58	-	61	1.8 %
60	-	135	4.1 %
62	-	115	3.5 %
63	-	1	0.0 %
64	-	109	3.3 %
66	-	121	3.7 %
67	-	1	0.0 %
68	-	225	6.8 %
69	-	1	0.0 %
70	-	416	12.6 %
72	-	192	5.8 %
74	-	212	6.4 %
76	-	149	4.5 %
78	-	239	7.2 %
80	-	432	13.1 %
82	-	120	3.6 %
83	-	2	0.1 %
84	-	118	3.6 %
85	-	1	0.0 %
86	-	88	2.7 %
87	-	1	0.0 %
88	-	97	2.9 %
90	-	167	5.1 %
92	-	45	1.4 %
94	-	40	1.2 %
95	-	2	0.1 %
96	-	23	0.7 %
98	-	23	0.7 %
100	-	30	0.9 %
102	-	11	0.3 %
104	-	3	0.1 %
106	-	3	0.1 %
108	-	2	0.1 %
110	-	6	0.2 %
112	-	1	0.0 %
114	-	3	0.1 %
116	-	1	0.0 %

Value	Label	Unweighted Frequency	%
118	-	2	0.1 %
120	-	1	0.0 %
130	-	1	0.0 %
146	-	1	0.0 %
	Missing Data		
.	-	26	0.8 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,276 valid cases out of 3,302 total cases.

- Mean: 75.36
- Median: 74.00
- Mode: 80.00
- Minimum: 40.00
- Maximum: 146.00
- Standard Deviation: 10.52

Location: 1341-1343 (width: 3; decimal: 0)
Variable Type: numeric

HEIGHT0: Height (in cm)

Value	Label	Unweighted Frequency	%
140.50	-	1	0.0 %
141.00	-	1	0.0 %
142.10	-	1	0.0 %
143.50	-	1	0.0 %
143.70	-	1	0.0 %
143.80	-	1	0.0 %
144.20	-	2	0.1 %
144.50	-	1	0.0 %
144.90	-	1	0.0 %
145.40	-	1	0.0 %
146.00	-	1	0.0 %
146.20	-	3	0.1 %
146.30	-	2	0.1 %
146.50	-	1	0.0 %
146.70	-	1	0.0 %
146.80	-	1	0.0 %
147.00	-	7	0.2 %
147.20	-	2	0.1 %

Value	Label	Unweighted Frequency	%
147.30	-	2	0.1 %
147.40	-	3	0.1 %
147.50	-	3	0.1 %
147.80	-	2	0.1 %
147.90	-	2	0.1 %
148.00	-	5	0.2 %
148.10	-	2	0.1 %
148.20	-	2	0.1 %
148.30	-	3	0.1 %
148.40	-	1	0.0 %
148.70	-	4	0.1 %
148.80	-	3	0.1 %
148.90	-	1	0.0 %
149.00	-	6	0.2 %
149.10	-	3	0.1 %
149.15	-	1	0.0 %
149.20	-	4	0.1 %
149.40	-	2	0.1 %
149.50	-	2	0.1 %
149.60	-	5	0.2 %
149.61	-	1	0.0 %
149.70	-	2	0.1 %
149.80	-	3	0.1 %
149.90	-	2	0.1 %
150.00	-	8	0.2 %
150.02	-	1	0.0 %
150.10	-	3	0.1 %
150.20	-	4	0.1 %
150.30	-	2	0.1 %
150.40	-	3	0.1 %
150.45	-	1	0.0 %
150.50	-	6	0.2 %
	Missing Data		
.	-	32	1.0 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,270 valid cases out of 3,302 total cases.

- Mean: 162.36
- Minimum: 140.50
- Maximum: 186.20
- Standard Deviation: 6.74

Location: 1344-1349 (width: 6; decimal: 2)
Variable Type: numeric

HTMETHO0: Height measurement method

Value	Label	Unweighted Frequency	%
1	Stadiometer	2478	75.0 %
2	Portable	776	23.5 %
3	Self-Reported	0	0.0 %
	Missing Data		
.	-	48	1.5 %
	Total	**3,302**	**100%**

Based upon 3,254 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1350-1351 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WEIGHT0: Weight (in kg)

Value	Label	Unweighted Frequency	%
37.60000000000	-	1	0.0 %
39.00000000000	-	1	0.0 %
39.80000000000	-	1	0.0 %
40.00000000000	-	1	0.0 %
40.60000000000	-	1	0.0 %
41.00000000000	-	2	0.1 %
41.10000000000	-	1	0.0 %
41.40000000000	-	1	0.0 %
41.70000000001	-	1	0.0 %
41.80000000000	-	2	0.1 %
42.00000000000	-	3	0.1 %
42.40000000000	-	2	0.1 %
42.60000000000	-	1	0.0 %
43.00000000000	-	2	0.1 %
43.20000000001	-	1	0.0 %
43.30000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43.40000000000	-	2	0.1 %
43.60000000000	-	1	0.0 %
43.80000000000	-	2	0.1 %
44.00000000000	-	2	0.1 %
44.20000000000	-	1	0.0 %
44.40000000000	-	1	0.0 %
44.60000000000	-	2	0.1 %
44.70000000000	-	2	0.1 %
44.90000000000	-	1	0.0 %
45.00000000000	-	7	0.2 %
45.10000000000	-	1	0.0 %
45.20000000000	-	2	0.1 %
45.40000000000	-	1	0.0 %
45.50000000000	-	2	0.1 %
45.60000000000	-	5	0.2 %
45.70000000000	-	1	0.0 %
45.80000000000	-	5	0.2 %
45.90000000000	-	1	0.0 %
46.00000000000	-	6	0.2 %
46.20000000000	-	2	0.1 %
46.30000000000	-	2	0.1 %
46.40000000000	-	5	0.2 %
46.50000000000	-	2	0.1 %
46.59090909091	-	1	0.0 %
46.60000000000	-	2	0.1 %
46.80000000000	-	4	0.1 %
47.00000000000	-	5	0.2 %
47.10000000000	-	1	0.0 %
47.20000000000	-	3	0.1 %
47.30000000000	-	1	0.0 %
47.40000000000	-	7	0.2 %
47.50000000000	-	3	0.1 %
47.60000000000	-	3	0.1 %
47.70000000000	-	3	0.1 %
	Missing Data		
.	-	14	0.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,288 valid cases out of 3,302 total cases.

- Mean: 74.88190112807
- Minimum: 37.60000000000
- Maximum: 175.40000000000
- Standard Deviation: 20.48696029947

Location: 1352-1366 (width: 15; decimal: 11)
Variable Type: numeric

SCALE0: Weight scale type

Value	Label	Unweighted Frequency	%
1	Balance Beam	1556	47.1 %
2	Clinic Digital	582	17.6 %
3	Portable	1124	34.0 %
4	Self-Reported	0	0.0 %
	Missing Data		
.	-	40	1.2 %
	Total	**3,302**	**100%**

Based upon 3,262 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1367-1368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAIST0: Waist circumference (cm)

Value	Label	Unweighted Frequency	%
59.0	-	1	0.0 %
59.4	-	1	0.0 %
59.6	-	1	0.0 %
59.9	-	1	0.0 %
60.0	-	4	0.1 %
60.5	-	1	0.0 %
61.0	-	2	0.1 %
61.1	-	2	0.1 %
61.2	-	1	0.0 %
61.4	-	1	0.0 %
61.5	-	1	0.0 %
61.6	-	2	0.1 %

Value	Label	Unweighted Frequency	%
61.7	-	1	0.0 %
61.8	-	1	0.0 %
62.0	-	7	0.2 %
62.1	-	1	0.0 %
62.2	-	1	0.0 %
62.4	-	1	0.0 %
62.5	-	9	0.3 %
62.6	-	1	0.0 %
62.8	-	3	0.1 %
63.0	-	4	0.1 %
63.2	-	1	0.0 %
63.3	-	1	0.0 %
63.4	-	6	0.2 %
63.5	-	7	0.2 %
63.6	-	2	0.1 %
63.8	-	2	0.1 %
64.0	-	15	0.5 %
64.1	-	1	0.0 %
64.2	-	4	0.1 %
64.3	-	3	0.1 %
64.4	-	5	0.2 %
64.5	-	6	0.2 %
64.7	-	4	0.1 %
64.8	-	4	0.1 %
64.9	-	1	0.0 %
65.0	-	16	0.5 %
65.1	-	2	0.1 %
65.2	-	5	0.2 %
65.3	-	2	0.1 %
65.4	-	2	0.1 %
65.5	-	11	0.3 %
65.6	-	1	0.0 %
65.7	-	6	0.2 %
65.8	-	2	0.1 %
66.0	-	18	0.5 %
66.1	-	1	0.0 %
66.2	-	4	0.1 %
66.4	-	2	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	35	1.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,267 valid cases out of 3,302 total cases.

- Mean: 86.36
- Minimum: 59.00
- Maximum: 172.00
- Standard Deviation: 16.09

Location: 1369-1373 (width: 5; decimal: 1)
Variable Type: numeric

WASTMEA0: Waist measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	2520	76.3 %
2	Light Clothing	727	22.0 %
	Missing Data		
.	-	55	1.7 %
	Total	**3,302**	**100%**

Based upon 3,247 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1374-1375 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP0: Hip circumference (cm)

Value	Label	Unweighted Frequency	%
74.0	-	1	0.0 %
75.0	-	1	0.0 %
77.0	-	1	0.0 %
77.5	-	1	0.0 %
78.0	-	1	0.0 %
79.0	-	2	0.1 %
79.2	-	1	0.0 %
79.5	-	1	0.0 %
80.9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
81.0	-	1	0.0 %
81.3	-	1	0.0 %
81.5	-	1	0.0 %
81.7	-	1	0.0 %
82.0	-	2	0.1 %
82.1	-	1	0.0 %
82.2	-	1	0.0 %
82.5	-	2	0.1 %
82.7	-	1	0.0 %
82.8	-	1	0.0 %
82.9	-	1	0.0 %
83.0	-	2	0.1 %
83.2	-	2	0.1 %
83.3	-	1	0.0 %
83.4	-	2	0.1 %
83.5	-	3	0.1 %
84.0	-	3	0.1 %
84.1	-	1	0.0 %
84.2	-	1	0.0 %
84.3	-	1	0.0 %
84.4	-	2	0.1 %
84.5	-	2	0.1 %
84.6	-	1	0.0 %
84.7	-	2	0.1 %
84.8	-	2	0.1 %
85.0	-	9	0.3 %
85.1	-	2	0.1 %
85.2	-	3	0.1 %
85.3	-	1	0.0 %
85.5	-	5	0.2 %
85.6	-	1	0.0 %
85.7	-	3	0.1 %
85.8	-	4	0.1 %
85.9	-	1	0.0 %
86.0	-	6	0.2 %
86.1	-	1	0.0 %
86.2	-	4	0.1 %
86.4	-	3	0.1 %
86.5	-	5	0.2 %

Value	Label	Unweighted Frequency	%
86.6	-	2	0.1 %
86.7	-	1	0.0 %
	Missing Data		
.	-	42	1.3 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,260 valid cases out of 3,302 total cases.

- Mean: 106.96
- Minimum: 74.00
- Maximum: 190.00
- Standard Deviation: 15.07

Location: 1376-1380 (width: 5; decimal: 1)
Variable Type: numeric

HIPMEAS0: Hip measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	2349	71.1 %
2	Light Clothing	891	27.0 %
	Missing Data		
.	-	62	1.9 %
	Total	**3,302**	**100%**

Based upon 3,240 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1381-1382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BMI0: Body Mass Index (BMI)

Based upon 3,260 valid cases out of 3,302 total cases.

- Mean: 28.269583674161
- Minimum: 14.989652101511
- Maximum: 64.838400000000
- Standard Deviation: 7.218707801695

Location: 1383-1397 (width: 15; decimal: 12)
Variable Type: numeric

FFQDAY0: Food frequency questionnaire day

Date form completed

Value	Label	Unweighted Frequency	%
-366	-	2	0.1 %
-46	-	1	0.0 %
-32	-	2	0.1 %
-31	-	1	0.0 %
-14	-	1	0.0 %
-10	-	3	0.1 %
-6	-	1	0.0 %
-5	-	2	0.1 %
-3	-	2	0.1 %
-2	-	3	0.1 %
-1	-	10	0.3 %
0	-	3007	91.1 %
1	-	8	0.2 %
2	-	6	0.2 %
3	-	3	0.1 %
4	-	3	0.1 %
5	-	5	0.2 %
6	-	6	0.2 %
7	-	13	0.4 %
8	-	11	0.3 %
9	-	8	0.2 %
10	-	3	0.1 %
11	-	4	0.1 %
12	-	5	0.2 %
13	-	5	0.2 %
14	-	12	0.4 %
15	-	2	0.1 %
16	-	8	0.2 %
17	-	1	0.0 %
18	-	6	0.2 %
19	-	4	0.1 %
20	-	4	0.1 %
21	-	5	0.2 %
22	-	5	0.2 %
23	-	3	0.1 %
24	-	3	0.1 %
25	-	4	0.1 %

Value	Label	Unweighted Frequency	%
26	-	6	0.2 %
27	-	3	0.1 %
28	-	10	0.3 %
29	-	3	0.1 %
30	-	2	0.1 %
31	-	4	0.1 %
33	-	2	0.1 %
34	-	1	0.0 %
35	-	4	0.1 %
37	-	2	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.1 %
	Missing Data		
.	-	12	0.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,290 valid cases out of 3,302 total cases.

- Mean: 2.13
- Median: 0.00
- Mode: 0.00
- Minimum: -366.00
- Maximum: 304.00
- Standard Deviation: 15.01

Location: 1398-1401 (width: 4; decimal: 0)
Variable Type: numeric

LANGFFQ0: Food frequency questionnaire language

Value	Label	Unweighted Frequency	%
	-	12	0.4 %
C	C: Chinese	249	7.5 %
E	E: English	2476	75.0 %
J	J: Japanese	274	8.3 %
S	S: Spanish	291	8.8 %
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

Location: 1402-1402 (width: 1; decimal: 0)
Variable Type: character

LANGSPK0: Language used at home

What language do you usually speak at home or with friends?

Value	Label	Unweighted Frequency	%
1	English	2692	81.5 %
2	Other	427	12.9 %
3	Both	167	5.1 %
	Missing Data		
.	-	16	0.5 %
	Total	**3,302**	**100%**

Based upon 3,286 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1403-1403 (width: 1; decimal: 0)
Variable Type: numeric

WLOSSDT0: How many times on diet

About how many times have you gone on a diet to lose weight?

Value	Label	Unweighted Frequency	%
1	Never	848	25.7 %
2	1-2 times	500	15.1 %
3	3-5 times	639	19.4 %
4	6-8 times	233	7.1 %
5	9-11 times	223	6.8 %
6	12 or more	676	20.5 %
	Missing Data		
.	-	183	5.5 %
	Total	**3,302**	**100%**

Based upon 3,119 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1404-1404 (width: 1; decimal: 0)
Variable Type: numeric

GLOBVEG0: Global vegetable servings, excluding salad and potatoes

About how many servings of vegetables do you eat per day or per week, not counting salad or potatoes?

Value	Label	Unweighted Frequency	%
1	< 1/wk	93	2.8 %
2	1-2/wk	349	10.6 %
3	3-4/wk	547	16.6 %
4	5-6/wk	454	13.7 %
5	1/day	696	21.1 %
6	1 1/2 /day	217	6.6 %
7	2/day	555	16.8 %
8	3/day	149	4.5 %
9	4+ /day	73	2.2 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1405-1405 (width: 1; decimal: 0)
Variable Type: numeric

GLOBFRT0: Global fruit servings, excluding juices

About how many servings of fruit do you eat per day or per week, not counting juices?

Value	Label	Unweighted Frequency	%
1	< 1/wk	254	7.7 %
2	1-2/wk	528	16.0 %
3	3-4/wk	525	15.9 %
4	5-6/wk	323	9.8 %
5	1/day	583	17.7 %
6	1 1/2 /day	180	5.5 %
7	2/day	497	15.1 %
8	3/day	184	5.6 %
9	4+ /day	57	1.7 %
	Missing Data		
.	-	171	5.2 %
	Total	**3,302**	**100%**

Based upon 3,131 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1406-1406 (width: 1; decimal: 0)
Variable Type: numeric

GLOBCER0: Global cereal servings

About how many servings of cold cereal do you eat per day or per week?

Value	Label	Unweighted Frequency	%
1	< 1/wk	1519	46.0 %
2	1-2/wk	690	20.9 %
3	3-4/wk	354	10.7 %
4	5-6/wk	142	4.3 %
5	1/day	351	10.6 %
6	1 1/2 /day	24	0.7 %
7	2/day	29	0.9 %
8	3/day	3	0.1 %
9	4+ /day	2	0.1 %
	Missing Data		
.	-	188	5.7 %
	Total	**3,302**	**100%**

Based upon 3,114 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1407-1407 (width: 1; decimal: 0)
Variable Type: numeric

GLOBMLK0: Global milk servings by glass

About how many glasses of milk (or chocolate milk) do you drink per day or per week?

Value	Label	Unweighted Frequency	%
1	< 1/wk	1497	45.3 %
2	1-2/wk	424	12.8 %
3	3-4/wk	285	8.6 %
4	5-6/wk	155	4.7 %
5	1/day	412	12.5 %
6	1 1/2 /day	78	2.4 %
7	2/day	200	6.1 %
8	3/day	52	1.6 %
9	4+ /day	23	0.7 %
	Missing Data		
.	-	176	5.3 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,126 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1408-1408 (width: 1; decimal: 0)
Variable Type: numeric

OJCALC0: How often drink orange juice w/ calcium

When you drink orange juice, how often do you drink a calcium-fortified brand?

Value	Label	Unweighted Frequency	%
1	Usually	577	17.5 %
2	Sometimes	539	16.3 %
3	Rarely	1499	45.4 %
	Missing Data		
.	-	687	20.8 %
	Total	**3,302**	**100%**

Based upon 2,615 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1409-1409 (width: 1; decimal: 0)
Variable Type: numeric

LFATCHS0: How often eat lowfat cheese

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food: Cheese?

Value	Label	Unweighted Frequency	%
1	Always low-fat	384	11.6 %
2	Sometimes low-fat	1045	31.6 %
3	Rarely low-fat	1554	47.1 %
	Missing Data		
.	-	319	9.7 %
	Total	**3,302**	**100%**

Based upon 2,983 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1410-1410 (width: 1; decimal: 0)
Variable Type: numeric

LFATICE0: How often eat lowfat ice cream/yogurt

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food: Ice cream or yogurt?

Value	Label	Unweighted Frequency	%
1	Always low-fat	823	24.9 %
2	Sometimes low-fat	1055	32.0 %
3	Rarely low-fat	1121	33.9 %
	Missing Data		
.	-	303	9.2 %
	Total	**3,302**	**100%**

Based upon 2,999 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1411-1411 (width: 1; decimal: 0)
Variable Type: numeric

LFATSAL0: How often eat lowfat salad dressing

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food: Salad dressing?

Value	Label	Unweighted Frequency	%
1	Always low-fat	776	23.5 %
2	Sometimes low-fat	1160	35.1 %
3	Rarely low-fat	1091	33.0 %
	Missing Data		
.	-	275	8.3 %
	Total	**3,302**	**100%**

Based upon 3,027 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1412-1412 (width: 1; decimal: 0)
Variable Type: numeric

LFATCAK0: How often eat lowfat cake/cookies

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food: Cake or cookies?

Value	Label	Unweighted Frequency	%
1	Always low-fat	178	5.4 %
2	Sometimes low-fat	1120	33.9 %
3	Rarely low-fat	1716	52.0 %
	Missing Data		
.	-	288	8.7 %
	Total	**3,302**	**100%**

Based upon 3,014 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1413-1413 (width: 1; decimal: 0)
Variable Type: numeric

EATSALT0: How often add table salt

How often do you add salt to your food at the table?

Value	Label	Unweighted Frequency	%
1	Seldom	2083	63.1 %
2	Sometimes	545	16.5 %
3	Often	496	15.0 %
	Missing Data		
.	-	178	5.4 %
	Total	**3,302**	**100%**

Based upon 3,124 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1414-1414 (width: 1; decimal: 0)
Variable Type: numeric

EATSKIN0: How often eat chicken skin

How often do you eat the skin on chicken?

Value	Label	Unweighted Frequency	%
1	Seldom	1660	50.3 %
2	Sometimes	709	21.5 %
3	Often	667	20.2 %
	Missing Data		
.	-	266	8.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,036 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1415-1415 (width: 1; decimal: 0)
Variable Type: numeric

EATFATM0: How often eat meat fat

How often do you eat the fat on meat?

Value	Label	Unweighted Frequency	%
1	Seldom	2296	69.5 %
2	Sometimes	511	15.5 %
3	Often	180	5.5 %
	Missing Data		
.	-	315	9.5 %
	Total	**3,302**	**100%**

Based upon 2,987 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1416-1416 (width: 1; decimal: 0)
Variable Type: numeric

WELLDNE0: How do you like your meat cooked

How do you like your meat cooked?

Value	Label	Unweighted Frequency	%
1	Rare	332	10.1 %
2	Medium	1234	37.4 %
3	Well done	1445	43.8 %
	Missing Data		
.	-	291	8.8 %
	Total	**3,302**	**100%**

Based upon 3,011 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1417-1417 (width: 1; decimal: 0)
Variable Type: numeric

TAKEVIT0: Take vitamins/minerals regularly

During the past year, have you taken any vitamins or minerals regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	No, not reg	1470	44.5 %
2	Yes, fairly reg	1607	48.7 %
	Missing Data		
.	-	225	6.8 %
	Total	**3,302**	**100%**

Based upon 3,077 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1418-1418 (width: 1; decimal: 0)
Variable Type: numeric

YRSONEA0: How many years taken multiple vitamin

For how many years have you taken multiple vitamins (Regular Once-A-Day, Centrum, or Thera type) regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	238	7.2 %
2	1 yr	165	5.0 %
3	2 yrs	174	5.3 %
4	3-4 yrs	131	4.0 %
5	5-9 yrs	132	4.0 %
6	10+ yrs	294	8.9 %
	Missing Data		
.	-	2168	65.7 %
	Total	**3,302**	**100%**

Based upon 1,134 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1419-1419 (width: 1; decimal: 0)
Variable Type: numeric

YRSAO0: How many years taken antioxidant

For how many years have you taken multiple vitamins (Antioxidant combination type) regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	80	2.4 %
2	1 yr	54	1.6 %
3	2 yrs	47	1.4 %
4	3-4 yrs	25	0.8 %
5	5-9 yrs	26	0.8 %
6	10+ yrs	48	1.5 %
	Missing Data		
.	-	3022	91.5 %
	Total	**3,302**	**100%**

Based upon 280 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1420-1420 (width: 1; decimal: 0)
Variable Type: numeric

YRSVITA0: How many years taken vitamin A

For how many years have you taken vitamin A (not beta-carotene) regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	17	0.5 %
2	1 yr	25	0.8 %
3	2 yrs	7	0.2 %
4	3-4 yrs	18	0.5 %
5	5-9 yrs	9	0.3 %
6	10+ yrs	20	0.6 %
	Missing Data		
.	-	3206	97.1 %
	Total	**3,302**	**100%**

Based upon 96 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1421-1421 (width: 1; decimal: 0)
Variable Type: numeric

YRSBETA0: How many years taken beta-carotene

For how many years have you taken beta-carotene regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	30	0.9 %
2	1 yr	24	0.7 %
3	2 yrs	20	0.6 %
4	3-4 yrs	17	0.5 %
5	5-9 yrs	19	0.6 %
6	10+ yrs	15	0.5 %
	Missing Data		
.	-	3177	96.2 %
	Total	**3,302**	**100%**

Based upon 125 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1422-1422 (width: 1; decimal: 0)
Variable Type: numeric

YRSVITC0: How many years taken vitamin C

For how many years have you taken vitamin C regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	104	3.1 %
2	1 yr	80	2.4 %
3	2 yrs	87	2.6 %
4	3-4 yrs	97	2.9 %
5	5-9 yrs	88	2.7 %
6	10+ yrs	202	6.1 %
	Missing Data		
.	-	2644	80.1 %
	Total	**3,302**	**100%**

Based upon 658 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1423-1423 (width: 1; decimal: 0)
Variable Type: numeric

YRSVITE0: How many years taken vitamin E

For how many years have you taken vitamin E regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	129	3.9 %
2	1 yr	71	2.2 %
3	2 yrs	80	2.4 %
4	3-4 yrs	84	2.5 %
5	5-9 yrs	71	2.2 %
6	10+ yrs	83	2.5 %
	Missing Data		
.	-	2784	84.3 %
	Total	**3,302**	**100%**

Based upon 518 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1424-1424 (width: 1; decimal: 0)
Variable Type: numeric

YRSCA0: How many years taken calcium/Tums

For how many years have you taken calcium or Tums regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	142	4.3 %
2	1 yr	117	3.5 %
3	2 yrs	95	2.9 %
4	3-4 yrs	118	3.6 %
5	5-9 yrs	69	2.1 %
6	10+ yrs	72	2.2 %
	Missing Data		
.	-	2689	81.4 %
	Total	**3,302**	**100%**

Based upon 613 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1425-1425 (width: 1; decimal: 0)
Variable Type: numeric

YRSIRON0: How many years taken iron

For how many years have you taken iron regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	77	2.3 %
2	1 yr	41	1.2 %
3	2 yrs	31	0.9 %
4	3-4 yrs	34	1.0 %
5	5-9 yrs	27	0.8 %
6	10+ yrs	39	1.2 %
	Missing Data		
.	-	3053	92.5 %
	Total	**3,302**	**100%**

Based upon 249 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1426-1426 (width: 1; decimal: 0)
Variable Type: numeric

YRSZINC0: How many years taken zinc

For how many years have you taken zinc regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	40	1.2 %
2	1 yr	14	0.4 %
3	2 yrs	13	0.4 %
4	3-4 yrs	19	0.6 %
5	5-9 yrs	16	0.5 %
6	10+ yrs	17	0.5 %
	Missing Data		
.	-	3183	96.4 %
	Total	**3,302**	**100%**

Based upon 119 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1427-1427 (width: 1; decimal: 0)
Variable Type: numeric

YRSSELE0: How many years taken selenium

For how many years have you taken selenium regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	< yr	34	1.0 %
2	1 yr	9	0.3 %
3	2 yrs	3	0.1 %
4	3-4 yrs	9	0.3 %
5	5-9 yrs	7	0.2 %
6	10+ yrs	7	0.2 %
	Missing Data		
.	-	3233	97.9 %
	Total	**3,302**	**100%**

Based upon 69 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1428-1428 (width: 1; decimal: 0)
Variable Type: numeric

SUPVITA0: Supplement vitamin A, retinol equivalents (RE)

If you take multiple vitamins, do you usually take multiple vitamin types that contain minerals (iron, zinc, etc.); do not contain minerals; or don't know.

Value	Label	Unweighted Frequency	%
0.0	-	1916	58.0 %
1429.0	-	254	7.7 %
2858.0	-	21	0.6 %
3572.5	-	164	5.0 %
4287.0	-	10	0.3 %
5000.0	-	703	21.3 %
6430.5	-	3	0.1 %
7145.0	-	5	0.2 %
7858.0	-	11	0.3 %
8574.0	-	1	0.0 %
10000.0	-	16	0.5 %
10717.5	-	3	0.1 %
11429.0	-	1	0.0 %
12145.0	-	2	0.1 %
15000.0	-	23	0.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1688.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15000.00
- Standard Deviation: 2545.15

Location: 1429-1435 (width: 7; decimal: 1)
Variable Type: numeric

SUPVITC0: Supplement vitamin_C, mg

If you take vitamin C, how many milligrams of vitamin C do you usually take on the days that you take it?

Value	Label	Unweighted Frequency	%
0.0	-	1605	48.6 %
17.1	-	164	5.0 %
28.6	-	3	0.1 %
42.9	-	107	3.2 %
45.7	-	3	0.1 %
60.0	-	431	13.1 %
71.5	-	26	0.8 %
88.6	-	25	0.8 %
100.0	-	3	0.1 %
114.3	-	8	0.2 %
131.4	-	5	0.2 %
131.5	-	8	0.2 %
142.9	-	30	0.9 %
160.0	-	30	0.9 %
171.4	-	1	0.0 %
178.6	-	13	0.4 %
185.8	-	5	0.2 %
195.8	-	3	0.1 %
202.9	-	13	0.4 %
214.4	-	2	0.1 %
221.5	-	8	0.2 %
231.5	-	3	0.1 %
238.6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
250.0	-	80	2.4 %
257.2	-	1	0.0 %
267.1	-	3	0.1 %
274.4	-	2	0.1 %
285.8	-	14	0.4 %
292.9	-	1	0.0 %
302.9	-	19	0.6 %
310.0	-	81	2.5 %
321.5	-	4	0.1 %
328.7	-	2	0.1 %
345.8	-	6	0.2 %
350.0	-	1	0.0 %
357.2	-	11	0.3 %
357.3	-	3	0.1 %
364.4	-	1	0.0 %
374.4	-	5	0.2 %
381.5	-	3	0.1 %
392.9	-	2	0.1 %
400.1	-	12	0.4 %
417.2	-	7	0.2 %
428.7	-	2	0.1 %
445.8	-	1	0.0 %
452.9	-	1	0.0 %
488.6	-	1	0.0 %
500.0	-	58	1.8 %
517.1	-	4	0.1 %
535.8	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 154.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3310.00
- Standard Deviation: 346.10

Location: 1436-1441 (width: 6; decimal: 1)
Variable Type: numeric

SUPVITD0: Supplement vitamin D, international units (IU)

Value	Label	Unweighted Frequency	%
0.0	-	1958	59.3 %
114.3	-	266	8.1 %
285.8	-	170	5.1 %
400.0	-	739	22.4 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 119.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 170.28

Location: 1442-1446 (width: 5; decimal: 1)
Variable Type: numeric

SUPVITE0: Supplement vitamin_E, a-TE

Value	Label	Unweighted Frequency	%
0.0	-	1669	50.5 %
5.7	-	188	5.7 %
14.4	-	121	3.7 %
19.1	-	10	0.3 %
20.1	-	464	14.1 %
24.9	-	12	0.4 %
33.5	-	3	0.1 %
38.3	-	21	0.6 %
39.2	-	7	0.2 %
44.0	-	18	0.5 %
47.9	-	2	0.1 %
52.7	-	5	0.2 %
53.6	-	1	0.0 %
57.4	-	5	0.2 %
58.4	-	6	0.2 %
62.2	-	2	0.1 %

Value	Label	Unweighted Frequency	%
63.2	-	5	0.2 %
67.0	-	16	0.5 %
68.0	-	5	0.2 %
72.7	-	1	0.0 %
76.6	-	11	0.3 %
77.5	-	2	0.1 %
82.3	-	12	0.4 %
87.1	-	20	0.6 %
91.0	-	3	0.1 %
95.7	-	12	0.4 %
96.7	-	12	0.4 %
101.5	-	1	0.0 %
110.1	-	10	0.3 %
114.9	-	2	0.1 %
115.8	-	2	0.1 %
120.6	-	6	0.2 %
129.3	-	1	0.0 %
134.0	-	66	2.0 %
135.0	-	2	0.1 %
139.7	-	3	0.1 %
143.6	-	1	0.0 %
148.4	-	1	0.0 %
153.2	-	1	0.0 %
154.1	-	66	2.0 %
158.0	-	2	0.1 %
158.9	-	2	0.1 %
173.2	-	1	0.0 %
173.3	-	1	0.0 %
186.7	-	1	0.0 %
191.5	-	15	0.5 %
197.2	-	3	0.1 %
201.0	-	7	0.2 %
202.0	-	1	0.0 %
205.8	-	13	0.4 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 52.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1360.10
- Standard Deviation: 123.32

Location: 1447-1452 (width: 6; decimal: 1)
Variable Type: numeric

SUPCA0: Supplement calcium, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.0	-	1785	54.1 %
37.2	-	172	5.2 %
92.9	-	101	3.1 %
130.0	-	457	13.8 %
285.8	-	65	2.0 %
323.0	-	64	1.9 %
378.7	-	22	0.7 %
415.8	-	42	1.3 %
714.5	-	30	0.9 %
751.7	-	8	0.2 %
807.4	-	35	1.1 %
844.5	-	22	0.7 %
1000.0	-	127	3.8 %
1037.2	-	10	0.3 %
1092.9	-	5	0.2 %
1130.0	-	188	5.7 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 181.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1130.00
- Standard Deviation: 343.59

Location: 1453-1458 (width: 6; decimal: 1)
Variable Type: numeric

SUPBCAR0: Supplement betacarotene, micrograms (mcg)

Value	Label	Unweighted Frequency	%
0.0	-	1784	54.0 %
343.0	-	228	6.9 %
857.4	-	170	5.1 %
1200.0	-	606	18.4 %
1200.4	-	26	0.8 %
1714.8	-	4	0.1 %
2057.4	-	3	0.1 %
2143.5	-	15	0.5 %
2486.5	-	1	0.0 %
3000.0	-	85	2.6 %
3000.9	-	11	0.3 %
3343.0	-	1	0.0 %
3343.5	-	1	0.0 %
4200.0	-	77	2.3 %
7145.0	-	16	0.5 %
7488.0	-	7	0.2 %
8002.4	-	4	0.1 %
8345.0	-	8	0.2 %
8345.4	-	1	0.0 %
9202.4	-	2	0.1 %
11345.0	-	1	0.0 %
17862.5	-	9	0.3 %
18205.5	-	1	0.0 %
18719.9	-	2	0.1 %
19062.5	-	2	0.1 %
20006.0	-	3	0.1 %
20862.5	-	2	0.1 %
20863.4	-	3	0.1 %
22062.5	-	2	0.1 %
25000.0	-	11	0.3 %
25343.0	-	1	0.0 %
25857.4	-	1	0.0 %
26200.0	-	24	0.7 %
27057.4	-	1	0.0 %
28000.0	-	8	0.2 %
28343.5	-	1	0.0 %
29200.0	-	11	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1267.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29200.00
- Standard Deviation: 4058.68

Location: 1459-1465 (width: 7; decimal: 1)
Variable Type: numeric

SUPB10: Supplement B1, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.0	-	1958	59.3 %
0.4	-	266	8.1 %
1.1	-	170	5.1 %
1.5	-	739	22.4 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.50
- Standard Deviation: 0.64

Location: 1466-1468 (width: 3; decimal: 1)
Variable Type: numeric

SUPB60: Supplement B6, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.0	-	1958	59.3 %
0.6	-	266	8.1 %
1.4	-	170	5.1 %
2.0	-	739	22.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 0.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.85

Location: 1469-1471 (width: 3; decimal: 1)
Variable Type: numeric

SUPB120: Supplement B12, micrograms (mcg)

Value	Label	Unweighted Frequency	%
0.0	-	1958	59.3 %
1.7	-	266	8.1 %
4.3	-	170	5.1 %
6.0	-	739	22.4 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.55

Location: 1472-1474 (width: 3; decimal: 1)
Variable Type: numeric

SUPFOL0: Supplement folate, micrograms (mcg)

Value	Label	Unweighted Frequency	%
0.0	-	1958	59.3 %
114.3	-	266	8.1 %
285.8	-	170	5.1 %
400.0	-	739	22.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 119.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 170.28

Location: 1475-1479 (width: 5; decimal: 1)
Variable Type: numeric

SUPCU0: Supplement copper, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.0	-	2007	60.8 %
0.6	-	254	7.7 %
1.4	-	163	4.9 %
2.0	-	709	21.5 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.84

Location: 1480-1482 (width: 3; decimal: 1)
Variable Type: numeric

SUPSELE0: Supplement selenium, micrograms (mcg)

Value	Label	Unweighted Frequency	%
0.0	-	3067	92.9 %
14.3	-	17	0.5 %
35.7	-	14	0.4 %
50.0	-	35	1.1 %
	Missing Data		
.	-	169	5.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 0.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 5.84

Location: 1483-1486 (width: 4; decimal: 1)
Variable Type: numeric

SUPFE0: Supplement iron, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.0	-	1887	57.1 %
5.1	-	231	7.0 %
12.9	-	141	4.3 %
14.3	-	37	1.1 %
18.0	-	621	18.8 %
19.4	-	16	0.5 %
27.2	-	5	0.2 %
32.3	-	16	0.5 %
35.7	-	12	0.4 %
40.8	-	2	0.1 %
48.6	-	11	0.3 %
50.0	-	71	2.2 %
53.7	-	9	0.3 %
55.1	-	5	0.2 %
62.9	-	6	0.2 %
68.0	-	63	1.9 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 8.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 14.21

Location: 1487-1490 (width: 4; decimal: 1)
Variable Type: numeric

SUPZN0: Supplement zinc, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.0	-	1960	59.4 %
4.3	-	237	7.2 %
10.7	-	155	4.7 %
14.3	-	13	0.4 %
15.0	-	662	20.0 %
18.6	-	14	0.4 %
25.0	-	3	0.1 %
29.3	-	15	0.5 %
35.7	-	7	0.2 %
40.0	-	1	0.0 %
46.4	-	5	0.2 %
50.0	-	27	0.8 %
50.7	-	1	0.0 %
54.3	-	2	0.1 %
65.0	-	31	0.9 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 5.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 65.00
- Standard Deviation: 10.15

Location: 1491-1494 (width: 4; decimal: 1)
Variable Type: numeric

DTTKCAL0: Daily dietary estimate (DDE) kilocalorie (KCAL) - total caloric intake

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1836.6333801468
- Minimum: 544.6800000000
- Maximum: 4877.7600000000
- Standard Deviation: 678.7750476389

Location: 1495-1509 (width: 15; decimal: 10)
Variable Type: numeric

DTTPROT0: Daily dietary estimate (DDE) protein, grams (g)

Value	Label	Unweighted Frequency	%
17.49000000000	-	1	0.0 %
19.70000000000	-	1	0.0 %
19.98000000000	-	1	0.0 %
20.68000000000	-	1	0.0 %
20.77000000000	-	1	0.0 %
21.40000000000	-	1	0.0 %
22.07000000000	-	1	0.0 %
22.66000000000	-	1	0.0 %
23.04000000000	-	1	0.0 %
24.01000000000	-	1	0.0 %
24.17000000000	-	1	0.0 %
24.72000000000	-	2	0.1 %
24.87000000000	-	1	0.0 %
24.93000000000	-	1	0.0 %
24.95000000000	-	1	0.0 %
25.47000000000	-	1	0.0 %
25.50000000000	-	1	0.0 %
26.00000000000	-	1	0.0 %
26.19000000000	-	1	0.0 %
26.31000000000	-	1	0.0 %
26.32000000000	-	1	0.0 %
26.35000000000	-	1	0.0 %
26.47000000000	-	1	0.0 %
26.53000000000	-	1	0.0 %
26.67000000000	-	1	0.0 %
26.93000000000	-	1	0.0 %
26.98000000000	-	1	0.0 %
27.43000000000	-	1	0.0 %
27.56000000000	-	1	0.0 %
27.66000000000	-	1	0.0 %
27.71000000000	-	1	0.0 %
27.72000000000	-	1	0.0 %
27.88000000000	-	1	0.0 %
28.01000000000	-	1	0.0 %
28.36000000000	-	1	0.0 %
28.71000000000	-	1	0.0 %
28.84000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
29.07000000000	-	1	0.0 %
29.17000000000	-	2	0.1 %
29.31000000000	-	1	0.0 %
29.43000000000	-	1	0.0 %
29.45000000000	-	1	0.0 %
29.49000000000	-	1	0.0 %
29.64000000000	-	1	0.0 %
29.75000000000	-	1	0.0 %
29.77000000000	-	1	0.0 %
29.84000000000	-	1	0.0 %
29.86000000000	-	1	0.0 %
30.24000000000	-	1	0.0 %
30.32000000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 69.96439834025
- Minimum: 17.49000000000
- Maximum: 204.49000000000
- Standard Deviation: 24.80009163065

Location: 1510-1524 (width: 15; decimal: 11)
Variable Type: numeric

DTTCARB0: Daily dietary estimate (DDE) carb, grams (g)

Value	Label	Unweighted Frequency	%
18.75000000000	-	1	0.0 %
24.17000000000	-	1	0.0 %
35.81000000000	-	1	0.0 %
47.23000000000	-	1	0.0 %
48.96000000000	-	1	0.0 %
55.95000000000	-	1	0.0 %
57.48000000000	-	1	0.0 %
58.99000000000	-	1	0.0 %
59.48000000000	-	1	0.0 %
59.62000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
61.22000000000	-	1	0.0 %
62.81000000000	-	1	0.0 %
64.54000000001	-	1	0.0 %
64.85000000001	-	1	0.0 %
65.63000000001	-	1	0.0 %
66.15000000001	-	1	0.0 %
66.35000000000	-	1	0.0 %
67.75000000000	-	1	0.0 %
69.51000000001	-	1	0.0 %
69.80000000000	-	1	0.0 %
70.05000000000	-	1	0.0 %
70.80000000000	-	1	0.0 %
71.67000000000	-	1	0.0 %
72.53000000000	-	1	0.0 %
72.99000000000	-	1	0.0 %
74.14000000000	-	1	0.0 %
74.42000000000	-	1	0.0 %
74.49000000000	-	1	0.0 %
74.69000000000	-	1	0.0 %
75.47000000000	-	1	0.0 %
76.16000000000	-	1	0.0 %
76.71000000000	-	1	0.0 %
77.32000000000	-	1	0.0 %
78.30000000000	-	1	0.0 %
78.33000000000	-	1	0.0 %
78.74000000000	-	1	0.0 %
78.94000000000	-	1	0.0 %
79.88000000000	-	1	0.0 %
80.08000000000	-	1	0.0 %
80.18000000001	-	1	0.0 %
80.27000000000	-	1	0.0 %
80.49000000001	-	1	0.0 %
80.66000000000	-	1	0.0 %
81.22000000000	-	1	0.0 %
83.33000000001	-	1	0.0 %
83.90000000001	-	1	0.0 %
84.22000000000	-	1	0.0 %
84.80000000000	-	1	0.0 %
84.88000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
85.03000000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 234.99583466326
- Minimum: 18.75000000000
- Maximum: 792.56000000000
- Standard Deviation: 98.63594881503

Location: 1525-1539 (width: 15; decimal: 11)
Variable Type: numeric

DTTFAT0: Daily dietary estimate (DDE) fat, grams (g)

Value	Label	Unweighted Frequency	%
12.04000000000	-	1	0.0 %
12.65000000000	-	1	0.0 %
15.10000000001	-	1	0.0 %
15.58000000000	-	1	0.0 %
15.66000000000	-	1	0.0 %
15.93000000000	-	1	0.0 %
15.96000000000	-	1	0.0 %
15.98000000000	-	1	0.0 %
16.34000000000	-	1	0.0 %
16.86000000000	-	1	0.0 %
17.00000000000	-	1	0.0 %
17.12000000000	-	1	0.0 %
17.51000000001	-	1	0.0 %
17.73000000000	-	1	0.0 %
18.32000000000	-	1	0.0 %
18.54000000000	-	1	0.0 %
18.65000000000	-	1	0.0 %
18.70000000000	-	1	0.0 %
18.94000000001	-	1	0.0 %
19.11000000000	-	1	0.0 %
19.17000000001	-	1	0.0 %
19.32000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
19.57000000000	-	1	0.0 %
19.58000000000	-	1	0.0 %
19.64000000000	-	1	0.0 %
19.75000000000	-	1	0.0 %
19.78000000000	-	1	0.0 %
20.06000000000	-	1	0.0 %
20.19000000001	-	1	0.0 %
20.21000000000	-	1	0.0 %
20.27000000000	-	1	0.0 %
20.76000000001	-	1	0.0 %
20.81000000000	-	1	0.0 %
20.94000000001	-	1	0.0 %
20.98000000000	-	1	0.0 %
21.10000000001	-	1	0.0 %
21.12000000000	-	1	0.0 %
21.31000000000	-	1	0.0 %
21.41000000000	-	1	0.0 %
21.65000000000	-	1	0.0 %
21.71000000000	-	1	0.0 %
21.78000000000	-	1	0.0 %
21.86000000000	-	1	0.0 %
22.13000000000	-	1	0.0 %
22.16000000000	-	1	0.0 %
22.42000000000	-	1	0.0 %
22.44000000000	-	1	0.0 %
22.57000000000	-	1	0.0 %
22.62000000000	-	1	0.0 %
22.70000000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 67.33635493138
- Minimum: 12.04000000000
- Maximum: 218.67000000000
- Standard Deviation: 30.79505023572

Location: 1540-1554 (width: 15; decimal: 11)
Variable Type: numeric

DTTCALC0: Daily dietary estimate (DDE) calcium, milligrams (mg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 751.5085987871
- Minimum: 98.1600000000
- Maximum: 3545.2100000000
- Standard Deviation: 414.3102222730

Location: 1555-1569 (width: 15; decimal: 10)
Variable Type: numeric

DTTPHOS0: Daily dietary estimate (DDE) phosphorus, milligrams (mg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1121.6244398340
- Minimum: 292.4400000000
- Maximum: 3473.8100000000
- Standard Deviation: 435.1286656959

Location: 1570-1584 (width: 15; decimal: 10)
Variable Type: numeric

DTTFE0: Daily dietary estimate (DDE) iron, milligrams (mg)

Value	Label	Unweighted Frequency	%
3.56	-	1	0.0 %
3.81	-	1	0.0 %
3.83	-	1	0.0 %
4.01	-	1	0.0 %
4.06	-	1	0.0 %
4.08	-	1	0.0 %
4.10	-	1	0.0 %
4.11	-	1	0.0 %
4.12	-	1	0.0 %
4.20	-	2	0.1 %
4.25	-	1	0.0 %
4.27	-	1	0.0 %
4.31	-	1	0.0 %
4.32	-	1	0.0 %
4.34	-	1	0.0 %
4.44	-	1	0.0 %
4.49	-	1	0.0 %
4.61	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4.67	-	1	0.0 %
4.71	-	1	0.0 %
4.72	-	1	0.0 %
4.73	-	2	0.1 %
4.74	-	3	0.1 %
4.76	-	1	0.0 %
4.77	-	1	0.0 %
4.80	-	1	0.0 %
4.82	-	1	0.0 %
4.83	-	1	0.0 %
4.84	-	2	0.1 %
4.87	-	1	0.0 %
4.88	-	4	0.1 %
4.94	-	1	0.0 %
4.95	-	2	0.1 %
4.97	-	2	0.1 %
4.98	-	2	0.1 %
5.00	-	1	0.0 %
5.04	-	1	0.0 %
5.09	-	2	0.1 %
5.11	-	1	0.0 %
5.14	-	1	0.0 %
5.16	-	1	0.0 %
5.21	-	2	0.1 %
5.22	-	2	0.1 %
5.25	-	1	0.0 %
5.28	-	1	0.0 %
5.30	-	2	0.1 %
5.31	-	2	0.1 %
5.32	-	2	0.1 %
5.33	-	2	0.1 %
5.34	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 12.27
- Minimum: 3.56
- Maximum: 39.08
- Standard Deviation: 4.56

Location: 1585-1589 (width: 5; decimal: 2)
Variable Type: numeric

DTTNA0: Daily dietary estimate (DDE) sodium, milligrams (mg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2267.2488349825
- Minimum: 522.2300000000
- Maximum: 8575.8300000000
- Standard Deviation: 902.9235830998

Location: 1590-1604 (width: 15; decimal: 10)
Variable Type: numeric

DTTPOTA0: Daily dietary estimate (DDE) potassium, milligrams (mg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2633.5264634536
- Minimum: 721.5300000000
- Maximum: 7879.4400000000
- Standard Deviation: 949.6506484738

Location: 1605-1619 (width: 15; decimal: 10)
Variable Type: numeric

DTTAIU0: Daily dietary estimate (DDE) A_IU, international units (IU)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 6360.132103415
- Minimum: 817.580000000
- Maximum: 38606.500000000
- Standard Deviation: 4136.707282283

Location: 1620-1634 (width: 15; decimal: 9)
Variable Type: numeric

DTTARE0: Daily dietary estimate (DDE) retinol equivalents (RE)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 977.800718162
- Minimum: 125.620000000
- Maximum: 10774.450000000
- Standard Deviation: 633.381804239

Location: 1635-1649 (width: 15; decimal: 9)
Variable Type: numeric

DTTB10: Daily dietary estimate (DDE) B1, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.32	-	1	0.0 %
0.33	-	1	0.0 %
0.35	-	2	0.1 %
0.36	-	1	0.0 %
0.37	-	3	0.1 %
0.38	-	2	0.1 %
0.39	-	2	0.1 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	4	0.1 %
0.43	-	5	0.2 %
0.44	-	2	0.1 %
0.45	-	1	0.0 %
0.46	-	3	0.1 %
0.47	-	3	0.1 %
0.48	-	3	0.1 %
0.49	-	5	0.2 %
0.50	-	4	0.1 %
0.51	-	7	0.2 %
0.52	-	5	0.2 %
0.53	-	9	0.3 %
0.54	-	9	0.3 %
0.55	-	8	0.2 %
0.56	-	8	0.2 %
0.57	-	11	0.3 %
0.58	-	9	0.3 %
0.59	-	7	0.2 %
0.60	-	16	0.5 %
0.61	-	16	0.5 %
0.62	-	17	0.5 %
0.63	-	13	0.4 %
0.64	-	12	0.4 %
0.65	-	17	0.5 %
0.66	-	17	0.5 %
0.67	-	14	0.4 %
0.68	-	21	0.6 %
0.69	-	11	0.3 %
0.70	-	15	0.5 %
0.71	-	20	0.6 %

Value	Label	Unweighted Frequency	%
0.72	-	24	0.7 %
0.73	-	19	0.6 %
0.74	-	20	0.6 %
0.75	-	16	0.5 %
0.76	-	24	0.7 %
0.77	-	21	0.6 %
0.78	-	24	0.7 %
0.79	-	22	0.7 %
0.80	-	19	0.6 %
0.81	-	31	0.9 %
0.82	-	28	0.8 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.27
- Minimum: 0.32
- Maximum: 4.84
- Standard Deviation: 0.49

Location: 1650-1653 (width: 4; decimal: 2)
Variable Type: numeric

DTTB60: Daily dietary estimate (DDE) B6, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.46	-	2	0.1 %
0.47	-	2	0.1 %
0.48	-	1	0.0 %
0.50	-	2	0.1 %
0.51	-	5	0.2 %
0.52	-	4	0.1 %
0.53	-	5	0.2 %
0.54	-	9	0.3 %
0.55	-	4	0.1 %
0.56	-	5	0.2 %
0.57	-	2	0.1 %
0.58	-	8	0.2 %

Value	Label	Unweighted Frequency	%
0.59	-	4	0.1 %
0.60	-	4	0.1 %
0.61	-	5	0.2 %
0.62	-	4	0.1 %
0.63	-	5	0.2 %
0.64	-	8	0.2 %
0.65	-	12	0.4 %
0.66	-	2	0.1 %
0.67	-	11	0.3 %
0.68	-	7	0.2 %
0.69	-	19	0.6 %
0.70	-	11	0.3 %
0.71	-	15	0.5 %
0.72	-	13	0.4 %
0.73	-	16	0.5 %
0.74	-	9	0.3 %
0.75	-	17	0.5 %
0.76	-	13	0.4 %
0.77	-	10	0.3 %
0.78	-	10	0.3 %
0.79	-	17	0.5 %
0.80	-	12	0.4 %
0.81	-	12	0.4 %
0.82	-	13	0.4 %
0.83	-	16	0.5 %
0.84	-	11	0.3 %
0.85	-	20	0.6 %
0.86	-	18	0.5 %
0.87	-	20	0.6 %
0.88	-	21	0.6 %
0.89	-	29	0.9 %
0.90	-	20	0.6 %
0.91	-	23	0.7 %
0.92	-	26	0.8 %
0.93	-	20	0.6 %
0.94	-	24	0.7 %
0.95	-	18	0.5 %
0.96	-	25	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.46
- Minimum: 0.46
- Maximum: 5.14
- Standard Deviation: 0.57

Location: 1654-1657 (width: 4; decimal: 2)
Variable Type: numeric

DTTRIBO0: Daily dietary estimate (DDE) riboflavin, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.28	-	1	0.0 %
0.38	-	1	0.0 %
0.39	-	2	0.1 %
0.41	-	2	0.1 %
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	1	0.0 %
0.47	-	2	0.1 %
0.48	-	4	0.1 %
0.49	-	1	0.0 %
0.50	-	2	0.1 %
0.51	-	3	0.1 %
0.52	-	3	0.1 %
0.53	-	4	0.1 %
0.54	-	4	0.1 %
0.55	-	3	0.1 %
0.56	-	7	0.2 %
0.57	-	2	0.1 %
0.58	-	1	0.0 %
0.59	-	6	0.2 %
0.60	-	11	0.3 %
0.61	-	5	0.2 %
0.62	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.63	-	3	0.1 %
0.64	-	6	0.2 %
0.65	-	7	0.2 %
0.66	-	5	0.2 %
0.67	-	8	0.2 %
0.68	-	8	0.2 %
0.69	-	6	0.2 %
0.70	-	7	0.2 %
0.71	-	9	0.3 %
0.72	-	8	0.2 %
0.73	-	10	0.3 %
0.74	-	8	0.2 %
0.75	-	12	0.4 %
0.76	-	6	0.2 %
0.77	-	11	0.3 %
0.78	-	12	0.4 %
0.79	-	16	0.5 %
0.80	-	9	0.3 %
0.81	-	16	0.5 %
0.82	-	11	0.3 %
0.83	-	16	0.5 %
0.84	-	18	0.5 %
0.85	-	15	0.5 %
0.86	-	21	0.6 %
0.87	-	14	0.4 %
0.88	-	19	0.6 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.63
- Minimum: 0.28
- Maximum: 6.12
- Standard Deviation: 0.72

Location: 1658-1661 (width: 4; decimal: 2)
Variable Type: numeric

DTTNIAC0: Daily dietary estimate (DDE) niacin, milligrams (mg)

Value	Label	Unweighted Frequency	%
4.08	-	1	0.0 %
5.60	-	1	0.0 %
5.64	-	1	0.0 %
5.71	-	1	0.0 %
5.83	-	1	0.0 %
5.96	-	1	0.0 %
6.01	-	1	0.0 %
6.06	-	1	0.0 %
6.07	-	1	0.0 %
6.29	-	1	0.0 %
6.32	-	2	0.1 %
6.33	-	1	0.0 %
6.34	-	1	0.0 %
6.35	-	1	0.0 %
6.38	-	1	0.0 %
6.39	-	1	0.0 %
6.52	-	1	0.0 %
6.55	-	1	0.0 %
6.57	-	1	0.0 %
6.62	-	1	0.0 %
6.64	-	2	0.1 %
6.68	-	1	0.0 %
6.72	-	1	0.0 %
6.84	-	1	0.0 %
6.88	-	1	0.0 %
6.96	-	1	0.0 %
6.98	-	1	0.0 %
6.99	-	2	0.1 %
7.00	-	1	0.0 %
7.03	-	1	0.0 %
7.10	-	1	0.0 %
7.14	-	2	0.1 %
7.20	-	1	0.0 %
7.21	-	1	0.0 %
7.22	-	1	0.0 %
7.23	-	1	0.0 %
7.29	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.32	-	1	0.0 %
7.36	-	1	0.0 %
7.37	-	1	0.0 %
7.41	-	1	0.0 %
7.42	-	1	0.0 %
7.43	-	1	0.0 %
7.46	-	2	0.1 %
7.50	-	1	0.0 %
7.52	-	1	0.0 %
7.59	-	1	0.0 %
7.63	-	1	0.0 %
7.64	-	1	0.0 %
7.65	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 17.70
- Minimum: 4.08
- Maximum: 49.85
- Standard Deviation: 6.44

Location: 1662-1666 (width: 5; decimal: 2)
Variable Type: numeric

DTTVITC0: Daily dietary estimate (DDE) vitamin C, milligrams (mg)

Value	Label	Unweighted Frequency	%
9.61000000000	-	1	0.0 %
11.98000000000	-	1	0.0 %
13.02000000000	-	1	0.0 %
13.47000000000	-	1	0.0 %
13.50000000000	-	1	0.0 %
13.60000000000	-	1	0.0 %
14.05000000000	-	1	0.0 %
14.09000000000	-	1	0.0 %
15.24000000000	-	1	0.0 %
15.45000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.65000000000	-	1	0.0 %
16.28000000000	-	1	0.0 %
17.03000000000	-	1	0.0 %
17.13000000000	-	1	0.0 %
17.41000000000	-	1	0.0 %
17.43000000000	-	1	0.0 %
17.95000000000	-	1	0.0 %
17.98000000000	-	1	0.0 %
19.23000000000	-	1	0.0 %
19.26000000001	-	1	0.0 %
19.80000000000	-	1	0.0 %
19.92000000001	-	2	0.1 %
19.94000000001	-	1	0.0 %
20.10000000001	-	1	0.0 %
20.16000000000	-	1	0.0 %
20.18000000000	-	1	0.0 %
20.19000000001	-	1	0.0 %
20.61000000000	-	1	0.0 %
20.75000000000	-	1	0.0 %
21.13000000000	-	1	0.0 %
21.58000000000	-	1	0.0 %
21.72000000000	-	1	0.0 %
21.75000000000	-	1	0.0 %
21.83000000000	-	1	0.0 %
21.95000000000	-	1	0.0 %
22.11000000000	-	1	0.0 %
22.18000000000	-	1	0.0 %
22.39000000000	-	1	0.0 %
22.49000000000	-	1	0.0 %
22.69000000000	-	1	0.0 %
22.72000000000	-	1	0.0 %
22.77000000000	-	1	0.0 %
22.94000000000	-	1	0.0 %
22.95000000000	-	1	0.0 %
23.01000000000	-	1	0.0 %
23.38000000000	-	1	0.0 %
23.45000000000	-	1	0.0 %
23.49000000000	-	1	0.0 %
23.54000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23.59000000000	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 119.41113948293
- Minimum: 9.61000000000
- Maximum: 641.00000000000
- Standard Deviation: 80.96929828892

Location: 1667-1681 (width: 15; decimal: 11)
Variable Type: numeric

DTTSFAT0: Daily dietary estimate (DDE) saturated fats, grams (g)

Value	Label	Unweighted Frequency	%
2.80	-	1	0.0 %
3.72	-	1	0.0 %
3.81	-	1	0.0 %
4.09	-	1	0.0 %
4.16	-	1	0.0 %
4.31	-	1	0.0 %
4.32	-	1	0.0 %
4.38	-	1	0.0 %
4.48	-	1	0.0 %
4.61	-	1	0.0 %
4.67	-	1	0.0 %
4.86	-	1	0.0 %
5.04	-	1	0.0 %
5.12	-	1	0.0 %
5.14	-	1	0.0 %
5.15	-	1	0.0 %
5.23	-	1	0.0 %
5.28	-	1	0.0 %
5.33	-	1	0.0 %
5.38	-	1	0.0 %
5.44	-	1	0.0 %
5.46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.50	-	1	0.0 %
5.53	-	1	0.0 %
5.54	-	1	0.0 %
5.69	-	1	0.0 %
5.70	-	1	0.0 %
5.71	-	1	0.0 %
5.74	-	1	0.0 %
5.79	-	3	0.1 %
5.83	-	1	0.0 %
5.88	-	1	0.0 %
5.95	-	1	0.0 %
6.02	-	1	0.0 %
6.09	-	1	0.0 %
6.11	-	1	0.0 %
6.13	-	1	0.0 %
6.32	-	1	0.0 %
6.33	-	1	0.0 %
6.36	-	1	0.0 %
6.38	-	1	0.0 %
6.39	-	1	0.0 %
6.45	-	1	0.0 %
6.47	-	1	0.0 %
6.48	-	1	0.0 %
6.52	-	1	0.0 %
6.53	-	1	0.0 %
6.55	-	1	0.0 %
6.61	-	2	0.1 %
6.62	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 21.23
- Minimum: 2.80
- Maximum: 79.19
- Standard Deviation: 10.60

Location: 1682-1686 (width: 5; decimal: 2)

Variable Type: numeric

DTTOLEC0: Daily dietary estimate (DDE) oleic acid, grams (g)

Value	Label	Unweighted Frequency	%
3.94000000000	-	1	0.0 %
4.15000000000	-	1	0.0 %
4.26000000000	-	1	0.0 %
4.98000000000	-	1	0.0 %
5.12000000000	-	1	0.0 %
5.62000000000	-	1	0.0 %
5.67000000000	-	1	0.0 %
5.68000000000	-	3	0.1 %
5.69000000000	-	1	0.0 %
5.72000000000	-	1	0.0 %
5.76000000000	-	1	0.0 %
5.88000000000	-	1	0.0 %
6.07000000000	-	1	0.0 %
6.19000000000	-	1	0.0 %
6.28000000000	-	1	0.0 %
6.30000000000	-	1	0.0 %
6.33000000000	-	1	0.0 %
6.46000000000	-	1	0.0 %
6.50000000000	-	1	0.0 %
6.53000000000	-	1	0.0 %
6.63000000000	-	1	0.0 %
6.69000000000	-	1	0.0 %
6.72000000000	-	1	0.0 %
6.78000000000	-	2	0.1 %
6.90000000000	-	1	0.0 %
7.00000000000	-	1	0.0 %
7.09000000000	-	1	0.0 %
7.20000000000	-	1	0.0 %
7.28000000000	-	1	0.0 %
7.32000000000	-	1	0.0 %
7.35000000000	-	2	0.1 %
7.41000000000	-	1	0.0 %
7.45000000000	-	2	0.1 %
7.52000000000	-	1	0.0 %
7.56000000000	-	1	0.0 %
7.67000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
7.72000000000	-	1	0.0 %
7.80000000000	-	1	0.0 %
7.87000000000	-	1	0.0 %
7.89000000000	-	1	0.0 %
8.01000000000	-	1	0.0 %
8.05000000001	-	1	0.0 %
8.11000000000	-	1	0.0 %
8.12000000000	-	1	0.0 %
8.13000000001	-	2	0.1 %
8.15000000000	-	1	0.0 %
8.28000000000	-	1	0.0 %
8.37000000000	-	1	0.0 %
8.38000000001	-	1	0.0 %
8.39000000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 26.50549632940
- Minimum: 3.94000000000
- Maximum: 101.68000000000
- Standard Deviation: 12.81761318311

Location: 1687-1701 (width: 15; decimal: 11)
Variable Type: numeric

DTTLIN0: Daily dietary estimate (DDE) linoleic acid, grams (g)

Value	Label	Unweighted Frequency	%
1.60	-	1	0.0 %
1.63	-	1	0.0 %
1.65	-	1	0.0 %
2.14	-	1	0.0 %
2.15	-	1	0.0 %
2.26	-	1	0.0 %
2.44	-	2	0.1 %
2.46	-	1	0.0 %
2.53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.59	-	2	0.1 %
2.63	-	1	0.0 %
2.65	-	1	0.0 %
2.68	-	1	0.0 %
2.69	-	1	0.0 %
2.77	-	2	0.1 %
2.79	-	1	0.0 %
2.85	-	2	0.1 %
2.91	-	1	0.0 %
2.93	-	1	0.0 %
2.94	-	1	0.0 %
2.98	-	3	0.1 %
3.01	-	1	0.0 %
3.02	-	2	0.1 %
3.04	-	2	0.1 %
3.05	-	1	0.0 %
3.08	-	1	0.0 %
3.09	-	1	0.0 %
3.10	-	1	0.0 %
3.12	-	1	0.0 %
3.13	-	1	0.0 %
3.14	-	2	0.1 %
3.18	-	2	0.1 %
3.21	-	1	0.0 %
3.22	-	1	0.0 %
3.26	-	3	0.1 %
3.27	-	1	0.0 %
3.28	-	1	0.0 %
3.29	-	1	0.0 %
3.30	-	1	0.0 %
3.32	-	1	0.0 %
3.38	-	1	0.0 %
3.42	-	1	0.0 %
3.44	-	1	0.0 %
3.45	-	1	0.0 %
3.48	-	1	0.0 %
3.51	-	1	0.0 %
3.54	-	1	0.0 %
3.55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.59	-	1	0.0 %
3.60	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 12.74
- Minimum: 1.60
- Maximum: 56.12
- Standard Deviation: 6.62

Location: 1702-1706 (width: 5; decimal: 2)
Variable Type: numeric

DTTCHOL0: Daily dietary estimate (DDE) cholesterol, milligrams (mg)

Value	Label	Unweighted Frequency	%
3.6100000000	-	1	0.0 %
22.2500000000	-	1	0.0 %
22.3100000000	-	1	0.0 %
22.8600000000	-	1	0.0 %
24.1200000000	-	1	0.0 %
27.5300000000	-	1	0.0 %
27.6500000000	-	1	0.0 %
29.6500000000	-	1	0.0 %
29.7600000000	-	1	0.0 %
38.4400000000	-	1	0.0 %
40.9100000000	-	1	0.0 %
42.8700000000	-	1	0.0 %
44.0500000000	-	1	0.0 %
44.7000000000	-	1	0.0 %
45.3100000000	-	1	0.0 %
45.6600000000	-	1	0.0 %
46.3800000000	-	1	0.0 %
47.0500000000	-	1	0.0 %
48.5800000000	-	1	0.0 %
49.4300000000	-	1	0.0 %
51.6200000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
52.2400000000	-	1	0.0 %
52.7600000000	-	1	0.0 %
53.8100000000	-	1	0.0 %
53.9600000000	-	1	0.0 %
54.5800000000	-	1	0.0 %
55.1100000000	-	1	0.0 %
55.5900000000	-	1	0.0 %
55.9100000000	-	1	0.0 %
56.3300000000	-	1	0.0 %
57.2200000000	-	1	0.0 %
57.9200000000	-	1	0.0 %
59.1500000000	-	1	0.0 %
59.6900000000	-	1	0.0 %
59.7800000000	-	1	0.0 %
59.8300000000	-	1	0.0 %
60.4100000000	-	1	0.0 %
60.8600000000	-	1	0.0 %
61.1700000000	-	1	0.0 %
61.5500000000	-	1	0.0 %
61.7600000000	-	1	0.0 %
62.5500000000	-	1	0.0 %
62.6800000000	-	1	0.0 %
62.8500000000	-	1	0.0 %
63.3600000000	-	1	0.0 %
63.5900000000	-	1	0.0 %
64.0400000001	-	1	0.0 %
64.5000000000	-	1	0.0 %
64.9000000000	-	1	0.0 %
65.4700000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 223.2317618896
- Minimum: 3.6100000000
- Maximum: 1154.3200000000

- Standard Deviation: 112.7152526713

Location: 1707-1721 (width: 15; decimal: 10)
Variable Type: numeric

DTTDFIB0: Daily dietary estimate (DDE) dietary fiber, grams (g)

Value	Label	Unweighted Frequency	%
1.66	-	1	0.0 %
1.92	-	1	0.0 %
2.01	-	1	0.0 %
2.37	-	1	0.0 %
2.81	-	1	0.0 %
2.97	-	1	0.0 %
3.12	-	1	0.0 %
3.19	-	1	0.0 %
3.26	-	1	0.0 %
3.29	-	1	0.0 %
3.30	-	1	0.0 %
3.44	-	1	0.0 %
3.47	-	1	0.0 %
3.51	-	1	0.0 %
3.53	-	1	0.0 %
3.56	-	1	0.0 %
3.57	-	1	0.0 %
3.59	-	1	0.0 %
3.60	-	1	0.0 %
3.63	-	1	0.0 %
3.68	-	1	0.0 %
3.72	-	1	0.0 %
3.76	-	1	0.0 %
3.78	-	1	0.0 %
3.80	-	1	0.0 %
3.83	-	1	0.0 %
3.87	-	1	0.0 %
3.89	-	1	0.0 %
3.91	-	2	0.1 %
3.92	-	1	0.0 %
3.94	-	1	0.0 %
3.98	-	1	0.0 %
4.00	-	1	0.0 %
4.05	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.08	-	1	0.0 %
4.10	-	1	0.0 %
4.16	-	4	0.1 %
4.17	-	1	0.0 %
4.22	-	1	0.0 %
4.24	-	1	0.0 %
4.25	-	2	0.1 %
4.28	-	1	0.0 %
4.30	-	1	0.0 %
4.32	-	2	0.1 %
4.33	-	1	0.0 %
4.34	-	1	0.0 %
4.35	-	1	0.0 %
4.36	-	2	0.1 %
4.39	-	2	0.1 %
4.43	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 12.38
- Minimum: 1.66
- Maximum: 61.78
- Standard Deviation: 5.71

Location: 1722-1726 (width: 5; decimal: 2)
Variable Type: numeric

DTTFOL0: Daily dietary estimate (DDE) folate, micrograms (mcg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 265.61612831153
- Minimum: 44.13000000000
- Maximum: 978.58000000000
- Standard Deviation: 128.46112959654

Location: 1727-1741 (width: 15; decimal: 11)
Variable Type: numeric

DTTVITE0: Daily dietary estimate (DDE) vitamin E, alpha tocopherol equivalent (a-TE)

Value	Label	Unweighted Frequency	%
2.02	-	1	0.0 %
2.07	-	1	0.0 %
2.11	-	1	0.0 %
2.27	-	1	0.0 %
2.37	-	1	0.0 %
2.44	-	1	0.0 %
2.46	-	1	0.0 %
2.47	-	1	0.0 %
2.58	-	2	0.1 %
2.60	-	1	0.0 %
2.67	-	1	0.0 %
2.69	-	2	0.1 %
2.72	-	1	0.0 %
2.73	-	1	0.0 %
2.81	-	1	0.0 %
2.84	-	1	0.0 %
2.88	-	2	0.1 %
2.90	-	1	0.0 %
2.93	-	1	0.0 %
2.95	-	1	0.0 %
2.96	-	2	0.1 %
3.00	-	1	0.0 %
3.01	-	1	0.0 %
3.06	-	1	0.0 %
3.09	-	1	0.0 %
3.10	-	1	0.0 %
3.12	-	4	0.1 %
3.14	-	1	0.0 %
3.16	-	1	0.0 %
3.18	-	3	0.1 %
3.21	-	3	0.1 %
3.23	-	4	0.1 %
3.24	-	2	0.1 %
3.26	-	2	0.1 %
3.27	-	2	0.1 %
3.28	-	1	0.0 %
3.29	-	1	0.0 %
3.30	-	1	0.0 %
3.31	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.32	-	3	0.1 %
3.33	-	1	0.0 %
3.36	-	1	0.0 %
3.37	-	1	0.0 %
3.38	-	1	0.0 %
3.39	-	1	0.0 %
3.40	-	1	0.0 %
3.41	-	3	0.1 %
3.42	-	2	0.1 %
3.43	-	2	0.1 %
3.45	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 9.11
- Minimum: 2.02
- Maximum: 53.31
- Standard Deviation: 4.84

Location: 1742-1746 (width: 5; decimal: 2)
Variable Type: numeric

DTTZINC0: Daily dietary estimate (DDE) zinc, milligrams (mg)

Value	Label	Unweighted Frequency	%
2.07	-	1	0.0 %
2.38	-	2	0.1 %
2.50	-	1	0.0 %
2.56	-	1	0.0 %
2.72	-	1	0.0 %
2.76	-	1	0.0 %
2.79	-	1	0.0 %
2.88	-	1	0.0 %
2.91	-	1	0.0 %
2.96	-	2	0.1 %
2.98	-	1	0.0 %
2.99	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.06	-	1	0.0 %
3.12	-	1	0.0 %
3.13	-	1	0.0 %
3.14	-	1	0.0 %
3.16	-	1	0.0 %
3.19	-	1	0.0 %
3.23	-	1	0.0 %
3.28	-	2	0.1 %
3.30	-	3	0.1 %
3.34	-	1	0.0 %
3.35	-	1	0.0 %
3.38	-	1	0.0 %
3.40	-	3	0.1 %
3.42	-	2	0.1 %
3.47	-	1	0.0 %
3.49	-	1	0.0 %
3.50	-	2	0.1 %
3.53	-	2	0.1 %
3.55	-	2	0.1 %
3.56	-	1	0.0 %
3.57	-	1	0.0 %
3.58	-	4	0.1 %
3.59	-	1	0.0 %
3.62	-	2	0.1 %
3.64	-	2	0.1 %
3.65	-	2	0.1 %
3.66	-	1	0.0 %
3.67	-	1	0.0 %
3.68	-	1	0.0 %
3.69	-	4	0.1 %
3.71	-	1	0.0 %
3.72	-	1	0.0 %
3.73	-	1	0.0 %
3.75	-	1	0.0 %
3.76	-	1	0.0 %
3.77	-	1	0.0 %
3.78	-	1	0.0 %
3.83	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 8.86
- Minimum: 2.07
- Maximum: 27.53
- Standard Deviation: 3.33

Location: 1747-1751 (width: 5; decimal: 2)
Variable Type: numeric

DTTANZN0: Daily dietary estimate (DDE) animal zinc, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.02	-	1	0.0 %
0.05	-	1	0.0 %
0.10	-	1	0.0 %
0.12	-	1	0.0 %
0.15	-	1	0.0 %
0.45	-	1	0.0 %
0.49	-	1	0.0 %
0.52	-	1	0.0 %
0.56	-	1	0.0 %
0.58	-	2	0.1 %
0.60	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	1	0.0 %
0.74	-	1	0.0 %
0.79	-	2	0.1 %
0.80	-	1	0.0 %
0.82	-	2	0.1 %
0.85	-	1	0.0 %
0.87	-	1	0.0 %
0.93	-	2	0.1 %
0.96	-	1	0.0 %
1.00	-	1	0.0 %
1.03	-	2	0.1 %
1.04	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.12	-	1	0.0 %
1.14	-	1	0.0 %
1.16	-	3	0.1 %
1.18	-	1	0.0 %
1.19	-	1	0.0 %
1.22	-	1	0.0 %
1.26	-	2	0.1 %
1.27	-	1	0.0 %
1.28	-	2	0.1 %
1.32	-	2	0.1 %
1.33	-	2	0.1 %
1.35	-	1	0.0 %
1.36	-	2	0.1 %
1.37	-	2	0.1 %
1.38	-	1	0.0 %
1.39	-	2	0.1 %
1.40	-	2	0.1 %
1.41	-	2	0.1 %
1.43	-	2	0.1 %
1.45	-	1	0.0 %
1.49	-	1	0.0 %
1.50	-	1	0.0 %
1.51	-	2	0.1 %
1.52	-	1	0.0 %
1.53	-	2	0.1 %
1.54	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 5.07
- Minimum: 0.02
- Maximum: 19.29
- Standard Deviation: 2.44

Location: 1752-1756 (width: 5; decimal: 2)
Variable Type: numeric

DTTMG0: Daily dietary estimate (DDE) magnesium, milligrams (mg)

Value	Label	Unweighted Frequency	%
68.56000000000	-	1	0.0 %
76.37000000000	-	1	0.0 %
77.62000000000	-	1	0.0 %
78.97000000000	-	1	0.0 %
85.08000000000	-	1	0.0 %
86.55000000000	-	1	0.0 %
87.77000000000	-	1	0.0 %
89.89000000000	-	1	0.0 %
90.95000000000	-	1	0.0 %
91.23000000000	-	1	0.0 %
91.61000000000	-	1	0.0 %
91.78000000000	-	1	0.0 %
92.18000000000	-	1	0.0 %
93.03000000000	-	1	0.0 %
93.91000000000	-	1	0.0 %
94.47000000000	-	1	0.0 %
94.69000000000	-	1	0.0 %
95.60000000000	-	1	0.0 %
97.20000000000	-	1	0.0 %
97.53000000000	-	1	0.0 %
97.58000000000	-	1	0.0 %
98.26000000000	-	1	0.0 %
99.15000000000	-	1	0.0 %
99.57000000000	-	1	0.0 %
99.67000000000	-	1	0.0 %
100.20000000000	-	1	0.0 %
100.43000000000	-	1	0.0 %
100.49000000000	-	1	0.0 %
101.28000000000	-	1	0.0 %
101.74000000000	-	1	0.0 %
101.87000000000	-	1	0.0 %
102.03000000000	-	1	0.0 %
103.41000000000	-	1	0.0 %
103.63000000000	-	1	0.0 %
103.71000000000	-	1	0.0 %
103.90000000000	-	1	0.0 %
104.31000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
104.54000000000	-	1	0.0 %
104.57000000000	-	1	0.0 %
104.61000000000	-	1	0.0 %
104.70000000000	-	1	0.0 %
105.11000000000	-	1	0.0 %
105.13000000000	-	1	0.0 %
105.25000000000	-	1	0.0 %
105.48000000000	-	1	0.0 %
105.68000000000	-	1	0.0 %
105.78000000000	-	1	0.0 %
105.99000000000	-	1	0.0 %
106.59000000000	-	1	0.0 %
107.66000000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 258.96264921800
- Minimum: 68.56000000000
- Maximum: 915.95000000000
- Standard Deviation: 95.54700036227

Location: 1757-1771 (width: 15; decimal: 11)
Variable Type: numeric

DTTACAR0: Daily dietary estimate (DDE) alpha carotene, micrograms (mcg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 246.0157229493
- Minimum: 0.0000000000
- Maximum: 2807.3600000000
- Standard Deviation: 241.9347414014

Location: 1772-1786 (width: 15; decimal: 10)
Variable Type: numeric

DTTBCAR0: Daily dietary estimate (DDE) beta carotene, micrograms (mcg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2747.207172040

- Minimum: 152.260000000
- Maximum: 29878.550000000
- Standard Deviation: 2550.487411396

Location: 1787-1801 (width: 15; decimal: 9)
Variable Type: numeric

DTTRET0: Daily dietary estimate (DDE) retinol, micrograms (mcg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 508.800082988
- Minimum: 2.750000000
- Maximum: 10493.620000000
- Standard Deviation: 483.937366616

Location: 1802-1816 (width: 15; decimal: 9)
Variable Type: numeric

DTTPROA0: Daily dietary estimate (DDE) pro-A carotenes, micrograms (mcg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2803.420118098
- Minimum: 190.350000000
- Maximum: 22020.670000000
- Standard Deviation: 2219.184084948

Location: 1817-1831 (width: 15; decimal: 9)
Variable Type: numeric

FIBBEAN0: Daily dietary estimate (DDE) fiber from beans

Value	Label	Unweighted Frequency	%
0.00	-	67	2.0 %
0.02	-	4	0.1 %
0.03	-	2	0.1 %
0.04	-	3	0.1 %
0.05	-	6	0.2 %
0.06	-	6	0.2 %
0.07	-	5	0.2 %
0.08	-	8	0.2 %
0.09	-	23	0.7 %
0.10	-	3	0.1 %
0.11	-	4	0.1 %
0.12	-	4	0.1 %
0.13	-	6	0.2 %
0.14	-	6	0.2 %
0.15	-	15	0.5 %
0.16	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.17	-	4	0.1 %
0.18	-	2	0.1 %
0.19	-	8	0.2 %
0.20	-	5	0.2 %
0.21	-	37	1.1 %
0.22	-	13	0.4 %
0.23	-	4	0.1 %
0.24	-	14	0.4 %
0.25	-	4	0.1 %
0.26	-	7	0.2 %
0.27	-	8	0.2 %
0.28	-	7	0.2 %
0.29	-	20	0.6 %
0.30	-	26	0.8 %
0.31	-	4	0.1 %
0.32	-	12	0.4 %
0.33	-	3	0.1 %
0.34	-	17	0.5 %
0.35	-	9	0.3 %
0.36	-	18	0.5 %
0.37	-	12	0.4 %
0.38	-	10	0.3 %
0.39	-	12	0.4 %
0.40	-	7	0.2 %
0.41	-	22	0.7 %
0.42	-	12	0.4 %
0.43	-	26	0.8 %
0.44	-	7	0.2 %
0.45	-	16	0.5 %
0.46	-	6	0.2 %
0.47	-	9	0.3 %
0.48	-	35	1.1 %
0.49	-	14	0.4 %
0.50	-	10	0.3 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.00
- Minimum: 0.00
- Maximum: 39.62
- Standard Deviation: 2.45

Location: 1832-1836 (width: 5; decimal: 2)
Variable Type: numeric

FIBVEGF0: Daily dietary estimate (DDE) fiber from vegetables/fruit

Value	Label	Unweighted Frequency	%
0.60	-	2	0.1 %
0.62	-	2	0.1 %
0.79	-	1	0.0 %
0.83	-	1	0.0 %
0.85	-	1	0.0 %
1.02	-	1	0.0 %
1.03	-	1	0.0 %
1.06	-	1	0.0 %
1.10	-	2	0.1 %
1.11	-	1	0.0 %
1.12	-	2	0.1 %
1.13	-	2	0.1 %
1.14	-	1	0.0 %
1.15	-	2	0.1 %
1.16	-	1	0.0 %
1.18	-	1	0.0 %
1.20	-	2	0.1 %
1.22	-	1	0.0 %
1.28	-	1	0.0 %
1.29	-	2	0.1 %
1.30	-	2	0.1 %
1.33	-	2	0.1 %
1.34	-	1	0.0 %
1.35	-	1	0.0 %
1.36	-	2	0.1 %
1.38	-	1	0.0 %
1.39	-	3	0.1 %
1.40	-	1	0.0 %
1.41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.43	-	1	0.0 %
1.44	-	1	0.0 %
1.45	-	1	0.0 %
1.46	-	3	0.1 %
1.47	-	2	0.1 %
1.48	-	2	0.1 %
1.49	-	2	0.1 %
1.50	-	2	0.1 %
1.51	-	2	0.1 %
1.52	-	2	0.1 %
1.53	-	3	0.1 %
1.54	-	1	0.0 %
1.55	-	1	0.0 %
1.57	-	1	0.0 %
1.58	-	2	0.1 %
1.59	-	2	0.1 %
1.60	-	1	0.0 %
1.61	-	2	0.1 %
1.62	-	2	0.1 %
1.63	-	1	0.0 %
1.64	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 6.13
- Minimum: 0.60
- Maximum: 26.85
- Standard Deviation: 3.53

Location: 1837-1841 (width: 5; decimal: 2)
Variable Type: numeric

FIBGRAI0: Daily dietary estimate (DDE) fiber from grains

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.01	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.08	-	1	0.0 %
0.24	-	1	0.0 %
0.32	-	1	0.0 %
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.48	-	1	0.0 %
0.53	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	1	0.0 %
0.59	-	1	0.0 %
0.62	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.67	-	2	0.1 %
0.68	-	2	0.1 %
0.70	-	1	0.0 %
0.73	-	1	0.0 %
0.74	-	2	0.1 %
0.75	-	1	0.0 %
0.76	-	2	0.1 %
0.81	-	1	0.0 %
0.82	-	2	0.1 %
0.84	-	2	0.1 %
0.85	-	2	0.1 %
0.86	-	1	0.0 %
0.87	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	1	0.0 %
0.90	-	1	0.0 %
0.92	-	3	0.1 %
0.95	-	2	0.1 %
0.97	-	2	0.1 %
0.98	-	2	0.1 %
1.02	-	1	0.0 %
1.03	-	3	0.1 %
1.04	-	3	0.1 %
1.06	-	1	0.0 %
1.08	-	1	0.0 %
1.09	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.10	-	1	0.0 %
1.11	-	2	0.1 %
1.12	-	2	0.1 %
1.13	-	2	0.1 %
1.14	-	1	0.0 %
1.15	-	1	0.0 %
1.16	-	2	0.1 %
1.17	-	1	0.0 %
1.18	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 4.25
- Minimum: 0.00
- Maximum: 19.70
- Standard Deviation: 2.16

Location: 1842-1846 (width: 5; decimal: 2)
Variable Type: numeric

DTTALCH0: Daily dietary estimate (DDE) percent kilocalories (%KCAL) from alcoholic beverages

Value	Label	Unweighted Frequency	%
0.0000000000	-	1553	47.0 %
4.1212640000	-	1	0.0 %
6.4663820000	-	1	0.0 %
6.4779880000	-	1	0.0 %
6.4791720000	-	1	0.0 %
6.4806210000	-	1	0.0 %
6.4944000000	-	1	0.0 %
6.5036250000	-	1	0.0 %
6.5062400000	-	1	0.0 %
6.5079000000	-	1	0.0 %
6.5095580000	-	1	0.0 %
6.5101440000	-	1	0.0 %
6.5110050000	-	1	0.0 %
6.5204650000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.5266880000	-	1	0.0 %
6.5268280000	-	1	0.0 %
6.5279800000	-	1	0.0 %
6.5312270000	-	1	0.0 %
6.5314800000	-	1	0.0 %
6.5317200000	-	1	0.0 %
6.5338140000	-	1	0.0 %
6.5340600000	-	1	0.0 %
6.5353440000	-	1	0.0 %
6.5357550000	-	1	0.0 %
6.5369050000	-	1	0.0 %
6.5390970000	-	1	0.0 %
6.5405460000	-	1	0.0 %
6.5414910000	-	1	0.0 %
6.5425750000	-	1	0.0 %
6.5427390000	-	1	0.0 %
6.5442360000	-	1	0.0 %
6.5471760000	-	1	0.0 %
6.5481730000	-	1	0.0 %
6.5490120000	-	1	0.0 %
6.5560320000	-	1	0.0 %
6.5612100000	-	1	0.0 %
6.5630800000	-	1	0.0 %
6.5659020000	-	1	0.0 %
6.5688460000	-	1	0.0 %
6.5690380000	-	1	0.0 %
6.5693130000	-	1	0.0 %
6.5704320000	-	1	0.0 %
6.5712600000	-	1	0.0 %
6.5769820000	-	1	0.0 %
6.5780700000	-	1	0.0 %
6.5827730000	-	1	0.0 %
6.5872000000	-	1	0.0 %
6.5904960000	-	1	0.0 %
6.5936320000	-	1	0.0 %
6.5938500000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 42.5106471219
- Minimum: 0.0000000000
- Maximum: 1201.6741620000
- Standard Deviation: 91.4687959591

Location: 1847-1861 (width: 15; decimal: 10)
Variable Type: numeric

DTTSWET0: Daily dietary estimate (DDE) percent kilocalories (%KCAL) sweets

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 312.8637342943
- Minimum: 0.0000000000
- Maximum: 2491.6945350000
- Standard Deviation: 317.3697796277

Location: 1862-1876 (width: 15; decimal: 10)
Variable Type: numeric

GMSOLID0: Daily dietary estimate (DDE) solid food, grams (g)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 5746.385445260
- Minimum: 1556.460000000
- Maximum: 18778.430000000
- Standard Deviation: 2275.610564793

Location: 1877-1891 (width: 15; decimal: 9)
Variable Type: numeric

DTCAFF0: Caffeine, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.00	-	44	1.3 %
0.67	-	23	0.7 %
0.77	-	1	0.0 %
1.43	-	9	0.3 %
1.54	-	20	0.6 %
1.98	-	1	0.0 %
2.03	-	4	0.1 %
2.10	-	4	0.1 %

Value	Label	Unweighted Frequency	%
2.77	-	7	0.2 %
2.84	-	3	0.1 %
2.86	-	7	0.2 %
3.12	-	8	0.2 %
3.42	-	1	0.0 %
3.46	-	1	0.0 %
3.53	-	1	0.0 %
3.57	-	3	0.1 %
3.64	-	3	0.1 %
3.72	-	2	0.1 %
3.79	-	7	0.2 %
4.33	-	1	0.0 %
4.40	-	1	0.0 %
4.55	-	2	0.1 %
4.66	-	2	0.1 %
4.80	-	1	0.0 %
4.96	-	4	0.1 %
5.15	-	1	0.0 %
5.21	-	3	0.1 %
5.22	-	1	0.0 %
5.25	-	3	0.1 %
5.71	-	6	0.2 %
5.75	-	1	0.0 %
5.89	-	3	0.1 %
5.94	-	1	0.0 %
5.98	-	1	0.0 %
6.09	-	1	0.0 %
6.11	-	1	0.0 %
6.61	-	2	0.1 %
6.69	-	1	0.0 %
6.76	-	1	0.0 %
6.77	-	2	0.1 %
6.83	-	3	0.1 %
6.84	-	4	0.1 %
6.99	-	1	0.0 %
7.25	-	1	0.0 %
7.35	-	1	0.0 %
7.40	-	1	0.0 %
7.50	-	2	0.1 %

Value	Label	Unweighted Frequency	%
7.67	-	1	0.0 %
7.70	-	1	0.0 %
7.75	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 239.98
- Minimum: 0.00
- Maximum: 1859.69
- Standard Deviation: 233.85

Location: 1892-1898 (width: 7; decimal: 2)
Variable Type: numeric

DTVITD0: Vitamin D, international units (IU)

Value	Label	Unweighted Frequency	%
0.08	-	1	0.0 %
0.19	-	1	0.0 %
0.22	-	1	0.0 %
4.94	-	1	0.0 %
5.04	-	1	0.0 %
5.34	-	1	0.0 %
5.74	-	1	0.0 %
5.95	-	1	0.0 %
7.32	-	1	0.0 %
7.82	-	1	0.0 %
9.72	-	1	0.0 %
9.75	-	1	0.0 %
10.23	-	1	0.0 %
10.56	-	1	0.0 %
10.92	-	1	0.0 %
10.97	-	1	0.0 %
11.58	-	1	0.0 %
12.42	-	1	0.0 %
12.49	-	1	0.0 %
12.78	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.00	-	1	0.0 %
13.32	-	1	0.0 %
13.90	-	1	0.0 %
13.92	-	1	0.0 %
13.99	-	1	0.0 %
14.05	-	1	0.0 %
14.36	-	1	0.0 %
14.43	-	1	0.0 %
14.50	-	1	0.0 %
14.67	-	1	0.0 %
14.77	-	1	0.0 %
14.91	-	1	0.0 %
15.28	-	1	0.0 %
15.48	-	1	0.0 %
15.57	-	1	0.0 %
15.86	-	1	0.0 %
15.96	-	1	0.0 %
16.12	-	1	0.0 %
16.15	-	1	0.0 %
16.23	-	1	0.0 %
16.32	-	1	0.0 %
16.36	-	1	0.0 %
16.57	-	1	0.0 %
17.02	-	1	0.0 %
17.24	-	1	0.0 %
17.50	-	1	0.0 %
17.52	-	1	0.0 %
17.78	-	1	0.0 %
17.94	-	1	0.0 %
18.00	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 137.20
- Minimum: 0.08

- Maximum: 962.68
- Standard Deviation: 105.41

Location: 1899-1904 (width: 6; decimal: 2)
Variable Type: numeric

DTB120: Vitamin B12, micrograms (mcg)

Value	Label	Unweighted Frequency	%
0.05	-	1	0.0 %
0.10	-	1	0.0 %
0.24	-	1	0.0 %
0.32	-	2	0.1 %
0.34	-	1	0.0 %
0.35	-	2	0.1 %
0.39	-	1	0.0 %
0.41	-	2	0.1 %
0.43	-	2	0.1 %
0.47	-	3	0.1 %
0.49	-	1	0.0 %
0.53	-	1	0.0 %
0.55	-	3	0.1 %
0.57	-	1	0.0 %
0.58	-	2	0.1 %
0.59	-	2	0.1 %
0.60	-	2	0.1 %
0.62	-	2	0.1 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	1	0.0 %
0.66	-	3	0.1 %
0.67	-	1	0.0 %
0.68	-	5	0.2 %
0.69	-	4	0.1 %
0.70	-	4	0.1 %
0.71	-	1	0.0 %
0.72	-	4	0.1 %
0.73	-	3	0.1 %
0.74	-	5	0.2 %
0.75	-	2	0.1 %
0.76	-	3	0.1 %
0.77	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.78	-	6	0.2 %
0.79	-	4	0.1 %
0.80	-	2	0.1 %
0.81	-	2	0.1 %
0.82	-	3	0.1 %
0.83	-	4	0.1 %
0.84	-	8	0.2 %
0.85	-	4	0.1 %
0.86	-	5	0.2 %
0.87	-	3	0.1 %
0.88	-	3	0.1 %
0.89	-	9	0.3 %
0.90	-	2	0.1 %
0.91	-	5	0.2 %
0.92	-	11	0.3 %
0.93	-	8	0.2 %
0.94	-	4	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.84
- Minimum: 0.05
- Maximum: 27.63
- Standard Deviation: 1.67

Location: 1905-1909 (width: 5; decimal: 2)
Variable Type: numeric

DTTRANS0: Trans fats, grams (g)

Value	Label	Unweighted Frequency	%
0.15	-	1	0.0 %
0.18	-	1	0.0 %
0.30	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	1	0.0 %
0.36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.40	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	2	0.1 %
0.48	-	1	0.0 %
0.49	-	2	0.1 %
0.52	-	1	0.0 %
0.54	-	1	0.0 %
0.58	-	1	0.0 %
0.59	-	1	0.0 %
0.61	-	1	0.0 %
0.62	-	1	0.0 %
0.66	-	1	0.0 %
0.67	-	1	0.0 %
0.69	-	1	0.0 %
0.70	-	1	0.0 %
0.71	-	2	0.1 %
0.72	-	3	0.1 %
0.73	-	1	0.0 %
0.74	-	2	0.1 %
0.76	-	1	0.0 %
0.78	-	1	0.0 %
0.79	-	1	0.0 %
0.80	-	3	0.1 %
0.81	-	1	0.0 %
0.82	-	2	0.1 %
0.83	-	1	0.0 %
0.84	-	2	0.1 %
0.85	-	2	0.1 %
0.86	-	2	0.1 %
0.87	-	2	0.1 %
0.88	-	1	0.0 %
0.89	-	1	0.0 %
0.90	-	1	0.0 %
0.91	-	1	0.0 %
0.92	-	1	0.0 %
0.93	-	1	0.0 %
0.94	-	3	0.1 %
0.95	-	2	0.1 %
0.96	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.97	-	1	0.0 %
0.98	-	4	0.1 %
0.99	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 6.21
- Minimum: 0.15
- Maximum: 45.64
- Standard Deviation: 4.81

Location: 1910-1914 (width: 5; decimal: 2)
Variable Type: numeric

DTOMEG30: Omega-3 fatty acids, grams (g)

Value	Label	Unweighted Frequency	%
0.20	-	1	0.0 %
0.24	-	1	0.0 %
0.30	-	2	0.1 %
0.32	-	3	0.1 %
0.33	-	4	0.1 %
0.34	-	3	0.1 %
0.35	-	5	0.2 %
0.36	-	3	0.1 %
0.37	-	5	0.2 %
0.38	-	4	0.1 %
0.39	-	3	0.1 %
0.40	-	7	0.2 %
0.41	-	10	0.3 %
0.42	-	9	0.3 %
0.43	-	10	0.3 %
0.44	-	8	0.2 %
0.45	-	6	0.2 %
0.46	-	9	0.3 %

Value	Label	Unweighted Frequency	%
0.47	-	8	0.2 %
0.48	-	5	0.2 %
0.49	-	18	0.5 %
0.50	-	8	0.2 %
0.51	-	19	0.6 %
0.52	-	8	0.2 %
0.53	-	15	0.5 %
0.54	-	18	0.5 %
0.55	-	12	0.4 %
0.56	-	18	0.5 %
0.57	-	16	0.5 %
0.58	-	16	0.5 %
0.59	-	20	0.6 %
0.60	-	20	0.6 %
0.61	-	22	0.7 %
0.62	-	14	0.4 %
0.63	-	19	0.6 %
0.64	-	29	0.9 %
0.65	-	24	0.7 %
0.66	-	20	0.6 %
0.67	-	23	0.7 %
0.68	-	18	0.5 %
0.69	-	26	0.8 %
0.70	-	21	0.6 %
0.71	-	25	0.8 %
0.72	-	24	0.7 %
0.73	-	27	0.8 %
0.74	-	26	0.8 %
0.75	-	34	1.0 %
0.76	-	22	0.7 %
0.77	-	23	0.7 %
0.78	-	33	1.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.23
- Minimum: 0.20
- Maximum: 5.26
- Standard Deviation: 0.59

Location: 1915-1918 (width: 4; decimal: 2)
Variable Type: numeric

DTCOPP0: Copper, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	2	0.1 %
0.32	-	4	0.1 %
0.33	-	1	0.0 %
0.35	-	1	0.0 %
0.36	-	6	0.2 %
0.38	-	5	0.2 %
0.39	-	3	0.1 %
0.40	-	4	0.1 %
0.41	-	8	0.2 %
0.42	-	11	0.3 %
0.43	-	3	0.1 %
0.44	-	8	0.2 %
0.45	-	11	0.3 %
0.46	-	15	0.5 %
0.47	-	13	0.4 %
0.48	-	10	0.3 %
0.49	-	12	0.4 %
0.50	-	13	0.4 %
0.51	-	20	0.6 %
0.52	-	18	0.5 %
0.53	-	16	0.5 %
0.54	-	17	0.5 %
0.55	-	19	0.6 %
0.56	-	17	0.5 %
0.57	-	19	0.6 %
0.58	-	21	0.6 %
0.59	-	23	0.7 %
0.60	-	22	0.7 %
0.61	-	22	0.7 %
0.62	-	23	0.7 %

Value	Label	Unweighted Frequency	%
0.63	-	22	0.7 %
0.64	-	29	0.9 %
0.65	-	23	0.7 %
0.66	-	24	0.7 %
0.67	-	29	0.9 %
0.68	-	24	0.7 %
0.69	-	28	0.8 %
0.70	-	26	0.8 %
0.71	-	21	0.6 %
0.72	-	33	1.0 %
0.73	-	28	0.8 %
0.74	-	35	1.1 %
0.75	-	42	1.3 %
0.76	-	39	1.2 %
0.77	-	31	0.9 %
0.78	-	38	1.2 %
0.79	-	40	1.2 %
0.80	-	30	0.9 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.07
- Median: 0.99
- Mode: 0.82
- Minimum: 0.25
- Maximum: 4.58
- Standard Deviation: 0.42

Location: 1919-1922 (width: 4; decimal: 2)
Variable Type: numeric

DTMANG0: Manganese, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.44	-	1	0.0 %
0.58	-	1	0.0 %
0.60	-	1	0.0 %
0.62	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.66	-	1	0.0 %
0.70	-	2	0.1 %
0.72	-	2	0.1 %
0.76	-	3	0.1 %
0.83	-	2	0.1 %
0.86	-	3	0.1 %
0.87	-	6	0.2 %
0.88	-	1	0.0 %
0.89	-	1	0.0 %
0.90	-	2	0.1 %
0.91	-	2	0.1 %
0.92	-	2	0.1 %
0.94	-	1	0.0 %
0.95	-	3	0.1 %
0.96	-	3	0.1 %
0.97	-	3	0.1 %
0.98	-	3	0.1 %
0.99	-	3	0.1 %
1.00	-	1	0.0 %
1.01	-	2	0.1 %
1.02	-	2	0.1 %
1.03	-	3	0.1 %
1.05	-	3	0.1 %
1.06	-	3	0.1 %
1.07	-	6	0.2 %
1.08	-	2	0.1 %
1.09	-	1	0.0 %
1.10	-	9	0.3 %
1.11	-	3	0.1 %
1.12	-	2	0.1 %
1.13	-	6	0.2 %
1.14	-	4	0.1 %
1.15	-	4	0.1 %
1.16	-	4	0.1 %
1.17	-	5	0.2 %
1.18	-	5	0.2 %
1.19	-	7	0.2 %

Value	Label	Unweighted Frequency	%
1.20	-	5	0.2 %
1.21	-	4	0.1 %
1.22	-	1	0.0 %
1.23	-	10	0.3 %
1.24	-	5	0.2 %
1.25	-	2	0.1 %
1.26	-	7	0.2 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 3.01
- Minimum: 0.44
- Maximum: 14.61
- Standard Deviation: 1.44

Location: 1923-1927 (width: 5; decimal: 2)
Variable Type: numeric

DTPANTO0: Pantothenic acid, milligrams (mg)

Value	Label	Unweighted Frequency	%
1.02	-	1	0.0 %
1.13	-	1	0.0 %
1.14	-	1	0.0 %
1.15	-	1	0.0 %
1.21	-	1	0.0 %
1.22	-	1	0.0 %
1.24	-	1	0.0 %
1.26	-	1	0.0 %
1.27	-	1	0.0 %
1.28	-	2	0.1 %
1.32	-	1	0.0 %
1.33	-	1	0.0 %
1.34	-	1	0.0 %
1.35	-	1	0.0 %
1.37	-	2	0.1 %
1.38	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.40	-	5	0.2 %
1.41	-	3	0.1 %
1.43	-	1	0.0 %
1.44	-	1	0.0 %
1.45	-	2	0.1 %
1.46	-	2	0.1 %
1.49	-	2	0.1 %
1.50	-	4	0.1 %
1.51	-	5	0.2 %
1.52	-	1	0.0 %
1.53	-	2	0.1 %
1.54	-	3	0.1 %
1.55	-	1	0.0 %
1.56	-	4	0.1 %
1.57	-	2	0.1 %
1.60	-	3	0.1 %
1.63	-	2	0.1 %
1.64	-	2	0.1 %
1.65	-	3	0.1 %
1.66	-	2	0.1 %
1.67	-	1	0.0 %
1.68	-	1	0.0 %
1.69	-	2	0.1 %
1.72	-	5	0.2 %
1.73	-	6	0.2 %
1.75	-	2	0.1 %
1.76	-	4	0.1 %
1.77	-	3	0.1 %
1.78	-	4	0.1 %
1.79	-	6	0.2 %
1.80	-	2	0.1 %
1.81	-	1	0.0 %
1.82	-	2	0.1 %
1.83	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 4.60
- Minimum: 1.02
- Maximum: 21.68
- Standard Deviation: 2.54

Location: 1928-1932 (width: 5; decimal: 2)
Variable Type: numeric

BATKCAL0: Daily dietary estimate (DDE) kilocalorie (KCAL) before alcohol total

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1794.1217427386
- Minimum: 512.5100000000
- Maximum: 4860.4700000000
- Standard Deviation: 671.8724166646

Location: 1933-1947 (width: 15; decimal: 10)
Variable Type: numeric

BATPROT0: Daily dietary estimate (DDE) protein before alcohol, grams (g)

Value	Label	Unweighted Frequency	%
15.28000000000	-	1	0.0 %
19.70000000000	-	1	0.0 %
19.95000000000	-	1	0.0 %
20.59000000000	-	1	0.0 %
20.77000000000	-	1	0.0 %
21.38000000000	-	1	0.0 %
22.07000000000	-	1	0.0 %
22.60000000000	-	1	0.0 %
22.93000000000	-	1	0.0 %
24.00000000000	-	1	0.0 %
24.10000000000	-	1	0.0 %
24.70000000000	-	1	0.0 %
24.72000000000	-	1	0.0 %
24.87000000000	-	1	0.0 %
24.93000000000	-	1	0.0 %
24.95000000000	-	1	0.0 %
25.40000000000	-	1	0.0 %
25.43000000000	-	1	0.0 %
25.94000000000	-	1	0.0 %
26.19000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
26.28000000000	-	1	0.0 %
26.31000000000	-	1	0.0 %
26.32000000000	-	1	0.0 %
26.47000000000	-	1	0.0 %
26.53000000000	-	1	0.0 %
26.65000000000	-	1	0.0 %
26.85000000000	-	1	0.0 %
26.93000000000	-	1	0.0 %
26.98000000000	-	1	0.0 %
27.34000000000	-	1	0.0 %
27.56000000000	-	1	0.0 %
27.59000000000	-	1	0.0 %
27.66000000000	-	1	0.0 %
27.68000000000	-	1	0.0 %
27.88000000000	-	1	0.0 %
28.36000000000	-	1	0.0 %
28.71000000000	-	1	0.0 %
28.83000000000	-	1	0.0 %
29.05000000000	-	1	0.0 %
29.16000000000	-	1	0.0 %
29.17000000000	-	1	0.0 %
29.28000000000	-	1	0.0 %
29.31000000000	-	1	0.0 %
29.45000000000	-	1	0.0 %
29.49000000000	-	1	0.0 %
29.64000000000	-	1	0.0 %
29.68000000000	-	1	0.0 %
29.70000000000	-	1	0.0 %
29.79000000000	-	1	0.0 %
29.86000000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 69.84274497287

- Minimum: 15.28000000000
- Maximum: 204.49000000000
- Standard Deviation: 24.77538939612

Location: 1948-1962 (width: 15; decimal: 11)
Variable Type: numeric

BATTFAT0: Daily dietary estimate (DDE) total fat before alcohol, grams (g)

Value	Label	Unweighted Frequency	%
12.04000000000	-	1	0.0 %
12.27000000000	-	1	0.0 %
15.10000000001	-	1	0.0 %
15.58000000000	-	1	0.0 %
15.66000000000	-	1	0.0 %
15.93000000000	-	1	0.0 %
15.96000000000	-	1	0.0 %
15.98000000000	-	1	0.0 %
16.34000000000	-	1	0.0 %
16.69000000001	-	1	0.0 %
17.00000000000	-	1	0.0 %
17.12000000000	-	1	0.0 %
17.51000000001	-	1	0.0 %
17.73000000000	-	1	0.0 %
18.32000000000	-	1	0.0 %
18.54000000000	-	1	0.0 %
18.65000000000	-	1	0.0 %
18.70000000000	-	1	0.0 %
18.94000000001	-	1	0.0 %
18.99000000000	-	1	0.0 %
19.11000000000	-	1	0.0 %
19.32000000000	-	1	0.0 %
19.39000000000	-	1	0.0 %
19.57000000000	-	1	0.0 %
19.58000000000	-	1	0.0 %
19.64000000000	-	1	0.0 %
19.75000000000	-	1	0.0 %
20.06000000000	-	1	0.0 %
20.19000000001	-	1	0.0 %
20.21000000000	-	1	0.0 %
20.27000000000	-	1	0.0 %
20.76000000001	-	1	0.0 %
20.81000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.94000000001	-	1	0.0 %
20.98000000000	-	1	0.0 %
21.10000000001	-	1	0.0 %
21.12000000000	-	1	0.0 %
21.24000000000	-	1	0.0 %
21.31000000000	-	1	0.0 %
21.65000000000	-	1	0.0 %
21.68000000000	-	1	0.0 %
21.71000000000	-	1	0.0 %
21.78000000000	-	1	0.0 %
21.99000000000	-	1	0.0 %
22.02000000000	-	1	0.0 %
22.13000000000	-	1	0.0 %
22.24000000000	-	1	0.0 %
22.27000000000	-	1	0.0 %
22.57000000000	-	1	0.0 %
22.62000000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 67.23636769869
- Minimum: 12.04000000000
- Maximum: 218.67000000000
- Standard Deviation: 30.78211444162

Location: 1963-1977 (width: 15; decimal: 11)
Variable Type: numeric

BATCARB0: Daily dietary estimate (DDE) carb before alcohol total, grams (g)

Value	Label	Unweighted Frequency	%
18.75000000000	-	1	0.0 %
24.17000000000	-	1	0.0 %
35.81000000000	-	1	0.0 %
38.34000000001	-	1	0.0 %
48.31000000000	-	1	0.0 %
55.38000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
55.95000000000	-	1	0.0 %
57.48000000000	-	1	0.0 %
59.48000000000	-	1	0.0 %
59.62000000000	-	1	0.0 %
60.52000000000	-	1	0.0 %
61.22000000000	-	1	0.0 %
62.36000000000	-	1	0.0 %
62.38000000000	-	1	0.0 %
62.81000000000	-	1	0.0 %
63.61000000000	-	1	0.0 %
64.31000000000	-	1	0.0 %
66.14000000000	-	1	0.0 %
66.15000000001	-	1	0.0 %
66.35000000000	-	1	0.0 %
67.54000000001	-	1	0.0 %
67.75000000000	-	1	0.0 %
67.92000000000	-	1	0.0 %
68.39000000000	-	1	0.0 %
68.65000000001	-	1	0.0 %
69.10000000000	-	1	0.0 %
70.05000000000	-	1	0.0 %
70.80000000000	-	1	0.0 %
71.13000000000	-	1	0.0 %
72.66000000000	-	1	0.0 %
72.99000000000	-	1	0.0 %
73.49000000000	-	1	0.0 %
74.69000000000	-	1	0.0 %
74.82000000000	-	1	0.0 %
74.87000000000	-	1	0.0 %
76.98000000000	-	1	0.0 %
77.32000000000	-	1	0.0 %
77.57000000000	-	1	0.0 %
77.65000000001	-	1	0.0 %
78.33000000000	-	1	0.0 %
78.74000000000	-	1	0.0 %
78.94000000000	-	1	0.0 %
79.04000000001	-	1	0.0 %
79.43000000001	-	1	0.0 %
80.18000000001	-	1	0.0 %

Value	Label	Unweighted Frequency	%
80.49000000001	-	1	0.0 %
80.83000000000	-	1	0.0 %
81.06000000000	-	1	0.0 %
81.22000000000	-	1	0.0 %
81.66000000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 231.46135652729
- Minimum: 18.75000000000
- Maximum: 792.56000000000
- Standard Deviation: 98.54971061534

Location: 1978-1992 (width: 15; decimal: 11)
Variable Type: numeric

BATPHOS0: Daily dietary estimate (DDE) phosphorus before alcohol, milligrams (mg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1111.1912416215
- Minimum: 280.7600000001
- Maximum: 3409.6600000000
- Standard Deviation: 431.5404926257

Location: 1993-2007 (width: 15; decimal: 10)
Variable Type: numeric

BATPOTS0: Daily dietary estimate (DDE) potassium before alcohol, milligrams (mg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2599.4497765720
- Minimum: 709.8300000000
- Maximum: 7879.4400000000
- Standard Deviation: 942.4983459399

Location: 2008-2022 (width: 15; decimal: 10)
Variable Type: numeric

BATRIBO0: Daily dietary estimate (DDE) riboflavin before alcohol, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.28	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.38	-	1	0.0 %
0.39	-	2	0.1 %
0.41	-	2	0.1 %
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	2	0.1 %
0.47	-	5	0.2 %
0.48	-	2	0.1 %
0.49	-	1	0.0 %
0.50	-	4	0.1 %
0.51	-	1	0.0 %
0.52	-	2	0.1 %
0.53	-	4	0.1 %
0.54	-	4	0.1 %
0.55	-	4	0.1 %
0.56	-	7	0.2 %
0.57	-	4	0.1 %
0.58	-	1	0.0 %
0.59	-	5	0.2 %
0.60	-	9	0.3 %
0.61	-	7	0.2 %
0.62	-	4	0.1 %
0.63	-	4	0.1 %
0.64	-	8	0.2 %
0.65	-	5	0.2 %
0.66	-	5	0.2 %
0.67	-	9	0.3 %
0.68	-	9	0.3 %
0.69	-	6	0.2 %
0.70	-	11	0.3 %
0.71	-	9	0.3 %
0.72	-	7	0.2 %
0.73	-	11	0.3 %
0.74	-	9	0.3 %
0.75	-	8	0.2 %
0.76	-	7	0.2 %
0.77	-	15	0.5 %
0.78	-	12	0.4 %

Value	Label	Unweighted Frequency	%
0.79	-	18	0.5 %
0.80	-	6	0.2 %
0.81	-	21	0.6 %
0.82	-	5	0.2 %
0.83	-	19	0.6 %
0.84	-	14	0.4 %
0.85	-	19	0.6 %
0.86	-	22	0.7 %
0.87	-	14	0.4 %
0.88	-	21	0.6 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.62
- Minimum: 0.28
- Maximum: 6.11
- Standard Deviation: 0.72

Location: 2023-2026 (width: 4; decimal: 2)
Variable Type: numeric

BATNIAC0: Daily dietary estimate (DDE) niacin before alcohol total, milligrams (mg)

Value	Label	Unweighted Frequency	%
4.05	-	1	0.0 %
4.89	-	1	0.0 %
5.59	-	1	0.0 %
5.64	-	1	0.0 %
5.70	-	1	0.0 %
5.83	-	1	0.0 %
5.84	-	1	0.0 %
6.01	-	1	0.0 %
6.06	-	2	0.1 %
6.15	-	1	0.0 %
6.19	-	1	0.0 %
6.31	-	1	0.0 %
6.32	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6.33	-	1	0.0 %
6.34	-	1	0.0 %
6.38	-	2	0.1 %
6.52	-	2	0.1 %
6.53	-	2	0.1 %
6.57	-	1	0.0 %
6.58	-	1	0.0 %
6.62	-	1	0.0 %
6.68	-	1	0.0 %
6.72	-	1	0.0 %
6.77	-	1	0.0 %
6.78	-	1	0.0 %
6.93	-	1	0.0 %
6.96	-	1	0.0 %
6.98	-	1	0.0 %
6.99	-	2	0.1 %
7.00	-	3	0.1 %
7.03	-	1	0.0 %
7.08	-	1	0.0 %
7.10	-	1	0.0 %
7.14	-	1	0.0 %
7.18	-	1	0.0 %
7.21	-	1	0.0 %
7.22	-	1	0.0 %
7.23	-	1	0.0 %
7.28	-	1	0.0 %
7.29	-	1	0.0 %
7.32	-	1	0.0 %
7.33	-	1	0.0 %
7.35	-	1	0.0 %
7.37	-	1	0.0 %
7.41	-	1	0.0 %
7.50	-	1	0.0 %
7.52	-	1	0.0 %
7.53	-	1	0.0 %
7.55	-	1	0.0 %
7.58	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 17.52
- Minimum: 4.05
- Maximum: 49.85
- Standard Deviation: 6.40

Location: 2027-2031 (width: 5; decimal: 2)
Variable Type: numeric

PCTALCH0: Percent kilocalories (%KCAL) from alcoholic beverages

Value	Label	Unweighted Frequency	%
0.00	-	1553	47.0 %
0.15	-	1	0.0 %
0.19	-	1	0.0 %
0.20	-	1	0.0 %
0.22	-	3	0.1 %
0.24	-	1	0.0 %
0.25	-	2	0.1 %
0.26	-	3	0.1 %
0.27	-	3	0.1 %
0.28	-	2	0.1 %
0.30	-	2	0.1 %
0.31	-	2	0.1 %
0.32	-	2	0.1 %
0.33	-	1	0.0 %
0.34	-	2	0.1 %
0.35	-	4	0.1 %
0.36	-	6	0.2 %
0.37	-	2	0.1 %
0.38	-	3	0.1 %
0.40	-	2	0.1 %
0.41	-	6	0.2 %
0.42	-	3	0.1 %
0.43	-	6	0.2 %
0.44	-	5	0.2 %
0.45	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.46	-	3	0.1 %
0.47	-	3	0.1 %
0.48	-	5	0.2 %
0.49	-	5	0.2 %
0.50	-	5	0.2 %
0.51	-	8	0.2 %
0.52	-	5	0.2 %
0.53	-	1	0.0 %
0.54	-	5	0.2 %
0.55	-	8	0.2 %
0.56	-	7	0.2 %
0.57	-	9	0.3 %
0.58	-	5	0.2 %
0.59	-	7	0.2 %
0.60	-	6	0.2 %
0.61	-	2	0.1 %
0.62	-	6	0.2 %
0.63	-	3	0.1 %
0.64	-	4	0.1 %
0.65	-	1	0.0 %
0.66	-	3	0.1 %
0.67	-	12	0.4 %
0.68	-	8	0.2 %
0.69	-	6	0.2 %
0.70	-	6	0.2 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.35
- Minimum: 0.00
- Maximum: 47.67
- Standard Deviation: 4.69

Location: 2032-2036 (width: 5; decimal: 2)
Variable Type: numeric

PCTSWET0: Percent kilocalories (%KCAL) from sweets

Value	Label	Unweighted Frequency	%
0.00	-	34	1.0 %
0.16	-	1	0.0 %
0.17	-	1	0.0 %
0.21	-	1	0.0 %
0.24	-	1	0.0 %
0.25	-	1	0.0 %
0.26	-	1	0.0 %
0.27	-	1	0.0 %
0.29	-	1	0.0 %
0.35	-	1	0.0 %
0.43	-	1	0.0 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	1	0.0 %
0.56	-	1	0.0 %
0.57	-	2	0.1 %
0.59	-	1	0.0 %
0.60	-	1	0.0 %
0.61	-	2	0.1 %
0.62	-	2	0.1 %
0.64	-	1	0.0 %
0.65	-	1	0.0 %
0.67	-	1	0.0 %
0.68	-	2	0.1 %
0.69	-	1	0.0 %
0.73	-	2	0.1 %
0.74	-	1	0.0 %
0.78	-	2	0.1 %
0.79	-	1	0.0 %
0.80	-	2	0.1 %
0.82	-	1	0.0 %
0.83	-	1	0.0 %
0.85	-	3	0.1 %
0.86	-	3	0.1 %
0.87	-	1	0.0 %
0.89	-	1	0.0 %
0.90	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.93	-	3	0.1 %
0.96	-	1	0.0 %
1.00	-	1	0.0 %
1.05	-	3	0.1 %
1.06	-	1	0.0 %
1.08	-	1	0.0 %
1.12	-	2	0.1 %
1.14	-	1	0.0 %
1.15	-	2	0.1 %
1.16	-	2	0.1 %
1.17	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 15.67
- Minimum: 0.00
- Maximum: 79.70
- Standard Deviation: 11.73

Location: 2037-2041 (width: 5; decimal: 2)
Variable Type: numeric

PCTFAT0: Percent kilocalories (%KCAL) from fat

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 32.772765081542
- Minimum: 9.404733100972
- Maximum: 74.711436673370
- Standard Deviation: 7.420032946514

Location: 2042-2056 (width: 15; decimal: 12)
Variable Type: numeric

PCTPROT0: Percent kilocalories (%KCAL) from protein

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 15.673042480259
- Minimum: 5.309976319145
- Maximum: 35.930008095149
- Standard Deviation: 3.474067115042

Location: 2057-2071 (width: 15; decimal: 12)

Variable Type: numeric

PCTCARB0: Percent kilocalories (%KCAL) from carb

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 50.941847907735
- Minimum: 9.324878776576
- Maximum: 84.227184335814
- Standard Deviation: 8.284929666248

Location: 2072-2086 (width: 15; decimal: 12)
Variable Type: numeric

FRUTSRV0: Number of servings fruit or fruit juice

Value	Label	Unweighted Frequency	%
0.0	-	26	0.8 %
0.1	-	67	2.0 %
0.2	-	113	3.4 %
0.3	-	134	4.1 %
0.4	-	146	4.4 %
0.5	-	136	4.1 %
0.6	-	210	6.4 %
0.7	-	130	3.9 %
0.8	-	123	3.7 %
0.9	-	129	3.9 %
1.0	-	197	6.0 %
1.1	-	153	4.6 %
1.2	-	151	4.6 %
1.3	-	153	4.6 %
1.4	-	126	3.8 %
1.5	-	108	3.3 %
1.6	-	124	3.8 %
1.7	-	77	2.3 %
1.8	-	107	3.2 %
1.9	-	69	2.1 %
2.0	-	77	2.3 %
2.1	-	65	2.0 %
2.2	-	53	1.6 %
2.3	-	60	1.8 %
2.4	-	49	1.5 %
2.5	-	55	1.7 %
2.6	-	39	1.2 %
2.7	-	40	1.2 %

Value	Label	Unweighted Frequency	%
2.8	-	35	1.1 %
2.9	-	17	0.5 %
3.0	-	20	0.6 %
3.1	-	17	0.5 %
3.2	-	17	0.5 %
3.3	-	14	0.4 %
3.4	-	10	0.3 %
3.5	-	8	0.2 %
3.6	-	3	0.1 %
3.7	-	8	0.2 %
3.8	-	14	0.4 %
3.9	-	5	0.2 %
4.0	-	7	0.2 %
4.1	-	3	0.1 %
4.2	-	8	0.2 %
4.3	-	1	0.0 %
4.4	-	2	0.1 %
4.5	-	5	0.2 %
4.6	-	5	0.2 %
4.7	-	1	0.0 %
4.8	-	3	0.1 %
4.9	-	3	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.32
- Median: 1.20
- Mode: 0.60
- Minimum: 0.00
- Maximum: 5.90
- Standard Deviation: 0.90

Location: 2087-2089 (width: 3; decimal: 1)
Variable Type: numeric

FVFRQ0: Sum daily frequency of fruit and vegetables

Value	Label	Unweighted Frequency	%
0.2	-	1	0.0 %
0.3	-	1	0.0 %
0.4	-	9	0.3 %
0.5	-	14	0.4 %
0.6	-	18	0.5 %
0.7	-	28	0.8 %
0.8	-	22	0.7 %
0.9	-	44	1.3 %
1.0	-	45	1.4 %
1.1	-	51	1.5 %
1.2	-	72	2.2 %
1.3	-	75	2.3 %
1.4	-	72	2.2 %
1.5	-	80	2.4 %
1.6	-	90	2.7 %
1.7	-	86	2.6 %
1.8	-	92	2.8 %
1.9	-	110	3.3 %
2.0	-	88	2.7 %
2.1	-	106	3.2 %
2.2	-	85	2.6 %
2.3	-	100	3.0 %
2.4	-	114	3.5 %
2.5	-	103	3.1 %
2.6	-	98	3.0 %
2.7	-	104	3.1 %
2.8	-	90	2.7 %
2.9	-	91	2.8 %
3.0	-	93	2.8 %
3.1	-	83	2.5 %
3.2	-	82	2.5 %
3.3	-	65	2.0 %
3.4	-	62	1.9 %
3.5	-	58	1.8 %
3.6	-	48	1.5 %
3.7	-	75	2.3 %
3.8	-	59	1.8 %
3.9	-	46	1.4 %
4.0	-	47	1.4 %

Value	Label	Unweighted Frequency	%
4.1	-	42	1.3 %
4.2	-	33	1.0 %
4.3	-	44	1.3 %
4.4	-	34	1.0 %
4.5	-	27	0.8 %
4.6	-	22	0.7 %
4.7	-	30	0.9 %
4.8	-	26	0.8 %
4.9	-	19	0.6 %
5.0	-	20	0.6 %
5.1	-	13	0.4 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.82
- Median: 2.60
- Mode: 2.40
- Minimum: 0.20
- Maximum: 10.10
- Standard Deviation: 1.38

Location: 2090-2093 (width: 4; decimal: 1)
Variable Type: numeric

VEGSRV0: Number of servings vegetables

Value	Label	Unweighted Frequency	%
0.000000000000	-	1	0.0 %
0.045714285714	-	1	0.0 %
0.055371428571	-	1	0.0 %
0.098571428571	-	1	0.0 %
0.117485714286	-	1	0.0 %
0.151428571429	-	1	0.0 %
0.154285714286	-	1	0.0 %
0.158571428571	-	1	0.0 %
0.160000000000	-	1	0.0 %
0.177142857143	-	1	0.0 %
0.177371428571	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.186800000000	-	1	0.0 %
0.187142857143	-	1	0.0 %
0.190000000000	-	2	0.1 %
0.192514285714	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.202857142857	-	1	0.0 %
0.206000000000	-	1	0.0 %
0.209885714286	-	1	0.0 %
0.210000000000	-	1	0.0 %
0.213200000000	-	1	0.0 %
0.216000000000	-	1	0.0 %
0.218857142857	-	1	0.0 %
0.221428571429	-	1	0.0 %
0.223828571429	-	1	0.0 %
0.226800000000	-	1	0.0 %
0.228857142857	-	1	0.0 %
0.231428571429	-	1	0.0 %
0.232857142857	-	1	0.0 %
0.235714285714	-	1	0.0 %
0.237142857143	-	2	0.1 %
0.248228571429	-	1	0.0 %
0.254285714286	-	1	0.0 %
0.262857142857	-	1	0.0 %
0.264514285714	-	1	0.0 %
0.265371428571	-	1	0.0 %
0.271428571429	-	1	0.0 %
0.272857142857	-	1	0.0 %
0.274285714286	-	1	0.0 %
0.281714285714	-	1	0.0 %
0.282514285714	-	1	0.0 %
0.284285714286	-	1	0.0 %
0.288228571429	-	1	0.0 %
0.289485714286	-	1	0.0 %
0.290000000000	-	1	0.0 %
0.291714285714	-	1	0.0 %
0.292514285714	-	1	0.0 %
0.294457142857	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.301428571429	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.767999872327
- Minimum: 0.000000000000
- Maximum: 10.574800000000
- Standard Deviation: 1.365745254721

Location: 2094-2108 (width: 15; decimal: 12)
Variable Type: numeric

VEGFRQ0: Sum daily frequency vegetables

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.1	-	3	0.1 %
0.2	-	15	0.5 %
0.3	-	35	1.1 %
0.4	-	63	1.9 %
0.5	-	83	2.5 %
0.6	-	115	3.5 %
0.7	-	163	4.9 %
0.8	-	166	5.0 %
0.9	-	195	5.9 %
1.0	-	183	5.5 %
1.1	-	177	5.4 %
1.2	-	179	5.4 %
1.3	-	184	5.6 %
1.4	-	184	5.6 %
1.5	-	168	5.1 %
1.6	-	141	4.3 %
1.7	-	122	3.7 %
1.8	-	123	3.7 %
1.9	-	91	2.8 %
2.0	-	85	2.6 %
2.1	-	86	2.6 %
2.2	-	76	2.3 %

Value	Label	Unweighted Frequency	%
2.3	-	72	2.2 %
2.4	-	52	1.6 %
2.5	-	43	1.3 %
2.6	-	44	1.3 %
2.7	-	29	0.9 %
2.8	-	38	1.2 %
2.9	-	37	1.1 %
3.0	-	24	0.7 %
3.1	-	18	0.5 %
3.2	-	19	0.6 %
3.3	-	14	0.4 %
3.4	-	16	0.5 %
3.5	-	14	0.4 %
3.6	-	6	0.2 %
3.7	-	8	0.2 %
3.8	-	9	0.3 %
3.9	-	3	0.1 %
4.0	-	5	0.2 %
4.1	-	8	0.2 %
4.2	-	3	0.1 %
4.3	-	3	0.1 %
4.4	-	4	0.1 %
4.5	-	3	0.1 %
4.6	-	3	0.1 %
4.7	-	1	0.0 %
4.8	-	4	0.1 %
4.9	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.51
- Median: 1.40
- Mode: 0.90
- Minimum: 0.00
- Maximum: 7.30
- Standard Deviation: 0.82

Location: 2109-2111 (width: 3; decimal: 1)
Variable Type: numeric

GRANSRV0: Number of servings grains

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 5.211204285097
- Minimum: 0.205042016807
- Maximum: 27.505672268908
- Standard Deviation: 2.705667381257

Location: 2112-2126 (width: 15; decimal: 12)
Variable Type: numeric

GRANFRQ0: Sum daily frequency grains

Value	Label	Unweighted Frequency	%
0.2	-	2	0.1 %
0.3	-	2	0.1 %
0.4	-	4	0.1 %
0.5	-	14	0.4 %
0.6	-	15	0.5 %
0.7	-	15	0.5 %
0.8	-	30	0.9 %
0.9	-	26	0.8 %
1.0	-	38	1.2 %
1.1	-	51	1.5 %
1.2	-	62	1.9 %
1.3	-	70	2.1 %
1.4	-	83	2.5 %
1.5	-	76	2.3 %
1.6	-	123	3.7 %
1.7	-	117	3.5 %
1.8	-	127	3.8 %
1.9	-	143	4.3 %
2.0	-	136	4.1 %
2.1	-	105	3.2 %
2.2	-	112	3.4 %
2.3	-	138	4.2 %
2.4	-	138	4.2 %
2.5	-	127	3.8 %
2.6	-	133	4.0 %
2.7	-	113	3.4 %
2.8	-	134	4.1 %

Value	Label	Unweighted Frequency	%
2.9	-	108	3.3 %
3.0	-	102	3.1 %
3.1	-	95	2.9 %
3.2	-	84	2.5 %
3.3	-	60	1.8 %
3.4	-	85	2.6 %
3.5	-	64	1.9 %
3.6	-	49	1.5 %
3.7	-	52	1.6 %
3.8	-	51	1.5 %
3.9	-	36	1.1 %
4.0	-	29	0.9 %
4.1	-	34	1.0 %
4.2	-	24	0.7 %
4.3	-	24	0.7 %
4.4	-	12	0.4 %
4.5	-	11	0.3 %
4.6	-	14	0.4 %
4.7	-	5	0.2 %
4.8	-	7	0.2 %
4.9	-	7	0.2 %
5.0	-	10	0.3 %
5.1	-	8	0.2 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.48
- Median: 2.40
- Mode: 1.90
- Minimum: 0.20
- Maximum: 7.10
- Standard Deviation: 0.95

Location: 2127-2129 (width: 3; decimal: 1)
Variable Type: numeric

MEATSRV0: Number of servings meat

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.8065784407603
- Minimum: 0.0754509803922
- Maximum: 7.9186274509804
- Standard Deviation: 0.8506524323554

Location: 2130-2144 (width: 15; decimal: 13)
Variable Type: numeric

MEATFRQ0: Sum daily frequency meat

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0 %
0.3	-	3	0.1 %
0.4	-	7	0.2 %
0.5	-	12	0.4 %
0.6	-	25	0.8 %
0.7	-	39	1.2 %
0.8	-	49	1.5 %
0.9	-	60	1.8 %
1.0	-	100	3.0 %
1.1	-	111	3.4 %
1.2	-	134	4.1 %
1.3	-	142	4.3 %
1.4	-	156	4.7 %
1.5	-	175	5.3 %
1.6	-	157	4.8 %
1.7	-	170	5.1 %
1.8	-	150	4.5 %
1.9	-	167	5.1 %
2.0	-	168	5.1 %
2.1	-	122	3.7 %
2.2	-	133	4.0 %
2.3	-	112	3.4 %
2.4	-	103	3.1 %
2.5	-	96	2.9 %
2.6	-	98	3.0 %
2.7	-	77	2.3 %
2.8	-	67	2.0 %
2.9	-	68	2.1 %
3.0	-	52	1.6 %
3.1	-	48	1.5 %

Value	Label	Unweighted Frequency	%
3.2	-	51	1.5 %
3.3	-	41	1.2 %
3.4	-	35	1.1 %
3.5	-	32	1.0 %
3.6	-	12	0.4 %
3.7	-	21	0.6 %
3.8	-	18	0.5 %
3.9	-	18	0.5 %
4.0	-	15	0.5 %
4.1	-	19	0.6 %
4.2	-	6	0.2 %
4.3	-	8	0.2 %
4.4	-	4	0.1 %
4.5	-	6	0.2 %
4.6	-	9	0.3 %
4.7	-	6	0.2 %
4.8	-	6	0.2 %
4.9	-	2	0.1 %
5.0	-	5	0.2 %
5.1	-	4	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.03
- Median: 1.90
- Mode: 1.50
- Minimum: 0.10
- Maximum: 8.20
- Standard Deviation: 0.87

Location: 2145-2147 (width: 3; decimal: 1)
Variable Type: numeric

DARYSRV0: Number of servings dairy

Value	Label	Unweighted Frequency	%
0.000000000000	-	18	0.5 %
0.008333333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.008750000000	-	2	0.1 %
0.016666666667	-	1	0.0 %
0.017083333333	-	2	0.1 %
0.017916666667	-	6	0.2 %
0.018333333333	-	1	0.0 %
0.025000000000	-	2	0.1 %
0.033750000000	-	4	0.1 %
0.035833333333	-	1	0.0 %
0.036250000000	-	3	0.1 %
0.039166666667	-	1	0.0 %
0.041666666667	-	3	0.1 %
0.042083333333	-	1	0.0 %
0.045238095238	-	3	0.1 %
0.050000000000	-	3	0.1 %
0.055833333333	-	1	0.0 %
0.057083333333	-	2	0.1 %
0.057500000000	-	2	0.1 %
0.058750000000	-	1	0.0 %
0.060000000000	-	1	0.0 %
0.061071428571	-	2	0.1 %
0.062083333333	-	1	0.0 %
0.062500000000	-	3	0.1 %
0.063333333333	-	1	0.0 %
0.063750000000	-	1	0.0 %
0.064583333333	-	1	0.0 %
0.066666666667	-	1	0.0 %
0.067083333333	-	2	0.1 %
0.071250000000	-	1	0.0 %
0.071488095238	-	1	0.0 %
0.075000000000	-	1	0.0 %
0.076488095238	-	1	0.0 %
0.077500000000	-	1	0.0 %
0.078154761905	-	1	0.0 %
0.078988095238	-	2	0.1 %
0.080000000000	-	1	0.0 %
0.080238095238	-	1	0.0 %
0.080416666667	-	1	0.0 %
0.080654761905	-	1	0.0 %
0.081488095238	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.082083333333	-	1	0.0 %
0.082916666667	-	1	0.0 %
0.083750000000	-	1	0.0 %
0.084404761905	-	1	0.0 %
0.085000000000	-	1	0.0 %
0.086071428571	-	1	0.0 %
0.086904761905	-	1	0.0 %
0.087500000000	-	1	0.0 %
0.093333333333	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.390559918988
- Minimum: 0.000000000000
- Maximum: 11.596726190476
- Standard Deviation: 1.192003031476

Location: 2148-2162 (width: 15; decimal: 12)
Variable Type: numeric

DARYFRQ0: Sum daily frequency dairy

Value	Label	Unweighted Frequency	%
0.0	-	32	1.0 %
0.1	-	58	1.8 %
0.2	-	65	2.0 %
0.3	-	68	2.1 %
0.4	-	70	2.1 %
0.5	-	99	3.0 %
0.6	-	88	2.7 %
0.7	-	65	2.0 %
0.8	-	78	2.4 %
0.9	-	59	1.8 %
1.0	-	99	3.0 %
1.1	-	101	3.1 %
1.2	-	101	3.1 %
1.3	-	87	2.6 %

Value	Label	Unweighted Frequency	%
1.4	-	70	2.1 %
1.5	-	90	2.7 %
1.6	-	71	2.2 %
1.7	-	72	2.2 %
1.8	-	62	1.9 %
1.9	-	63	1.9 %
2.0	-	63	1.9 %
2.1	-	66	2.0 %
2.2	-	86	2.6 %
2.3	-	79	2.4 %
2.4	-	58	1.8 %
2.5	-	68	2.1 %
2.6	-	69	2.1 %
2.7	-	53	1.6 %
2.8	-	79	2.4 %
2.9	-	56	1.7 %
3.0	-	58	1.8 %
3.1	-	43	1.3 %
3.2	-	51	1.5 %
3.3	-	58	1.8 %
3.4	-	42	1.3 %
3.5	-	51	1.5 %
3.6	-	49	1.5 %
3.7	-	40	1.2 %
3.8	-	31	0.9 %
3.9	-	36	1.1 %
4.0	-	21	0.6 %
4.1	-	26	0.8 %
4.2	-	28	0.8 %
4.3	-	24	0.7 %
4.4	-	27	0.8 %
4.5	-	26	0.8 %
4.6	-	24	0.7 %
4.7	-	16	0.5 %
4.8	-	19	0.6 %
4.9	-	16	0.5 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.37
- Median: 2.10
- Minimum: 0.00
- Maximum: 11.70
- Standard Deviation: 1.74

Location: 2163-2166 (width: 4; decimal: 1)
Variable Type: numeric

FVSRV0: Number of servings fruit and vegetables

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 3.085937950846
- Minimum: 0.145714285714
- Maximum: 13.174800000000
- Standard Deviation: 1.795201797109

Location: 2167-2181 (width: 15; decimal: 12)
Variable Type: numeric

FATSRV0: Servings of fats/sweets/snacks

Value	Label	Unweighted Frequency	%
0.0	-	3	0.1 %
0.1	-	5	0.2 %
0.2	-	7	0.2 %
0.3	-	15	0.5 %
0.4	-	17	0.5 %
0.5	-	24	0.7 %
0.6	-	18	0.5 %
0.7	-	26	0.8 %
0.8	-	36	1.1 %
0.9	-	35	1.1 %
1.0	-	31	0.9 %
1.1	-	57	1.7 %
1.2	-	61	1.8 %
1.3	-	55	1.7 %
1.4	-	73	2.2 %
1.5	-	55	1.7 %
1.6	-	75	2.3 %
1.7	-	76	2.3 %
1.8	-	72	2.2 %

Value	Label	Unweighted Frequency	%
1.9	-	73	2.2 %
2.0	-	68	2.1 %
2.1	-	81	2.5 %
2.2	-	69	2.1 %
2.3	-	73	2.2 %
2.4	-	79	2.4 %
2.5	-	83	2.5 %
2.6	-	79	2.4 %
2.7	-	64	1.9 %
2.8	-	64	1.9 %
2.9	-	75	2.3 %
3.0	-	61	1.8 %
3.1	-	65	2.0 %
3.2	-	75	2.3 %
3.3	-	59	1.8 %
3.4	-	64	1.9 %
3.5	-	54	1.6 %
3.6	-	62	1.9 %
3.7	-	51	1.5 %
3.8	-	39	1.2 %
3.9	-	37	1.1 %
4.0	-	55	1.7 %
4.1	-	43	1.3 %
4.2	-	37	1.1 %
4.3	-	49	1.5 %
4.4	-	32	1.0 %
4.5	-	45	1.4 %
4.6	-	42	1.3 %
4.7	-	36	1.1 %
4.8	-	31	0.9 %
4.9	-	40	1.2 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 3.43

- Median: 3.00
- Mode: 2.50
- Minimum: 0.00
- Maximum: 16.90
- Standard Deviation: 2.10

Location: 2182-2185 (width: 4; decimal: 1)
Variable Type: numeric

ALCHSRV0: Number of servings of alcoholic beverages

Value	Label	Unweighted Frequency	%
0.0	-	1553	47.0 %
0.1	-	720	21.8 %
0.2	-	130	3.9 %
0.3	-	54	1.6 %
0.4	-	133	4.0 %
0.5	-	140	4.2 %
0.6	-	16	0.5 %
0.7	-	8	0.2 %
0.8	-	94	2.8 %
0.9	-	52	1.6 %
1.0	-	58	1.8 %
1.1	-	49	1.5 %
1.2	-	25	0.8 %
1.3	-	3	0.1 %
1.4	-	7	0.2 %
1.5	-	18	0.5 %
1.6	-	3	0.1 %
1.7	-	1	0.0 %
1.8	-	3	0.1 %
2.0	-	23	0.7 %
2.1	-	11	0.3 %
2.2	-	8	0.2 %
2.4	-	3	0.1 %
2.5	-	1	0.0 %
2.6	-	1	0.0 %
2.8	-	1	0.0 %
3.0	-	1	0.0 %
3.1	-	2	0.1 %
3.4	-	1	0.0 %
4.0	-	7	0.2 %
4.1	-	3	0.1 %

Value	Label	Unweighted Frequency	%
4.2	-	1	0.0 %
5.0	-	1	0.0 %
5.1	-	1	0.0 %
8.0	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 0.24
- Median: 0.10
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.50

Location: 2186-2188 (width: 3; decimal: 1)
Variable Type: numeric

FRUTWK0: Weekly variability fruit

Value	Label	Unweighted Frequency	%
0	-	323	9.8 %
1	-	630	19.1 %
2	-	759	23.0 %
3	-	663	20.1 %
4	-	430	13.0 %
5	-	199	6.0 %
6	-	76	2.3 %
7	-	35	1.1 %
8	-	15	0.5 %
9	-	2	0.1 %
11	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.46
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 11.00

- Standard Deviation: 1.62

Location: 2189-2190 (width: 2; decimal: 0)
Variable Type: numeric

FRUTMON0: Monthly variability fruit

Value	Label	Unweighted Frequency	%
0	-	25	0.8 %
1	-	75	2.3 %
2	-	178	5.4 %
3	-	368	11.1 %
4	-	483	14.6 %
5	-	563	17.1 %
6	-	465	14.1 %
7	-	392	11.9 %
8	-	294	8.9 %
9	-	194	5.9 %
10	-	74	2.2 %
11	-	19	0.6 %
12	-	3	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 5.39
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.21

Location: 2191-2192 (width: 2; decimal: 0)
Variable Type: numeric

FATWK0: Weekly variability fat/sweet

Value	Label	Unweighted Frequency	%
0	-	16	0.5 %
1	-	129	3.9 %
2	-	226	6.8 %
3	-	353	10.7 %
4	-	440	13.3 %
5	-	481	14.6 %

Value	Label	Unweighted Frequency	%
6	-	450	13.6 %
7	-	387	11.7 %
8	-	257	7.8 %
9	-	189	5.7 %
10	-	124	3.8 %
11	-	55	1.7 %
12	-	19	0.6 %
13	-	6	0.2 %
14	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 5.47
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.49

Location: 2193-2194 (width: 2; decimal: 0)
Variable Type: numeric

FATMON0: Monthly variability fat/sweet

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	7	0.2 %
2	-	32	1.0 %
3	-	65	2.0 %
4	-	116	3.5 %
5	-	178	5.4 %
6	-	259	7.8 %
7	-	279	8.4 %
8	-	355	10.8 %
9	-	409	12.4 %
10	-	419	12.7 %
11	-	368	11.1 %
12	-	300	9.1 %
13	-	165	5.0 %
14	-	112	3.4 %

Value	Label	Unweighted Frequency	%
15	-	52	1.6 %
16	-	12	0.4 %
17	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 9.00
- Median: 9.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 2.92

Location: 2195-2196 (width: 2; decimal: 0)
Variable Type: numeric

ALCHWK0: Weekly variability alcohol

Value	Label	Unweighted Frequency	%
0	-	2220	67.2 %
1	-	611	18.5 %
2	-	261	7.9 %
3	-	41	1.2 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.70

Location: 2197-2197 (width: 1; decimal: 0)
Variable Type: numeric

ALCHMON0: Monthly variability alcohol

Value	Label	Unweighted Frequency	%
0	-	1553	47.0 %
1	-	749	22.7 %

Value	Label	Unweighted Frequency	%
2	-	592	17.9 %
3	-	239	7.2 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.98

Location: 2198-2198 (width: 1; decimal: 0)
Variable Type: numeric

VEGWK0: Weekly variability vegetables

Value	Label	Unweighted Frequency	%
0	-	159	4.8 %
1	-	483	14.6 %
2	-	596	18.0 %
3	-	531	16.1 %
4	-	397	12.0 %
5	-	348	10.5 %
6	-	197	6.0 %
7	-	184	5.6 %
8	-	99	3.0 %
9	-	61	1.8 %
10	-	43	1.3 %
11	-	16	0.5 %
12	-	11	0.3 %
13	-	2	0.1 %
14	-	5	0.2 %
16	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 3.59
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.46

Location: 2199-2200 (width: 2; decimal: 0)
Variable Type: numeric

VEGMON0: Monthly variability vegetables

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	6	0.2 %
2	-	11	0.3 %
3	-	56	1.7 %
4	-	89	2.7 %
5	-	166	5.0 %
6	-	210	6.4 %
7	-	283	8.6 %
8	-	332	10.1 %
9	-	335	10.1 %
10	-	369	11.2 %
11	-	356	10.8 %
12	-	294	8.9 %
13	-	209	6.3 %
14	-	166	5.0 %
15	-	118	3.6 %
16	-	55	1.7 %
17	-	38	1.2 %
18	-	26	0.8 %
19	-	9	0.3 %
20	-	3	0.1 %
21	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 9.73
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00

- Maximum: 21.00
- Standard Deviation: 3.31

Location: 2201-2202 (width: 2; decimal: 0)
Variable Type: numeric

GRANWK0: Weekly variability grains

Value	Label	Unweighted Frequency	%
0	-	9	0.3 %
1	-	76	2.3 %
2	-	210	6.4 %
3	-	338	10.2 %
4	-	459	13.9 %
5	-	509	15.4 %
6	-	479	14.5 %
7	-	389	11.8 %
8	-	257	7.8 %
9	-	186	5.6 %
10	-	131	4.0 %
11	-	51	1.5 %
12	-	27	0.8 %
13	-	10	0.3 %
14	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 5.61
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.43

Location: 2203-2204 (width: 2; decimal: 0)
Variable Type: numeric

GRANMON0: Monthly variability grains

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	2	0.1 %
3	-	19	0.6 %

Value	Label	Unweighted Frequency	%
4	-	32	1.0 %
5	-	45	1.4 %
6	-	90	2.7 %
7	-	122	3.7 %
8	-	179	5.4 %
9	-	279	8.4 %
10	-	374	11.3 %
11	-	443	13.4 %
12	-	501	15.2 %
13	-	432	13.1 %
14	-	350	10.6 %
15	-	199	6.0 %
16	-	36	1.1 %
17	-	24	0.7 %
18	-	4	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 11.15
- Median: 11.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 2.68

Location: 2205-2206 (width: 2; decimal: 0)
Variable Type: numeric

MEATWK0: Weekly variability meat

Value	Label	Unweighted Frequency	%
0	-	41	1.2 %
1	-	117	3.5 %
2	-	195	5.9 %
3	-	317	9.6 %
4	-	406	12.3 %
5	-	449	13.6 %
6	-	392	11.9 %
7	-	362	11.0 %
8	-	282	8.5 %

Value	Label	Unweighted Frequency	%
9	-	215	6.5 %
10	-	142	4.3 %
11	-	86	2.6 %
12	-	56	1.7 %
13	-	32	1.0 %
14	-	14	0.4 %
15	-	19	0.6 %
16	-	5	0.2 %
17	-	1	0.0 %
19	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 5.90
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 19.00
- Standard Deviation: 2.95

Location: 2207-2208 (width: 2; decimal: 0)
Variable Type: numeric

MEATMON0: Monthly variability meat

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
3	-	4	0.1 %
4	-	10	0.3 %
5	-	27	0.8 %
6	-	38	1.2 %
7	-	53	1.6 %
8	-	97	2.9 %
9	-	119	3.6 %
10	-	168	5.1 %
11	-	236	7.1 %
12	-	273	8.3 %
13	-	304	9.2 %
14	-	304	9.2 %
15	-	310	9.4 %

Value	Label	Unweighted Frequency	%
16	-	331	10.0 %
17	-	250	7.6 %
18	-	231	7.0 %
19	-	130	3.9 %
20	-	90	2.7 %
21	-	62	1.9 %
22	-	32	1.0 %
23	-	24	0.7 %
24	-	18	0.5 %
25	-	10	0.3 %
26	-	9	0.3 %
27	-	1	0.0 %
28	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 14.22
- Median: 14.00
- Mode: 16.00
- Minimum: 1.00
- Maximum: 28.00
- Standard Deviation: 3.88

Location: 2209-2210 (width: 2; decimal: 0)
Variable Type: numeric

DARYWK0: Weekly variability dairy

Value	Label	Unweighted Frequency	%
0	-	143	4.3 %
1	-	504	15.3 %
2	-	801	24.3 %
3	-	807	24.4 %
4	-	533	16.1 %
5	-	248	7.5 %
6	-	81	2.5 %
7	-	14	0.4 %
8	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.71
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.43

Location: 2211-2211 (width: 1; decimal: 0)
Variable Type: numeric

DARYMON0: Monthly variability dairy

Value	Label	Unweighted Frequency	%
0	-	18	0.5 %
1	-	73	2.2 %
2	-	174	5.3 %
3	-	346	10.5 %
4	-	609	18.4 %
5	-	787	23.8 %
6	-	639	19.4 %
7	-	340	10.3 %
8	-	103	3.1 %
9	-	38	1.2 %
10	-	5	0.2 %
11	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 4.87
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.68

Location: 2212-2213 (width: 2; decimal: 0)
Variable Type: numeric

FVWK0: Weekly variability fruit and vegetables

Value	Label	Unweighted Frequency	%
0	-	38	1.2 %
1	-	122	3.7 %
2	-	231	7.0 %
3	-	366	11.1 %
4	-	373	11.3 %
5	-	403	12.2 %
6	-	364	11.0 %
7	-	328	9.9 %
8	-	254	7.7 %
9	-	169	5.1 %
10	-	162	4.9 %
11	-	106	3.2 %
12	-	74	2.2 %
13	-	55	1.7 %
14	-	36	1.1 %
15	-	22	0.7 %
16	-	13	0.4 %
17	-	7	0.2 %
18	-	5	0.2 %
19	-	3	0.1 %
20	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 6.05
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.32

Location: 2214-2215 (width: 2; decimal: 0)
Variable Type: numeric

FVMON0: Monthly variability fruit and vegetables

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
3	-	6	0.2 %
4	-	10	0.3 %

Value	Label	Unweighted Frequency	%
5	-	24	0.7 %
6	-	32	1.0 %
7	-	46	1.4 %
8	-	83	2.5 %
9	-	146	4.4 %
10	-	162	4.9 %
11	-	168	5.1 %
12	-	209	6.3 %
13	-	269	8.1 %
14	-	250	7.6 %
15	-	283	8.6 %
16	-	253	7.7 %
17	-	252	7.6 %
18	-	234	7.1 %
19	-	182	5.5 %
20	-	141	4.3 %
21	-	115	3.5 %
22	-	91	2.8 %
23	-	71	2.2 %
24	-	40	1.2 %
25	-	32	1.0 %
26	-	14	0.4 %
27	-	11	0.3 %
28	-	5	0.2 %
29	-	1	0.0 %
30	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 15.12
- Median: 15.00
- Mode: 15.00
- Minimum: 2.00
- Maximum: 30.00
- Standard Deviation: 4.50

Location: 2216-2217 (width: 2; decimal: 0)
Variable Type: numeric

ALLIRON0: Diet and supplement iron, milligrams (mg)

Value	Label	Unweighted Frequency	%
3.56	-	1	0.0 %
3.81	-	1	0.0 %
4.01	-	1	0.0 %
4.27	-	1	0.0 %
4.31	-	1	0.0 %
4.34	-	1	0.0 %
4.49	-	1	0.0 %
4.61	-	2	0.1 %
4.71	-	1	0.0 %
4.72	-	1	0.0 %
4.73	-	1	0.0 %
4.74	-	2	0.1 %
4.80	-	1	0.0 %
4.82	-	1	0.0 %
4.83	-	1	0.0 %
4.84	-	1	0.0 %
4.87	-	1	0.0 %
4.88	-	3	0.1 %
4.95	-	2	0.1 %
4.97	-	1	0.0 %
5.00	-	1	0.0 %
5.04	-	1	0.0 %
5.09	-	1	0.0 %
5.11	-	1	0.0 %
5.14	-	1	0.0 %
5.16	-	1	0.0 %
5.22	-	2	0.1 %
5.28	-	1	0.0 %
5.30	-	2	0.1 %
5.31	-	1	0.0 %
5.33	-	1	0.0 %
5.34	-	1	0.0 %
5.35	-	1	0.0 %
5.37	-	1	0.0 %
5.39	-	3	0.1 %
5.40	-	2	0.1 %
5.42	-	2	0.1 %

Value	Label	Unweighted Frequency	%
5.44	-	1	0.0 %
5.45	-	1	0.0 %
5.46	-	1	0.0 %
5.48	-	2	0.1 %
5.54	-	2	0.1 %
5.63	-	2	0.1 %
5.64	-	1	0.0 %
5.66	-	1	0.0 %
5.67	-	1	0.0 %
5.68	-	1	0.0 %
5.70	-	2	0.1 %
5.73	-	2	0.1 %
5.74	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 20.46
- Minimum: 3.56
- Maximum: 94.63
- Standard Deviation: 14.98

Location: 2218-2222 (width: 5; decimal: 2)
Variable Type: numeric

ALLZINC0: Diet and supplement zinc, milligrams (mg)

Value	Label	Unweighted Frequency	%
2.38	-	1	0.0 %
2.50	-	1	0.0 %
2.56	-	1	0.0 %
2.72	-	1	0.0 %
2.76	-	1	0.0 %
2.88	-	1	0.0 %
2.91	-	1	0.0 %
2.96	-	1	0.0 %
2.98	-	1	0.0 %
2.99	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.12	-	1	0.0 %
3.13	-	1	0.0 %
3.14	-	1	0.0 %
3.19	-	1	0.0 %
3.28	-	2	0.1 %
3.30	-	3	0.1 %
3.34	-	1	0.0 %
3.38	-	1	0.0 %
3.40	-	2	0.1 %
3.42	-	1	0.0 %
3.50	-	1	0.0 %
3.53	-	2	0.1 %
3.55	-	1	0.0 %
3.56	-	1	0.0 %
3.58	-	1	0.0 %
3.64	-	2	0.1 %
3.65	-	1	0.0 %
3.66	-	1	0.0 %
3.68	-	1	0.0 %
3.69	-	3	0.1 %
3.71	-	1	0.0 %
3.72	-	1	0.0 %
3.83	-	1	0.0 %
3.84	-	1	0.0 %
3.85	-	1	0.0 %
3.88	-	1	0.0 %
3.92	-	3	0.1 %
3.96	-	1	0.0 %
3.97	-	1	0.0 %
4.01	-	1	0.0 %
4.03	-	1	0.0 %
4.04	-	2	0.1 %
4.05	-	2	0.1 %
4.06	-	3	0.1 %
4.08	-	1	0.0 %
4.09	-	1	0.0 %
4.14	-	1	0.0 %
4.15	-	1	0.0 %
4.16	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4.17	-	2	0.1 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 14.48
- Minimum: 2.38
- Maximum: 82.13
- Standard Deviation: 10.64

Location: 2223-2227 (width: 5; decimal: 2)
Variable Type: numeric

ALLFOL0: Diet and supplement folic acid, micrograms (mcg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 385.1787839132
- Minimum: 44.1300000000
- Maximum: 1354.2000000000
- Standard Deviation: 220.1010821467

Location: 2228-2242 (width: 15; decimal: 10)
Variable Type: numeric

ALLVITC0: Diet and supplement vitamin C, milligrams (mg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 273.9977657198
- Minimum: 9.6100000000
- Maximum: 3371.2100000000
- Standard Deviation: 360.7266037036

Location: 2243-2257 (width: 15; decimal: 10)
Variable Type: numeric

ALLCALC0: Diet and supplement calcium, milligrams (mg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 933.3784998404
- Minimum: 98.1600000000
- Maximum: 3545.2100000000
- Standard Deviation: 539.4039071759

Location: 2258-2272 (width: 15; decimal: 10)
Variable Type: numeric

ALLARE0: Diet and supplement vitamin A, retinol equivalent (RE)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2666.164586658
- Minimum: 125.620000000
- Maximum: 17605.130000000
- Standard Deviation: 2647.208651519

Location: 2273-2287 (width: 15; decimal: 9)
Variable Type: numeric

ALLBCAR0: Diet and supplement betacarotene, micrograms (mcg)

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 4014.469316949
- Minimum: 152.260000000
- Maximum: 40721.900000000
- Standard Deviation: 4842.665997967

Location: 2288-2302 (width: 15; decimal: 9)
Variable Type: numeric

ALLB10: Diet and supplement B1, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.35	-	1	0.0 %
0.38	-	2	0.1 %
0.39	-	2	0.1 %
0.40	-	2	0.1 %
0.41	-	1	0.0 %
0.42	-	3	0.1 %
0.43	-	4	0.1 %
0.44	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	4	0.1 %
0.52	-	4	0.1 %
0.53	-	6	0.2 %
0.54	-	5	0.2 %
0.55	-	5	0.2 %
0.56	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.57	-	7	0.2 %
0.58	-	7	0.2 %
0.59	-	5	0.2 %
0.60	-	11	0.3 %
0.61	-	9	0.3 %
0.62	-	12	0.4 %
0.63	-	6	0.2 %
0.64	-	9	0.3 %
0.65	-	8	0.2 %
0.66	-	15	0.5 %
0.67	-	5	0.2 %
0.68	-	16	0.5 %
0.69	-	6	0.2 %
0.70	-	11	0.3 %
0.71	-	11	0.3 %
0.72	-	19	0.6 %
0.73	-	13	0.4 %
0.74	-	13	0.4 %
0.75	-	9	0.3 %
0.76	-	17	0.5 %
0.77	-	15	0.5 %
0.78	-	17	0.5 %
0.79	-	16	0.5 %
0.80	-	11	0.3 %
0.81	-	21	0.6 %
0.82	-	19	0.6 %
0.83	-	13	0.4 %
0.84	-	12	0.4 %
0.85	-	11	0.3 %
0.86	-	13	0.4 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 1.72
- Minimum: 0.35

- Maximum: 5.13
- Standard Deviation: 0.81

Location: 2303-2306 (width: 4; decimal: 2)
Variable Type: numeric

ALLB20: Diet[riboflavin] and supplement [B1 (B1=B2)], milligrams (mg)

Value	Label	Unweighted Frequency	%
0.28	-	1	0.0 %
0.41	-	2	0.1 %
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	1	0.0 %
0.47	-	2	0.1 %
0.48	-	1	0.0 %
0.49	-	1	0.0 %
0.50	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	1	0.0 %
0.53	-	4	0.1 %
0.54	-	3	0.1 %
0.55	-	3	0.1 %
0.56	-	4	0.1 %
0.57	-	1	0.0 %
0.59	-	2	0.1 %
0.60	-	7	0.2 %
0.61	-	4	0.1 %
0.62	-	2	0.1 %
0.63	-	3	0.1 %
0.64	-	2	0.1 %
0.65	-	5	0.2 %
0.66	-	5	0.2 %
0.67	-	5	0.2 %
0.68	-	5	0.2 %
0.69	-	5	0.2 %
0.70	-	4	0.1 %
0.71	-	6	0.2 %
0.72	-	7	0.2 %
0.73	-	5	0.2 %
0.74	-	6	0.2 %
0.75	-	9	0.3 %

Value	Label	Unweighted Frequency	%
0.76	-	3	0.1 %
0.77	-	8	0.2 %
0.78	-	8	0.2 %
0.79	-	13	0.4 %
0.80	-	7	0.2 %
0.81	-	11	0.3 %
0.82	-	5	0.2 %
0.83	-	9	0.3 %
0.84	-	13	0.4 %
0.85	-	8	0.2 %
0.86	-	16	0.5 %
0.87	-	5	0.2 %
0.88	-	11	0.3 %
0.89	-	10	0.3 %
0.90	-	7	0.2 %
0.91	-	8	0.2 %
0.92	-	10	0.3 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.07
- Minimum: 0.28
- Maximum: 7.62
- Standard Deviation: 0.98

Location: 2307-2310 (width: 4; decimal: 2)
Variable Type: numeric

ALLB60: Diet and supplement B6, milligrams (mg)

Value	Label	Unweighted Frequency	%
0.46	-	1	0.0 %
0.48	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	3	0.1 %
0.52	-	4	0.1 %
0.53	-	5	0.2 %

Value	Label	Unweighted Frequency	%
0.54	-	3	0.1 %
0.55	-	3	0.1 %
0.56	-	3	0.1 %
0.57	-	1	0.0 %
0.58	-	5	0.2 %
0.59	-	3	0.1 %
0.60	-	1	0.0 %
0.61	-	2	0.1 %
0.62	-	2	0.1 %
0.63	-	3	0.1 %
0.64	-	6	0.2 %
0.65	-	9	0.3 %
0.66	-	2	0.1 %
0.67	-	9	0.3 %
0.68	-	4	0.1 %
0.69	-	14	0.4 %
0.70	-	7	0.2 %
0.71	-	8	0.2 %
0.72	-	4	0.1 %
0.73	-	11	0.3 %
0.74	-	6	0.2 %
0.75	-	10	0.3 %
0.76	-	9	0.3 %
0.77	-	7	0.2 %
0.78	-	7	0.2 %
0.79	-	11	0.3 %
0.80	-	7	0.2 %
0.81	-	7	0.2 %
0.82	-	9	0.3 %
0.83	-	10	0.3 %
0.84	-	8	0.2 %
0.85	-	15	0.5 %
0.86	-	11	0.3 %
0.87	-	11	0.3 %
0.88	-	14	0.4 %
0.89	-	23	0.7 %
0.90	-	8	0.2 %
0.91	-	15	0.5 %
0.92	-	15	0.5 %

Value	Label	Unweighted Frequency	%
0.93	-	12	0.4 %
0.94	-	19	0.6 %
0.95	-	12	0.4 %
0.96	-	15	0.5 %
0.97	-	11	0.3 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 2.06
- Minimum: 0.46
- Maximum: 7.14
- Standard Deviation: 1.04

Location: 2311-2314 (width: 4; decimal: 2)
Variable Type: numeric

ALLVITE0: Diet and supplement vitamin E, alpha tocopherol equivalent (a-TE)

Value	Label	Unweighted Frequency	%
2.2700000000	-	1	0.0 %
2.5800000000	-	1	0.0 %
2.6000000000	-	1	0.0 %
2.6900000000	-	1	0.0 %
2.7200000000	-	1	0.0 %
2.8100000000	-	1	0.0 %
2.8800000000	-	2	0.1 %
2.9000000000	-	1	0.0 %
2.9500000000	-	1	0.0 %
2.9600000000	-	1	0.0 %
3.0600000000	-	1	0.0 %
3.0900000000	-	1	0.0 %
3.1000000000	-	1	0.0 %
3.1200000000	-	1	0.0 %
3.1400000000	-	1	0.0 %
3.1600000000	-	1	0.0 %
3.1800000000	-	1	0.0 %
3.2100000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.2300000000	-	2	0.1 %
3.2400000000	-	1	0.0 %
3.2700000000	-	1	0.0 %
3.2800000000	-	1	0.0 %
3.2900000000	-	1	0.0 %
3.3000000000	-	1	0.0 %
3.3100000000	-	1	0.0 %
3.3200000000	-	3	0.1 %
3.3700000000	-	1	0.0 %
3.4000000000	-	1	0.0 %
3.4100000000	-	1	0.0 %
3.4200000000	-	1	0.0 %
3.4300000000	-	1	0.0 %
3.4500000000	-	1	0.0 %
3.4600000000	-	1	0.0 %
3.4700000000	-	1	0.0 %
3.4900000000	-	1	0.0 %
3.5100000000	-	1	0.0 %
3.5300000000	-	1	0.0 %
3.5500000000	-	1	0.0 %
3.5700000000	-	1	0.0 %
3.5800000000	-	1	0.0 %
3.5900000000	-	1	0.0 %
3.6200000000	-	4	0.1 %
3.6400000000	-	1	0.0 %
3.6700000000	-	2	0.1 %
3.7100000000	-	1	0.0 %
3.7200000000	-	5	0.2 %
3.7500000000	-	1	0.0 %
3.7900000000	-	1	0.0 %
3.8000000000	-	1	0.0 %
3.8100000000	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 61.7544398340
- Minimum: 2.2700000000
- Maximum: 1373.1600000000
- Standard Deviation: 123.5663341082

Location: 2315-2329 (width: 15; decimal: 10)
Variable Type: numeric

EATMEAT0: Eat meat/fish/poultry

Value	Label	Unweighted Frequency	%
1	No	22	0.7 %
2	Yes	3039	92.0 %
	Missing Data		
.	-	241	7.3 %
	Total	**3,302**	**100%**

Based upon 3,061 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2330-2330 (width: 1; decimal: 0)
Variable Type: numeric

ADD1XWK0: Additional foods eaten 1x week

Value	Label	Unweighted Frequency	%
1	No	2323	70.4 %
2	Yes	747	22.6 %
	Missing Data		
.	-	232	7.0 %
	Total	**3,302**	**100%**

Based upon 3,070 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2331-2332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMADDS0: Number of additional foods

Value	Label	Unweighted Frequency	%
1	-	458	13.9 %
2	-	131	4.0 %
3	-	78	2.4 %

Value	Label	Unweighted Frequency	%
4	-	38	1.2 %
5	-	15	0.5 %
6	-	34	1.0 %
7	-	1	0.0 %
	Missing Data		
.	-	2547	77.1 %
	Total	**3,302**	**100%**

Based upon 755 valid cases out of 3,302 total cases.

- Mean: 1.84
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.35

Location: 2333-2333 (width: 1; decimal: 0)
Variable Type: numeric

NSKIP0: Number of foods missing or double-marked

Value	Label	Unweighted Frequency	%
0	-	2756	83.5 %
1	-	314	9.5 %
2	-	45	1.4 %
3	-	11	0.3 %
4	-	4	0.1 %
5	-	1	0.0 %
6	-	1	0.0 %
9	-	1	0.0 %
	Missing Data		
.	-	169	5.1 %
	Total	**3,302**	**100%**

Based upon 3,133 valid cases out of 3,302 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.48

Location: 2334-2334 (width: 1; decimal: 0)
Variable Type: numeric

HRMDAY0: Hormone measures day

Value	Label	Unweighted Frequency	%
-88	-	2	0.1 %
-84	-	1	0.0 %
-79	-	1	0.0 %
-77	-	1	0.0 %
-75	-	1	0.0 %
-74	-	1	0.0 %
-72	-	3	0.1 %
-68	-	1	0.0 %
-67	-	1	0.0 %
-64	-	2	0.1 %
-63	-	1	0.0 %
-57	-	1	0.0 %
-56	-	1	0.0 %
-53	-	1	0.0 %
-49	-	1	0.0 %
-48	-	1	0.0 %
-47	-	3	0.1 %
-46	-	1	0.0 %
-45	-	1	0.0 %
-43	-	1	0.0 %
-42	-	1	0.0 %
-40	-	2	0.1 %
-39	-	3	0.1 %
-38	-	1	0.0 %
-37	-	1	0.0 %
-36	-	2	0.1 %
-35	-	5	0.2 %
-34	-	1	0.0 %
-33	-	1	0.0 %
-30	-	1	0.0 %
-29	-	5	0.2 %
-28	-	2	0.1 %
-27	-	2	0.1 %
-26	-	5	0.2 %
-25	-	1	0.0 %
-24	-	3	0.1 %
-23	-	5	0.2 %

Value	Label	Unweighted Frequency	%
-22	-	3	0.1 %
-21	-	6	0.2 %
-20	-	6	0.2 %
-19	-	3	0.1 %
-18	-	2	0.1 %
-17	-	6	0.2 %
-16	-	6	0.2 %
-15	-	8	0.2 %
-14	-	10	0.3 %
-13	-	5	0.2 %
-12	-	9	0.3 %
-11	-	10	0.3 %
-10	-	8	0.2 %
	Missing Data		
.	-	9	0.3 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,293 valid cases out of 3,302 total cases.

- Mean: 25.81
- Median: 12.00
- Mode: 0.00
- Minimum: -88.00
- Maximum: 298.00
- Standard Deviation: 34.73

Location: 2335-2337 (width: 3; decimal: 0)
Variable Type: numeric

CYCDAY0: Day of cycle

Value	Label	Unweighted Frequency	%
2	-	459	13.9 %
3	-	734	22.2 %
4	-	743	22.5 %
5	-	645	19.5 %
6	-	139	4.2 %
7	-	65	2.0 %
	Missing Data		
.	-	517	15.7 %
	Total	**3,302**	**100%**

Based upon 2,785 valid cases out of 3,302 total cases.

- Mean: 3.81
- Median: 4.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 7.00
- Standard Deviation: 1.24

Location: 2338-2338 (width: 1; decimal: 0)
Variable Type: numeric

DHAS0: Dehydroepiandrosterone sulfate, micrograms per deciliter (ug/dL)

Value	Label	Unweighted Frequency	%
1.800	-	1	0.0 %
2.200	-	2	0.1 %
2.600	-	1	0.0 %
3.800	-	1	0.0 %
4.560	-	1	0.0 %
4.840	-	1	0.0 %
5.300	-	1	0.0 %
6.600	-	1	0.0 %
7.800	-	1	0.0 %
9.400	-	1	0.0 %
10.600	-	2	0.1 %
10.700	-	1	0.0 %
10.800	-	1	0.0 %
10.980	-	1	0.0 %
11.000	-	1	0.0 %
11.400	-	1	0.0 %
11.500	-	1	0.0 %
11.600	-	1	0.0 %
11.800	-	1	0.0 %
11.900	-	1	0.0 %
12.200	-	2	0.1 %
12.710	-	1	0.0 %
12.810	-	1	0.0 %
13.670	-	1	0.0 %
13.900	-	2	0.1 %
14.410	-	1	0.0 %
15.100	-	2	0.1 %
15.120	-	1	0.0 %
15.300	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.600	-	1	0.0 %
15.700	-	1	0.0 %
16.300	-	1	0.0 %
16.500	-	1	0.0 %
16.640	-	1	0.0 %
17.700	-	1	0.0 %
18.140	-	1	0.0 %
18.500	-	1	0.0 %
18.770	-	1	0.0 %
19.000	-	1	0.0 %
19.100	-	1	0.0 %
19.300	-	1	0.0 %
19.330	-	1	0.0 %
19.600	-	3	0.1 %
19.620	-	1	0.0 %
19.700	-	1	0.0 %
20.100	-	1	0.0 %
20.200	-	1	0.0 %
20.400	-	1	0.0 %
20.500	-	1	0.0 %
20.930	-	1	0.0 %
	Missing Data		
.	-	11	0.3 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,291 valid cases out of 3,302 total cases.

- Mean: 129.768
- Minimum: 1.800
- Maximum: 621.500
- Standard Deviation: 78.947

Location: 2339-2345 (width: 7; decimal: 3)
Variable Type: numeric

E2AVE0: Estradiol, picograms per milliliter (average, pg/mL)

Value	Label	Unweighted Frequency	%
5.4000000000	-	1	0.0 %
5.4500000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.0500000000	-	1	0.0 %
6.4500000000	-	1	0.0 %
6.6000000000	-	1	0.0 %
6.6800000000	-	1	0.0 %
6.7000000000	-	1	0.0 %
7.1000000000	-	1	0.0 %
7.9500000000	-	1	0.0 %
8.4500000000	-	1	0.0 %
8.6500000000	-	1	0.0 %
8.7500000000	-	1	0.0 %
8.9500000000	-	1	0.0 %
9.3000000000	-	1	0.0 %
9.5000000000	-	2	0.1 %
9.6500000000	-	2	0.1 %
9.7500000000	-	1	0.0 %
9.8000000000	-	1	0.0 %
9.8500000000	-	1	0.0 %
9.9000000000	-	1	0.0 %
9.9450000000	-	1	0.0 %
10.1500000000	-	2	0.1 %
10.2000000000	-	1	0.0 %
10.2500000000	-	1	0.0 %
10.3000000000	-	2	0.1 %
10.4500000000	-	1	0.0 %
10.6000000000	-	1	0.0 %
10.7000000000	-	2	0.1 %
10.8500000000	-	2	0.1 %
10.9000000000	-	3	0.1 %
11.1500000000	-	1	0.0 %
11.1600000000	-	1	0.0 %
11.3000000000	-	1	0.0 %
11.4000000000	-	2	0.1 %
11.5000000000	-	1	0.0 %
11.5500000000	-	1	0.0 %
11.6000000000	-	2	0.1 %
11.6150000000	-	1	0.0 %
11.6500000000	-	1	0.0 %
11.8000000000	-	1	0.0 %
11.9000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11.9400000000	-	1	0.0 %
12.0500000000	-	1	0.0 %
12.1000000000	-	1	0.0 %
12.1500000000	-	1	0.0 %
12.2000000000	-	3	0.1 %
12.3000000000	-	3	0.1 %
12.4000000000	-	1	0.0 %
12.4500000000	-	2	0.1 %
12.5000000000	-	3	0.1 %
	Missing Data		
.	-	9	0.3 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,293 valid cases out of 3,302 total cases.

- Mean: 76.7381123596
- Minimum: 5.4000000000
- Maximum: 1493.5500000001
- Standard Deviation: 80.4216531668

Location: 2346-2360 (width: 15; decimal: 10)
Variable Type: numeric

FSH0: Follicle-stimulating hormone, milli-international units per milliliter (mIU/mL)

Value	Label	Unweighted Frequency	%
1.110	-	1	0.0 %
1.720	-	1	0.0 %
2.100	-	5	0.2 %
2.200	-	1	0.0 %
2.300	-	1	0.0 %
2.500	-	1	0.0 %
2.600	-	1	0.0 %
2.650	-	1	0.0 %
2.700	-	1	0.0 %
2.800	-	4	0.1 %
2.900	-	3	0.1 %
3.000	-	1	0.0 %
3.060	-	1	0.0 %
3.100	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.200	-	1	0.0 %
3.240	-	1	0.0 %
3.300	-	1	0.0 %
3.400	-	1	0.0 %
3.500	-	3	0.1 %
3.600	-	2	0.1 %
3.700	-	4	0.1 %
3.800	-	1	0.0 %
3.900	-	1	0.0 %
4.000	-	1	0.0 %
4.100	-	6	0.2 %
4.200	-	5	0.2 %
4.300	-	6	0.2 %
4.400	-	3	0.1 %
4.500	-	9	0.3 %
4.600	-	7	0.2 %
4.700	-	3	0.1 %
4.800	-	2	0.1 %
4.900	-	7	0.2 %
5.000	-	6	0.2 %
5.040	-	1	0.0 %
5.100	-	3	0.1 %
5.200	-	5	0.2 %
5.300	-	6	0.2 %
5.340	-	1	0.0 %
5.400	-	5	0.2 %
5.500	-	4	0.1 %
5.600	-	4	0.1 %
5.700	-	7	0.2 %
5.760	-	1	0.0 %
5.800	-	9	0.3 %
5.850	-	1	0.0 %
5.870	-	1	0.0 %
5.880	-	1	0.0 %
5.900	-	6	0.2 %
6.000	-	9	0.3 %
	Missing Data		
.	-	10	0.3 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,292 valid cases out of 3,302 total cases.

- Mean: 24.439
- Minimum: 1.110
- Maximum: 303.200
- Standard Deviation: 26.490

Location: 2361-2367 (width: 7; decimal: 3)
Variable Type: numeric

SHBG0: Sex hormone-binding globulin, nanomolar (nM)

Value	Label	Unweighted Frequency	%
2.30	-	1	0.0 %
2.40	-	1	0.0 %
2.60	-	1	0.0 %
2.90	-	1	0.0 %
3.00	-	1	0.0 %
3.40	-	1	0.0 %
3.60	-	1	0.0 %
3.70	-	1	0.0 %
3.90	-	2	0.1 %
4.00	-	1	0.0 %
4.30	-	1	0.0 %
4.40	-	1	0.0 %
5.50	-	1	0.0 %
5.60	-	2	0.1 %
5.80	-	1	0.0 %
5.90	-	1	0.0 %
6.10	-	1	0.0 %
6.20	-	1	0.0 %
6.43	-	1	0.0 %
6.50	-	1	0.0 %
6.60	-	1	0.0 %
6.70	-	1	0.0 %
6.80	-	1	0.0 %
6.90	-	1	0.0 %
7.00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
7.10	-	1	0.0 %
7.20	-	2	0.1 %
7.30	-	2	0.1 %
7.38	-	1	0.0 %
7.50	-	1	0.0 %
7.80	-	1	0.0 %
7.90	-	1	0.0 %
8.10	-	2	0.1 %
8.40	-	1	0.0 %
8.60	-	2	0.1 %
8.62	-	1	0.0 %
8.80	-	2	0.1 %
8.90	-	1	0.0 %
9.00	-	2	0.1 %
9.01	-	1	0.0 %
9.03	-	1	0.0 %
9.10	-	2	0.1 %
9.30	-	1	0.0 %
9.40	-	1	0.0 %
9.50	-	1	0.0 %
9.60	-	1	0.0 %
9.70	-	5	0.2 %
10.10	-	2	0.1 %
10.19	-	1	0.0 %
10.20	-	2	0.1 %
	Missing Data		
.	-	14	0.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,288 valid cases out of 3,302 total cases.

- Mean: 45.34
- Minimum: 2.30
- Maximum: 236.70
- Standard Deviation: 24.56

Location: 2368-2373 (width: 6; decimal: 2)
Variable Type: numeric

T0: Testosterone, nanograms per deciliter (ng/dL)

Value	Label	Unweighted Frequency	%
2.400	-	1	0.0 %
3.300	-	1	0.0 %
3.700	-	1	0.0 %
4.300	-	1	0.0 %
4.900	-	1	0.0 %
5.100	-	1	0.0 %
5.260	-	1	0.0 %
5.700	-	1	0.0 %
5.800	-	1	0.0 %
6.100	-	1	0.0 %
6.800	-	1	0.0 %
7.200	-	1	0.0 %
7.870	-	1	0.0 %
7.900	-	1	0.0 %
7.960	-	1	0.0 %
8.100	-	1	0.0 %
8.200	-	1	0.0 %
8.600	-	1	0.0 %
9.100	-	2	0.1 %
9.200	-	1	0.0 %
9.500	-	1	0.0 %
9.700	-	1	0.0 %
10.200	-	1	0.0 %
10.310	-	1	0.0 %
10.600	-	1	0.0 %
10.630	-	1	0.0 %
10.690	-	1	0.0 %
10.800	-	1	0.0 %
10.900	-	1	0.0 %
11.000	-	1	0.0 %
11.040	-	1	0.0 %
11.200	-	2	0.1 %
11.300	-	1	0.0 %
11.400	-	1	0.0 %
11.540	-	1	0.0 %
11.680	-	1	0.0 %
11.700	-	1	0.0 %
11.800	-	2	0.1 %
11.900	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11.930	-	1	0.0 %
12.000	-	3	0.1 %
12.100	-	1	0.0 %
12.300	-	3	0.1 %
12.400	-	1	0.0 %
12.420	-	1	0.0 %
12.510	-	1	0.0 %
12.620	-	1	0.0 %
12.800	-	2	0.1 %
13.000	-	2	0.1 %
13.100	-	1	0.0 %
	Missing Data		
.	-	11	0.3 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,291 valid cases out of 3,302 total cases.

- Mean: 46.951
- Minimum: 2.400
- Maximum: 334.800
- Standard Deviation: 29.041

Location: 2374-2380 (width: 7; decimal: 3)
Variable Type: numeric

TSH0: Thyroid-stimulating hormone, (uIU/mL)

Value	Label	Unweighted Frequency	%
0.03	-	3	0.1 %
0.04	-	2	0.1 %
0.06	-	1	0.0 %
0.07	-	1	0.0 %
0.08	-	1	0.0 %
0.09	-	2	0.1 %
0.10	-	2	0.1 %
0.12	-	2	0.1 %
0.13	-	1	0.0 %
0.14	-	3	0.1 %
0.15	-	1	0.0 %
0.16	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.17	-	2	0.1 %
0.18	-	3	0.1 %
0.19	-	2	0.1 %
0.20	-	2	0.1 %
0.21	-	2	0.1 %
0.22	-	2	0.1 %
0.23	-	1	0.0 %
0.24	-	1	0.0 %
0.26	-	2	0.1 %
0.27	-	2	0.1 %
0.28	-	1	0.0 %
0.29	-	2	0.1 %
0.30	-	1	0.0 %
0.31	-	4	0.1 %
0.32	-	2	0.1 %
0.33	-	1	0.0 %
0.34	-	2	0.1 %
0.35	-	1	0.0 %
0.36	-	1	0.0 %
0.38	-	3	0.1 %
0.39	-	2	0.1 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	4	0.1 %
0.44	-	3	0.1 %
0.45	-	3	0.1 %
0.47	-	2	0.1 %
0.49	-	1	0.0 %
0.50	-	3	0.1 %
0.51	-	4	0.1 %
0.53	-	6	0.2 %
0.54	-	4	0.1 %
0.55	-	6	0.2 %
0.56	-	6	0.2 %
0.57	-	1	0.0 %
0.58	-	4	0.1 %
0.59	-	6	0.2 %
0.60	-	6	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	39	1.2 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,263 valid cases out of 3,302 total cases.

- Mean: 2.58
- Minimum: 0.03
- Maximum: 125.74
- Standard Deviation: 4.58

Location: 2381-2386 (width: 6; decimal: 2)
Variable Type: numeric

FLGCV0: Both estradiol more than 20 picograms per milliliter (pg/mL) and coefficient of variation (CV) more than 15%

Value	Label	Unweighted Frequency	%
0	No	3138	95.0 %
1	Yes	155	4.7 %
	Missing Data		
.	-	9	0.3 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2387-2388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGDIF0: 1 or both estradiol at least 20 picograms per milliliter (pg/mL) and difference between them less than 10 pg/mL

Value	Label	Unweighted Frequency	%
0	No	3291	99.7 %
1	Yes	2	0.1 %
	Missing Data		
.	-	9	0.3 %
	Total	**3,302**	**100%**

Based upon 3,293 valid cases out of 3,302 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2389-2390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CVRDAY0: Cardiovascular measures day

Value	Label	Unweighted Frequency	%
-88	-	2	0.1 %
-84	-	1	0.0 %
-79	-	1	0.0 %
-77	-	1	0.0 %
-75	-	1	0.0 %
-74	-	1	0.0 %
-72	-	3	0.1 %
-68	-	1	0.0 %
-67	-	1	0.0 %
-64	-	2	0.1 %
-63	-	1	0.0 %
-57	-	1	0.0 %
-56	-	1	0.0 %
-53	-	1	0.0 %
-49	-	1	0.0 %
-48	-	1	0.0 %
-47	-	3	0.1 %
-46	-	1	0.0 %
-45	-	1	0.0 %
-43	-	1	0.0 %
-42	-	1	0.0 %
-40	-	2	0.1 %
-39	-	3	0.1 %
-38	-	1	0.0 %
-37	-	1	0.0 %
-36	-	2	0.1 %
-35	-	5	0.2 %
-34	-	1	0.0 %
-33	-	1	0.0 %
-30	-	1	0.0 %
-29	-	5	0.2 %
-28	-	2	0.1 %
-27	-	2	0.1 %

Value	Label	Unweighted Frequency	%
-26	-	5	0.2 %
-25	-	1	0.0 %
-24	-	3	0.1 %
-23	-	6	0.2 %
-22	-	3	0.1 %
-21	-	6	0.2 %
-20	-	6	0.2 %
-19	-	3	0.1 %
-18	-	2	0.1 %
-17	-	6	0.2 %
-16	-	6	0.2 %
-15	-	8	0.2 %
-14	-	9	0.3 %
-13	-	5	0.2 %
-12	-	9	0.3 %
-11	-	10	0.3 %
-10	-	8	0.2 %
	Missing Data		
.	-	20	0.6 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,282 valid cases out of 3,302 total cases.

- Mean: 25.80
- Median: 13.00
- Mode: 0.00
- Minimum: -88.00
- Maximum: 298.00
- Standard Deviation: 34.73

Location: 2391-2393 (width: 3; decimal: 0)
Variable Type: numeric

PROTDAY0: Protein measures day

Value	Label	Unweighted Frequency	%
-88	-	2	0.1 %
-84	-	1	0.0 %
-79	-	1	0.0 %
-77	-	1	0.0 %
-75	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-74	-	1	0.0 %
-72	-	3	0.1 %
-68	-	1	0.0 %
-67	-	1	0.0 %
-64	-	2	0.1 %
-63	-	1	0.0 %
-57	-	1	0.0 %
-56	-	1	0.0 %
-53	-	1	0.0 %
-49	-	1	0.0 %
-48	-	1	0.0 %
-47	-	3	0.1 %
-46	-	1	0.0 %
-45	-	1	0.0 %
-43	-	1	0.0 %
-42	-	1	0.0 %
-40	-	2	0.1 %
-39	-	3	0.1 %
-38	-	1	0.0 %
-37	-	1	0.0 %
-36	-	2	0.1 %
-35	-	5	0.2 %
-34	-	1	0.0 %
-33	-	1	0.0 %
-30	-	1	0.0 %
-29	-	5	0.2 %
-28	-	2	0.1 %
-27	-	2	0.1 %
-26	-	5	0.2 %
-25	-	1	0.0 %
-24	-	3	0.1 %
-23	-	6	0.2 %
-22	-	3	0.1 %
-21	-	6	0.2 %
-20	-	6	0.2 %
-19	-	3	0.1 %
-18	-	2	0.1 %
-17	-	6	0.2 %
-16	-	6	0.2 %

Value	Label	Unweighted Frequency	%
-15	-	8	0.2 %
-14	-	9	0.3 %
-13	-	5	0.2 %
-12	-	9	0.3 %
-11	-	10	0.3 %
-10	-	8	0.2 %
	Missing Data		
.	-	21	0.6 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,281 valid cases out of 3,302 total cases.

- Mean: 25.73
- Median: 12.00
- Mode: 0.00
- Minimum: -88.00
- Maximum: 298.00
- Standard Deviation: 34.71

Location: 2394-2396 (width: 3; decimal: 0)
Variable Type: numeric

CHOLRES0: Total cholesterol, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
88	-	1	0.0 %
92	-	1	0.0 %
94	-	1	0.0 %
97	-	1	0.0 %
99	-	1	0.0 %
103	-	2	0.1 %
105	-	1	0.0 %
108	-	1	0.0 %
110	-	1	0.0 %
111	-	2	0.1 %
112	-	1	0.0 %
113	-	2	0.1 %
115	-	2	0.1 %
116	-	2	0.1 %
117	-	4	0.1 %
118	-	4	0.1 %

Value	Label	Unweighted Frequency	%
119	-	1	0.0 %
120	-	1	0.0 %
121	-	1	0.0 %
122	-	4	0.1 %
123	-	1	0.0 %
124	-	2	0.1 %
125	-	1	0.0 %
126	-	6	0.2 %
127	-	4	0.1 %
128	-	1	0.0 %
129	-	5	0.2 %
130	-	4	0.1 %
131	-	6	0.2 %
132	-	9	0.3 %
133	-	10	0.3 %
134	-	8	0.2 %
135	-	6	0.2 %
136	-	7	0.2 %
137	-	10	0.3 %
138	-	9	0.3 %
139	-	15	0.5 %
140	-	11	0.3 %
141	-	10	0.3 %
142	-	10	0.3 %
143	-	7	0.2 %
144	-	5	0.2 %
145	-	10	0.3 %
146	-	11	0.3 %
147	-	22	0.7 %
148	-	14	0.4 %
149	-	14	0.4 %
150	-	17	0.5 %
151	-	14	0.4 %
152	-	27	0.8 %
	Missing Data		
.	-	23	0.7 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,279 valid cases out of 3,302 total cases.

- Mean: 194.57
- Median: 192.00
- Mode: 175.00
- Minimum: 88.00
- Maximum: 405.00
- Standard Deviation: 34.89

Location: 2397-2399 (width: 3; decimal: 0)
Variable Type: numeric

FACRESU0: Factor VII, percent (%)

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
44	-	1	0.0 %
46	-	1	0.0 %
49	-	3	0.1 %
50	-	2	0.1 %
51	-	3	0.1 %
52	-	2	0.1 %
54	-	2	0.1 %
55	-	2	0.1 %
56	-	3	0.1 %
57	-	1	0.0 %
58	-	4	0.1 %
59	-	1	0.0 %
60	-	5	0.2 %
61	-	3	0.1 %
62	-	7	0.2 %
63	-	2	0.1 %
64	-	1	0.0 %
65	-	5	0.2 %
66	-	2	0.1 %
67	-	8	0.2 %
68	-	13	0.4 %
69	-	5	0.2 %
70	-	9	0.3 %
71	-	2	0.1 %
72	-	8	0.2 %
73	-	14	0.4 %

Value	Label	Unweighted Frequency	%
74	-	8	0.2 %
75	-	14	0.4 %
76	-	16	0.5 %
77	-	14	0.4 %
78	-	12	0.4 %
79	-	18	0.5 %
80	-	18	0.5 %
81	-	17	0.5 %
82	-	12	0.4 %
83	-	18	0.5 %
84	-	19	0.6 %
85	-	22	0.7 %
86	-	22	0.7 %
87	-	20	0.6 %
88	-	45	1.4 %
89	-	42	1.3 %
90	-	39	1.2 %
91	-	43	1.3 %
92	-	32	1.0 %
93	-	31	0.9 %
94	-	40	1.2 %
95	-	44	1.3 %
96	-	39	1.2 %
	Missing Data		
.	-	152	4.6 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,150 valid cases out of 3,302 total cases.

- Mean: 120.33
- Median: 115.00
- Mode: 107.00
- Minimum: 41.00
- Maximum: 996.00
- Standard Deviation: 40.56

Location: 2400-2402 (width: 3; decimal: 0)
Variable Type: numeric

FIBRESU0: Fibrinogen, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
100	-	1	0.0 %
103	-	1	0.0 %
115	-	1	0.0 %
119	-	1	0.0 %
122	-	1	0.0 %
127	-	1	0.0 %
137	-	1	0.0 %
145	-	2	0.1 %
148	-	2	0.1 %
149	-	2	0.1 %
153	-	1	0.0 %
154	-	2	0.1 %
156	-	2	0.1 %
157	-	1	0.0 %
158	-	2	0.1 %
159	-	2	0.1 %
160	-	1	0.0 %
161	-	5	0.2 %
163	-	1	0.0 %
164	-	1	0.0 %
165	-	1	0.0 %
168	-	3	0.1 %
169	-	1	0.0 %
170	-	2	0.1 %
172	-	3	0.1 %
174	-	3	0.1 %
176	-	2	0.1 %
178	-	4	0.1 %
179	-	1	0.0 %
180	-	1	0.0 %
181	-	7	0.2 %
183	-	6	0.2 %
184	-	2	0.1 %
186	-	16	0.5 %
187	-	3	0.1 %
188	-	9	0.3 %
189	-	4	0.1 %
191	-	8	0.2 %
192	-	2	0.1 %

Value	Label	Unweighted Frequency	%
193	-	11	0.3 %
194	-	4	0.1 %
195	-	2	0.1 %
196	-	9	0.3 %
198	-	4	0.1 %
199	-	12	0.4 %
200	-	1	0.0 %
201	-	6	0.2 %
202	-	20	0.6 %
203	-	5	0.2 %
204	-	4	0.1 %
	Missing Data		
.	-	102	3.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,200 valid cases out of 3,302 total cases.

- Mean: 293.92
- Median: 282.00
- Mode: 269.00
- Minimum: 100.00
- Maximum: 722.00
- Standard Deviation: 68.48

Location: 2403-2405 (width: 3; decimal: 0)
Variable Type: numeric

GLUCRES0: Glucose, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
61	-	1	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	2	0.1 %
67	-	3	0.1 %
68	-	3	0.1 %
69	-	3	0.1 %

Value	Label	Unweighted Frequency	%
70	-	1	0.0 %
71	-	10	0.3 %
72	-	5	0.2 %
73	-	6	0.2 %
74	-	12	0.4 %
75	-	17	0.5 %
76	-	21	0.6 %
77	-	29	0.9 %
78	-	40	1.2 %
79	-	37	1.1 %
80	-	54	1.6 %
81	-	72	2.2 %
82	-	73	2.2 %
83	-	89	2.7 %
84	-	86	2.6 %
85	-	131	4.0 %
86	-	132	4.0 %
87	-	159	4.8 %
88	-	156	4.7 %
89	-	150	4.5 %
90	-	147	4.5 %
91	-	122	3.7 %
92	-	137	4.1 %
93	-	128	3.9 %
94	-	97	2.9 %
95	-	105	3.2 %
96	-	109	3.3 %
97	-	90	2.7 %
98	-	87	2.6 %
99	-	55	1.7 %
100	-	69	2.1 %
101	-	59	1.8 %
102	-	56	1.7 %
103	-	38	1.2 %
104	-	35	1.1 %
105	-	38	1.2 %
106	-	31	0.9 %
107	-	35	1.1 %
108	-	22	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	183	5.5 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,119 valid cases out of 3,302 total cases.

- Mean: 98.08
- Median: 91.00
- Mode: 87.00
- Minimum: 45.00
- Maximum: 439.00
- Standard Deviation: 31.09

Location: 2406-2408 (width: 3; decimal: 0)
Variable Type: numeric

HDLRESU0: High density lipoprotein (HDL) cholesterol, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
24	-	4	0.1 %
26	-	7	0.2 %
27	-	3	0.1 %
28	-	11	0.3 %
29	-	6	0.2 %
30	-	25	0.8 %
31	-	8	0.2 %
32	-	18	0.5 %
33	-	19	0.6 %
34	-	30	0.9 %
35	-	35	1.1 %
36	-	46	1.4 %
37	-	37	1.1 %
38	-	56	1.7 %
39	-	41	1.2 %
40	-	67	2.0 %
41	-	68	2.1 %
42	-	69	2.1 %
43	-	76	2.3 %

Value	Label	Unweighted Frequency	%
44	-	82	2.5 %
45	-	87	2.6 %
46	-	91	2.8 %
47	-	78	2.4 %
48	-	105	3.2 %
49	-	101	3.1 %
50	-	100	3.0 %
51	-	89	2.7 %
52	-	123	3.7 %
53	-	93	2.8 %
54	-	103	3.1 %
55	-	93	2.8 %
56	-	81	2.5 %
57	-	96	2.9 %
58	-	94	2.8 %
59	-	66	2.0 %
60	-	86	2.6 %
61	-	86	2.6 %
62	-	66	2.0 %
63	-	66	2.0 %
64	-	69	2.1 %
65	-	49	1.5 %
66	-	60	1.8 %
67	-	45	1.4 %
68	-	52	1.6 %
69	-	46	1.4 %
70	-	40	1.2 %
71	-	36	1.1 %
	Missing Data		
.	-	23	0.7 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,279 valid cases out of 3,302 total cases.

- Mean: 55.90
- Median: 54.00
- Mode: 52.00
- Minimum: 18.00
- Maximum: 166.00

- Standard Deviation: 14.56

Location: 2409-2411 (width: 3; decimal: 0)
Variable Type: numeric

INSURES0: Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
2.0	-	1	0.0 %
2.5	-	2	0.1 %
2.6	-	3	0.1 %
2.7	-	4	0.1 %
2.8	-	3	0.1 %
2.9	-	3	0.1 %
3.0	-	7	0.2 %
3.1	-	7	0.2 %
3.2	-	5	0.2 %
3.3	-	6	0.2 %
3.4	-	7	0.2 %
3.5	-	6	0.2 %
3.6	-	17	0.5 %
3.7	-	8	0.2 %
3.8	-	13	0.4 %
3.9	-	17	0.5 %
4.0	-	17	0.5 %
4.1	-	18	0.5 %
4.2	-	22	0.7 %
4.3	-	17	0.5 %
4.4	-	22	0.7 %
4.5	-	40	1.2 %
4.6	-	30	0.9 %
4.7	-	25	0.8 %
4.8	-	24	0.7 %
4.9	-	26	0.8 %
5.0	-	22	0.7 %
5.1	-	27	0.8 %
5.2	-	29	0.9 %
5.3	-	38	1.2 %
5.4	-	42	1.3 %
5.5	-	33	1.0 %
5.6	-	42	1.3 %
5.7	-	35	1.1 %

Value	Label	Unweighted Frequency	%
5.8	-	35	1.1 %
5.9	-	43	1.3 %
6.0	-	27	0.8 %
6.1	-	39	1.2 %
6.2	-	52	1.6 %
6.3	-	39	1.2 %
6.4	-	41	1.2 %
6.5	-	39	1.2 %
6.6	-	38	1.2 %
6.7	-	33	1.0 %
6.8	-	41	1.2 %
6.9	-	34	1.0 %
7.0	-	31	0.9 %
7.1	-	36	1.1 %
7.2	-	36	1.1 %
7.3	-	21	0.6 %
	Missing Data		
.	-	193	5.8 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,109 valid cases out of 3,302 total cases.

- Mean: 12.14
- Minimum: 2.00
- Maximum: 417.20
- Standard Deviation: 15.24

Location: 2412-2416 (width: 5; decimal: 1)
Variable Type: numeric

LDLRESU0: Estimated low density lipoprotein (LDL) cholesterol, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
25	-	1	0.0 %
31	-	1	0.0 %
35	-	2	0.1 %
36	-	2	0.1 %
38	-	1	0.0 %
40	-	2	0.1 %
41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
42	-	2	0.1 %
43	-	3	0.1 %
44	-	4	0.1 %
45	-	2	0.1 %
46	-	1	0.0 %
47	-	2	0.1 %
48	-	2	0.1 %
49	-	4	0.1 %
50	-	2	0.1 %
51	-	3	0.1 %
52	-	3	0.1 %
53	-	5	0.2 %
54	-	2	0.1 %
55	-	4	0.1 %
56	-	6	0.2 %
57	-	4	0.1 %
58	-	3	0.1 %
59	-	2	0.1 %
60	-	8	0.2 %
61	-	3	0.1 %
62	-	5	0.2 %
63	-	14	0.4 %
64	-	5	0.2 %
65	-	6	0.2 %
66	-	11	0.3 %
67	-	9	0.3 %
68	-	12	0.4 %
69	-	13	0.4 %
70	-	14	0.4 %
71	-	13	0.4 %
72	-	15	0.5 %
73	-	18	0.5 %
74	-	14	0.4 %
75	-	26	0.8 %
76	-	13	0.4 %
77	-	20	0.6 %
78	-	18	0.5 %
79	-	27	0.8 %
80	-	24	0.7 %

Value	Label	Unweighted Frequency	%
81	-	15	0.5 %
82	-	25	0.8 %
83	-	21	0.6 %
84	-	22	0.7 %
	Missing Data		
.	-	222	6.7 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,080 valid cases out of 3,302 total cases.

- Mean: 116.09
- Median: 114.00
- Mode: 116.00
- Minimum: 25.00
- Maximum: 262.00
- Standard Deviation: 31.01

Location: 2417-2419 (width: 3; decimal: 0)
Variable Type: numeric

LPARESU0: Lipoprotein Lp(a), milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
1	-	229	6.9 %
2	-	157	4.8 %
3	-	120	3.6 %
4	-	97	2.9 %
5	-	123	3.7 %
6	-	91	2.8 %
7	-	94	2.8 %
8	-	72	2.2 %
9	-	52	1.6 %
10	-	63	1.9 %
11	-	87	2.6 %
12	-	90	2.7 %
13	-	77	2.3 %
14	-	56	1.7 %
15	-	67	2.0 %
16	-	54	1.6 %
17	-	52	1.6 %
18	-	49	1.5 %

Value	Label	Unweighted Frequency	%
19	-	60	1.8 %
20	-	54	1.6 %
21	-	37	1.1 %
22	-	33	1.0 %
23	-	41	1.2 %
24	-	29	0.9 %
25	-	40	1.2 %
26	-	39	1.2 %
27	-	26	0.8 %
28	-	30	0.9 %
29	-	28	0.8 %
30	-	33	1.0 %
31	-	33	1.0 %
32	-	27	0.8 %
33	-	29	0.9 %
34	-	24	0.7 %
35	-	25	0.8 %
36	-	23	0.7 %
37	-	31	0.9 %
38	-	23	0.7 %
39	-	24	0.7 %
40	-	20	0.6 %
41	-	24	0.7 %
42	-	25	0.8 %
43	-	23	0.7 %
44	-	21	0.6 %
45	-	15	0.5 %
46	-	15	0.5 %
47	-	18	0.5 %
48	-	17	0.5 %
49	-	27	0.8 %
50	-	23	0.7 %
	Missing Data		
.	-	79	2.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,223 valid cases out of 3,302 total cases.

- Mean: 30.45
- Median: 18.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 211.00
- Standard Deviation: 33.15

Location: 2420-2422 (width: 3; decimal: 0)
Variable Type: numeric

PAIRESU0: PAI-1, nanograms per milliliter (ng/ml)

Value	Label	Unweighted Frequency	%
1.4	-	1	0.0 %
1.9	-	2	0.1 %
2.0	-	1	0.0 %
2.2	-	2	0.1 %
2.5	-	1	0.0 %
2.7	-	3	0.1 %
2.8	-	2	0.1 %
2.9	-	2	0.1 %
3.0	-	2	0.1 %
3.1	-	5	0.2 %
3.2	-	2	0.1 %
3.3	-	1	0.0 %
3.4	-	3	0.1 %
3.5	-	3	0.1 %
3.6	-	7	0.2 %
3.7	-	3	0.1 %
3.8	-	3	0.1 %
3.9	-	2	0.1 %
4.0	-	2	0.1 %
4.1	-	2	0.1 %
4.2	-	11	0.3 %
4.3	-	5	0.2 %
4.4	-	11	0.3 %
4.5	-	5	0.2 %
4.6	-	6	0.2 %
4.7	-	2	0.1 %
4.8	-	8	0.2 %
4.9	-	5	0.2 %
5.0	-	5	0.2 %
5.1	-	5	0.2 %

Value	Label	Unweighted Frequency	%
5.2	-	5	0.2 %
5.3	-	5	0.2 %
5.4	-	11	0.3 %
5.5	-	6	0.2 %
5.6	-	3	0.1 %
5.7	-	4	0.1 %
5.8	-	9	0.3 %
5.9	-	5	0.2 %
6.0	-	8	0.2 %
6.1	-	7	0.2 %
6.2	-	3	0.1 %
6.3	-	13	0.4 %
6.4	-	6	0.2 %
6.5	-	13	0.4 %
6.6	-	8	0.2 %
6.7	-	9	0.3 %
6.8	-	10	0.3 %
6.9	-	2	0.1 %
7.0	-	12	0.4 %
7.1	-	7	0.2 %
	Missing Data		
.	-	172	5.2 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,130 valid cases out of 3,302 total cases.

- Mean: 28.87
- Minimum: 1.40
- Maximum: 418.40
- Standard Deviation: 30.59

Location: 2423-2427 (width: 5; decimal: 1)
Variable Type: numeric

TPARESU0: tPA, nanograms per millilter (ng/ml)

Value	Label	Unweighted Frequency	%
1.1	-	1	0.0 %
1.4	-	2	0.1 %
1.5	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.6	-	1	0.0 %
1.7	-	2	0.1 %
1.8	-	2	0.1 %
1.9	-	2	0.1 %
2.0	-	4	0.1 %
2.1	-	5	0.2 %
2.2	-	3	0.1 %
2.3	-	6	0.2 %
2.4	-	7	0.2 %
2.5	-	11	0.3 %
2.6	-	7	0.2 %
2.7	-	15	0.5 %
2.8	-	16	0.5 %
2.9	-	9	0.3 %
3.0	-	25	0.8 %
3.1	-	10	0.3 %
3.2	-	10	0.3 %
3.3	-	24	0.7 %
3.4	-	23	0.7 %
3.5	-	14	0.4 %
3.6	-	29	0.9 %
3.7	-	25	0.8 %
3.8	-	17	0.5 %
3.9	-	35	1.1 %
4.0	-	37	1.1 %
4.1	-	39	1.2 %
4.2	-	27	0.8 %
4.3	-	32	1.0 %
4.4	-	39	1.2 %
4.5	-	27	0.8 %
4.6	-	41	1.2 %
4.7	-	45	1.4 %
4.8	-	41	1.2 %
4.9	-	34	1.0 %
5.0	-	38	1.2 %
5.1	-	44	1.3 %
5.2	-	34	1.0 %
5.3	-	36	1.1 %
5.4	-	44	1.3 %

Value	Label	Unweighted Frequency	%
5.5	-	36	1.1 %
5.6	-	35	1.1 %
5.7	-	38	1.2 %
5.8	-	36	1.1 %
5.9	-	37	1.1 %
6.0	-	38	1.2 %
6.1	-	40	1.2 %
6.2	-	32	1.0 %
	Missing Data		
.	-	151	4.6 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,151 valid cases out of 3,302 total cases.

- Mean: 7.78
- Median: 7.30
- Mode: 6.90
- Minimum: 1.10
- Maximum: 28.90
- Standard Deviation: 3.31

Location: 2428-2431 (width: 4; decimal: 1)
Variable Type: numeric

TRIGRES0: Triglycerides, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
32	-	2	0.1 %
33	-	1	0.0 %
34	-	5	0.2 %
35	-	3	0.1 %
36	-	3	0.1 %
37	-	6	0.2 %
38	-	4	0.1 %
39	-	5	0.2 %
40	-	12	0.4 %
41	-	10	0.3 %
42	-	16	0.5 %
43	-	19	0.6 %
44	-	9	0.3 %

Value	Label	Unweighted Frequency	%
45	-	12	0.4 %
46	-	18	0.5 %
47	-	18	0.5 %
48	-	19	0.6 %
49	-	18	0.5 %
50	-	19	0.6 %
51	-	25	0.8 %
52	-	36	1.1 %
53	-	40	1.2 %
54	-	36	1.1 %
55	-	28	0.8 %
56	-	16	0.5 %
57	-	39	1.2 %
58	-	35	1.1 %
59	-	34	1.0 %
60	-	38	1.2 %
61	-	48	1.5 %
62	-	33	1.0 %
63	-	41	1.2 %
64	-	29	0.9 %
65	-	34	1.0 %
66	-	38	1.2 %
67	-	32	1.0 %
68	-	40	1.2 %
69	-	33	1.0 %
70	-	37	1.1 %
71	-	34	1.0 %
72	-	39	1.2 %
73	-	29	0.9 %
74	-	30	0.9 %
75	-	36	1.1 %
76	-	34	1.0 %
77	-	40	1.2 %
78	-	45	1.4 %
79	-	36	1.1 %
80	-	36	1.1 %
	Missing Data		
.	-	186	5.6 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,116 valid cases out of 3,302 total cases.

- Mean: 113.45
- Minimum: 31.00
- Maximum: 1640.00
- Standard Deviation: 84.63

Location: 2432-2435 (width: 4; decimal: 0)
Variable Type: numeric

LPA1RES0: Lipoprotein A-1, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
21	-	1	0.0 %
23	-	8	0.2 %
24	-	3	0.1 %
25	-	3	0.1 %
26	-	7	0.2 %
27	-	6	0.2 %
28	-	7	0.2 %
29	-	9	0.3 %
30	-	15	0.5 %
31	-	39	1.2 %
32	-	35	1.1 %
33	-	45	1.4 %
34	-	54	1.6 %
35	-	77	2.3 %
36	-	64	1.9 %
37	-	76	2.3 %
38	-	101	3.1 %
39	-	105	3.2 %
40	-	88	2.7 %
41	-	128	3.9 %
42	-	121	3.7 %
43	-	104	3.1 %
44	-	115	3.5 %
45	-	115	3.5 %
46	-	115	3.5 %
47	-	100	3.0 %
48	-	134	4.1 %
49	-	100	3.0 %

Value	Label	Unweighted Frequency	%
50	-	108	3.3 %
51	-	119	3.6 %
52	-	108	3.3 %
53	-	97	2.9 %
54	-	104	3.1 %
55	-	101	3.1 %
56	-	66	2.0 %
57	-	77	2.3 %
58	-	77	2.3 %
59	-	59	1.8 %
60	-	52	1.6 %
61	-	50	1.5 %
62	-	73	2.2 %
63	-	55	1.7 %
64	-	41	1.2 %
65	-	31	0.9 %
66	-	32	1.0 %
67	-	23	0.7 %
68	-	48	1.5 %
69	-	8	0.2 %
70	-	39	1.2 %
	Missing Data		
.	-	34	1.0 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,268 valid cases out of 3,302 total cases.

- Mean: 49.28
- Median: 48.00
- Mode: 48.00
- Minimum: 20.00
- Maximum: 122.00
- Standard Deviation: 11.33

Location: 2436-2438 (width: 3; decimal: 0)
Variable Type: numeric

APOARES0: Apolipoprotein A-1, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
73	-	1	0.0 %

Value	Label	Unweighted Frequency	%
76	-	1	0.0 %
78	-	1	0.0 %
82	-	1	0.0 %
83	-	1	0.0 %
85	-	1	0.0 %
89	-	1	0.0 %
90	-	5	0.2 %
91	-	1	0.0 %
92	-	1	0.0 %
94	-	2	0.1 %
95	-	3	0.1 %
96	-	3	0.1 %
97	-	2	0.1 %
98	-	3	0.1 %
99	-	5	0.2 %
100	-	3	0.1 %
101	-	5	0.2 %
102	-	7	0.2 %
103	-	5	0.2 %
104	-	11	0.3 %
105	-	7	0.2 %
106	-	9	0.3 %
107	-	19	0.6 %
108	-	9	0.3 %
109	-	10	0.3 %
110	-	16	0.5 %
111	-	10	0.3 %
112	-	13	0.4 %
113	-	12	0.4 %
114	-	23	0.7 %
115	-	22	0.7 %
116	-	26	0.8 %
117	-	25	0.8 %
118	-	30	0.9 %
119	-	18	0.5 %
120	-	34	1.0 %
121	-	31	0.9 %
122	-	27	0.8 %
123	-	32	1.0 %

Value	Label	Unweighted Frequency	%
124	-	33	1.0 %
125	-	32	1.0 %
126	-	40	1.2 %
127	-	47	1.4 %
128	-	47	1.4 %
129	-	46	1.4 %
130	-	50	1.5 %
131	-	53	1.6 %
132	-	37	1.1 %
133	-	48	1.5 %
	Missing Data		
.	-	27	0.8 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,275 valid cases out of 3,302 total cases.

- Mean: 149.68
- Median: 148.00
- Mode: 152.00
- Minimum: 73.00
- Maximum: 317.00
- Standard Deviation: 25.17

Location: 2439-2441 (width: 3; decimal: 0)
Variable Type: numeric

APOBRES0: Apolipoprotein B, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
34	-	2	0.1 %
35	-	2	0.1 %
37	-	1	0.0 %
39	-	1	0.0 %
43	-	4	0.1 %
44	-	2	0.1 %
46	-	5	0.2 %
47	-	2	0.1 %
48	-	1	0.0 %
51	-	4	0.1 %
52	-	3	0.1 %
53	-	5	0.2 %

Value	Label	Unweighted Frequency	%
54	-	2	0.1 %
55	-	2	0.1 %
56	-	5	0.2 %
57	-	3	0.1 %
58	-	7	0.2 %
59	-	2	0.1 %
60	-	5	0.2 %
61	-	4	0.1 %
62	-	6	0.2 %
63	-	10	0.3 %
64	-	10	0.3 %
65	-	7	0.2 %
66	-	9	0.3 %
67	-	21	0.6 %
68	-	18	0.5 %
69	-	15	0.5 %
70	-	16	0.5 %
71	-	19	0.6 %
72	-	18	0.5 %
73	-	20	0.6 %
74	-	19	0.6 %
75	-	21	0.6 %
76	-	26	0.8 %
77	-	41	1.2 %
78	-	30	0.9 %
79	-	29	0.9 %
80	-	36	1.1 %
81	-	48	1.5 %
82	-	36	1.1 %
83	-	41	1.2 %
84	-	31	0.9 %
85	-	34	1.0 %
86	-	35	1.1 %
87	-	45	1.4 %
88	-	34	1.0 %
89	-	46	1.4 %
90	-	36	1.1 %
91	-	46	1.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	28	0.8 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,274 valid cases out of 3,302 total cases.

- Mean: 111.38
- Median: 108.00
- Mode: 101.00
- Minimum: 34.00
- Maximum: 274.00
- Standard Deviation: 29.49

Location: 2442-2444 (width: 3; decimal: 0)
Variable Type: numeric

CRPRESU0: C-reactive protein, milligrams per liter (mg/l)

Value	Label	Unweighted Frequency	%
0.043	-	1	0.0 %
0.045	-	1	0.0 %
0.046	-	1	0.0 %
0.047	-	1	0.0 %
0.049	-	1	0.0 %
0.050	-	1	0.0 %
0.051	-	2	0.1 %
0.053	-	2	0.1 %
0.054	-	1	0.0 %
0.055	-	2	0.1 %
0.060	-	2	0.1 %
0.062	-	1	0.0 %
0.063	-	2	0.1 %
0.064	-	1	0.0 %
0.065	-	1	0.0 %
0.066	-	1	0.0 %
0.067	-	2	0.1 %
0.069	-	4	0.1 %
0.070	-	2	0.1 %
0.072	-	1	0.0 %
0.073	-	1	0.0 %
0.075	-	3	0.1 %
0.076	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.078	-	1	0.0 %
0.082	-	1	0.0 %
0.083	-	1	0.0 %
0.084	-	1	0.0 %
0.085	-	1	0.0 %
0.086	-	1	0.0 %
0.088	-	3	0.1 %
0.092	-	1	0.0 %
0.093	-	3	0.1 %
0.095	-	1	0.0 %
0.096	-	1	0.0 %
0.097	-	3	0.1 %
0.098	-	1	0.0 %
0.099	-	2	0.1 %
0.100	-	1	0.0 %
0.102	-	1	0.0 %
0.106	-	2	0.1 %
0.107	-	2	0.1 %
0.108	-	4	0.1 %
0.109	-	2	0.1 %
0.111	-	1	0.0 %
0.112	-	1	0.0 %
0.113	-	2	0.1 %
0.114	-	2	0.1 %
0.115	-	1	0.0 %
0.116	-	2	0.1 %
0.117	-	1	0.0 %
	Missing Data		
.	-	57	1.7 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,245 valid cases out of 3,302 total cases.

- Mean: 3.896
- Minimum: 0.043
- Maximum: 105.600
- Standard Deviation: 6.261

Location: 2445-2451 (width: 7; decimal: 3)

Variable Type: numeric

FLAGCO20: Cardiovascular measure date not same as protein measure date

Value	Label	Unweighted Frequency	%
0	No	3286	99.5 %
1	Yes	5	0.2 %
	Missing Data		
.	-	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2452-2453 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAGSER0: Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	No	3288	99.6 %
1	Yes	3	0.1 %
	Missing Data		
.	-	11	0.3 %
	Total	**3,302**	**100%**

Based upon 3,291 valid cases out of 3,302 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2454-2455 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPSCDAY0: Spine scan day

Value	Label	Unweighted Frequency	%
-105	-	1	0.0 %
-92	-	1	0.0 %
-36	-	1	0.0 %
-34	-	1	0.0 %
-30	-	1	0.0 %
-19	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-12	-	1	0.0 %
-10	-	2	0.1 %
-8	-	1	0.0 %
-7	-	1	0.0 %
-6	-	2	0.1 %
-3	-	1	0.0 %
-2	-	1	0.0 %
-1	-	1	0.0 %
0	-	1754	53.1 %
1	-	7	0.2 %
2	-	9	0.3 %
3	-	4	0.1 %
4	-	5	0.2 %
5	-	8	0.2 %
6	-	13	0.4 %
7	-	21	0.6 %
8	-	12	0.4 %
9	-	11	0.3 %
10	-	10	0.3 %
11	-	11	0.3 %
12	-	6	0.2 %
13	-	9	0.3 %
14	-	29	0.9 %
15	-	11	0.3 %
16	-	17	0.5 %
17	-	4	0.1 %
18	-	12	0.4 %
19	-	9	0.3 %
20	-	7	0.2 %
21	-	11	0.3 %
22	-	13	0.4 %
23	-	11	0.3 %
24	-	10	0.3 %
25	-	6	0.2 %
26	-	9	0.3 %
27	-	4	0.1 %
28	-	14	0.4 %
29	-	11	0.3 %
30	-	5	0.2 %

Value	Label	Unweighted Frequency	%
31	-	7	0.2 %
32	-	3	0.1 %
33	-	8	0.2 %
34	-	6	0.2 %
35	-	11	0.3 %
	Missing Data		
.	-	974	29.5 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,328 valid cases out of 3,302 total cases.

- Mean: 8.33
- Median: 0.00
- Mode: 0.00
- Minimum: -105.00
- Maximum: 228.00
- Standard Deviation: 20.90

Location: 2456-2459 (width: 4; decimal: 0)
Variable Type: numeric

SPSCTIM0: Spine scan time

Value	Label	Unweighted Frequency	%
0:07:01	-	1	0.0 %
0:07:22	-	1	0.0 %
0:07:25	-	1	0.0 %
0:07:30	-	2	0.1 %
0:07:31	-	1	0.0 %
0:07:32	-	1	0.0 %
0:07:37	-	2	0.1 %
0:07:42	-	1	0.0 %
0:07:43	-	3	0.1 %
0:07:44	-	1	0.0 %
0:07:45	-	2	0.1 %
0:07:47	-	1	0.0 %
0:07:48	-	1	0.0 %
0:07:49	-	3	0.1 %
0:07:50	-	1	0.0 %
0:07:54	-	3	0.1 %
0:07:56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:07:57	-	2	0.1 %
0:07:58	-	1	0.0 %
0:07:59	-	1	0.0 %
0:08:00	-	1	0.0 %
0:08:01	-	2	0.1 %
0:08:03	-	2	0.1 %
0:08:04	-	1	0.0 %
0:08:05	-	1	0.0 %
0:08:06	-	3	0.1 %
0:08:07	-	1	0.0 %
0:08:08	-	2	0.1 %
0:08:09	-	2	0.1 %
0:08:11	-	1	0.0 %
0:08:13	-	5	0.2 %
0:08:15	-	3	0.1 %
0:08:16	-	2	0.1 %
0:08:17	-	1	0.0 %
0:08:18	-	2	0.1 %
0:08:19	-	4	0.1 %
0:08:21	-	3	0.1 %
0:08:22	-	1	0.0 %
0:08:24	-	2	0.1 %
0:08:26	-	6	0.2 %
0:08:28	-	2	0.1 %
0:08:30	-	3	0.1 %
0:08:31	-	1	0.0 %
0:08:32	-	1	0.0 %
0:08:33	-	3	0.1 %
0:08:34	-	1	0.0 %
0:08:35	-	3	0.1 %
0:08:38	-	4	0.1 %
0:08:39	-	3	0.1 %
0:08:40	-	2	0.1 %
	Missing Data		
.	-	1026	31.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,276 valid cases out of 3,302 total cases.

Location: 2460-2471 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

SPSCMOD0: Spine scan mode

Value	Label	Unweighted Frequency	%
5	2000 machine	888	26.9 %
11	4500 machine	1388	42.0 %
	Missing Data		
.	-	1026	31.1 %
	Total	**3,302**	**100%**

Based upon 2,276 valid cases out of 3,302 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 2472-2473 (width: 2; decimal: 0)
Variable Type: numeric

HPSCDAY0: Hip scan day

Value	Label	Unweighted Frequency	%
-105	-	1	0.0 %
-92	-	1	0.0 %
-36	-	1	0.0 %
-34	-	1	0.0 %
-30	-	1	0.0 %
-19	-	1	0.0 %
-12	-	1	0.0 %
-10	-	2	0.1 %
-8	-	1	0.0 %
-7	-	1	0.0 %
-6	-	2	0.1 %
-3	-	1	0.0 %
-2	-	1	0.0 %
-1	-	1	0.0 %
0	-	1755	53.1 %
1	-	7	0.2 %
2	-	9	0.3 %
3	-	4	0.1 %
4	-	6	0.2 %

Value	Label	Unweighted Frequency	%
5	2000 machine	8	0.2 %
6	-	13	0.4 %
7	-	21	0.6 %
8	-	12	0.4 %
9	-	11	0.3 %
10	-	10	0.3 %
11	4500 machine	11	0.3 %
12	-	6	0.2 %
13	-	9	0.3 %
14	-	29	0.9 %
15	-	11	0.3 %
16	-	17	0.5 %
17	-	4	0.1 %
18	-	12	0.4 %
19	-	9	0.3 %
20	-	6	0.2 %
21	-	11	0.3 %
22	-	12	0.4 %
23	-	11	0.3 %
24	-	10	0.3 %
25	-	6	0.2 %
26	-	10	0.3 %
27	-	4	0.1 %
28	-	14	0.4 %
29	-	11	0.3 %
30	-	5	0.2 %
31	-	7	0.2 %
32	-	3	0.1 %
33	-	9	0.3 %
34	-	6	0.2 %
35	-	11	0.3 %
	Missing Data		
.	-	971	29.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,331 valid cases out of 3,302 total cases.

- Mean: 8.36

- Median: 0.00
- Mode: 0.00
- Minimum: -105.00
- Maximum: 228.00
- Standard Deviation: 20.93

Location: 2474-2477 (width: 4; decimal: 0)
Variable Type: numeric

HPSCTIM0: Hip scan time

Value	Label	Unweighted Frequency	%
0:07:07	-	1	0.0 %
0:07:14	-	1	0.0 %
0:07:20	-	1	0.0 %
0:07:26	-	1	0.0 %
0:07:27	-	1	0.0 %
0:07:37	-	1	0.0 %
0:07:38	-	1	0.0 %
0:07:39	-	1	0.0 %
0:07:40	-	2	0.1 %
0:07:43	-	2	0.1 %
0:07:47	-	1	0.0 %
0:07:49	-	1	0.0 %
0:07:50	-	2	0.1 %
0:07:51	-	1	0.0 %
0:07:52	-	1	0.0 %
0:07:53	-	1	0.0 %
0:07:54	-	3	0.1 %
0:07:56	-	1	0.0 %
0:07:58	-	1	0.0 %
0:07:59	-	1	0.0 %
0:08:00	-	2	0.1 %
0:08:01	-	1	0.0 %
0:08:02	-	3	0.1 %
0:08:03	-	1	0.0 %
0:08:04	-	2	0.1 %
0:08:05	-	1	0.0 %
0:08:08	-	2	0.1 %
0:08:09	-	4	0.1 %
0:08:11	-	3	0.1 %
0:08:13	-	3	0.1 %
0:08:15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:08:16	-	1	0.0 %
0:08:17	-	2	0.1 %
0:08:18	-	1	0.0 %
0:08:19	-	2	0.1 %
0:08:20	-	3	0.1 %
0:08:21	-	3	0.1 %
0:08:22	-	1	0.0 %
0:08:23	-	2	0.1 %
0:08:24	-	5	0.2 %
0:08:26	-	2	0.1 %
0:08:28	-	8	0.2 %
0:08:30	-	2	0.1 %
0:08:32	-	1	0.0 %
0:08:33	-	2	0.1 %
0:08:34	-	2	0.1 %
0:08:35	-	5	0.2 %
0:08:36	-	1	0.0 %
0:08:37	-	2	0.1 %
0:08:38	-	2	0.1 %
	Missing Data		
.	-	972	29.4 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,330 valid cases out of 3,302 total cases.

Location: 2478-2489 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

HPSCMOD0: Hip scan mode

Value	Label	Unweighted Frequency	%
5	5: 2000 machine	900	27.3 %
11	11: 4500 machine	1430	43.3 %
	Missing Data		
.	-	972	29.4 %
	Total	**3,302**	**100%**

Based upon 2,330 valid cases out of 3,302 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 2490-2491 (width: 2; decimal: 0)
Variable Type: numeric

SPBMDT0: Total spine bone mineral density w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.719500	-	1	0.0 %
0.735500	-	1	0.0 %
0.741800	-	1	0.0 %
0.744200	-	1	0.0 %
0.748000	-	1	0.0 %
0.755100	-	1	0.0 %
0.755200	-	1	0.0 %
0.756500	-	1	0.0 %
0.758400	-	1	0.0 %
0.759200	-	1	0.0 %
0.761700	-	1	0.0 %
0.769600	-	1	0.0 %
0.770300	-	1	0.0 %
0.773588	-	1	0.0 %
0.777400	-	1	0.0 %
0.780900	-	1	0.0 %
0.781100	-	1	0.0 %
0.786100	-	1	0.0 %
0.786800	-	1	0.0 %
0.787700	-	1	0.0 %
0.789500	-	1	0.0 %
0.790400	-	1	0.0 %
0.790700	-	1	0.0 %
0.792100	-	1	0.0 %
0.792600	-	1	0.0 %
0.794600	-	1	0.0 %
0.795200	-	1	0.0 %
0.796000	-	1	0.0 %
0.796500	-	1	0.0 %
0.797900	-	1	0.0 %
0.798200	-	1	0.0 %
0.800300	-	1	0.0 %
0.800900	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.803200	-	1	0.0 %
0.803400	-	1	0.0 %
0.805100	-	2	0.1 %
0.808100	-	1	0.0 %
0.808300	-	1	0.0 %
0.808500	-	1	0.0 %
0.808700	-	1	0.0 %
0.809600	-	1	0.0 %
0.811000	-	1	0.0 %
0.811074	-	1	0.0 %
0.812200	-	2	0.1 %
0.812309	-	1	0.0 %
0.812700	-	1	0.0 %
0.812800	-	1	0.0 %
0.816300	-	1	0.0 %
0.818700	-	1	0.0 %
0.819700	-	1	0.0 %
	Missing Data		
.	-	995	30.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,307 valid cases out of 3,302 total cases.

- Mean: 1.077564
- Minimum: 0.719500
- Maximum: 1.635700
- Standard Deviation: 0.139197

Location: 2492-2499 (width: 8; decimal: 6)
Variable Type: numeric

HPBMDT0: Total hip bone mineral density w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.540400	-	1	0.0 %
0.601100	-	1	0.0 %
0.602800	-	1	0.0 %
0.617400	-	1	0.0 %
0.628300	-	1	0.0 %
0.628800	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.631100	-	1	0.0 %
0.633800	-	1	0.0 %
0.634700	-	1	0.0 %
0.635800	-	1	0.0 %
0.652500	-	1	0.0 %
0.658100	-	1	0.0 %
0.661700	-	1	0.0 %
0.663200	-	1	0.0 %
0.669000	-	1	0.0 %
0.670400	-	1	0.0 %
0.672100	-	1	0.0 %
0.673900	-	1	0.0 %
0.677600	-	1	0.0 %
0.678200	-	1	0.0 %
0.678400	-	1	0.0 %
0.678700	-	1	0.0 %
0.678900	-	1	0.0 %
0.679900	-	1	0.0 %
0.681000	-	1	0.0 %
0.681600	-	2	0.1 %
0.684300	-	1	0.0 %
0.684700	-	1	0.0 %
0.685000	-	2	0.1 %
0.688600	-	1	0.0 %
0.689400	-	1	0.0 %
0.692400	-	1	0.0 %
0.692900	-	1	0.0 %
0.696000	-	1	0.0 %
0.697900	-	1	0.0 %
0.698000	-	1	0.0 %
0.698900	-	1	0.0 %
0.701900	-	1	0.0 %
0.704200	-	1	0.0 %
0.706100	-	1	0.0 %
0.706800	-	2	0.1 %
0.707400	-	1	0.0 %
0.707800	-	1	0.0 %
0.709500	-	1	0.0 %
0.710700	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.710900	-	1	0.0 %
0.711700	-	1	0.0 %
0.712200	-	1	0.0 %
0.712400	-	1	0.0 %
0.712700	-	1	0.0 %
	Missing Data		
.	-	974	29.5 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,328 valid cases out of 3,302 total cases.

- Mean: 0.963650
- Minimum: 0.540400
- Maximum: 1.539500
- Standard Deviation: 0.146181

Location: 2500-2507 (width: 8; decimal: 6)
Variable Type: numeric

BMDFLG0: Flag 1:spine not reanalyzed; 2:hip not reanalyzed; 3: spine das not send; 4: hip das not send; 5: PI recommended for spin

Value	Label	Unweighted Frequency	%
5	-	3	0.1 %
	Missing Data		
.	-	3299	99.9 %
	Total	**3,302**	**100%**

Based upon 3 valid cases out of 3,302 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

Location: 2508-2508 (width: 1; decimal: 0)
Variable Type: numeric

STATUS0: Menopausal status

Value	Label	Unweighted Frequency	%
1	Post by BSO	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Natural Post	0	0.0 %
3	Late Peri	0	0.0 %
4	Early Peri	1493	45.2 %
5	Pre-menopausal	1761	53.3 %
6	Pregnant/breastfeeding	0	0.0 %
7	Unknown due to HT use	6	0.2 %
8	Unknown due to hysterectomy	0	0.0 %
	Missing Data		
.	-	42	1.3 %
	Total	**3,302**	**100%**

Based upon 3,260 valid cases out of 3,302 total cases.

- Minimum: 4.00
- Maximum: 7.00

Location: 2509-2509 (width: 1; decimal: 0)
Variable Type: numeric

LMPDAY0: Last menstrual period (days since baseline)

Value	Label	Unweighted Frequency	%
-211	-	1	0.0 %
-175	-	1	0.0 %
-173	-	1	0.0 %
-170	-	1	0.0 %
-157	-	1	0.0 %
-152	-	1	0.0 %
-150	-	1	0.0 %
-148	-	3	0.1 %
-146	-	1	0.0 %
-145	-	1	0.0 %
-143	-	3	0.1 %
-142	-	1	0.0 %
-140	-	2	0.1 %
-139	-	1	0.0 %
-138	-	3	0.1 %
-136	-	1	0.0 %
-133	-	1	0.0 %
-132	-	1	0.0 %
-131	-	2	0.1 %
-130	-	2	0.1 %

Value	Label	Unweighted Frequency	%
-129	-	5	0.2 %
-128	-	1	0.0 %
-127	-	2	0.1 %
-126	-	4	0.1 %
-125	-	3	0.1 %
-124	-	3	0.1 %
-123	-	6	0.2 %
-122	-	3	0.1 %
-121	-	5	0.2 %
-120	-	4	0.1 %
-119	-	2	0.1 %
-118	-	8	0.2 %
-117	-	4	0.1 %
-116	-	5	0.2 %
-115	-	4	0.1 %
-114	-	4	0.1 %
-113	-	10	0.3 %
-112	-	7	0.2 %
-111	-	7	0.2 %
-110	-	5	0.2 %
-109	-	7	0.2 %
-108	-	10	0.3 %
-107	-	6	0.2 %
-106	-	9	0.3 %
-105	-	9	0.3 %
-104	-	6	0.2 %
-103	-	9	0.3 %
-102	-	9	0.3 %
-101	-	12	0.4 %
-100	-	5	0.2 %
	Missing Data		
.	-	118	3.6 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,184 valid cases out of 3,302 total cases.

- Mean: -52.09
- Median: -47.00

- Mode: -32.00
- Minimum: -211.00
- Maximum: 0.00
- Standard Deviation: 28.17

Location: 2510-2513 (width: 4; decimal: 0)
Variable Type: numeric

OCCUP0: Occupation - job 1

Value	Label	Unweighted Frequency	%
4	Chief executives/gen administrators, public admin.	1	0.0 %
5	Administrators/officials, public admin	29	0.9 %
6	Administrators, protective services	4	0.1 %
7	Financial managers	29	0.9 %
8	Personnel/labor relations managers	10	0.3 %
9	Purchasing managers	5	0.2 %
13	Managers, marketing, advertising, & pub relations	29	0.9 %
14	Administrators, education/related fields	85	2.6 %
15	Managers, medicine & health	57	1.7 %
17	Managers, food serving & lodging establishments	15	0.5 %
18	Managers, properties and real estate	11	0.3 %
21	Managers, service organizations, n.e.c.	23	0.7 %
22	Managers & administrators, n.e.c.	105	3.2 %
23	Accountants & auditors	36	1.1 %
25	Other financial officers	27	0.8 %
26	Management analysts	10	0.3 %
27	Personnel, training, & labor rel specialists	21	0.6 %
28	Purchasing agents & buyers, farm products	1	0.0 %
33	Purchasing agents & buyers, n.e.c.	6	0.2 %
35	Construction inspectors	1	0.0 %
36	Inspectors/compliance officers, exc. construct	4	0.1 %
37	Management related occupations, n.e.c.	70	2.1 %
43	Architects	6	0.2 %
53	Civil engineers	3	0.1 %
55	Electrical & electronic engineers	1	0.0 %
56	Industrial engineers	2	0.1 %
57	Mechanical engineers	1	0.0 %
59	Engineers, n.e.c.	4	0.1 %
64	Computer systems analysts/scientists	35	1.1 %
65	Operations/systems researchers & analysts	7	0.2 %
73	Chemists, except biochemists	1	0.0 %
75	Geologists & geodesists	1	0.0 %

Value	Label	Unweighted Frequency	%
76	Physical scientists, n.e.c.	3	0.1 %
77	Agricultural & food scientists	1	0.0 %
78	Biological & life scientists	2	0.1 %
83	Medical scientists	3	0.1 %
84	Physicians	8	0.2 %
87	Optometrists	1	0.0 %
89	Health diagnosing practitioners, n.e.c.	2	0.1 %
95	Registered nurses	110	3.3 %
96	Pharmacists	9	0.3 %
97	Dietitians	7	0.2 %
98	Respiratory therapists	4	0.1 %
99	Occupational therapists	2	0.1 %
103	Physical therapists	8	0.2 %
104	Speech therapists	12	0.4 %
105	Therapists, n.e.c.	1	0.0 %
106	Physicians' assistants	2	0.1 %
114	Biological science teachers	1	0.0 %
117	Natural science teachers, n.e.c.	1	0.0 %
	Missing Data		
.	-	663	20.1 %
	Total	**3,302**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,639 valid cases out of 3,302 total cases.

- Minimum: 4.00
- Maximum: 915.00

Location: 2514-2516 (width: 3; decimal: 0)
Variable Type: numeric

RACE: Race/ethnicity

How would you describe your primary racial or ethnic group?

Value	Label	Unweighted Frequency	%
1	Black/African American	934	28.3 %
2	Chinese/Chinese American	250	7.6 %
3	Japanese/Japanese American	281	8.5 %
4	Caucasian/White Non-Hispanic	1552	47.0 %
5	Hispanic	285	8.6 %

Value	Label	Unweighted Frequency	%
	Total	**3,302**	**100%**

Based upon 3,302 valid cases out of 3,302 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2517-2517 (width: 1; decimal: 0)
Variable Type: numeric