

Nama : sajid fadhillah

Kelas : xi tjkt 1

The image shows a Proxmox Virtual Environment (PVE) interface. The top part is a terminal window where a user named 'sajid' is being added and an SSH connection is established to a Windows VM. The bottom part is the Proxmox web interface showing the Datacenter overview.

Terminal Output:

```
root@sajid:~#
root@sajid:~#
root@sajid:~# adduser sajid
New password:
Retype new password:

passwd: password updated successfully
Changing the user information for sajid
Enter the new value, or press ENTER for the default
  Full Name []:    Room Number []:
  Work Phone []:   Home Phone []:
  Other []:

Is the information correct? [Y/n] root@sajid:~# y
-bash: y: command not found
root@sajid:~#
root@sajid:~# su - sajid
sajid@sajid:~$ su -
Password:
sajid@sajid:~$
sajid@sajid:~$
```

SSH Connection:

```
C:\Users\TKJT>ssh sajid@172.16.51.126
The authenticity of host '172.16.51.126 (172.16.51.126)' can't be established.
ED25519 key fingerprint is SHA256:PuVuj1HRM/sBjF8Pd130zRZkqce733iYBKx6N5d+8A.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '172.16.51.126' (ED25519) to the list of known hosts.
sajid@172.16.51.126's password:
Linux sajid 7.0.0-3-pve #1 SMP PREEMPT_DYNAMIC PMX 7.0.0-3 (2026-04-21T22:56Z) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
sajid@sajid:~$
sajid@sajid:~$
```

Proxmox Web Interface:

Proxmox Virtual Environment 9.1.9

Search: []

Documentation Create VM Create CT 242510238@pve

Server View Datacenter

Datacenter

Search: []

Type	Description	Disk usage...	Memory us...	CPU usage	Uptime	Host CPU ...	Host Mem...
node	pve				-		
pool	P242510238				-		
storage	local (pve)	24.6 %			-		
storage	local-lvm (pve)	10.9 %			-		

Tasks Cluster log

Start Time	End Time	Node	User name	Description	Status
------------	----------	------	-----------	-------------	--------

Activate Windows
Go to Settings to activate Windows.

Surat An-Najm: Arab | x ArtVault - Exploration x 172.16.51.99/note/2. | x pve - Proxmox Virtual x pve - Proxmox Virtual x Dashboard — Webmin x

Not secure https://172.16.51.126:10000/sysinfo.cgi?xnavigation=1

System Information

58%
CPU

32%
REAL MEMORY

9%
VIRTUAL MEMORY

8%
LOCAL DISK SPACE

System hostname	sajid (172.16.51.126)	Operating system	Debian Linux 13
Webmin version	2.630	Authentic theme version	26.30
Time on system	Friday, May 22, 2026 2:17 AM	Kernel and CPU	Linux 7.0.0-3-pve on x86_64
Processor information	Intel(R) Core(TM) i3-10105F CPU @ 3.70GHz, 1 core	System uptime	12 minutes
Running processes	34	CPU load averages	10.17 (1 min) 8.26 (5 mins) 5.04 (15 mins)
Real memory	164.38 MiB used / 117.17 MiB cached / 512 MiB total	Virtual memory	46.91 MiB used / 512 MiB total
Local disk space	1.31 GiB used / 14.22 GiB free / 15.53 GiB total	Package updates	All installed packages are up to date

Information!
The filesystem /tmp which contains the Webmin temp files directory /tmp/.webmin is mounted from a tmpfs RAM disk, which may be too small for temporary and backup files. Consider switching the temp files location to a different directory in the Webmin Configuration module.

Warning!
Webmin version 2.641 is now available, but you are running version 2.630. [Release notes.](#)

Activate Windows
Go to Settings to activate Windows.

Ungrade Webmin Now

Type here to search

9:17 22/05/2026

Surat An-Najm: Arab | x ArtVault - Exploration x 172.16.51.99/note/2. | x pve - Proxmox Virtual x pve - Proxmox Virtual x / - File Manager — Webmin x

Not secure https://172.16.51.126:10000/filemin/?xnavigation=1

File Manager

Total: 0 files and 22 directories. Selected: 0 items

Name	Size	Owner	Mode	Modified
bin		root:root	0777	2025/08/24 - 16:20:00
sbin		root:root	0777	2025/08/24 - 16:20:00
boot		root:root	0755	2025/08/24 - 16:20:00
dev		root:root	0755	2026/05/22 - 02:05:01
etc		root:root	0755	2026/05/22 - 02:15:42
home		root:root	0755	2026/05/22 - 02:08:47
media		root:root	0777	2025/08/24 - 16:20:00
mnt		root:root	0777	2025/10/01 - 14:43:11
opt		root:root	0777	2025/08/24 - 16:20:00
root		root:root	0777	2025/10/01 - 14:43:11
srv		nobody:nogroup	0700	2026/05/22 - 02:04:52
usr		root:root	0755	2025/10/01 - 14:43:15
var		root:root	0755	2025/10/01 - 14:43:15

Showing 1 to 13 of 22 items

Activate Windows
Go to Settings to activate Windows.

Type here to search

9:18 22/05/2026

Surat An-Najm: Arab | ArtVault - Exploration | 172.16.51.99/note/3. | pve - Proxmox Virtual | pve - Proxmox Virtual | /var/www/html - File |

Not secure https://172.16.51.126:10000/filemin/?xnavigation=1

File Manager

var / www / html

Total: 1 file and 0 directories. Selected: 0 items

Name	Size	Owner	Mode	Modified
info.php	0 bytes	root:root	0644	2026/05/22 - 02:23:04

Showing 1 to 1 of 1 items

info.php (/var/www/html)

Webmin Dashboard


- Search
- Webmin
- System
- Servers
- Tools
 - Command Shell
 - Custom Commands
 - File Manager
 - HTTP Tunnel
 - Perl Modules
 - Protected Web Directories
 - System and Server Status
 - Terminal
 - Upload and Download
- Networking
- Hardware
- Cluster
- Un-used Modules
- Refresh Modules

Surat An-Najm: Arab | ArtVault - Exploration | 172.16.51.99/note/3. | pve - Proxmox Virtual | pve - Proxmox Virtual | /var/www/html - File | PHP 8.4.21 - php


Not secure 172.16.51.126/info.php

PHP Version 8.4.21

System	Linux sajid 7.0.0-3-pve #1 SMP PREEMPT_DYNAMIC PMX 7.0.0-3 (2026-04-21T22:56Z) x86_64
Build Date	May 8 2026 05:56:48
Build System	Linux
Build Provider	Debian
Server API	FPM/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php/8.4/fpm
Loaded Configuration File	/etc/php/8.4/fpm/php.ini
Scan this dir for additional .ini files	/etc/php/8.4/fpm/conf.d
Additional .ini files parsed	/etc/php/8.4/fpm/conf.d/10-opcache.ini, /etc/php/8.4/fpm/conf.d/10-pdo.ini, /etc/php/8.4/fpm/conf.d/20-calendar.ini, /etc/php/8.4/fpm/conf.d/20-ctype.ini, /etc/php/8.4/fpm/conf.d/20-exif.ini, /etc/php/8.4/fpm/conf.d/20-ffi.ini, /etc/php/8.4/fpm/conf.d/20-fileinfo.ini, /etc/php/8.4/fpm/conf.d/20-ftp.ini, /etc/php/8.4/fpm/conf.d/20-gettext.ini, /etc/php/8.4/fpm/conf.d/20-iconv.ini, /etc/php/8.4/fpm/conf.d/20-imagick.ini, /etc/php/8.4/fpm/conf.d/20-imagick.ini, /etc/php/8.4/fpm/conf.d/20-openssl.ini, /etc/php/8.4/fpm/conf.d/20-readline.ini, /etc/php/8.4/fpm/conf.d/20-shmop.ini, /etc/php/8.4/fpm/conf.d/20-sockets.ini, /etc/php/8.4/fpm/conf.d/20-sysvmsg.ini, /etc/php/8.4/fpm/conf.d/20-sysvsem.ini, /etc/php/8.4/fpm/conf.d/20-tokenizer.ini
PHP API	20240924
PHP Extension	20240924
Zend Extension	420240924
Zend Extension Build	API420240924.NTS
PHP Extension Build	API20240924.NTS
PHP Integer Size	64 bits
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	enabled
Zend Memory Manager	enabled



Activate Windows
Go to Settings to activate Windows.



Activate Windows
Go to Settings to activate Windows.

Document2 - Microsoft Word

FILE HOME INSERT DESIGN PAGE LAYOUT REFERENCES MAILINGS REVIEW VIEW

Calibri (Body) 11

Cut Copy Paste Format Painter Clipboard Font

You are about to be asked to enter information that will be incorporated into your certificate request.
What you are about to enter is what is called a Distinguished Name or a DN.
There are quite a few fields but you can leave some blank.
For some fields there will be a default value,
If you enter '.', the field will be left blank.

Country Name (2 letter code) [AU]:
State or Province Name (full name) [Some-State]:
Locality Name (eg, city) []:
Organization Name (eg, company) [Internet Widgits Pty Ltd]:
Organizational Unit Name (eg, section) []:
Common Name (e.g. server FQDN or YOUR name) []:
Email Address []:
root@sajid:~/ssl#
root@sajid:~/ssl# nano /etc/apache2/sites-available/default-ssl.conf
root@sajid:~/ssl# root@sajid:~/ssl#
root@sajid:~/ssl#
root@sajid:~/ssl#
root@sajid:~/ssl#
root@sajid:~/ssl# systemctl restart apache2
root@sajid:~/ssl# a2ensite default-ssl.conf
Enabling site default-ssl.
To activate the new configuration, you need to run:
systemctl reload apache2
root@sajid:~/ssl# systemctl restart apache2
root@sajid:~/ssl# apt install prometheus prometheus-node-exporter

Activate Windows
Go to Settings to activate Windows.

PAGE 4 OF 4 0 WORDS ENGLISH (UNITED STATES)

Type here to search

Surat An- x ArtVault - x 172.16.51. x pve - Pro x pve - Pro x /var/www/ x Index of / x Prometheus x Getting st x + - 100%

Not secure 172.16.51.126:9090/classic/targets

Prometheus Alerts Graph Status Help New UI

Targets

All Unhealthy Collapse All

node (1/1 up) show less

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://localhost:9100/metrics	UP	instance="localhost:9100" job="node"	6.346s ago	78.74ms	



prometheus (1/1 up) show less

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://localhost:9090/metrics	UP	instance="localhost:9090" job="prometheus"	2.069s ago	3.754ms	

Activate Windows
Go to Settings to activate Windows.

Type here to search

9:47 22/05/2026



Surat A x ArtVault x 172.16.0 x pve - Pri x pve - Pri x /var/www x Index of x Prometi x Getting x Import x + -

Not secure 172.16.51.126:3000/dashboard/import

Grafana

Dashboards > Import dashboard

Upload dashboard JSON file

Drag and drop here or click to browse

Accepted file types: json, .txt

Find and import dashboards for common applications at grafana.com/dashboards

186d Load

Import via dashboard JSON model

```
{
  "title": "Example - Repeating Dictionary variables",
  "uid": "0HnEoN4z",
  "panels": [...]
  ...
}
```

Load Cancel

Activate Windows
Go to Settings to activate Windows.

Type here to search

Surat A x ArtVault x 172.16.0 x pve - Pri x pve - Pri x /var/www x Index of x Prometi x Getting x Node E x + -

Not secure 172.16.51.126:3000/d/rYdddlPWk/node-exporter-full?orgId=1&from=now-24h&to=now&timezone=browser&var-ds_prometheus=dfmsiw6qga51c...

Grafana

Dashboards > Node Exporter Full

Datasource: prometheus Job: node

Node name: sajid Instance: localhost:9100

Quick CPU / Mem / Disk

CPU 10.0% Memory 5.8% I/O 48.6%

55.1% 237.0% 59.6% 72.4% 41.7%

Basic CPU / Mem / Net / Disk

CPU Basic

Memory Basic

Activate Windows
Go to Settings to activate Windows.

Type here to search

Surat An-Naj... ArtVault - Exp... 172.16.51.99/... pve - Proxmox... pve - Proxmox... /var/www/ht... Index of /... Prometheus... Getting... Home - x

Not secure 172.16.51.126:3000/?orgId=1&from=now-6h&to=now&timezone=browser

Grafana Dashboards > Home

Home Bookmarks Starred Dashboards Explore Drilldown Alerting Connections Administration

do we run mysql?

I'll help you determine if you're running MySQL in your Grafana environment. To answer this question accurately, I need to check if there are any MySQL datasources configured in your Grafana instance.

- list available datasources

Let me search for any dashboards that might be related to MySQL, as this could indicate MySQL usage in your environment.

- search for dashboards

Based on my checks, I don't see any evidence that you're running MySQL in your Grafana environment.

- There are no MySQL datasources configured in your Grafana instance
- There are no dashboards with "mysql" in their titles

The only datasource I found is the default Grafana internal datasource, which is not MySQL.

If you believe MySQL should be configured or if you're looking to set up MySQL as a datasource, I can provide guidance on how to do that. Would you like information about adding MySQL as a datasource to your Grafana instance?

Ask questions, go places, make changes, anything.

Use AI to handle everything from config to query generation

- Explore your data by prompting Assistant to generate queries for you
- Create comprehensive dashboards in minutes
- Onboard new team members in days, not weeks

Show me

Starred dashboards

Activate Windows
Go to Settings to activate Windows.

Surat An-Naj... ArtVault - Exp... 172.16.51.99/... pve - Proxmox... pve - Proxmox... /var/www/ht... Index of /... Prometheus... Getting... Home - x

Not secure 172.16.51.126:9090/classic/graph

Prometheus Alerts Graph Status Help New UI

☐ Enable query history

Expression (press Shift+Enter for newlines)

Execute - insert metric at cursor

Remove Graph

Graph Console

◀ Moment ▶

Element	Value
no data	

Add Graph

Activate Windows
Go to Settings to activate Windows.