

Monthly Report Integration

Notes for wiring the parent report template into the portal.

Files:

- report-template.html the report, with fonts and styling self contained
 - report-final.png reference for the finished output
-

1. How it renders

The report renders from a single `DATA` object defined near the end of report-template.html. Populate it per student, per month, from the backend. The layout, the grade letters, and the trend chart all derive from that object, so the data layer is the only integration point. The styles and the render engine are self contained.

```
const DATA = {
  studentName : "mtalal",
  cohort      : "Oct / Nov 2026",
  month       : "June 2026",
  generated   : "26 June 2026",

  average      : 25,    // month average, whole number percent
  completionPct : 100,  // percent of assigned tests sat
  testsCompleted : 2,
  testsTotal    : 2,

  tests : [              // one per test sat this month, in order taken
    { name: "Depreciation", subject: "Accounting", score: 50 },
    { name: "Untitled test", subject: "Accounting", score: 0  }
  ],

  teacherNote : "...",  // manual comment; empty string hides the section
};
```

2. Field reference

Field	Meaning
studentName	shown as the headline
cohort	shown under the name
month	report period, for example "June 2026"
generated	date the report was produced
average	month average, whole number (25 = 25 percent)
completionPct	percent of assigned tests sat
testsCompleted / testsTotal	sat versus assigned, shown as "X of Y tests"
tests[]	name, subject, and score per test, in the order taken
teacherNote	the single manual comment; empty string hides the note section

Grades are not passed in. The report derives every grade from the scores. The trend chart is built from the tests array. Both are handled by the render engine.

3. Grade scale (applied to the average and each test)

```

92+      A*
85 to 91 A
75 to 84 B
65 to 74 C
60 to 64 D
50 to 59 E
below 50 U

```

4. Trend chart behaviour

Drawn from the test scores, one point per test, in order. Cases handled:

- two or more tests: a connected line with a point each
- one test: a single centred point

- no tests: a quiet "No tests this month yet."
-

5. PDF generation

Populate `DATA` , then pass the HTML through the existing HTML to PDF step that already produces the current report.

The template populates itself with an inline script, so the renderer needs JavaScript execution. Chrome, Puppeteer, Playwright, and wkhtmltopdf with JS enabled all handle this. If the current pipeline renders without running scripts, a pre-populated build with no script can be supplied instead. Flag it and it will be provided.

6. Constraints to preserve

- Geist is embedded in the file. Keep it; do not substitute a system font.
 - Palette is fixed: near black, off white, gold, and the red CONFIDENTIAL stamp.
 - Text only, no logo.
 - No em dashes anywhere.
 - CONFIDENTIAL appears once, as the red stamp at top right.
-

7. QA before shipping

- Output matches report-final.png.
- A student with one test shows a single point, not a broken line.
- An empty teacherNote hides the note section cleanly, with no empty box.
- The exported PDF keeps the dark background. The template forces this with print-color-adjust, so confirm the PDF step respects it.