

TO:

Company Impex Nine Inc
PO Box 1212
NAPERVILLE IL 60565
USA

Your vendor number with us:
101008

Vendor Contact Person:

John Fisher
Tel.No : 006302190428
Fax.No : 419-4910667

RFQ

RFQ Coll. No: MSK-26-005

RFQ Date : 04/16/2026

Delivery Location

Your person responsible
John Fisher

Bid Closing Date:06/07/2026
Time: 2:00PM

SPECIAL NOTE TO VENDOR:

-This RFQ requires Separate Technical/Financial BID in sealed envelopes: **YES[]/NO[X]**

ALL QUOTATIONS WHICH ARE NOT REQUIRING SEALED BID, SHALL BE SENT BY EMAIL TO
procurement@marafiq.com.sa.ALL FAX QUOTATIONS ARE NOT ACCEPTABLE.

Item	Material	Description	RFQ Quantity	Unit
00010	301012176	SLTN;ELCTRDE FILLING, PN:900063, THERMO	1	Box

Manufacturer part number 900063				
SOLUTION REFERENCE ELECTRODE FILLING BOX SIZE:(5) X BOTTLE OF 2 OZ APPLICATION:CHLORIDE ANALYZER PART NO:900063 MNFR:THERMO SCIENTIFIC FFT:ANALYZER MODEL:ORION 2117XP TAG NO:PF1-AIT-SL-045				

RFQ Coll. No:
MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
------	----------	-------------	--------------	------

00020 201192698 BLT ; THRM SHRINKING, F/DRM, ECOMACCHINE
1 each

BELT
TYPE: THERMOSHRINKING
APPLICATION: DRUM FOR BELT FILTER PRESS
DRUM SIZE: DIA.800 X 2000S SIDE
BELT PRESS MODEL: 400/3000
BELT PRESS SERIAL NO:4253
MNFR: ECOMACCHINE S.P.S
FFT1: ITEM NUMBER: 2 THERMOSHRINKING BELT
FFT2: DRUM 34-105A/C AND 34-F111A/C
FFT3: TAG IWTP-II F-105/F-111 FOR DRUM SIDE

00030 201191023 BOLT ; S31803, F/DBRS FLTR, JEONGWOO
1 each

BOLT
MATERIAL: S31803
APPLICATION: WIPER STRIP OF DEBRIS FILTER
STYLE: WITH LOCK NUT
DEBRIS FILTER MODEL NO: LD002
MNFR: JEONGWOO
DRAWING Z10M018-JIMC-DF-018-008, POSITION NO: 9

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		FFT1: TAG NO: 5/6NP-SW-DF-01A/B		
00040	201191015	CRD ELECTRNC; ANALOG, 97701090, BERNARD	1	each
		Manufacturer part number 97701090		
		CARD ELECTRONIC TYPE: KIT ADJ BOARD ANALOGIC + CABLE FPI APPLICATION: MOTOR OPERATED VALVE ACTUATOR ACTUATOR MODEL NO: ST70 PART NO: 97701090 MNFR: BERNARD CONTROLS SERIAL NO OF ACTUATOR: 12L15327 002 FFT1: ACTUATOR TYPE: INTELLI+ FFT2: TAG NO: PF0-HV-SW-013/014		
00050	201188548	DFLCTR; A576 1045, F/PMP, ISB100X65-250H	1	each
		DEFLECTOR: DFLCTR MATERIAL: A576 1045 APPLICATION: PUMP PUMP HEAD: 130 MWC PUMP SIZE: 65A PUMP FLOWRATE: 75 M3/H PUMP MODEL: ISB 100X65-250H MNFR: CW-HYDRO DRAWING NO: 11314-M06-A1-80002 (05/07) EQUIP/TAG MODEL: ISB 100X65-250H PUMP NO.: P10080021.5.4.3 FFT1: DWG ITEM# 40 FFT2: CONDENSATE TRANSFER PUMP FFT3: TAG# 5/6NP-CD-P-02A/B		
00060	201188282	ACTTR PNMTTC; DBL ACT, 920830-11355532, BRAY	1	each
		Manufacturer part number 920830-11355532		
		ACTUATOR PNEUMATIC: ACTTR PNMTTC TYPE: DOUBLE ACTING		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		PART NO:920830-11355532 MNFR:BRAY FFT1:P&I AIR COMP. DRYER - GTG		
00070	201185499	GEAR;PINION,F/GGH DRV UNT,BAUER GEARED	1	each
		GEAR TYPE: PINION APPLICATION: DRIVE UNIT OF GGH, GAS-GAS HEATER FOR FGD MNFR: BAUER GEARED MOTOR DRAWING NO: 11314-M03-A1-83301, POS.: 6 ALSTOM DRAWING NO: EE3-000238 (11.061/1.11. C-003/62) EQUIP/TAG MODEL: GCEVB28/775 FFT1: TAG NO: 5/6NP-HX-RAH-30		
00080	201184834	COIL EVAPRTR;EXTERNAL,R404,TOMCO	1	Assembly
		Manufacturer part number 0800-100-62-EC-3 COIL EVAPORATOR TYPE: EXTERNAL CAPACITY: 25,000 BTU/HR CAPACITY AT -10 0F. REFRIGERANT: R404 PART NO: 0800-100-62-EC-3 MNFR: TOMCO INCLUDES EXTERNAL COIL WITH INSTALLED FILTER DRIER, SOV VALVE, SUCTION FILTER, NUTS, FITTINGS, REFRIGERATION SIGHT GALSS, COPPER TUBES, MOUNTING CLAMPS & LOOSE EXPANSION VALVE		
00090	201184614	SEAL MECH;65MM,OUTR/LWR,ABS PUMP	1	each
		Manufacturer part number 11110203 SEAL MECHANICAL INSIDE DIAMETER: 65 MM APPLICATION: OUTER/LOWER SEAL FOR ABS PUMP PUMP MODEL: VUPX0501:PE350/8-60 PART NO: 11110203 MNFR: ABS PUMP, SULZER		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		FFT1: PUMP S/N: 0053847 FFT2: LOCAL AGENT: AHMED RAMADAN JUMA EST, KSA FFT3: TAG: 04-105 A-F, MIXED LIQUOR, IWTP-II		
00100	201184532	MFFLR;133.5X344.5MM,1-1/2IN,ERVOR	1	each
		Manufacturer part number 7204041 MUFFLER DIAMETER: 133.5 MM LENGTH: 344.5 MM CONNECTION SIZE: 1-1/2 IN CONNECTION TYPE: MALE BSPT APPLICATION: AIR PROCESSING SYSTEM APU PART NO: 7204041 MNFR: ERVOR		
00110	201184126	BSH;BRG,CARBON,F/PUMP WVP 526	1	each
		BUSH BEARING APPLICATION: VERTICAL SUMP PUMP WVP 526 MATERIAL: CARBON DRAWING NO: 11314-M07-A1-80002 (4/10) POSITION NO: 39 MNFR: CW-HYDRO FFT: SYSTEM: VERTICAL SUMP PUMP EQUIPMENT NAME: WASH WATER SUMP PUMP EQUIPMENT MODEL: WVP 526 EQUIPMENT SIZE: 116 M3/H X 15 M MARAFIQ EQUIPMENT TAG: 5/6NP-WC-P-01A/B USED FOR STG 5&6		
00120	201184023	BRG;RTNR,A48 CL30,116M3/H,CW-HYDRO	1	each
		BEARING TYPE: RETAINER MATERIAL: A48 CL30		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		APPLICATION: VERTICAL SUMP PUMP PUMP MODEL: WVP 526 PUMP SIZE: 116 M3/H X 15 M MNFR: CW-HYDRO DRAWING NO: 11314-M07-A1-80002 (4/10), POS NO: 193 FFT1: WASH WATER SUMP PUMP FFT2: TAG: 5/6NP-WC-P-01A/B		
00130	201183728	SPRTR;AIR-OIL, ZS1059792GARDNER DENVER	1	each
		Manufacturer part number ZS1059792 SEPARATOR TYPE: AIR-OIL ELEMENT APPLICATION: FOR AIR SCREW COMPRESSOR PART NO: ZS1059792 MNFR: GARDNER DENVER FFT1: UNIT MODEL: ESM-18 FFT2: UNIT SERIAL NO: FK1003300 FFT3: MAX PRESSURE: 7.5 BAR FFT4: POST NO: 20		
00140	201183386	MOTOR ELEC;230V, 1/3HP, YCN5624A-WN	1	each
		Manufacturer part number 73505305 MOTOR ELECTRIC CONDENSER FAN POTENTIAL: 230V POWER: 1/3HP PHASE: 1PH FREQUENCY: 60 SPEED: 1750RPM FRAME SIZE: 56C MODEL: YCN5624A-WN PART NO: 73505305 MNFR: TWINCITY FAN Co		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00150	201182958	HTR, SEAL - AIR, 460V, 126.4KW, 80570/1, VOLTA	1	Assembly
		HEATER TYPE:SEAL - AIR POWER: 126.4KW VOLTAGE: 460V MODEL: ERRG/91 REFERENCE. NO. 80570/1 MNFR: VOLTA GMBH & CO. KG OEM:SIEMENS ENERGY FFT1:FULL HEATER PACKAGE TAG NO:PF1/2/3-FL-H-530 FFT2:DATASHEET ATTACHED		
00160	201182705	PMP; DPHRGM, 2L/H, SS316, NPT, MILTON ROY	1	Assembly
		Manufacturer part number MRA11C48S7APPNWNYY PUMP TYPE: METERING, HYDRAULIC SINGLE DIAPHRAGM PRESSURE:70 KG/SQ.CM.G FLOW RATE:2 L/HR DRIVER:MOTOR (460 V, 3P) PLUNGER DIAMETER: 3/8 IN (9.5MM) GEAR RATIO: 48:1 PUMP MODEL: MRA11C48S7APPNWNYY MATERIAL: 316L SS LIQUID END & PTFE DIAPHRAGM CONNECTION: NPT INLET & OUTLET CONNECTIONS MNFR: MILTON ROY DRAWING NO: 11314-M26-DST-88002 FFT1:WITH MOTOR -40°C/°F, AN API FLANGE MOTOR MOUNT FOR USE WITH AN IEC 71 MOTOR, AND A 1/3 (0.25KW), THREE PHASE, 50/60 HZ 200/400- 230/460V,1450/1750 RPM, TEFC, IEC MOTOR FFT2: WITH ACC CAPACITY CONTROL NEMA 4 (4-20 MA INPUT) 24VDC; 85V TO 260V 1 PHASE 50/60HZ FFT3:FOR OXYGEN SCAVENGER DOSING SYSTEM FFT4:TAG NO: 5/6NP-CF-P-03A/B		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00170	201182702	SHFT PMP;F/CNDNST EXTRCTN PMP,CW-HYDRO	1	each
SHAFT PUMP APPLICATION:CONDENSATE EXTRACTION PUMP PUMP MODEL:VCMD 300X250-7S MNFR:CW-HYDRO DRAWING NO: 11314-M28-A1-50002 REV:0 POS NO:6 FFT1:FLOW CAPACITY: 420 M3/HR, PRESSURE: 31 KG/CM2 FFT2:TAG: 5/6NP-CD-P-01A, 5/6NP-CD-P-01C, 5/6NP-CD-P-01B				
00180	201181978	SHFT PMP;DRV,SS316,POS:32A,MONO	1	each
Manufacturer part number SF C041 3220 SHAFT PUMP TYPE: DRIVE MATERIAL:STAINLESS STEEL 316 PUMP MODEL: C15KC81RPA/E624&E625 PUMP SERIAL NO: C530235 PART NO: SF C041 3220 MNFR: MONO PUMP ITEM NO: 32A FFT1:FOR PROGRESSIVE CAVITY PUMP FFT2:TAG: 04-120A-F FFT3:IWTP-2				
00190	201181736	PMP;GEAR,SNP 2/11DC001F,SAUER DANFOSS	1	each
Manufacturer part number 111.20.280.00 SNP2NN-/-011-R-N-01-BA- P1 PUMP TYPE:GEAR APPLICATION:HP/LP BYPASS HYDRAULIC UNIT HYDAC (CIRCUIT NO. 3589476) MODEL:SNP 2/11DC001F PART NO:111.20.280.00 SNP2NN-/-011-R-N-01-BA-P1-F5-F4-NN-N-N-/-NNN-N-N MNFR:SAUER DANFOSS				

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		FFT1:DOC.-NO.: 2-09-SNP-100, POS.: 2.1-2.2 FFT2:TAG NO: 6NP-HPU-MS-001		
00200	201181016	BRKT;LFTNG,32062500,ABS PUMP	1	each
		Manufacturer part number 32062500		
		BRACKET:BRKT TYPE:LIFTING APPLICATION:MIXED LIQUOR PUMP PART NO:32062500 MNFR:ABS PUMP EQUIP/TAG SERIAL:0053847 EQUIP/TAG MODEL:VUPX0501:PE350/8-60 FFT1:ITEM NUMBER: 4 FFT2:IWTP-II, 04-105 A-F		
00210	201179047	CVR;SCTN,ASTM A283 GR.D,VRTCL PMP,POS:9	1	each
		COVER:CVR TYPE:SUCTION MATERIAL:ASTM A283 GR.D APPLICATION:VERTICAL SUMP PUMP DRAWING NO:11314-M07-A1-80002(4/10), POS:9 MNFR:CW-HYDRO FFT1:EQUIP NAME:WASH WATER SUMP PUMP FFT2:EQUIPMENT MODEL: WVP 526 FFT3:EQUIP SIZE: 116 M3/H X 15 M MARAFIQ EQUIPMENT TAG: 5/6NP-WC-P-01A/B USED FOR STG 5&6		
00220	201178474	CPLNG;ASSY,CW-HYDRO,F/SCTN PMP,VIS125315	1	each
		COUPLING TYPE: ASSEMBLY APPLICATION: MOTOR SUCTION PUMP MNFR : CW-HYDRO INC DRAWING NO: DGN-OUT-VIS-01 FFT:		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		BETWEEN PUMP AND MOTOR EQ MODEL: VIS 125-315 CAPACITY:3.5 M3/MIN HEAD:27.6 M RPM:1760 MANUFACTURE NO: N10120001-1-2-1 EQUIPMENT TAG: 5/6NP-LO-P-02 USED FOR STG 5-6		
00230	201178473	CPLNG;ASSY,CW-HYDRO,F/OIL PMP,VIS 80-315	1	each
		COUPLING TYPE: ASSEMBLY APPLICATION: EMERGENCY BEARING OIL PUMP MNFR : CW-HYDRO INC DRAWING NO: DGN-SEC-VIS-03 FFT: BETWEEN PUMP AND MOTOR EQ MODEL: VIS 80-315 CAPACITY:1.967 M3/MIN HEAD:34.5 M RPM:1750 MANUFACTURE NO: N10120001-3-2-1 EQUIPMENT TAG: 5/6NP-LO-P-04 USED FOR STG 5-6		
00240	201178334	RTNR;X-FIRE,CMBSTN,GE	1	each
		Manufacturer part number 188D7927P001		
		RETAINER TYPE: X-FIRE APPLICATION: COMBUSTION PART NO: 188D7927P001 MNFR: GENERAL ELECTRIC FFT: 000/701/0005 USED FOR EXTENDER CAPITAL PARTS		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00250	201177687	BLWR;HIBON, 90KW, NX12LH CCW, INGERSOLL BLOWER TYPE: HIBON POWER: 90 KW MODEL: NX12LH CCW MNFR: INGERSOLL RAND FFT: COMPLETE UNIT UNIT SIZE: 4 SILENT FLOW TYPE: SF2_11S WEIGHT WITH ENCLOSURE: 1645 KG TR/MIN: 3800 MAX TR/MIN: 1200 MIN P1 (MBAR): PO+1500 MAX P1 (MBAR): PO+500 MIN TAG NO: 04-126 IWTPII	1	each
00260	201172717	PMP;CMPRSSR, W/FILT-FLY, 2800065, FNA SPA PUMP TYPE: AIR FLOW RATE: 254 LT/MIN OPERATING PRESSURE: 10 BAR APPLICATION: COMPRESSOR MODEL: 2800065 PART NO: 2800000 MNFR: FNA SPA FFT: WITH FILT-FLY-1/2 IN HEAD VOLUME: 100 L B2800 "TO BE SUPPLIED WITHOUT MOTOR" PHOTO ATTACHED	1	each
00270	201172100	JNT EXPSN; NON-MTLLC, 300MM, 100/75MM, LBH	1	each

RFQ Coll. No:
MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		JOINT EXPANSION APPLICATION: GGH INLET TO UNTREATED GAS EXPANSION JOINT DIM.#A# FACE TO FACE:300 MM DIM.#B1/B2#;FLANGE:100/75 MM DIM.#C#;INSIDE DUCT:7900X3350 MM DIM.#D#;OUTS.FLANGE:8310X3760 MM MATERIAL:FABRIC, NON METALIC ACID RESISTANT MATERIAL DWG. POS. #:5 & 8 DWG. #:11314-M03-A1-50091 / ALSTOM DWG.#EE3-000238 / 9.9A-0091 SERVICE:FLUE GAS MNFR:LBH DENMARK / ALSTOM NORWAY/ HANWHA KOREA FFT: GGH INLET TO UNTREATED EXPANSION JOINT P&ID #:11314-M03-A1-84003 / ALSTOM DWG.#EE3-000238 / 9.9P-0005 TAG NO:5/6NP-FL-EJ-30B & 5/6NP-FL-EJ-31A		
00280	201172099	JNT EXPSN; NON-MTLLC, 450MM W/DRAIN, LBH	1	each
		JOINT EXPANSION APPLICATION: UNTREATED FLUE GAS HOT SIDE WITH SEA WATER DIM.#A# FACE TO FACE:450 MM W/ DRAIN DIM.#B1/B2#;FLANGE:75/130 MM DIM.#C#;INSIDE DUCT:5350X4000 MM DIM.#D#;OUTS.FLANGE:5760X4410 MM MATERIAL:FABRIC NON METALIC ACID RESISTANT MATERIAL DWG. POS. #:6 DWG. #:11314-M03-A1-50091 / ALSTOM DWG.#EE3-000238 / 9.9A-0091 SERVICE:FLUE GAS / SEA WATER MNFR:LBH DENMARK / ALSTOM NORWAY/ HANWHA KOREA FFT: FGD INLET DUCT TO ABSORBER EXPANSION JOINT WITH DRAIN STG 5&6 MARAFIQ YANBU I PROJECT CONTRACT#7200 011 314 P&ID #:11314-M03-A1-54011 / ALSTOM DWG.#EE3-000238 / 9.9P-0006 TAG NO:5/6NP-AB-EJ-30A		
00290	201170368	CRD; FEEDBCK, F/ACTTR, GAMK, BERNARD	1	each
		Manufacturer part number 97701262		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
	CARD TYPE: FEEDBACK APPLICATION: MOTOR OPERATED VALVE ACTUATOR ACTUATOR MODEL NO: ST6/55+MF40G MODEL: GAMK PART NO: 97701262 MNFR: BERNARD CONTROLS FFT: TAG NOS: PF0-TV-SW-444.1/444.2 DIRECT REPLACEMENT OF 3410165			
00300	201170181	CRD ELECTRNC;F/ACTTR,97700801, BERNARD	1	each
	Manufacturer part number 97700801			
	CARD ELECTRONIC APPLICATION: MOTOR OPERATED VALVE ACTUATOR CONTROL MODEL NO- ST6/55+MF40G PART NO: 97700801 MNFR: BERNARD CONTROLS FFT1: REF: CI2701 FFT2: TAG NOS- : PF0-TV-SW-444.1/444.2 /PF0-HV-SW-408/409/410/433/436 PF0-HV-LP-471 PF0-HV-PR-453			
00310	201170126	BSH;BRG,F/PMP VIS 80-315,POS 39,CW-HYDRO	1	each
	BUSH BEARING APPLICATION: CENTRIFUGAL LUBE OIL PUMP MATERIAL: CARBON DRAWING NO: DGN-SEC-VIS-03 POSITION NO: 39 MNFR: CW-HYDRO FFT: PUMP MODEL: VIS 80-315 PUMP CAPICITY: 120 CU.M/HR SPEED: 1750 RPM SERVICE: STEAM TURBINE EMERGENCY OIL PUMP TAG NO: PF1/2/3-LO-P-404			

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00320	201169473	DMSTR; PP, 170X1220X650MM, DV270, MUNTERS	1	each
		DEMISTER SIZE: 170X1220X650 MM MATERIAL: POLYPROPYLENE DRAWING NO: 11314-M03-A1-83062 DRAWING POSITION NO: 1 TYPE: DV270 MNFR: MUNTERS FFT: APPLICATION: SEA WATER FGD PLANT:STG5&6		
00330	201169438	CNTRLLR; INTELLI, ACTUATOR, CI2801, BERNAR	1	each
		Manufacturer part number INTELLI+ CI2801 CONTROLLER WITH DISPLAY APPLICATION : BERNARD ACTUATOR SOX & STX RANGES MODEL NO. : INTELLI+ CI2801 MNFR : BERNARD CONTROLS FFT : USED BY Y2-PG-I&C TAG NO. : PF1/2/3-HV-SW-752		
00340	201169033	DMPR; F/FGD FAN, DKD303-000028-03	1	each
		DAMPER APPLICATION: FGD DAMPER SEAL AIR FAN DKD303-000028-03, DN:280 MM WITH HAND LEAVER, FLAP BLAED:1-PART DESIGN, INTERCHANGEABLE LUBRICATED BEARING BUSHES, FLANGE:AT BOTH END, DIN24154R2 MATERIAL:1.0038, INSTALLATION LENGTH:280 MM, MAX PRESSURE LOAD:3150 DAPA		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		MAX TEMPERATURE:180°C MNFR: NEM BALCKE DURR GMBH (PART OF NEM ENERGY GROUP) FFT1:TAG NO.OF BUTTERFLY VALVE/DAMPER: PF1/2/3-FL-VF-553/554 FFT2:TAG NO.OF FAN: PF1/2/3-FL-FN-530A/B		
00350	201169016	KIT RPR;GAH MOTR,502-RKP,PSI	1	Kit
		Manufacturer part number 502-RKP REPAIR KIT FOR GAH AIR MOTOR MOTOR MODEL NO. : DV10-857-05 PART NO. : 502-RKP MNFR : PSI AUTOMATION LLC FFT : USED BY Y2-PG-MECHANICAL TAG NO. : PF1/2/3-CA-AMRG-303A/B		
00360	201167758	VLV DPHRGM;DI, DN25, 150RF, FLNG, MNL, SED	1	each
		VALVE TYPE: METAL DIAPHRAGM VALVE SIZE: DN25 VALVE RATING: 150 PIPING CLASS: HB1 END CONNECTIONS: RF FLANGED BODY MATERIAL: DUCTILE IRON (GGG40.3) PP LINED DIAPHRAGM MATERIAL: PTFE/EPDM F TO F : EN 558-1 SERIES 1 SERVICE: CK/SU VALVE OPERATION: MANUAL VALVE MODEL: 987 MNFR: SED FFT: TAG NO: 8P-CK-VD-621		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00370	201167310	PMP; 2.4GPM, 1200PSI, E2.4HS1200-48, W/MOTR, Manufacturer part number 227.E2.4HS1200-48 PUMP WITH ELECTRIC COMBINATION CLEANER AND ACCESSORIES MAX PRESSURE: 1200PSI CAPACITY: 2.4 GPM PUMP MODEL: 227.E2.4HS1200-48 MNFR: SIOUX FFT: FFT1: MOTOR POWER: 1.49 KW POTENTIAL: 480 V PHASE: 3 FREQUENCY: 60Hz FFT2: GUN TRIGGER, PART # AC01014 (QTY.-01) FFT3: LANCE 1/4# X36#, PART # AC00385 (QTY.-01) FFT3: WASH TIP 0 DEG # 4.5 1/4" QC, PART # AC00105 (QTY.-01) FFT4: WASH TIP 15 DEG # 4.5 1/4" QC, PART # AC00128 (QTY.-01) FFT5: WASH TIP 25 DEG # 4.5 1/4" QC, PART # AC00153 (QTY.-01)	1	each
00380	201166842	CPLNG; STM BRKR, CI, PN 318563P, KENNEDY Manufacturer part number 318563P COUPLING TYPE: STEM BREAKER APPLICATION: FIRE HYDRANT K81D MATERIAL: CAST IRON ITEM NO: K8116 PART NO: 318563P MNFR: KENNEDY VALVE FFT: USED WITH MODEL: K81D USED FOR CFIRE	1	each
00390	201164063	BSH; BLNC, ALLWEILER, SN940GG-25TEN, POS 8	1	each

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
	BUSH TYPE: BALANCE MNFR: ALLWEILER GMBH REFERENCE NO: SN940 GG-25 TEN REFERENCE NO: 701976 FFT: FOR PUMP MODEL: SNE940AR36E13BDQS-W12-3.1-RT PUMP DRAWING NO: A M10/128-451 BALANCE BUSH DRAWING: BUGD / 005-387 POS NO: 8 TAG NO: 5/6NP-HF-P-01A/B/C			
00400	201163955	INDCTR;FLD,CPLNG,PN:TCR.21241230,VOITH	1	each
	Manufacturer part number TCR.21241230			
	INDICATOR FLUID APPLICATION:HYDRAULIC COUPLING PART NO:TCR.21241230 MNFR:VOITH DRAWING NO:4 258232 0 POSITION NO:0401/0080 FFT:COUPLING MODEL:866 SVTL 22-12.8 TAG NO:PF1-CA-FC-301A S/N: 8207656 TO 8207659			
00410	201163927	ORNG;CPLNG,PN:TCR.03645252,VOITH	1	each
	Manufacturer part number TCR.03645252			
	O-RING APPLICATION:HYDRAULIC COUPLING DRAWING NO:4 258232 0 POSITION NO:0201/0105 PART NO:TCR.03645252 MNFR:VOITH FFT1: COUPLING MODEL:866 SVTL 22-12.8 FFT2: COUPLING SERIAL NO: 8209159-8209164 FFT3: TAG NO:PF1-CA-FC-301A			

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00420	201162172	CRTRDG; SEPTR, PN: HS611-200-GWB, HILLIARD	1	Set
Manufacturer part number HS611-200-GWB CARTRIDGE APPLICATION: STEAM TURBINE-SEPARATOR PART NO: HS611-200-GWB MNFR: HILLIARD FFT: FOR HILCO OIL CONDITIONING SYSTEM MODEL NO: 02CS30-28010108 TAG NO: PF1/2/3-LO-OC-401				
00430	201160964	PMP CNTRFGL; 12M3/H, G209E6T2, FAGGIOLATI	1	each
Manufacturer part number G209E6T2-J7AA0 PUMP TYPE: CENTRIFUGAL TOTAL HEAD: 21 M, DISCHARGE SIZE: 40 MM FREQUENCY: 60 HZ, PHASE: 3, CURRENT: 5.7 A (NOMINAL) POWER RATING: 460 V, SPEED: 3450 RPM (NOMINAL), CAPACITY: 12 M3H IMPELLER MATERIAL: SPHEROIDAL CAST IRON EN-GJS-400-15 (EN 1563) MODEL: G209E6T2-J7AA0, MNFR: FAGGIOLATI PUMPS FFT: SERVICE: SEWAGE WATER, IMPELLER TYPE: GRINDER FREE PASSAGE: 7 MM, COOLING: BY SURROUNDING FLUID MOTOR TYPE: M209T/LLQ-03-IE3/3,9 - 09766 (WATERTIGHT, SUITABLE FOR				

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		VFD) MECHANICAL PROTECTION DEGREE:IP 68 MOTOR POWER:3.4 KW (NOMINAL), STARTING TYPE:DIRECT WINDING INSULATION:CLASS H,DUTY SERVICE:S1 CONTINUOUS ELECTRIC CABLE:N-NEOPRENE SUBMERSIBLE, LENGTH 10 M, SHAFT SEAL:DOUBLE LIQUID MAX. TEMPERATURE:< 50 °C,SURFACE PAINTING:EPOXY DIFFUSER CAST IRON MATERIAL:EN-GJL-250 SHAFT MATERIAL:STAINLESS STEEL AISI 420B UPPER SEAL MATERIAL:CERAMIC/GRAPHITE LOWER SEAL MATERIAL:SILICON CARBIDE, SCREWS MATERIAL:A2 CLASS AISI 304 O-RINGS MATERIAL:NITRILE, TAG NO:PF0-SN-P-015A/B		
00440	201160963	PMP CNTRFGL;12.7M3/H, 3450RPM, FAGGIOLATI	1	each
		Manufacturer part number G271E3T7-J6AA0 PUMP TYPE:CENTRIFUGAL TOTAL HEAD:12 M DISCHARGE SIZE:40 MM POTENTIAL:460 VAC FREQUENCY:60 HZ PHASE:3 CURRENT:NOMINAL 4.1 A SPEED:3450 RPM (NOMINAL), CAPACITY:12.7 M3/H IMPELLER MATERIAL:SPHEROIDAL CAST IRON EN-GJS-400-15 (EN 1563) MODEL:G271E3T7-J6AA0 MNFR:FAGGIOLATI PUMPS FFT:SERVICE:SEWAGE WATER,WEIGHT:40 KG,IMPELLER TYPE:GRINDER FREE PASSAGE:6 MM,COOLING:BY SURROUNDING FLUID MOTOR TYPE:M271T/LR-27 - 07312 (WATERTIGHT, SUITABLE FOR VFD) NOMINAL MOTOR POWER:2.3 KW,STARTING TYPE:DIRECT,SHAFT SEAL:DOUBLE WINDING INSULATION:CLASS H,DUTY SERVICE:S1 CONTINUOUS ELECTRIC CABLE:N-NEOPRENE SUBMERSIBLE, LENGTH 10 M LIQUID MAX. TEMPERATURE:< 50 °C,SURFACE PAINTING:EPOXY DIFFUSER CAST IRON MATERIAL:EN-GJL-250 SHAFT MATERIAL:STAINLESS STEEL AISI 420B UPPER SEAL MATERIAL:NITRILE LIP SEAL		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		LOWER SEAL MATERIAL:SILICON CARBIDE, SCREWS MATERIAL:A2 CLASS AISI 304 GRINDER DEVICE MATERIAL:STAINLESS STEEL AISI 420 O-RINGS MATERIAL:NITRILE, TAG NO:PF0-SN-P-014A/B		
00450	201158330	VLV CHK;DN50,PN25,1.0570,ZRK 1,RITAG	1	each
		VALVE CHECK TYPE:SWING SIZE:DN50 BODY MATERIAL:STEEL GRADE 1.0570 CLASS/RATING:PN25 CONNECTION:WAFER DISK MATERIAL:STAINLESS STEEL GRADE 1.4408 STEM MATERIAL:EPDM OR NBR LENGTH:20 MM MODEL DESIGNATION:ZRK 1 MNFR:RITAG FFT:FACE TO FACE DIMENSION STANDARD:API 6D FLANGE DESIGN:EN 1092-1 TAG NO:PF1-HX-VR-552		
00460	201154281	UNIT;CNDNSNG,220V,1PH,LRA40,COPELAND	1	each
		Manufacturer part number EJAL-A100-CAV-020 UNIT CONDENSING POTENTIAL: 208/230V PHASE: 1 LRA: 40 RLA: 6 CAPACITY: 2350/3840 BTUH FREQUENCY: 60HZ		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		REFRIGERANT: R404A DIMENSIONS: 13.2H/24L/18W PART NO: EJAL-A100-CAV-020 MNFR: COPELAND FFT: USED COMPRESSOR WITH ABOVE UNIT AS COPELAND COMPRESSOR OLD MODELS: CJAL-A100-CAV-001 & KAJB-0100CAV-200 & EJAL-A100-CAV-052 USED FOR B.21 C02 REFRIGERATION UNIT		
00470	201152308	INDCTR; LMP, YELLOW, M0612/3G230, CORTEM	1	each
		INDICATOR LAMP TYPE: MULTI INDICATOR LED SIZE: DIAMETER 42 X HEIGHT 66.5 MM VOLTAGE: 230 VAC CURRENT: 20 MA(LED) COLOR: YELLOW AVERAGE LIFE: 50000 HRS APPLICATION: THREE PHASE INDUCTION MOTOR WITH SQUIRREL CAGE ROTOR MODEL: M0612/3G230 MNFR: CORTEM GROUP FFT: TAG NO: PF0-PA-MCP-001A/B/C/D		
00480	201152300	INDCTR; LMP, RED, M0612/3R230, CORTEM GROUP	1	each
		INDICATOR LAMP TYPE: MULTI INDICATOR LED SIZE: DIAMETER 42 X HEIGHT 66.5 MM VOLTAGE: 230 VAC		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		CURRENT:20 MA(LED) COLOR:RED AVERAGE LIFE:50000 HRS APPLICATION:THREE PHASE INDUCTION MOTOR WITH SQUIRREL CAGE ROTOR MODEL:M0612/3R230 MNFR:CORTEM GROUP FFT:TAG NO:PF0-PA-MCP-001A/B/C/D		

00490 201152293 INDCTR; LMP, GREEN, M0612/3V230, CORTEM
1 each

INDICATOR LAMP
TYPE:MULTI INDICATOR LED
SIZE:DIAMETER 42 X HEIGHT 66.5 MM
VOLTAGE:230 VAC
CURRENT:20 MA(LED)
COLOR:GREEN
AVERAGE LIFE:50000 HRS
APPLICATION:THREE PHASE INDUCTION MOTOR WITH SQUIRREL CAGE ROTOR
MODEL:M0612/3V230
MNFR:CORTEM GROUP
FFT:TAG NO:PF0-PA-MCP-001A/B/C/D

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00500	201145637	PMP;ACID TRNSFR,ZGF25/160,FRONTIERA	1	each
		PUMP ACID TRANSFER SERIES: FRONTIERA MATERIAL: E-CTFE, ETHYLENE-TRIFLUOROCHLOROETHYLENE ARGAL APPLICATION: FOR 98% SULFURIC ACID, UNIT 5&6 SPEED: 3480 RPM FLOW (Q): 10 M3/HR TOTAL HEAD: 50 M TYPE: ZGF 25/160 R GF V SF2 160 A IMPELLER B S/N: 73015.14 MNFR: ARGAL-FRANCO RAZZETTI VIA LABIRINTO FFT: WITHOUT MOTOR & COUPLING ADDRESS: 159 25125 BRESCIA - ITALY TEL. +39 0303507011 FAX. +39 0303507077		
00510	201145128	MOTR;460VAC,0.2KW,0.5A,3PH,HWA SIN EN	1	each
		Manufacturer part number HSRV-022 MOTOR, HOPPER VIBRATOR APPLICATION:FOR CILO TYPE: HSRV-022 POTENTIAL:460V POWER:0.2KW CURRENT:0.5A PHASE:3 POLE:2 FREQUENCY:60HZ SPEED:3600RPM SN:63031 PART NO: HSRV-022 MNFR: HWA SIN EN CO,LTD.SEOUL KOREA FFT:USED IN STG 5 6		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
	ESP SYSTEM PHOTO ATTACHED			
00520	201143809	ROD;CPLNG,SLDG PMP,MONO	1	each
	ROD COUPLING APPLICATION: SLUDGE PUMP MODEL: C15KC81RPA/E115 ITEM NO: 26A S/N: C532601/03 MNFR: MONO PUMP FFT: SUPPLIER: ABU NAYYAN TRADING CORPORATION, RIYADH YEAR: 2011 TAG: 04-111 IWTP-2			
00530	201143808	TIE;SEAL CVR,SLDG PMP,C18KC81RPA/E115	1	each
	TIE SEAL COVER APPLICATION: PRIMARY SLUDGE DEWATERING PUMP PUMP MODEL: C18KC81RPA/E115 ITEM NO: P406 S/N: 532615/01 MNFR: MONO PUMP FFT: SUPPLIER: ABU NAYYAN TRADING CORPORATION, RIYADH FOR PRIMARY SLUDGE YEAR: 2011 IWTP-2			
00540	201143633	STTR PMP;PRMRY SLDG PMP,PN RRE08K2205	1	each
	Manufacturer part number RRE08K2205 STATOR			

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		APPLICATION: PRIMARY SLUDGE PUMP PUMP MODEL: C18KC81RPA/E115 S/N: 532615/01 PART NO: RRE08K2205 MNFR: MONO PUMP FFT: SUPPLIER: ABU NAYYAN TRADING CORPORATION, RIYADH YEAR: 2011 PRIMARY SLUDGE PUMP IWTP-2		
00550	201143631	STTR PMP;PRMR Y SLDG PMP	1	each
		Manufacturer part number RRE05K2205		
		STATOR APPLICATION: PRIMARY SLUDGE PUMP PUMP MODEL: C15KC81RPA/E115 S/N: C532601/03 PART NO: RRE05K2205 MNFR: MONO PUMP FFT: SUPPLIER: ABU NAYYAN TRADING CORPORATION, RIYADH YEAR: 2011 PRIMARY SLUDGE PUMP 04-111 IWTP-2		
00560	201142564	FLTR ELMNT;DPLX,TCR.42023390,VOITH	1	each
		Manufacturer part number TCR.42023390		
		FILTER ELEMENT TYPE: DUPLEX APPLICATION: VOITH COUPLING, STG5&6 VOITH COUPLING TYPE: 866 SVTL 22-12,8 S/N: 8207652 TO 8207655 & 8207648 TO 8207651 DRAWING NO: 4 258232 0 DRAWING ITEM NO: 0301/0500/ PART NO: TCR.42023390 MNFR: VOITH TURBO, GERMANY FFT: TAG: 5/6NP-FL-FC-01A/B & 5/6NP-CA-FC-01A/B FOR STG5&6 GR AND FD FANS VOITH COUPLING		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		PHOTO ATTACHED		
00570	201142196	CARR;SEAL,F/DAF OILY SLUDGE PMP,MONO PMP	1	each
		Manufacturer part number CD B041 6565-09		
		CARRIER SEAL APPLICATION: DE OIL DAF OILY SLUDGE PUMP ITEM NO: 65A PUMP MODEL: C15KC81RMA/ E18X PART NO: CD B041 6565-09 MNFR: MONO PUMP FFT: SUPPLIER: ABU NAYYAN TRADING CORPORATION, RIYADH DAF 04-113 IWTP-2		
00580	201142016	ELMNT;SEPARATOR,K3100,PN A910268,KAYDON	1	each
		Manufacturer part number A910268		
		ELEMENT APPLICATION: SEPARATOR ELEMENT ELEMENT MODEL: K3100 PART NO: A910268 MNFR: KAYDON FILTRATION FFT: FOR STG5&6 TURBINE LUBE OIL CONDITIONING SYSTEM TAG: 5/6NP-LO-OC-01		
00590	201142006	ELMNT;COALESCER,K2100,PN A910267,KAYDON	1	each
		Manufacturer part number A910267		
		ELEMENT COALESCER ELEMENT APPLICATION: COALESCER FILTER VESSEL ELEMENT MODEL: K2100		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		PART NO: A910267 MNFR: KAYDON FILTRATION FFT: FOR STG5&6 TURBINE LUBE OIL CONDITIONING SYSTEM TAG: 5/6NP-LO-OC-01		
00600	201141953	SLV SHFT;139392-33,SCAN,F/PMP	1	each
		Manufacturer part number 139392-33		
		SLEEVE SHAFT PART NO: 139392-33 MNFR: SCAN PUMP, SWEDEN FFT: PUMP MODEL: BE430-2540 PUMP HEAD: 54.4 M PUMP FLOW RATE: 1215 CU.M/HR PUMP BEARING: 4G FLANGE: 300/250 MM MOTOR POWER: 238 KW MOTOR POTENTIAL: 4.16 KV MOTOR FREQUENCY: 60 HZ PUMP S/N: 108372-1P AGENT: AHMED RAMADHAN JUMA ESTABLISHMENT		
00610	201141952	PCKNG;GLND,100/75 4F,F/PMP	1	each
		Manufacturer part number 148153-70		
		PACKING TYPE: GLAND SIZE: 100/75 4F PART NO: 148153-70 MNFR: SCAN PUMP, SWEDEN FFT: PUMP MODEL: BE430-2540 PUMP HEAD: 54.4 M PUMP FLOW RATE: 1215 CU.M/HR PUMP BEARING: 4G FLANGE: 300/250 MM		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		MOTOR POWER: 238 KW MOTOR POTENTIAL: 4.16 KV MOTOR FREQUENCY: 60 HZ PUMP S/N: 108372-1P AGENT: AHMED RAMADHAN JUMA ESTABLISHMENT		
00620	201141291	KIT PMP RPR;PN 61702083,ABS PUMP	1	each
		Manufacturer part number 61702083 KIT TYPE: PUMP REPAIR APPLICATION: ABS PUMP PUMP MODEL: XFP301M-CH2 PE860/6-60 - EMC MOTOR RATING: 460V/60HZ INSTALLATION: DRY HORIZONTAL WITH COOLING JACKET CABLE: 10 METER CE-EMC CABLE PUMP S/N: 53028, 53029, 53030 PART NO: 61702083 MNFR: ABS PUMP FFT: AGENT: AHMAD RAMADHAN JUMA ESTABLISHMENT *PHOTO ATTACHED*		
00630	201141270	SEAL MECH;SLCN CRBD,131233892,ANDRITZ	1	each
		Manufacturer part number 131233892 SEAL MECHANICAL TYPE: 587 MATERIAL: SILICON CARBIDE PUMP TYPE: S3-250-430.3 PUMP SPEED: 1785 RPM PUMP HEAD: 60 M SUCTION FLANGE: 300 MM DISCHARE FLANGE: 250 MM PRESSURE: PN-10 PROTECTION: IP-55 PUMP S/N: 132072512 PART NO: 131233892		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		MNFR: ANDRITZ PUMP FFT: ADDRESS: ANDRITZ AG: STATTEGGER STRASSE 18: A-8045 GRAZ TAG:04-117A-F IWTP-2 SUITABLE FOR SECONDARY DAF PUMP		
00640	201140608	KIT CMPSR RPR;PN 15246,HOUSTON	1	Kit
		Manufacturer part number 15246 KIT REPAIR APPLICATION: BIOLOGICAL AIR COMPRESSOR COMPRESSOR MODEL: 24605 PART NO: 15246 MNFR: HOUSTON SERVICES INDUSTRIAL INC. FFT: WORK ORDER DRAWING NO: W031337-01 BLOWER S/N: 0510652-31337		
00650	201139493	THRMTR OIL;DIAL,PT100,150MM,MESSKO	1	Set
		Manufacturer part number MT-ST 160 SK/TT/4/6M THERMOMETER:OIL FOR 50/63MVA TRANSFORMER TYPE:DIAL,PT 100OHM AT 0DEG C SIZE:160 WITH CAPILLARY TUBE, SN:1738228 WITH ADJUSTABLE 4 MICRO-SWITCHES ADJUSTING RANGE -20 TO +140DEG C WITH TELETRANSMITTER (ROTARY POTENTIOMETER) MAXIMUM INDICATOR YELLOW SENSOR LENGTH:150MM THREAD 1 IN BSP (SUITABLE FOR THERMOMETER POCKET T TO DIN 42 554), CONTROL CABLE ENTRY PG 16USED PART NO: 635-PC1AA1AP06S4SB1200AA MNFR: MESSKO A. HAUSER, GERMANY FFT:FOR TRAF0 UNION 50/63 MVA POWER TRANSFORMER. SUBSTATION T&D		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		CAPILLARY TUBE CONNECTED TO TEMPERATURE SENSOR THROUGH 60DEG BEND		
00660	201137823	PMP;MAGNETIC DRIVE,F/KOH,TE-5C-MD	1	each
		PUMP, MIXTURE, FOR KOH TYPE: MAGNETIC DRIVE MAXIMUM FLOW: 18 GPM AT 60 HZ & 60.5 LPM AT 50 HZ INLET SIZE: 1 IN FPT OUTLET SIZE: 1/2 IN MPT POWER: 0.2 HP PHASE: 1 VOLTAGE: 110/220 V CURRENT: 2.2/1.1 A FREQUENCY: 50 HZ SPEED: 2825 RPM FRONT & REAR HOUSING MATERIAL: POLYPROPYLENE IMPELLET MATERIAL: POLYPROPYLENE MODEL: TE-5C-MD PATENT NO: S3.074.349 MNFR: MARCH MFG INC. FFT: REFERENCE NO: 3117526 RE 26094, FOR GTG *CATALOG & PHOTO ATTACHED*		
00670	201137339	BRG RLLR;TPR,DRV END,F/VACUUM PMP	1	each
		BEARING ROLLER APPLICATION CONDENSER VACUUM PUMP DRIVE END PART POSITION: 119 REFERENCE: OPERATION & MAINTENANCE, PG 28&29, FIG 5-16, TC 8,9&10 COD: PU-20389 MNFR: GARDNER DENVER NASH FFT: NSK PART NO: 497R/493DR+LC-01=H/PB EQUIPMENT DETAIL =====		
		SYSTEM: BOILER EQUIPMENT EQUIPMENT NAME: CONDENSER VACUUM PUMP		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		EQUIPMENT MODEL; LIQUID RING TYPE, TC-08 EQUIPMENT SIZE: PRESSURE 1 IN HGA, 55 KW MARAFIQ EQUIPMENT TAG: 5/6NP-CE-VP-1A/B/C *DRAWING & PHOTO ATTACHED*		
00680	201136098	SHFT;F/CONDENSATE T/F PUMP, STG5&6	1	each
		SHAFT APPLICATION: CONDENSATE TRANSFER PUMP MATERIAL: A276 316 DRAWING NO: 11314-M06-A1-80002 (05/07) POSITION NO: 6 MNFR: CW-HYDRO FFT: SYSTEM: GENERAL SERVICE PUMP EQUIPMENT NAME: CONDENSATE TRANSFER PUMP EQUIPMENT MODEL: ISB-100X65-250H EQUIPMENT SIZE: 75 M3/H X 130 MWC EQUIPMENT TAG: 5/6NP-CD-P-02A/B USED FOR STG 5&6 *PHOTO ATTACHED*		
00690	201136079	SLV;F/CNDNST TRNSFR PMP, POS 14, STG5&6	1	each
		SLEEVE APPLICATION: CONDENSATE TRANSFER PUMP MATERIAL: A743 CF8M DRAWING NO: 11314-M06-A1-80002 (05/07) POSITION NO: 14 MNFR: CW-HYDRO FFT: SYSTEM: GENERAL SERVICE PUMP EQUIPMENT NAME: CONDENSATE TRANSFER PUMP EQUIPMENT MODEL: ISB-100X65-250H EQUIPMENT SIZE: 75 M3/H X 130 MWC		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		EQUIPMENT TAG: 5/6NP-CD-P-02A/B USED FOR STG 5&6 *PHOTO ATTACHED*		
00700	201135884	SEAL OIL;NBR,F/PUMP WVP 214	1	Set
		SEAL, OIL TYPE: SPRING LOADED APPLICATION: VERTICAL SUMP PUMP WVP 214 MATERIAL: NBR DRAWING NO: 11314-M07-A1-80002 (9/10) POSITION NO: 89 MNFR: CW-HYDRO FFT:USED FOR STG 5&6 SYSTEM: VERTICAL SUMP PUMP EQUIPMENT NAME: CEP PIT SUMP PUMP EQUIPMENT MODEL: WVP 214 EQUIPMENT SIZE: 10 M3/H X 10 M MARAFIQ EQUIPMENT TAG: 5/6NP-WW-P-02A/B *PHOTO ATTACHED*		
00710	201135882	BSH;BRG,CARBON,F/PUMP WVP 214	1	Set
		BUSH, BEARING APPLICATION: VERTICAL SUMP PUMP WVP 214 MATERIAL: CARBON DRAWING NO: 11314-M07-A1-80002 (9/10) POSITION NO: 39 MNFR: CW-HYDRO FFT: 1 SET = 2 EA SYSTEM: VERTICAL SUMP PUMP EQUIPMENT NAME: CEP PIT SUMP PUMP EQUIPMENT MODEL: WVP 214 EQUIPMENT SIZE: 10 M3/H X 10 M MARAFIQ EQUIPMENT TAG: 5/6NP-WW-P-02A/B USED FOR STG 5&6 *PHOTO ATTACHED*		

RFQ Coll. No:
MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00720	201135799	CPLNG; LINE SHAFT, F/PUMP WVP 526	1	each
COUPLING, LINE SHAFT APPLICATION: VERTICAL SUMP PUMP WVP 526 MATERIAL: A276 304 DRAWING NO: 11314-M07-A1-80002 (4/10) POSITION NO: 70 MNFR: CW-HYDRO FFT: SYSTEM: VERTICAL SUMP PUMP EQUIPMENT NAME: WASH WATER SUMP PUMP EQUIPMENT MODEL: WVP 526 EQUIPMENT SIZE: 116 M3/H X 15 M MARAFIQ EQUIPMENT TAG: 5/6NP-WC-P-01A/B USED FOR STG 5&6 *PHOTO ATTACHED*				
00730	201135798	ORNG; NBR, F/PUMP WVP 526, POS 210, CW HYDRO	1	each
O RING APPLICATION: VERTICAL SUMP PUMP WVP 526 MATERIAL: NBR DRAWING NO: 11314-M07-A1-80002 (4/10) POSITION NO: 210 MNFR: CW-HYDRO FFT: SYSTEM: VERTICAL SUMP PUMP EQUIPMENT NAME: WASH WATER SUMP PUMP EQUIPMENT MODEL: WVP 526 EQUIPMENT SIZE: 116 M3/H X 15 M MARAFIQ EQUIPMENT TAG: 5/6NP-WC-P-01A/B USED FOR STG 5&6 *PHOTO ATTACHED*				

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00740	201135797	SEAL OIL;NBR,40X62X11MM,SPG LOADED,NOK	1	Set
Manufacturer part number AE2388A SEAL TYPE: OIL APPLICATION: VERTICAL SUMP PUMP WVP 526 INSIDE DIAMETER: 40 MM OUTSIDE DIAMETER: 62 MM WIDTH: 11 MM MATERIAL: NBR CONSTRUCTION: SPRING LOADED DRAWING NO: 11314-M07-A1-80002 (4/10) POSITION NO: 89 PART NO: AE2388A MNFR: NOK FFT: SUPPLIER: CW-HYDRO SYSTEM: VERTICAL SUMP PUMP EQUIPMENT NAME: WASH WATER SUMP PUMP EQUIPMENT MODEL: WVP 526 EQUIPMENT SIZE: 116 M3/H X 15 M MARAFIQ EQUIPMENT TAG: 5/6NP-WC-P-01A/B USED FOR STG 5&6 *PHOTO ATTACHED*				
00750	201135587	POSNR VLV;INTELLIGENT; UNIVERSAL,90PSI	1	Set
Manufacturer part number BHQDMN7FDZRA-X1 POSITIONER VALVE TYPE: INTELLIGENT UNIVERSAL INPUT: 90 PSI STANDARD: FM PART NO: BHQDMN7FDZRA-X1 MNFR: FOXBORO MODEL: SRD960				

RFQ Coll. No:
MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		SERIAL: 40/007616 DRAWING NO: 11314-M01-SPC-57546 REV:0 FFT: HART OUTPUT: 4-20 MA SUPPLY: 32V SINGLE ELEMENT F/STG 5 AND 6 BOILER AND ANCILLARY SYSTEM		
00760	201132823	NUT HEX;14MM,10.5MM,ASTM	193	B8M/A 194 G
			1	each
		NUT HEXAGON:NUT HEX NOMINAL SIZE:14 MM HEIGHT:10.5 MM MATERIAL:ASTM 193 B8M/A 194 GR BM MNFR:FAI OFFICINE DI CARVICO S.P.A, ITALY DRAWING NO:9761-118F, ITEM NO: 10 FFT1:FOR TRAVELLING SEA WATER SCREEN 01S AND 01T FFT2: DRAWING AND PHOTO ATTACHED		
00770	201132534	VLV BALL;PNEUMATIC, ACTUATOR,SOV,LS,GF	1	each
		Manufacturer part number 199230687		
		VALVE BALL TYPE: PNEUMATIC FAIL SAFE TO OPEN (FO) SIZE: DN40 NOMINAL PRESSURE: 16 BAR END CONNECTION: THREADED BODY MATERIAL: U-PVC SEAT MATERIAL: EPDM ACTUATOR TYPE: PPA40 MODEL: D50DN40 PART NO: 199230687 MNFR: GEORG FISCHER, SWITZERLAND FFT: COMPLETE ASSEMBLY WITH ACTUATOR ,SOLENOID AND SWITCH BOX ACTUATOR PART NO: PPA40 (CODE 198155402). SWITCHBOX PART NO: 199190282 SOLENOID PART NO: 199190359		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		USED IN RO-1 LIME PLANT *PHOTO ATTACHED*		
00780	201132290	ROTR PMP; STL, 40DEG, LME DSNG PMP, 5078175	1	each
		Manufacturer part number 5078175		
		ROTOR PUMP MATERIAL:STEEL, 1.2436 HARDENED TOOL STEEL TEMPERATURE RANGE:40 DEG UNDERSIZE APPLICATION:LIME DOSING PLANT PART NO:5078175 MNFR:NETZSCH DRAWING NO: NMBY010.000, POS NO:1999 EQUIP/TAG MODEL:NM0635Y0106B.1 FFT1:PHOTO ATTACHED		
00790	201128833	VLV BTRFLY; 3IN, CL150, DI, WFR, ASTM A395	1	each
		VALVE, BUTTERFLY VALVE SIZE: 3 IN DESIGN RATING: CL 150 BODY MATERIAL: DUCTILE IRON TYPE: WAFER TRIM: DISC-SS ASTM A351 GR 316 SEAT-EPDM MATERIAL SPECIFICATION: ASTM A395 MNFR: CRANE FLOW DRAWING NO: 03JG54435X REV:0 FFT: SERIES-225 PRESSURE-285PSI		
		F/MARAFIQ YANBU 2ND PASS BWRO PLANT		
00800	201125144	ASSY; DSCHRG VLV, LP, B0160190-504, WITTEMAN	1	Assembly
		Manufacturer part number B0160190-504		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
	ASSEMBLY VALVE, LP DISCHARGE WITTEMANN REFERENCE NO: B0160190-504 MNFR: WITTEMANN FFT: USING PARTS FOR CO2 PLANT *PHOTO ATTACHED*			
00810	201125143	ASSY;VLV, LOW PRSSR, WITTEMANN	1	Assembly
	Manufacturer part number B0160196-502			
	ASSEMBLY VALVE TYPE: LOW PRESSURE SUCTION VALVE REFERENCE NO: B0160196-502 MNFR: WITTEMANN FFT: PARTS FOR CO2 PLANT *PHOTO ATTACHED*			
00820	201125137	DSC; HP VLV, SS, B0160476-503, WITTEMANN	1	each
	Manufacturer part number B0160476-503			
	DISC VALVE APPLICATION: HP VALVE MATERIAL: SS PART NO: B0160476-503 MNFR: WITTEMANN FFT: USED FOR CO2 PLANT REF: UNION ENGINEERING *PHOTO ATTACHED*			
00830	201125125	RNG, PSTN; 2ND STAGE, WITTEMANN	1	each
	Manufacturer part number B0131459-159			
	RING, PISTON			

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
	2ND STAGE PART NO: B0131459-159 MNFR: WITTEMANN FFT: FOR CO2 PLANT REF:386-445-4200, 386-445-7042 REF:UION ENG PHOTO ATTACHED			
00840	201119970	CNVYR SCRW;FLEXIBLE SPIRAL, 3.45M	1	each
	CONVEYOR SCREW TYPE: FLEXIBLE SPIRAL LENGTH: 3.45 M MNFR: SODIMATE IBERICA SL SPAIN EQUIP/TAG MODEL: DDMR 40 SC.F-AB FFT: F/METERING CONVEYORS LIME SYSTEM AT R0-1			
00850	201114296	PMP;SBMRSBL, 40M3/H, 460V, 60HZ, 1750RPM	1	each
	PUMP TYPE: SUBMERSIBLE FLOW RATE: 40 M3/H TOTAL HEAD: 6 MTR DRIVER: ELECTRICAL MOTOR (2 HP, 460 V, 3 PH, 60 HZ) SPEED: 1750 RPM MODEL: S3SD200M4-4 MNFR: HYDROMATIC SERIAL NO.: S00128309 FFT: ALONG WITH 10M LONG ELECTRICAL CABLE, STATOR TEMPRETURE SENSOR, LEAKAGE SENSOR AND 10M CONTROL CABLE, STAINLESS STEEL CHAIN 6M AND BOTTOM DISCHARGE ELBOW			

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00860	201111539	ORNG;RBR, PN 11120129, F/ABS PMP, AFP1040	1	each
Manufacturer part number 11120129 O RING MATERIAL: RUBBER APPLICATION: REPAIRING OF ABS PUMP PUMP MODEL: AFP 1040.4M22/4D & 1040.2M22/4D POSITION NO: 105 PART NO: 11120129 MNFR: ABS *PHOTO ATTACHED*				
00870	201096796	RNG RTNNG;SPRNG STL, 280MM, 11080029, ABS	1	each
Manufacturer part number 11080029 RING RETAINING SIZE: 280 MM MATERIAL: SPRING STEEL PART NO: 11080029 MNFR: ABS FFT: ID 272.2MM, FOR ABS PUMP EQUIP/TAG MODEL AF350-6.G.24, DRAWING NO:5420 REV:0				
00880	201078454	MOTOR; 115/230VAC, 1/4HP, 1725RPM, MARATHON	1	each
Manufacturer part number B313 30F48C17D2042J P MOTOR ELECTRIC POTENTIAL: 115/208-230 VAC CURRENT: 6.2/2.8-3.1 POWER: 1/4 HP FRAME: 48 SPEED: 1725 RPM				

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		FREQUENCY: 60 HZ PHASE: 1 PART NO:B313 30F48C17D2042J P MNFR:MARATHON ELECTRIC FFT:USED BY CHVAC HVAC FOR EXHAUST AIR FAN, EEB 450, CMH MODEL SFD6A MODEL NO: 48C17D2042 REF PART NO:300124, MNFR:GREENHECK PHOTO ATTACHED		
00890	201077290	FLTR ELMNT;F/AIR BRTHR TOP BRG,HITACHI	1	each
		FILTER ELEMENT APPLICATION: AIR BREATHER FOR TOP BEARING OF 1750/3500 KW SYNCHRONOUS MOTORS MNFR: HITACHI-ZOSEN PLANT TECHNO SERVICE CORPORATION FFT: REFERENCE NO: EP100-020N MOTOR TYPE: MBBWIR ENCLOSURE: WP1 POTENTIAL: 4000 V S/N: 4E2282G0101 & 4E2282G0401 RESPECTIVELY *PHOTO ATTACHED*		
00900	201077289	FLTR ELMNT;F/AIR BRTHR BTTM BRG,HITACHI	1	each
		FILTER ELEMENT TYPE: AIR BREATHER APPLICATION: BOTTOM BEARING OF 1750/3500 KW SYNCHRONOUS MOTORS MNFR: HITACHI-ZOSEN PLANT TECHNO-SERVICE CORPORATION FFT: REFERENCE NO: EP420-020N MOTOR TYPE: MBBWIR ENCLOSURE: WP1 POTENTIAL: 4000 V S/N: 4E2282G0101 & 4E2282G0401 RESPECTIVELY *PHOTO ATTACHED*		

RFQ Coll. No:

MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
00910	201076009	ORNG;VTN,PMP,BLACK,PN	11120286	ABS PUMP
			1	each
Manufacturer part number 11120286 O RING MATERIAL: VITON APPLICATION: PUMP COLOR: BLACK PART NO: 11120286 MNFR: ABS PUMP EQUIP/TAG MODEL: AF350-6.G. 24.1 MNFR: ABS PUMP POSITION NO:4430				
00920	201075357	VLV RLF;ANGL,1-1/2IN,BRS,FNPT,KUNKLE	1	each
Manufacturer part number 6010HGM02-KM VALVE RELIEF TYPE: ANGLE SIZE: 1-1/2 IN BODY MATERIAL: BRASS CONNECTION TYPE: FNPT DESIGN RATING: 35 PSI MMFR: KUNKLE VALVE MODEL: 6010HGM02-KM REFERENCE NO: 042000040066 FFT: CAP 738 SCFM FOR JOY COMPRINTERCOOLER ASSEMBLY, ITEM NO: 12				
00930	201067276	VLV GATE;4IN,CL150,BW,CS,HANDWHEEL,WCB	1	each
VALVE GATE VALVE SIZE: 4 IN				

RFQ Coll. No:
MSK-26-005

Item	Material	Description	RFQ Quantity	Unit
		DESIGN RATING: CL 150 CONNECTION TYPE: BUTT WELD BODY MATERIAL: CARBON STEEL OPERATED: HANDWHEEL TRIM: STEM/DISC: STAINLESS STEEL CR13 RISING WEDGE/SEAT RING-STELLITED MATERIAL GRADE: WCB MNFR: WILLIAMS VALVE		
00940	201065569	SEAT VLV;CNTRL BALL,10IN,PN	250084	
			1	Set
		Manufacturer part number 250084		
		SEAT VALVE VALVE STYLE: CONTROL BALL VALVE SIZE: 10 IN PART NO: 250084 MNFR: NELES JAMESSBURY EQUIP/TAG MODEL: QR21DA250DJJKB12 REFERENCE: RPRC-20019 FFT: SOFT SEAL SET		

Dear Sir,
Kindly quote your best prices for the attached RFQ in compliance with below instructions.
ONE YEAR PRICE AGREEMENT FOR # General Package USA Traders Items (Please Use attached excel file).
This is a 100% conformance tender and only offers with full conformance to Marafiq Specs. will be considered.#
All offers shall be submitted exclusively to: Alaa Mohammed Al-Zahrani, Procurement & Contracts Department, 4th Floor, Marafiq Headquarters, Road 100 P.O. Box 11133, Jubail Industrial City 31961, KSA Tel No. +966 13 340 9563.
Bid Closing Date is 07th June 2026 before 2 PM.
All bidders must submit their proposal before the deadline. Bids submitted after the deadline will not be accepted. Marafiq may reject the bid documents if it is not in compliance with attached guideline for the sealed bid requirements.

Two separate envelopes (Separate Technical and Commercial Proposal).

RFQ Coll. No:
MSK-26-005

Technical Proposal Envelope: Technical Proposal must not include prices. Seal the Envelope and Write on it #Technical Proposal. Stamp & Write your company name on Envelope#.

Commercial Proposal Envelope: It will contain dully filled form of proposal with prices along with supporting documents. Seal the Envelope and Write on it #Commercial Proposal. Stamp & Write your company name on Envelope#.

Write clearly the RFQ number MSK-26-005 on both sealed envelopes. Your company name Stamp on Envelopes to identify your sealed Bid documents.

Seal all corners Both Envelope with your company stamp to avoid authorized opening. Kindly read the sealed Bid guidelines attached

- 1) The vendors are required to quote fix prices for 1 year price agreement.
The Prices are exclusive of VAT(value added tax). The VAT is applicable for all materials delivery to be made on or after 1 January 2018 as per the VAT Regulations of the Kingdom of Saudi Arabia. The VAT will be paid additionally, subject to submission of valid VAT registration certificate and VAT invoice by the Supplier. Marafiq shall be held harmless and shall not carry any liabilities related to the supplier taxes or any claim from the supplier in future arising out of the supplier failing to meet the regulatory requirements under the VAT law.
- 2) Please note that the attached demand forecast based upon our best estimate, not a commitment of any sort from Marafiq about the Purchase volume. The outline agreement will be for One year and the actual quantities to be supplied will be based on Release order, as and when required, and may be entirely different than the forecasted quantities being provided here.
- 3) The Minimum Order Quantity : 01 Base Unit for all items. There will be different release orders issued against the One Year price agreement.
- 4) Please ensure the unit of measure in your proposal matches the unit of measure of the RFQ.
- 5) The prices are required for one Year outline agreement for supply of items mentioned in the RFQ. The materials shall be supplied as per approved released POs based on the outline agreement as and when required by MARAFIQ.
- 6) All materials supplied under this RFQ shall be delivered on an EXW (Ex#Works) basis from the supplier#s designated facility.

RFQ Coll. No:
MSK-26-005

- 7) The bidders must refer our line items number, stock numbers along with description in their quotation.
- 8) This RFQ and any PO or price agreement issued against this RFQ shall be subject to Marafiq terms & conditions (attached).
- 9) Deliveries shall be made through Release Orders and delivery period shall be as per our schedule.
- 10) The price will be Fixed for the duration of the price agreement (01 Year) and we will not accepted any changed of price.

Regards,

SPECIAL INSTRUCTIONS:

Identifications of Imported Materials:

The Customs authorities of Saudi Arabia require that all goods consignment to the Kingdom shall bear a clear and irremovable identification of the country of origin. This shall be by way of engraving, embossing, printing, embroidering or non removable sticker, depending upon the nature of the product, and applies to each and every item of material in any consignment.

All bidders and suppliers of material to be imported directly by Marafiq are required to confirm in writing with their bid or quotation that they will comply with these provisions.

A submission of a Quotation shall be deemed to indicate acceptance of our Conditions of Quotation.

For questions regarding this RFQ,
Please Contact:

Buyer :Muhammad Shabeel

Phone :013-3409672

Email :shabeelm@marafiq.com.sa

| **Approved**

| _____
| Supervisor Procurement

RFQ Coll. No:
MSK-26-005

CONDITIONS OF QUOTATIONS

MARAFIQ invites bidders in accordance with our Request for Quotation (RFQ). Submission of a quotation in response to this enquiry shall be deemed to constitute acceptance of these conditions. All quotations shall be submitted by bidders in strict compliance with this Conditions of Quotation attached with the RFQ and no deviations shall be allowed.

1. LODGING OF QUOTATIONS (NOT SEALED BID)

1.1 Open Bid

- 1.1.1 Bidders shall check carefully whether the RFQ requires submission of quotations in two sealed envelopes. If sealed envelopes are not required, quotations are only required to be lodged with Marafiq's Procurement Account through the secure email address procurement@marafiq.com.sa otherwise quotations will be disqualified.
- 1.1.2 The RFQ Number shall be clearly indicated in the subject email and all relevant documents attached.
- 1.1.3 Vendor shall Sign & Stamp on the price's pages. All quotations shall bear bidder stamp by authorized person and authorized signatory/ies corresponds the date prior submission, otherwise proposal to be rejected.
- 1.1.4 **Bid Submission Deadline:** 2:00 PM, on or before the bid close date.
- 1.1.5 **Late Submission:** quotations submitted after bid closing date and time will be rejected.
- 1.1.6 Bidders may submit separate PDF files for the technical proposal and separate PDF files for the commercial proposal without compressing the files. However, due to the size limitation bidders can segment their submission into more than one email to avoid emails bounce back.
- 1.1.7 Quotations which are transmitted or received as hard copy quotations by hand delivery, by post or courier shall be disqualified. Quotations required to be submitted electronically through email are processed electronically until Purchase Order is issued. No hard copy or paper processing.

RFQ Coll. No:
MSK-26-005

2. Two Envelop Bidding (SEALED BID)

- 2.2.1 **Bid Submission Deadline:** 2:00 PM, on or before the bid close date.
- 2.2.2 **Late Submission:** quotations submitted after bid closing date and time will be rejected.
- 2.2.3 MARAFIQ requires that bidders submit their quotations in two sealed envelopes, one of which shall be marked #Technical Proposal# and the other #Commercial Proposal#. Bidders shall ensure that both envelopes shall bear their company stamp or wax at the folded portion of the envelope.
- 2.2.4 Bidders shall be expected to provide their bids in this format if so requested, and to lodge both proposals simultaneously. The purpose of this methodology is to ensure impartial evaluation of all proposals submitted and is deemed to be advantageous to other bidders.
- 2.2.5 The envelope shall be legibly marked with the following information:

Technical Proposal

Vendor name: Vendor Number:
PR #: PR Description:
Purchasing Agent (MARAFIQ): BCD:
Technical Proposal: () Original () Copy () CD/USB
Attention (as applicable) to:

Bid Controller - Procurement & Contracts Department,
4th Floor, MARAFIQ HQ,
3522 Road 100 # Unit Number 1,
Jubail Industrial City 35717 # 8894 KSA

Note: Bidder shall provide receiving copy for acknowledgement purposes only

RFQ Coll. No:
MSK-26-005

Commercial Proposal

Vendor name: Vendor Number:
PR #: PR Description:
Purchasing Agent (MARAFIQ): BCD:
Commercial Proposal: () Original () Copy () CD/USB
Attention (as applicable) to:

Bid Controller - Procurement & Contracts Department,
4th Floor, MARAFIQ HQ,
3522 Road 100 # Unit Number 1,
Jubail Industrial City 35717 # 8894 KSA

Note: Bidder shall provide receiving copy for acknowledgement purposes only

- 2.2.6 RFQ Number shall be clearly indicated in the quotations and all supporting related documents are attached.
- 2.2.7 Failure to comply with these requirements shall result in disqualifying the proposal.
- 2.2.8 Bidder shall divulge all information#s detailing the physical shipping data of the quoted materials like weight, dimension, country of origin, any other related labels like hazardous and etc.

3. CONDITIONS OF PURCHASE

All quotations shall be subject to Purchase Order General Terms and Conditions which are attached in this RFQ.

4. VALIDITY PERIOD

Quotations shall remain valid for at least 60 days from the date of submission to allow for adjudication and approval.

5. ENQUIRIES / CLARIFICATION

Enquiries shall be addressed to the P&C Agent with contact details mentioned in the RFQ.

6. ACCEPTANCE OF QUOTATIONS

RFQ Coll. No:

MSK-26-005

6.1 MARAFIQ shall not be bound to accept the lowest, or any quotation, or to assign any reasons for the acceptance or rejection of any bid.

6.2 MARAFIQ reserves the right to accept the whole or any part of the the quotation.

7. PRICING

7.1 MARAFIQ expects fixed and firm prices to be submitted for the entire duration.

7.2 Where the whole or a portion of a tender is subject to rate of exchange fluctuation it must be made clear what portion of the tendered value is subject to adjustment and what rate of exchange was ruling on the day of submission.

7.3 Bids must be in Saudi Riyals inclusive of all cost, duties, taxes and delivery to MARAFIQ's Warehouse, except where the bidder is located outside of the Kingdom of Saudi Arabia. Notwithstanding above, the bid price shall exclude VAT and the applicable VAT should be quoted separately and shall be paid to bidder over and above agreed base price upon issuance of a valid tax invoice as per the applicable provisions of KSA VAT Law and Regulations. Where the bids are for supply of goods from outside KSA, where the delivery of material occurs outside KSA in instances such as ex-works/FOB/CIF basis, then bidder shall not be allowed to charge VAT as per provisions of KSA VAT Law and Regulations.

7.4 In case the bidder located outside of the Kingdom of Saudi Arabia quotes the bid on a #delivery duty paid# basis, bidder should assess the obligation to register with KSA VAT authorities as per provisions of KSA VAT Law and Regulations and the bid price shall be inclusive of all duties and taxes except for final output VAT to be charged by such bidder as per KSA VAT Law and Regulations.

7.5 In case of a bid for supply of services from GCC Member States, bidders registered with tax authorities for VAT shall be required to issue a valid zero-rated tax invoice with valid tax registration number in accordance with the applicable provisions of GCC VAT Framework Agreement, respective GCC Member State's VAT Law and Regulations.

8. TAX LIABILITIES

8.1 To the extent that the goods and services provided under the

RFQ Coll. No:

MSK-26-005

purchase order/contract are subject to VAT in and if agreed in and if agreed in the PO, the Vendor shall add VAT to the PO amount at the prevailing rate as applicable. Where appropriate the Vendor shall apply any VAT exemption or subject the supply to zero-rated VAT, whichever may be applicable.

8.2 The VAT for such supply will be calculated as follows:

$A \times R$

Where:

A is the PO value for the supply; and

R is the applicable rate of VAT

8.3 MARAFIQ shall pay the PO value plus VAT to the Vendor following receipt of a valid tax invoice which is in accordance with the prevailing VAT Law.

8.4 Payment of VAT to the Vendor will not be processed and released by MARAFIQ in the absence of a valid VAT invoice.

8.5 In the event the Vendor has or will incur direct and indirect costs and expenses, and where these costs and expenses are recharged to MARAFIQ by the Vendor as part of the PO value, and:

i. There has been or will be VAT incurred by the Vendor on the costs and expenses; and

ii. The VAT incurred by the Vendor are allowed for recovery or credit to the Vendor by the relevant Tax Authority(s), the value of the recharges shall be calculated net of VAT.

8.6 For the avoidance of doubt, it shall at all times remain the sole responsibility of the Vendor to:

i. assess the VAT rate(s) and VAT liability arising out of or in connection with the PO; and

ii. account for or pay any VAT (and any other tax liability) relating to payments made to the Vendor under the PO to the relevant Tax Authority.

iii. To the extent the supplies made by Vendor in relation to International transport of passengers is zero rated according to the KSA Law and Regulations, MARAFIQ will provide the necessary documents/s and/or certification/s to satisfy Vendor of the zero-rating VAT treatment.

8.7 MARAFIQ shall not be liable to the Vendor in any way whatsoever

RFQ Coll. No:
MSK-26-005

and shall have recourse in regard to any error or failure made by the Vendor in relation to VAT, including without limit:

- i. Where the vendor is subject to a VAT ruling(s), determination, announcement or generally accepted practice in connection with the PO.
- ii. Where the Vendor has assumed that it can recover input VAT and (for whatever reason) and this assumption is subsequently held to be incorrect or invalid; and/or
- iii. Where the Vendor's treatment of VAT in respect of any claim for payment made under the PO is subsequently held to be incorrect or invalid.

9. ALTERNATIVES

- 9.1 If offering alternatives or substitutes, please provide detailed specifications, sketches, blueprints, layouts, drawings and manufacturer's confirmation as to exact replacement for original part/item, for the equipment installed.
- 9.2 In case bidder quotation is not 100% conformance with the specifications, bidder shall disclose and highlight the discrepancy/ies in the submitted quotation.

10. DELIVERY

The quoted delivery period/completion period should be clearly and unambiguously stated in the quotation.

11. CONFIDENTIALITY

MARAFIQ shall not disclose the price or details of any quotation or bid to any other vendor.

12. PAYMENT TERMS

MARAFIQ payment term is within 60 days after the date of acceptable materials and valid tax invoice complying with the provisions of KSA VAT Law and Regulations (in case vendor is KSA VAT Law and Regulations (in case vendor is KSA VAT registered), and submission of the bid shall be deemed to constitute acceptance of this condition.

RFQ Coll. No:
MSK-26-005

MARAFIQ Purchase Order General Terms & Conditions

1. This Purchase Order constitutes the entire agreement between the Parties and no other terms shall be binding on the PO unless agreed and amended in writing.
2. Vendor shall, at all times, deliver the goods and execute the services under this PO in such manner as to avoid any risk, harm, loss or damage including bodily harm to persons or damage to property, at all locations where the work is being performed. Vendor shall promptly take all necessary precautions to safeguard against such risks, including the regular inspection of the site conditions. Vendor shall comply with all applicable safety laws, standards, codes and regulations of the Kingdom of Saudi Arabia, including all Safety instructions, Procedures & Programs issued and/or established by MARAFIQ. Pursuant to directives by Government for deliveries by trucks, Contractor shall ensure that operating cards are issued by the General Authority for Transport. In case of chemical material Delivery, vendor shall provide to MARAFIQ the Material Safety Data Sheet (MSDS) and all other applicable environmental & safety requirements and clearance for the chemical. In addition, transportation by tanker(s) shall be labelled with the following, in compliance with the requirement set by the High Commission of Industrial Security (HCIS):
 - i. Appropriate logo;
 - ii. Name of the chemical, and;
 - iii. International code of the chemical.
3. MARAFIQ will pay the vendor the approved invoice amount for all goods delivered or services rendered, less any amounts which MARAFIQ is contractually entitled to deduct, within a period of 60 days from the date of invoice is received, verified and accepted by MARAFIQ Finance.
4. Goods and/or services shall not be deemed to have been accepted until after incoming inspection which shall be within a reasonable time after delivery; generally, 3 working days. Vendor shall be responsible for and bear the risk of loss or damage of goods until delivery to MARAFIQ. If the goods and/or services do not conform to the specification or the terms of this PO, the goods and/or the services rendered shall be rejected by MARAFIQ.
5. Vendor shall collect the rejected goods from MARAFIQ warehouse within a period of 15 days for Saudi Arabian vendors and 30 days for Foreign/Overseas vendors from the date of notification issued by

RFQ Coll. No:

MSK-26-005

MARAFIQ to vendor that their goods are rejected. If the vendor fails to collect the rejected goods within the specified period, MARAFIQ will be the legal owner of the rejected goods and will have the full rights to scrap it or dispose them off. Provided however and in all cases, where the materials/goods that are rejected by MARAFIQ were shipped/transported by the vendor to MARAFIQ at MARAFIQ expense, or at vendor expense, MARAFIQ will determine the actual cost of the shipment/transportation of the such rejected goods/materials, other expenses & broker/carrier charges incurred by MARAFIQ (if any), and deduct such determined amount from the vendor's invoice(s) including logistics cost, customs clearance services and all other related cost and expense, whatsoever. If the costs(s), so determined to the above, exceeds the value of vendors's invoices(s), the vendor shall pay MARAFIQ the difference. In case goods are fully rejected, the vendor shall not issue any tax invoice to MARAFIQ. In case goods are partially rejected, vendor shall revise the tax invoice only for the accepted quantity of good through a credit note. The tax invoice and the credit/debit note should contain all the mandatory particulars as prescribed in the VAT Law and Regulations.

5.1 MARAFIQ shall only pay the freight customs clearance and the related costs in respect of all accepted materials as stated in this PO. Provided however, that vendor shall be exclusively and fully accountable for all cost whatsoever including freight, custom clearance and all related cost in respect of rejected and non-confirmaing goods.

5.2 In any case, vendor shall be solely and exclusively responsible any additional costs whatsoever, incurred by MARAFIQ in identifying, removing and/or replacing non-conforming goods, including, without limitation, the costs of additional inspection customs duties and transportation costs.

5.3 Vendor guarantees unconditionally and irrevocably represent and undertake that it has complied and shall comply with all applicable laws and regulations (including Foreign Trade Regulations) pertaining or relating to this Purchase Order and its delivery of any of its obligations under this Purchase Order and any relating activity, including, but not limited to, the handling of any confidential information and compliance to the requirement of this Purchase Order.

6. If Vendor fails to agree or positively respond to replace rejected goods and/or to rectify defects on services rendered within a period of 15 days for Saudi Arabian vendors and 30 days for Foreign/ Overseas vendors from the date of notification issued by MARAFIQ to

RFQ Coll. No:
MSK-26-005

Vendor that their goods are rejected and/or there are defects on services rendered, MARAFIQ shall implement Clause 22 - "TERMINATION BY DEFAULT" and subsequent Clauses 23 and 24 of this Purchase Order General Terms and Conditions.

7. In the case of goods and/or services which are found to be infected with such defects which can be repaired or remedied, payments for such goods or services shall only be processed after defects have been cured and rectified and accepted by the end-user, of the services rendered and/or goods supplied. For supply of such goods and/or rendering of such services which are found to be suffering from such defects which cannot be cured or rectified, the Vendor shall not be entitled for any payment.
8. The vendor warrants for a period of 12 months, unless specified otherwise elsewhere in the PO, from the date of acceptance of goods or services by the end-user, that the goods or services shall be free from defects in design, material and workmanship. Should the goods or services be found to be defective within the warranty period, the vendor shall correct such services or replace such goods at vendor's expense with no extra cost to MARAFIQ and/or end-user.
9. Acceptance of final payment by Vendor shall release MARAFIQ from any and all claims by Vendor including but not limited to any claim towards any duties and taxes to the extent not agreed in this PO.
10. No part of this PO may be subcontracted or assigned without MARAFIQ's prior written consent.
11. MARAFIQ reserves the right at any time to cancel all or part of any unfulfilled portion of this PO. Payment or compensation shall be made for all materials manufactured, shipped or delivered, or which have been accepted prior to such cancellation, provided that the Vendor shall furnish MARAFIQ with satisfactory proof of such manufacture or delivery and provided further that the Vendor shall not be in violation of any other obligations under this PO.
12. Failure of MARAFIQ to insist upon strict performance of the terms of this PO, or failure to exercise any rights in the event of Vendor's breach or otherwise, shall not release the Vendor of any of its obligations under this PO.
13. The Vendor shall be entitled to submit his invoice for payment after delivery or completion of all items contained in this PO, or such partial delivery as may have been effected, unless partial delivery is specifically excluded in the PO.

RFQ Coll. No:

MSK-26-005

- 13.1 In the case of KSA VAT registered vendor, the tax invoice should contain all the mandatory particulars prescribed by the KSA VAT Regulations and should be issued within the specified time limit.
- 13.2 In the case of VAT registered vendor from any other GCC Member State, the tax invoice should contain all mandatory particulars as prescribed in the GCC VAT Framework Agreement and respective Member State's VAT Regulations.
- 13.3 In case of non-resident vendor, MARAFIQ will discharge the KSA VAT liability either under reverse charge mechanism, or at the port of import or through Tax return, as the case may be, unless the non-resident vendor is obliged to pay the duties and taxes in KSA as per the terms of delivery or performance in this PO in which case vendor may charge applicable KSA VAT upon issuance of a valid tax invoice and producing KSA VAT registration certificate. If the non-resident vendor is required to register with KSA VAT authorities as per the provisions of KSA VAT Law and regulations, MARAFIQ shall reimburse the KSA VAT upon issuance of a valid tax invoice by such vendor.
- 13.4 MARAFIQ reserves the right to reject the invoice in case it has not been issued in accordance with provisions of the KSA VAT regulation or GCC VAT Framework agreement and GCC Member State's VAT regulations.
- 13.5 The Contractor/Vendor is responsible for the accuracy and completeness of the Contractor's/Vendor's bank account details MARAFIQ shall not accept any responsibility and shall also not be held liable for lost funds or delay if the account information is incorrectly provided by the Contractor/Vendor. The Vendor/Contractor will be solely responsible for such error.
14. VAT and/or similar taxes - Including without limitation value added tax, goods and service tax, sales tax or any similar tax as applicable to the PO and the supplementary documentation issued thereunder, including but not limited to invoices, credit notes, debit notes and similar documents, in accordance with the prevailing laws of the Kingdom of Saudi Arabia, including any transitional VAT legislative provisions.
15. Tax Authority - The designated government agency(s) that is(are) responsible for managing, collecting and enforcing the relevant tax or any similar competent authority and relevant ministry under which

RFQ Coll. No:

MSK-26-005

it operates.

16. TAX LIABILITIES

16.1 To the extent that the goods and services and services provided under the contract are subject to VAT in and if agreed in the PO, the Vendor shall add VAT to the PO amount at the prevailing rate as applicable. Where appropriate the Vendor shall apply any VAT exemption or subject the supply to zero-rated VAT, whichever may be applicable.

16.2 The VAT for such supply will be calculated as follows:

$A \times R$

Where:

A is the PO value for the supply; and

R is the applicable rate of VAT

16.3 MARAFIQ shall pay the PO value plus VAT to the Vendor following receipt of a valid tax invoice which is in accordance with the prevailing VAT Law.

16.4 Payment of VAT to the Vendor will not be processed and released by the MARAFIQ in the absence of a valid VAT invoice.

16.5 In the event the Vendor has or will incur direct and indirect costs and expenses, and where these costs and expenses are recharged to MARAFIQ by the Vendor as part of the PO value, and:

- There has been or will be VAT incurred by the Vendor on the costs and expenses; and
- The VAT incurred by the Vendor are allowed for recovery or credit to the Vendor by the relevant Tax Authority(s),
- The value of the recharges shall be calculated net of VAT.

16.6 For the avoidance of doubt, it shall at all times remain the sole responsibility of the Vendor to:

- Assess the VAT rate(s) and VAT liability arising out of or in connection with the PO; and
- Account for or pay any VAT (and any other tax liability) relating to payments made to the Vendor under the PO to the relevant Tax Authority.
- To the extent the supplies made by Vendor in relation to International transport of passengers is zero rated according to the KSA Law and regulations, MARAFIQ will provide the necessary document/s and/or certification/s to satisfy Vendor of the zero rating VAT treatment.

16.7 MARAFIQ shall not be liable to the Vendor in any way whatsoever

RFQ Coll. No:

MSK-26-005

and shall have recourse in regard to any error or failure made by the Vendor in relation to VAT, including without limit:

- i. Where the Vendor is subject to a VAT ruling(s), determination, announcement or generally accepted practice in connection with the PO.
- ii. Where the Vendor has assumed that it can recover input VAT (for whatever reason) and this assumption is subsequently held to be incorrect or invalid; and/or
- iii. Where the Vendor's treatment of VAT in respect of any claim for payment made under the PO is subsequently held to be incorrect or invalid.

17. Payment will be made by MARAFIQ in Saudi Riyals, unless otherwise documented and agreed.
18. SAUDI ARABIAN GOODS : With respect to any materials, goods or equipment purchased, leased, contracted for or otherwise obtained or required by Vendor in the performance of this PO, Vendor shall use its best efforts to utilize materials, supplies, goods or equipment of Saudi Arabian origin or which may be obtained or acquired from companies registered under the laws of Saudi Arabia.
19. This PO shall be governed, interpreted, construed and implemented in accordance with the laws of the Kingdom of Saudi Arabia. Any claim arising under this PO shall be determined and settled in accordance with such laws and shall be subject to courts of competent jurisdiction in the Kingdom of Saudi Arabia.
20. Final Acceptance for Services or receipt of goods: Immediately upon completion of the work/receipt of goods/completion of services, the vendor shall send a written notification to MARAFIQ who shall fix a date for perusal and inspection of the work / receipt of goods / completion of services in preparation for the Final Acceptance; such date shall be within a reasonable period of time from the date of Vendor's notification in this respect.
21. Liquidated Damages: In the event of Vendor's failure to execute its obligations, liquidated damages shall be assessed and agreed as detailed below:
 - 21.1 Should vendor fail to deliver all or any of the goods or provide the services being purchased under this PO by the dates specified for delivery or rendering thereof in the PO, the Vendor shall pay liquidated damages equal to two percent (2%) of the value of the delayed item(s) for each week that the item(s) and/or service(s) is delayed.

RFQ Coll. No:

MSK-26-005

- 21.2 If the goods delivered and/or services rendered by the Vendor or any part thereof is found to be defective and/or not meeting the product specification or service standard requiring rectification or removal of defects in accordance with Clause 5 hereinabove, the Vendor shall pay liquidated damages stated in paragraph 21.1 above for the period of delay resulting from rectification, removal of defects or re-supply of goods.
- 21.3 For any good(s) delivered and/or service(s) rendered by the Vendor or any part thereof found defective and/or not meeting the product specification or service standard and which cannot be remedied or rectified, the Vendor shall in addition to paying liquidated damages for delay, not be entitled for any payment in respect thereof.
- 21.4 The aggregate amount of liquidated damages shall, however, not exceed six percent (6%) of the total PO value.
- 21.5 In case MARAFIQ is required to discharge VAT liability on liquidate damages, MARAFIQ shall issue a debit note adjusting applicable VAT, as the case may be.
22. **TERMINATION FOR DEFAULT:** At any time prior to final acceptance, MARAFIQ may terminate by written notice the Vendor's performance of all or any portion of this PO because of default of the Vendor to fulfil its obligations hereunder.
23. MARAFIQ shall have the right to obtain from elsewhere substitute goods or services similar to those with respect to which this PO is terminated, and Vendor thereupon shall be liable to MARAFIQ to reimburse the difference between the price of such substitute goods and services and the price set out in the PO, provided however, that MARAFIQ's rights and remedies set forth herein shall be in addition to, and shall not limit, any and all other rights and remedies provided by law or under this PO including those under Clause 18 hereinabove.
24. With respect to any partial termination hereunder, this PO shall remain in full force and effect for all goods and services not included in the termination.