

## TABLE(timetable.html)

```
<html>

<head>

<title>TIME TABLE OF MCA S1 2025-2026 </title>

</head>

<body>

<h1><center>TIME TABLE OF MCA S1 2025-2026 </center></h1>

<table border="1">

<tr>

<th>DAY</th>

<th> 1.<br>(9:00-9:55)</th>

<th> 2.<br>(9:56-10:50)</th>

<th> </th>

<th> 3.<br>(11:10-12:05)</th>

<th> 4.<br>(12:05-1:00)</th>

<th> </th>

<th> 5.<br>(1:50-2:45)</th>

<th> 6.<br>(2:46-3:40)</th>

<th> </th>

<th> 7.<br>(3:45-4:30)</th>

</tr>

<tr>

<td>MONDAY</td>

<td>MATHS<br>(JJ)</td>

<td>DIGITAL<br>(SM)</td>

<td rowspan="5" align="center">BREAK</td>

<td>DS<br>(AA)</td>

<td>SE<br>(AR)</td>

<td rowspan="5" align="center">LUNCH BREAK</td>

<td>DS LAB<br>(AA)</td>

<td>DS LAB<br>(AA)</td>
```

<td rowspan="5" align="center">BREAK</td>

<td>LIBRARY<br>(JJ)</td>

</tr>

<tr>

<td>TUESDAY</td>

<td>WEB LAB<br>(SM)</td>

<td>WEB LAB<br>(SM)</td>

<td>DS LAB<br>(AA)</td>

<td>DS LAB<br>(AA)</td>

<td>MATHS<br>(JJ)</td>

<td>DIGITAL<br>(SM)</td>

<td>SE<br>(AR)</td>

</tr>

<tr>

<td>WEDNESDAY</td>

<td>SE<br>(AR)</td>

<td>DS<br>(AA)</td>

<td>SE<br>(AR)</td>

<td>MATHS<br>(JJ)</td>

<td>PYTHON LAB<br>(SKM)</td>

<td>PYTHON LAB<br>(SKM)</td>

<td>DS<br>(AA)</td>

</tr>

<tr>

<td>THURSDAY</td>

<td>MATHS<br>(JJ)</td>

<td>PYTHON LAB<br>(SKM)</td>

<td>PYTHON LAB<br>(SKM)</td>

<td>DIGITAL<br>(SM)</td>

<td>DS<br>(AA)</td>

<td>PLACEMENT</td>

```

<td>DIGITAL<br>(SM)</td>
</tr>
<tr>
<td>FRIDAY</td>
<td>WEB LAB<br>(SM)</td>
<td>WEB LAB<br>(SM)</td>
<td>SE<br>(AR)</td>
<td>MATHS<br>(JJ)</td>
<td>DS<br>(AA)</td>
<td>DIGITAL<br>(SM)</td>
<td>PLACEMENT</td>
</tr>
</table>
<a href="ILAHIYA.html">Go Back</a>
<body>
<html>

```

## Prgm2

```

<html>
<head>
<title>ILAHIA COLLEGE OF ENGINEERING & TECHNOLOGY</title>
</head>
<body>
<center>

<h1>ILAHIA COLLEGE OF ENGINEERING & TECHNOLOGY</h1>

</center>
<h2>Welcome to ICET</h2>
<h4>Empowering Generations Through Excellence in Engineering Education Since 2002</h4>

```

<p>Established in 2002, ICET nurtures engineering graduates with academic excellence and holistic development. With 23 years of legacy, ICET has been committed to fostering academic excellence</p>

<h4>Core Academic & Knowledge</h4>

<p>Established in 2002, ICET nurtures engineering graduates with academic excellence and holistic development.</p>

<h4>College Advisory</h4>

<p>With 23 years of legacy, ICET has been committed to fostering academic excellence, facilitating career advancement, promoting entrepreneurial initiatives, and providing scholarship opportunities to students.</p>

<h3>DEPARTMENTS</h3>

<ul>

<li>Agriculture Engineering</li>

<li>Biomedical Engineering</li>

<li>Food Technology</li>

<li>Artificial Intelligence & Data Science</li>

<li>Computer Science & Engineering</li>

<li>Civil Engineering</li>

<li>Physical Education</li>

<li>Mechanical Engineering</li>

<li>Electrical & Electronics Engineering</li>

<li>Electronics & Communication Engineering</li>

<li>Science & Humanities</li>

<li>Masters of Business Administration</li>

<li>Masters of Computer Applications <a href="timetable.html"> Click Here</a></li>

</ul>

</body>

</html>

**Prgm3-FLOATINGFRAME**

**icethead.html**

<html>

<head>

```
<title>ICET</title>

</head>

<body style="background-color: lightblue;">

<h1><center>ILAHIA COLLEGE OF ENGINEERING AND TECHNOLOGY</center></h1>

</html>
```

abouticet.html

```
<html>
<head>
<title>Icet details</title>
</head>
<h1>ICET</h1>
<p>ICET has been one of the pioneering self financing colleges in Kerala. It is approved by AICTE,
New Delhi and affiliated to APJ Abdul Kalam Technological University(KTU). The college was
established in the year 2002.
</p>

</html>
```

**dept.html**

```
<html>
<head>
<title>Icet details</title>
</head>
<body>
<h1>DEPARTMENT OF COMPUTER APPLICATION</h1>
<p>The department of computer Applications was established in 2008 with an intake of 60 students.
</p>
<a href="semester1.html">First Year</a>
</html>
```

**mca.html**

```
<html>
<head>
<title>MCA</title>
</head>
<h1><center>MCA</center></h1>
<a href="dept.html" target="f1">MCA</a>
</html>
```

## semester.html

```
<html>

<head>

<title>SEMESTER 1</title>

</head>

<body>

<h1><center>SEMESTER 1 </center></h1>

<table border="1" bgcolor="lightyellow">

<thead>

<tr>

<th colspan="5">Semester 1</th>

</tr>

<tr>

<th rowspan="2">Course Code</th>

<th rowspan="2">Course Name</th>

<th colspan="3">Hours/Week</th>

</tr>

<tr>

<th>L</th>

<th>T</th>

<th>P</th>

</tr>

<tr>

<td>20MCA101</td>

<td>MFC</td>

<td>3</td>

<td>1</td>

<td>-</td>

</tr>

<tr>
```

```

<td>20MCA105</td>
<td>ADS</td>
<td>3</td>
<td>1</td>
<td>-</td>
</tr>
<tr>
<td>20MCA131</td>
<td>Programming</td>
<td>0</td>
<td>1</td>
<td>3</td>
</tr>
</thead>
</table>
<a href="floatingframe.html">click to view </a>
</body>
<html>

```

### **floatingframe.html(iframe)**

```

<html>
<head>
<title>Floating frame</title>
</head>
<body>
<h2>Floating frame</h2>
<p>This is an example of an <strong>iframe</strong> that loads an external page.</p>
<iframe src="timetableicet.html" width="600" height="400"></iframe>
</body>
</html>

```

### Frame1.html(main)

```
<html>

<head><title>Frame1</title></head>

  <frameset rows="20,80">

    <frame src="Icethead.html"/>

    <frameset cols="30,70"/>

      <frame src="mca.html"/>

      <frame src="abouticet.html"name="f1"/>

    </frameset>

  </frameset>
```

### PROGRAM4

#### pgm4.html

```
<html>
<head><title> CSS</title>
<body>
<style>
p.dotted {border-style: dotted;background-color: powderblue;}
.list-border{border-style: dotted;background-color: powderblue;padding: 10px;}
</style>
</head>
</body>
<center>
<h1 style="color:black;">CSS</h1>
</center>
<p class="dotted">CSS, which stands for Cascading Style Sheets, is a stylesheet language used to
describe the presentation of a document written in a markup language, most commonly HTML.<p>
<div class="list-border">
<ul><li>There are three ways of inserting a style sheet</li></ul>
<ol>
<li>External CSS</li>
<li>Internal CSS</li>
<li>Inline CSS</li>
</ol>
<ul><li>CSS Selectors</li></ul>
<ol>
<li> CSS Element Selector</li>
<li> CSS id Selector</li>
<li> CSS Class Selector</li>
<li> CSS Universal Selector</li>
</ol>
```



```

</div>
<br>
<br>
<link rel="stylesheet" href="pgm4.css">
<table border=2 >
<tr>
<td colspan=6><center>CSS Properties</center></td></tr>
<td rowspan=2>CSS background</td>
<td colspan=3>background</td>
<tr><td>background</td></tr>
<td rowspan=5>CSS Margin</td>
<tr><td>Margin-top</td></tr>
<tr><td>Margin-right</td></tr>
<tr><td>Margin-bottom</td></tr>
<tr><td>Margin-left</td></tr>
</table>
</body>
</html>

```

#### **pgm4.css**

```

body {

}

h1 {

    color: black;

}

p {

    color: black;

}

table, th, td {

    background-color: powderblue;

    border-style: solid;

    border-width: 1px;

    border-color: black; }

```

#### **STRING-MATHFUNCTION**

```

<html>

<head>

```

```
<title>JavaScript string and math functions</title>
</head>
<body>
  <h1>JavaScript string and math functions</h1>
  <h2>String Objects</h2>
  <script>
    let str = "Anjela Subair";
    document.writeln("String is: " + str + "<br>");
    document.writeln("Length of the word is: " + str.length + "<br>");
    document.writeln("In Lowercase: " + str.toLowerCase() + "<br>");
    document.writeln("In Uppercase: " + str.toUpperCase() + "<br>");
    document.writeln("Replaced String: " + str.replace("Anjela", "Annu") + "<br>");
    let joinedStr = str + " VS";
    document.writeln("Joined String: " + joinedStr + "<br>");
  </script>
  <h2>Math Properties</h2>
  <script>
    document.writeln("Math.E: " + Math.E + "<br>");
    document.writeln("Math.PI: " + Math.PI + "<br>");
    document.writeln("Math.sqrt(25): " + Math.sqrt(25) + "<br>");
    document.writeln("Math.LN2: " + Math.LN2 + "<br>");
    document.writeln("Math.LN10: " + Math.LN10 + "<br>");
    document.writeln("Math.LOG2E: " + Math.LOG2E + "<br>");
    document.writeln("Math.LOG10E: " + Math.LOG10E + "<br>");
  </script>
  <h2>Math Objects</h2>
  <script>
    let num = 25.6789;
    document.writeln("Original number: " + num + "<br>");
    document.writeln("Rounded: " + Math.round(num) + "<br>");
    document.writeln("Integer part: " + Math.trunc(num) + "<br>");
```

```
document.writeln("Square Root of 16: " + Math.sqrt(16) + "<br>");
document.writeln("Power (2^4): " + Math.pow(2, 4) + "<br>");
document.writeln("Maximum value among (10, 20, 5): " + Math.max(10, 20, 5) + "<br>");
document.writeln("Minimum value among (10, 20, 5): " + Math.min(10, 20, 5) + "<br>");
</script>
</body>
</html>
```

## BACKGROUND COLOR CLICK

```
<html>
<head>
  <title>JavaScript Event Handling</title>
<style>
  body
  {
    display:flex;
    flex-direction:column;
    align-items:center;
    justify-content:center;
    height:100vh;
    margin:0;
    font-family:Arial,sans-serif;
  }
</style>
</head>
<body>
  <button onclick="background()">Click me</button>
  <label>To Change background color</label>
<script>
  function background()
  {
```

```

    var r=Math.floor(Math.random()*256);

    var g=Math.floor(Math.random()*256);

    var b=Math.floor(Math.random()*256);

    document.body.style.backgroundColor="rgb("+r+","+g+","+b+")";

}

</script>

</body>

</html>

```

### REGISTRATION FORM(Validation)

```

<html lang="en">
<head>
<title> Registration Form</title>
<style>
body {
font-family: Arial, sans-serif;
background-color: pink;
display: flex;
justify-content: center;
align-items: center;
height: 100vh;
}
form {
background: white;
padding: 25px;
border-radius: 10px;
box-shadow: 0px 0px 10px rgba(0,0,0,0.1);
width: 300px;
}
h2 {
text-align: center;
}
label {
display: block;
margin-top: 10px;
}
input {
width: 100%;
padding: 8px;
margin-top: 5px;
border: 1px solid #ccc;
border-radius: 5px;

```

```

}
input[type="submit"] {
margin-top: 15px;
background-color: #007BFF;
color: white;
border: none;
cursor: pointer;
}
input[type="submit"]:hover {
background-color: #0056b3;
}
</style>
</head>
<body>

<form onsubmit="return validateForm()">
<h2>Register</h2>
<label>Full Name:</label>
<input type="text" id="username">
<label>Email:</label>
<input type="text" id="email">
<label>Phone Number:</label>
<input type="text" id="phone" maxlength="10" placeholder="10-digit number">
<label>Password:</label>
<input type="password" id="password">
<label>Confirm Password:</label>
<input type="password" id="confirmPassword">
<input type="submit" value="Register">
</form>

<script>
function validateForm() {
const name = document.getElementById("username").value.trim();
const email = document.getElementById("email").value.trim();
const phone = document.getElementById("phone").value.trim();
const password = document.getElementById("password").value.trim();
const confirmPassword = document.getElementById("confirmPassword").value.trim();

const namePattern = /^[A-Za-z\s]+$/;
const emailPattern = /^[^ ]+@^[^]+\.[a-z]{2,3}$/;
const phonePattern = /^[0-9]{10}$/;
const strongPassword = /^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[@$!%*?&#^])[A-Za-z\d@$!%*?&#^]{8,}$/;

if (name === "") {
alert("Please enter your full name.");
return false;
}

```

```
if (!namePattern.test(name)) {
  alert("Name can only contain letters and spaces.");
  return false;
}
if (email === "") {
  alert("Please enter your email.");
  return false;
}
if (!emailPattern.test(email)) {
  alert("Please enter a valid email address.");
  return false;
}
if (phone === "") {
  alert("Please enter your phone number.");
  return false;
}
if (!phonePattern.test(phone)) {
  alert("Phone number must be exactly 10 digits.");
  return false;
}
if (password === "") {
  alert("Please enter a password.");
  return false;
}
if (!strongPassword.test(password)) {
  alert("Password must be at least 8 characters long and include uppercase, lowercase, number, and special character.");
  return false;
}
if (confirmPassword === "") {
  alert("Please confirm your password.");
  return false;
}
if (password !== confirmPassword) {
  alert("Passwords do not match.");
  return false;
}

alert("Registration successful!");

return true;
}
</script>

</body>
</html>
```

## MOUSEOVER\_MOUSEOUT

```
<html>

<head>

<title>Event Handling</title>

<style>

    body {

        text-align: center;

        padding-top: 50px;}

    img {

        max-width: 250px;

        max-height: 250px;

        border-radius: 50%;

        border: 4px solid green;

        padding: 8px;}

</style>

</head>

<body>



<p id="p1"></p>

<script>

function one() {

    document.getElementById("image").src = "/home/mca/Anjela/WEB/prgm9/wolf2.jpeg";

    document.getElementById("p1").innerHTML = "Mouse Over ";

    document.getElementById("p1").style.color = "blue";

}

function two() {

    document.getElementById("image").src="/home/mca/Anjela/WEB/prgm9/wolf3.avif";

    document.getElementById("p1").innerHTML="Mouse Out";

    document.getElementById("p1").style.color ="red";

}
```

```
</script>
```

```
</body>
```

```
</html>
```

### **STUDENT ARRAY(SORTING)**

```
<?php
```

```
$students=array("Annu","Aksa","Ardra","Eva");
```

```
echo"<h2>Array elements Before Sorting:</h2>";
```

```
print_r($students);
```

```
echo"<br><br>";
```

```
asort($students);
```

```
echo"<h2>Array Ascending Sorting(asort):</h2>";
```

```
print_r($students);
```

```
echo"<br><br>";
```

```
arsort($students);
```

```
echo"<h2>Array Descending Sorting(dsort):</h2>";
```

```
print_r($students);
```

```
?>
```

### **INDIAN CRICKET PLAYERS**

```
<?php
```

```
$indianplayers=array("MS Dhoni", "Sachin Tendulkar", "Virat Kohli", "Ravindra Jadeja", "Mohammed Shami");
```

```
echo"<table border='1'>
```

```
<tr>
```

```
<th>Sl NO</th>
```

```
<th>Player Name</th>
```

```
</tr>";
```

```
$i=1;
```

```
foreach($indianplayers as $player)
```

```
{
```

```
echo "<tr>
```

```
<td>$i</td>
```

```
<td>$player</td>
```

```
</tr>";
```

```
$i++;
```

```
}
```

```
echo"</table>";
```

```
?>
```



## ELECTRICITY BILL

```
<html>

<head><title>Program 12</title>

<style>

input{border:solid 2px;
padding:5px;
font-size: 28px;}

</style>

</head>

<body>

<h1>Php Calculate Electricity Bill</h1>

<form method="post">

<input type="number" width="10px" name="units" placeholder="Please enter no. of Units" />

<input type="submit" name="unit-submit" value="Submit" />

</form>

</body>

<?php

$result_str = $result = "";

if (isset($_POST['unit-submit']))

{

    $units = $_POST['units'];

    if (!empty($units))

    {

        $result = calculate_bill($units);

        $result_str = '<h2>Total amount of '. $units. '='.

        $result."</h2>";

        echo $result_str;

    }

}

function calculate_bill($units)

{
```

```
$unit_cost_first = 3.50;
$unit_cost_second = 4.00;
$unit_cost_third = 5.20;
$unit_cost_fourth = 6.50;
if ($units <= 50)
{
    $bill = $units * $unit_cost_first;
}
else if($units > 50 && $units <= 100)
{
    $temp = 50* $unit_cost_first;
    $remaining_units = $units- 50;
    $bill = $temp+ ($remaining_units* $unit_cost_second);
}
else if($units > 100 && $units <= 200) {
    $temp = (50* 3.5) + (100 * $unit_cost_second);
    $remaining_units = $units- 150;
    $bill = $temp+ ($remaining_units* $unit_cost_third);
}
else
{
    $temp = (50 *3.5) + (100* $unit_cost_second) + (100* $unit_cost_third);
    $remaining_units = $units - 250;
    $bill = $temp+ ($remaining_units* $unit_cost_fourth);
} return number_format((float)$bill,2,'.','');
}
?>

</html>
```