


Computer Science & Data Science Artificial Intelligence


DPP 1; Top 250 Questions of DBMS Part-1



DBMS : DPP 1

By- Vijay Agarwal Sir





Consider the following statements:

- I: All attributes of a relation form a super key.
 - II: Every candidate key is also super key.
 - III. A primary attribute of a relation schema R is an attribute that appears in all candidates key of R.
 - IV. Every super key is also a candidate key.
- The number of above statement correct is ____?

[MSQ]




Consider a relation scheme $R(A, B, C, D, E)$ and following table is an instance of relation R .

A	B	C	D	E
a	1	5	2	3
b	2	6	3	4
c	2	6	4	4
d	3	7	6	5
e	3	7	7	5

F is set of functional dependencies hold on R .
Which of the following is definitely true (or we conclude)

- A** B does not functionally determine D.
- B** B functionally determine C and D functionally determine E.
- C** C functionally determine E.
- D** C does not functionally determine D.

[MCQ]



Consider the following database with a four possible candidate key

A	B	C	D
a ₁	b ₁	c ₁	d ₁
a ₂	b ₃	c ₃	d ₁
a ₁	b ₂	c ₁	d ₂

(I) BC

(II) AD

(III) B

(IV) CD

Which of the above cannot be the candidate key for given table?


A II and III

B III only

C I only


D IV and II

[NAT]



A relation $R(A_1, A_2, A_3, \dots, A_{13})$ and maximum number of candidate key possible is_____.

[MCQ]



In functional dependency, Armstrong's inference rules refer to

- A Reflexive, Augmentation and Decomposition
- B Augmentation, Transitive, Reflexive and Decomposition
- C Reflexive, Augmentation and Transitive
- D Reflexive, Transitive and Decomposition

[MSQ]



R is a relations schema with the following FD's [$AD \rightarrow C$, $B \rightarrow A$, $C \rightarrow E$, $E \rightarrow BD$]
Which of the following is Not a candidate key of R?

- ☐ A AE
- ☐ B AB
- ☐ C BE
- ☐ D CD

[NAT]



A relation R has only 2 candidate key with 1 and 2 attributes, respectively. These are total 40 super keys of R. Then the total number of attributes in the relation R is ____.



[MSQ]



According to RDBMS rules, choose the correct statement from the following.

- A. A relation in RDBMS can have multiple attributes.
- B. A relation in RDBMS is a set of rows and columns.
- C. A tuple in a relation can have multiple values for an attribute.
- D. All of the above

[MSQ]



Consider a relation schema $R(A, B, C, D, E, F, H)$ with the given Functional dependency set:

$\{A \rightarrow BC, C \rightarrow AD, DE \rightarrow F, C \rightarrow F\}$

The attribute closure that contains all the attributes of the relation R is?

- A. AE^+
- B. CE^+
- C. AEH^+
- D. All of the above


[MCQ]



Choose the correct statement from the following.


- A. The cardinality is defined as the number of attributes in a relation.
- B. Degree of the relation is the number of tuples in the relation.
- C. Relation instance is the set of tuples of a relation at a particular instance of time.
- D. All of the above


Video Solution of DPP 1



Link: <https://unacademy.com/a/Top-250-Questions-on-DBMS.html%27>

Video Solution of DPP 1 LINK







THANK YOU!

Here's to a cracking journey ahead!