

Computer Science & Data Science Artificial Intelligence

DPP 2; Top 250 Questions of DBMS Part-2



DBMS : DPP 2

By- Vijay Agarwal Sir



[NAT]



Consider a relation $R(P, Q, R, S, T)$ with the set of functional dependencies $\{P \rightarrow QR, RS \rightarrow T, Q \rightarrow S, \text{ and } T \rightarrow P\}$. How many candidate keys are possible in R ? ____.

[MCQ]

Consider the relation R (P, Q, R, S, T) and the set of function dependencies $F = \{P \rightarrow Q, QR \rightarrow T, TS \rightarrow P\}$. Which of the following is not the candidate key of R?

- A. RST
- B. PRS
- C. QRS
- D. PQR

[MSQ]



Choose the correct statement from the following:

- A. There can be many primary keys for a relation.
- B. There can be many alternate keys for a relation.
- C. All the candidate keys are also super keys.
- D. All the super keys are also the candidate keys.

[NAT]




Consider the given FD set for relation

$R(X, Y, Z, W, U, V)$

$\{X \rightarrow Y, YZ \rightarrow W, U \rightarrow Z, W \rightarrow X\}$

Then the number of prime attributes for the relation are?

[NAT]



Consider a relation $R(A, B, C, D, E)$ with the set of functional dependencies:

$$\{A \rightarrow BC, B \rightarrow D, CD \rightarrow E, E \rightarrow A\}$$

Then the number of super keys possible are ____

[MSQ]



Choose the correct statements about candidate key.

- A. Candidate key is a super key with maximum attributes.
- B. It must contain unique values.
- C. A table can have multiple CK's but at most one primary key.
- D. It is a minimal Super key with no repeated data.

[NAT]



From the given below characteristics, choose the number of characteristics of a primary key:

- I. Minimal attribute
- II. Unique
- III. Non-Null
- IV. Null
- V. Duplicate values

[NAT]



Consider a relation R (A, B, C, D, E, F, G, H, I, J) with the Candidate keys
[A, B, C, D, EF, FG].

Then the number of superkeys in the relation R is _____.

[MSQ]



Consider a relation $R(P, Q, R, S, T, U)$ with the following functional dependencies:

$PQ \rightarrow R, S \rightarrow TU, R \rightarrow P, QT \rightarrow R, QR \rightarrow S,$

$RU \rightarrow QS, PRS \rightarrow Q, RT \rightarrow PU$

Which of the following is/are true?

- A. The closure of QR is $\{P S T U\}$
- B. All attributes present in R are in the closure of QR
- C. QR is the only candidate key of R
- D. PQR is a key of R

[MSQ]



Given a relation $R(X, Y, Z, W, U, V)$ with (X, Z) and $\{W, U, V\}$ as the only candidate keys, then choose the super keys for the given relation.


- A. $\{X, Z\}$
- B. $\{X, Z, U\}$
- C. $\{X, Y\}$
- D. $\{W, U, V\}$

[NAT]



Consider a Relation schema R with A, B, C, D, E , and F attributes $R(ABCDEF)$. If in a relation R every '3' attribute form a candidate keys the total number of super keys are ____ .

[NAT]




#Q Consider the following relation $R(ABCDEFGHI)$ and the functional dependencies set F

F: $[AB \rightarrow CDHI, AF \rightarrow D, DE \rightarrow F, C \rightarrow G, F \rightarrow E, G \rightarrow A]$

The number of candidate keys is relation R is ____.

Video Solution of DPP 2




Link: <https://unacademy.com/a/Top-250-Questions-on-DBMS.html%27>

Video Solution of DPP 2 LINK



THANK YOU!

Here's to a cracking journey ahead!

A large light green circle is located in the bottom right corner of the slide.