```
Enter password: ******
Welcome to the MySQL monitor. Commands end with; or \q.
Your MySQL connection id is 10
Server version: 8.0.37 MySQL Community Server - GPL
Copyright (c) 2000, 2024, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> show databases;
+----+
| Database
| college
| employee
| information_schema
| mysql
| performance_schema
| sakila
| sys
| world
+----+
8 rows in set (0.00 \text{ sec})
mysql> create database lab_assignment
Query OK, 1 row affected (0.02 sec)
mysql> show databases;
+----+
| Database
+----+
| college
| employee
| information_schema |
| lab_assignment
| mysql
| performance_schema |
| sakila
| sys
| world
9 rows in set (0.00 sec)
mysql> use lab_assignment;
Database changed
ClientNO VARCHAR(10),
   ->
    ->
             Name VARCHAR(50),
   ->
            Address VARCHAR(100),
    ->
             City VARCHAR(50),
    ->
             State VARCHAR(50),
    ->
             bal_due DECIMAL(10, 2)
   ->
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> INSERT INTO Client_Master (ClientNO, Name, Address, City, State, bal_due)
  -> VALUES
  -> ('C101', 'Alice Johnson', '123 Maple St', 'Springfield', 'IL', 4500.00),
-> ('C102', 'Bob Smith', '456 Oak St', 'Lincoln', 'NE', 5200.00),
-> ('C103', 'Charlie Brown', '789 Pine St', 'Madison', 'WI', 3000.00),
-> ('C104', 'Diana Prince', '101 Birch St', 'Salem', 'OR', 6500.00),
-> ('C123', 'Eve Adams', '202 Cedar St', 'Reno', 'NV', 4800.00);
Ouery OK, 5 rows affected (0.01 sec)
Records: 5 Duplicates: 0 Warnings: 0
mysql> SELECT * FROM Client_Master;
+----+
+-----+
5 rows in set (0.00 sec)
mysql> SELECT Name FROM Client_Master WHERE bal_due > 5000;
+----+
l Name
| Bob Smith
| Diana Prince |
2 rows in set (0.00 \text{ sec})
mysql> UPDATE Client_Master SET bal_due = 5100.00 WHERE ClientNO = 'C123';
Query OK, 1 row affected (0.02 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> RENAME TABLE Client_Master TO Client12;
Query OK, 0 rows affected (0.02 sec)
mysql> SELECT ClientNO, Name, Address, City, State, bal_due AS BALANCE FROM
Client12;
+----+
```

mysql>

5 rows in set (0.00 sec)