```
Enter password: ******
Welcome to the MySQL monitor. Commands end with; or \q.
Your MySOL connection id is 13
Server version: 8.0.37 MySQL Community Server - GPL
Copyright (c) 2000, 2024, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> show databases;
+----+
| Database
| college
| employee
| information schema |
| lab_assignment
| mysql
| performance_schema
| sakila
sys
| world
9 rows in set (0.00 sec)
mysql> use lab_assignment;
Database changed
mysql>
         CREATE TABLE Emp (
    ->
              Emp_No INT,
              Emp_Name VARCHAR(50),
    ->
    ->
              Designation VARCHAR(50),
    ->
              Basic DECIMAL(10, 2),
              DA DECIMAL(10, 2),
    ->
              HRA DECIMAL(10, 2),
    ->
    ->
              PF DECIMAL(10, 2),
              Gross_Pay DECIMAL(10, 2),
    ->
    ->
              Net_Pay DECIMAL(10, 2)
          );
    ->
Query OK, 0 rows affected (0.06 sec)
mysql> INSERT INTO Emp (Emp_No, Emp_Name, Designation, Basic, DA, HRA, PF,
Gross_Pay, Net_Pay)
    -> VALUES
    -> (1, 'Alice Johnson', 'Manager', 20000.00, 4000.00, 3000.00, 1500.00, NULL,
NULL),
    -> (2, 'Bob Smith', 'Developer', 15000.00, 3000.00, 2500.00, 1200.00, NULL,
NULL),
    -> (3, 'Charlie Brown', 'Analyst', 18000.00, 3600.00, 2700.00, 1400.00, NULL,
NULL),
    -> (4, 'David White', 'Tester', 12000.00, 2400.00, 1800.00, 1000.00, NULL,
NULL),
    -> (5, 'Eva Green', 'HR', 17000.00, 3400.00, 2550.00, 1300.00, NULL, NULL);
Query OK, 5 rows affected (0.03 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> select * from emp;
+----+
| Emp_No | Emp_Name | Designation | Basic | DA | HRA | PF |
Gross_Pay | Net_Pay |
+----+
    1 | Alice Johnson | Manager | 20000.00 | 4000.00 | 3000.00 | 1500.00 |
NULL | NULL |
    2 | Bob Smith | Developer | 15000.00 | 3000.00 | 2500.00 | 1200.00 |
NULL | NULL |
    3 | Charlie Brown | Analyst | 18000.00 | 3600.00 | 2700.00 | 1400.00 |
     NULL |
    4 | David White | Tester | 12000.00 | 2400.00 | 1800.00 | 1000.00 |
NULL | NULL |
   5 | Eva Green | HR
                         | 17000.00 | 3400.00 | 2550.00 | 1300.00 |
NULL | NULL |
+----+
5 rows in set (0.00 \text{ sec})
mysql> UPDATE Emp
  -> SET Gross_Pay = Basic + DA + HRA,
  -> Net_Pay = Gross_Pay - PF;
Query OK, 5 rows affected (0.02 sec)
Rows matched: 5 Changed: 5 Warnings: 0
mysql> select * from emp;
| Emp_No | Emp_Name | Designation | Basic | DA | HRA | PF |
Gross_Pay | Net_Pay |
+-----+
| 1 | Alice Johnson | Manager | 20000.00 | 4000.00 | 3000.00 | 1500.00 |
27000.00 | 25500.00 |
               | Developer | 15000.00 | 3000.00 | 2500.00 | 1200.00 |
| 2 | Bob Smith
20500.00 | 19300.00 |
3 | Charlie Brown | Analyst | 18000.00 | 3600.00 | 2700.00 | 1400.00 |
24300.00 | 22900.00 |
4 | David White | Tester | 12000.00 | 2400.00 | 1800.00 | 1000.00 |
16200.00 | 15200.00 |
| 5 | Eva Green | HR
22950.00 | 21650.00 |
                         | 17000.00 | 3400.00 | 2550.00 | 1300.00 |
+----+
5 rows in set (0.00 sec)
mysql> ALTER TABLE Emp ADD COLUMN DA DECIMAL(10, 2);
ERROR 1060 (42S21): Duplicate column name 'DA'
mysql>
mysql> UPDATE Emp
  -> SET DA = Basic * 0.20;
Query OK, 0 rows affected (0.00 sec)
Rows matched: 5 Changed: 0 Warnings: 0
mysql> select * from emp;
```

```
| Designation | Basic | DA | HRA
| Emp_No | Emp_Name
                                                 | PF |
Gross_Pay | Net_Pay |
+-----+
| 1 | Alice Johnson | Manager | 20000.00 | 4000.00 | 3000.00 | 1500.00 |
27000.00 | 25500.00 |
| 2 | Bob Smith
                | Developer | 15000.00 | 3000.00 | 2500.00 | 1200.00 |
20500.00 | 19300.00 |
| 3 | Charlie Brown | Analyst | 18000.00 | 3600.00 | 2700.00 | 1400.00 |
24300.00 | 22900.00 |
4 | David White | Tester | 12000.00 | 2400.00 | 1800.00 | 1000.00 |
16200.00 | 15200.00 |
| 5 | Eva Green
                 | HR
                          | 17000.00 | 3400.00 | 2550.00 | 1300.00 |
22950.00 | 21650.00 |
+----+
5 rows in set (0.00 \text{ sec})
mysql> ALTER TABLE Emp ADD COLUMN HRA DECIMAL(10, 2);
ERROR 1060 (42S21): Duplicate column name 'HRA'
mysql>
mysql> UPDATE Emp
  -> SET HRA = Basic * 0.15;
Query OK, 1 row affected (0.02 sec)
Rows matched: 5 Changed: 1 Warnings: 0
mysql> select * from emp;
+----+
| Emp_No | Emp_Name
                | Designation | Basic | DA | HRA | PF |
Gross_Pay | Net_Pay |
. - - - - - - + - - - - - - - +
| 1 | Alice Johnson | Manager | 20000.00 | 4000.00 | 3000.00 | 1500.00 |
27000.00 | 25500.00 |
                | Developer | 15000.00 | 3000.00 | 2250.00 | 1200.00 |
| 2 | Bob Smith
20500.00 | 19300.00 |
3 | Charlie Brown | Analyst | 18000.00 | 3600.00 | 2700.00 | 1400.00 |
24300.00 | 22900.00 |
4 | David White | Tester | 12000.00 | 2400.00 | 1800.00 | 1000.00 |
16200.00 | 15200.00 |
                           | 17000.00 | 3400.00 | 2550.00 | 1300.00 |
| 5 | Eva Green
                | HR
22950.00 | 21650.00 |
+----+
5 rows in set (0.00 sec)
mysql> ALTER TABLE Emp ADD COLUMN PF DECIMAL(10, 2);
ERROR 1060 (42S21): Duplicate column name 'PF'
mysql>
mysql> UPDATE Emp
  -> SET PF = Basic * 0.10;
Query OK, 5 rows affected (0.01 sec)
Rows matched: 5 Changed: 5 Warnings: 0
mysql> select * from emp;
+----+
| Emp_No | Emp_Name | Designation | Basic | DA | HRA | PF |
```

```
Gross_Pay | Net_Pay |
+-----+
 1 | Alice Johnson | Manager | 20000.00 | 4000.00 | 3000.00 | 2000.00 |
27000.00 | 25500.00 |
| 2 | Bob Smith
                  | Developer | 15000.00 | 3000.00 | 2250.00 | 1500.00 |
20500.00 | 19300.00 |
3 | Charlie Brown | Analyst | 18000.00 | 3600.00 | 2700.00 | 1800.00 |
24300.00 | 22900.00 |
| 4 | David White
                 | Tester | 12000.00 | 2400.00 | 1800.00 | 1200.00 |
16200.00 | 15200.00 |
| 5 | Eva Green
                           | 17000.00 | 3400.00 | 2550.00 | 1700.00 |
                 | HR
22950.00 | 21650.00 |
5 rows in set (0.00 sec)
mysql> ALTER TABLE Emp ADD COLUMN Gross_Pay DECIMAL(10, 2);
ERROR 1060 (42S21): Duplicate column name 'Gross_Pay'
mysql>
mysql> UPDATE Emp
   -> SET Gross_Pay = Basic + DA + HRA;
Query OK, 1 row affected (0.02 sec)
Rows matched: 5 Changed: 1 Warnings: 0
mysql> ALTER TABLE Emp ADD COLUMN Net_Pay DECIMAL(10, 2);
ERROR 1060 (42S21): Duplicate column name 'Net_Pay'
mysql>
mysql> UPDATE Emp
  -> SET Net_Pay = Gross_Pay - PF;
Query OK, 5 rows affected (0.04 sec)
Rows matched: 5 Changed: 5 Warnings: 0
mysql> SELECT * FROM Emp;
+----+
| Emp_No | Emp_Name | Designation | Basic | DA | HRA
                                                 l PF |
Gross_Pay | Net_Pay |
+-----+
| 1 | Alice Johnson | Manager | 20000.00 | 4000.00 | 3000.00 | 2000.00 |
27000.00 | 25000.00 |
                 | Developer | 15000.00 | 3000.00 | 2250.00 | 1500.00 |
| 2 | Bob Smith
20250.00 | 18750.00 |
| 3 | Charlie Brown | Analyst
                          | 18000.00 | 3600.00 | 2700.00 | 1800.00 |
24300.00 | 22500.00 |
| 4 | David White | Tester | 12000.00 | 2400.00 | 1800.00 | 1200.00 |
16200.00 | 15000.00 |
                | HR
| 5 | Eva Green
                       | 17000.00 | 3400.00 | 2550.00 | 1700.00 |
22950.00 | 21250.00 |
+----+
5 rows in set (0.00 \text{ sec})
mysql> SELECT * FROM Emp e1
  -> WHERE Basic = (SELECT MIN(Basic) FROM Emp e2 WHERE e1.Designation =
e2.Designation);
+----+
```

```
| Designation | Basic | DA | HRA
| Emp_No | Emp_Name
                                          | PF |
Gross_Pay | Net_Pay |
            +----+
| 1 | Alice Johnson | Manager | 20000.00 | 4000.00 | 3000.00 | 2000.00 |
27000.00 | 25000.00 |
| 2 | Bob Smith
              | Developer | 15000.00 | 3000.00 | 2250.00 | 1500.00 |
20250.00 | 18750.00 |
| 3 | Charlie Brown | Analyst | 18000.00 | 3600.00 | 2700.00 | 1800.00 |
24300.00 | 22500.00 |
4 | David White | Tester | 12000.00 | 2400.00 | 1800.00 | 1200.00 |
16200.00 | 15000.00 |
| 5 | Eva Green
              | HR
                       | 17000.00 | 3400.00 | 2550.00 | 1700.00 |
22950.00 | 21250.00 |
+----+
5 rows in set (0.00 sec)
mysql> UPDATE Emp
  -> SET Net Pay = Net Pay + 1200
  -> WHERE Net_Pay < 10000;
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0
mysql> SELECT * FROM Emp
 -> WHERE Gross_Pay BETWEEN 10000 AND 20000;
 | Emp_No | Emp_Name | Designation | Basic | DA | HRA
Gross_Pay | Net_Pay |
| 4 | David White | Tester | 12000.00 | 2400.00 | 1800.00 | 1200.00 |
16200.00 | 15000.00 |
+----+
1 row in set (0.00 sec)
mysql> SELECT * FROM Emp
 -> WHERE Net_Pay = (SELECT MAX(Net_Pay) FROM Emp);
+----+
              | Designation | Basic | DA | HRA
| Emp_No | Emp_Name
Gross_Pay | Net_Pay |
+-----+
| 1 | Alice Johnson | Manager | 20000.00 | 4000.00 | 3000.00 | 2000.00 |
27000.00 | 25000.00 |
+----+
1 row in set (0.00 sec)
mysql>
```