



Performance

Accessibility

Best Practices

SEO

PWA




## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. See [calculator](#).

0–49

50–89

90–100



## METRICS

[Expand view](#)

### First Contentful Paint

**2.0 s**

### Largest Contentful Paint

**9.9 s**


### Total Blocking Time

**50 ms**

### Cumulative Layout Shift

**0**

### Speed Index

**3.5 s**[View Treemap](#)



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)


## OPPORTUNITIES

Opportunity	Estimated Savings
-------------	-------------------

- ▲ Properly size images 4.65s

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

	purpleturtle.com	1st Party	1,110.0 KiB 937.0 KiB
	Nft <img src=". /assets/...img/section-2.webp (purpleturtle.com) img/sec tion-2.webp" alt=" Nft " >		507.0 KiB 464.1 KiB
	body.lo ded > footer > section #overlay -5 > img.footer-bg-mo <img src="https://purpleturte .com/assets/img/footer-bg- mobile.jpg" class="footer- bg-mobile" alt="" >		429.4 KiB 324.5 KiB
	d iv .r o w > div.col-lg-6 > div-aos-init > img.preschool-img <img src=". /assets/img/layer-		82.2 KiB 70.6 KiB



d  
iv  
.d  
e

tail > div.col-lg-10 > div.img > img.img-phone

```

```



d  
iv  
.d  
e

...img/phone.webp (purpleturtle.com)

68.4 KiB 59.6 KiB

tail > div.col-lg-10 > div.img > img

```

```



b  
o  
d  
y.  
|

oaded > footer >

```
section#overlay-5 >
img.footer_bird
area &gt; footer &gt; section #overlay -5 &gt; img.footer-bg-mobile &lt;img src="https://purpleturtle. com/assets/img/footer-bg- mobile.jpg" class="footer- bg-mobile" alt=""&gt;</pre> | <pre>...img/footer-bg- mobile.jpg (purpleturtle.com)</pre> | 429.4 KiB     | 358.8 KiB         |
| <pre>section#licensing&amp;merchandisin g &gt; div.container &gt; div.floating_imgs &gt; img.desktop_view</pre>                                                                              |                                                            |               |                   |
| <pre>alt="" class="desktop_view"&gt;</pre>                                                                                                                                                   |                                                            |               |                   |

|                                                        | URL       | Resource Size | Potential Savings |
|--------------------------------------------------------|-----------|---------------|-------------------|
| <pre>...img/1.jpg (purpleturtle.com)</pre>             | 177.4 KiB | 148.2 KiB     |                   |
| <pre>...img/footer_clouds.png (purpleturtle.com)</pre> | 30.2 KiB  | 21.0 KiB      |                   |



Meet  
Purple  
Turtle


|                                                   | URL      | Resource Size | Potential Savings |
|---------------------------------------------------|----------|---------------|-------------------|
| <pre>...blogs/250....jpg (purpleturtle.com)</pre> | 38.8 KiB | 19.9 KiB      |                   |
| <pre>&amp; MIPcom 2019"&gt;</pre>                 |          |               |                   |



Meet  
us at

```
...blogs/250....jpg (purpleturtle.com)
```

32.2 KiB 16.8 KiB



72

94

83


69

PWA

## World Book Fair 2020

```

```



Purpl  
e  
Turtle  
signs  
a

Master Franchise in UP the  
biggest state of India

[...blogs/250....jpg](#) (purpleturtle.com)

27.0 KiB 14.5 KiB

```

```



Choos  
e the  
right  
readi  
ng

books for your child with the help  
of ATOS and Lexile ...

[...blogs/220....jpg](#) (purpleturtle.com)

26.4 KiB 13.1 KiB

```

```



Purpl  
e

[...blogs/011....jpg](#) (purpleturtle.com)

27.7 KiB 12.8 KiB

URL

Resource  
Size Potential  
Savings

## Kidswear Segment

```

```



Purple  
Turtle  
announces

partnership with Dar Al Zeenat,  
Jordan

...blogs/250....jpg (purpleturtle.com)

23.4 KiB 12.0 KiB

```

```

### ▲ Efficiently encode images

2.40s ▾

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

| URL                                                                                                                  | Resource Size                 | Potential Savings |
|----------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------|
| <br>ed ><br>footer ><br>section#o | mobile.jpg (purpleturtle.com) |                   |

| URL                                                                                                                                                                                                                                                                                                            | Resource  | Potential |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|
|                                                                                                                                                                                                                                                                                                                |           |           |
|                                                                                                                                                                                                                                                                                                                |           |           |
|                                                                                                                                                                                                                                                                                                                |           |           |
|                                                                                                                                                                                                                                                                                                                |           |           |
|                                                                                                                                                                                                                                                                                                                |           |           |
| <pre>src="https://purpleturtle.co m/assets/img/footer-bg- mobile.jpg" class="footer- bg-mobile" alt=""&gt;  section#licensing&amp;merchandising &gt; div.container &gt; div.floating_imgs &gt; img.desktop_view &lt;img src="https://purpleturtle.co m/assets/img/2.jpg" alt="" class="desktop_view"&gt;</pre> | 179.0 KiB | 116.4 KiB |
| <pre>section#licensing&amp;merchandising &gt; div.container &gt; div.floating_imgs &gt; img.desktop_view &lt;img src="https://purpleturtle.co m/assets/img/1.jpg" alt="" class="desktop_view"&gt;</pre>                                                                                                        | 177.4 KiB | 113.9 KiB |

▲ Reduce initial server response time 0.54s ▲

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) [FCP](#) [LCP](#)

| URL                                                                                   | Time Spent |
|---------------------------------------------------------------------------------------|------------|
| purpleturtle.com <span style="border: 1px solid blue; padding: 2px;">1st Party</span> | 640 ms     |
| https://purpleturtle.com                                                              | 640 ms     |

■ Eliminate render-blocking resources 0.21s ▲

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) [FCP](#) [LCP](#)

Show 3rd-party resources (1)

| URL                                                                                   | Transfer Size | Potential Savings |
|---------------------------------------------------------------------------------------|---------------|-------------------|
| purpleturtle.com <span style="border: 1px solid blue; padding: 2px;">1st Party</span> | 33.8 KiB      | 600 ms            |
| ...css/bootstrap.css (purpleturtle.com)                                               | 20.6 KiB      | 300 ms            |

URL



|                                                |         |        |
|------------------------------------------------|---------|--------|
| ...css/responsive.css (purpleturtle.com)       | 5.8 KiB | 150 ms |
| Cloudflare CDN                                 | 6.7 KiB | 780 ms |
| ...css/font-awesome.css (cdnjs.cloudflare.com) | 6.7 KiB | 780 ms |

## Minify JavaScript

0.15s ▲

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) [FCP](#) [LCP](#)

| URL                                        | Transfer Size | Potential Savings |
|--------------------------------------------|---------------|-------------------|
| purpleturtle.com <a href="#">1st Party</a> | 27.5 KiB      | 10.0 KiB          |
| ...js/owl.carousel.js (purpleturtle.com)   | 19.4 KiB      | 7.8 KiB           |
| ...js/popper.min.js (purpleturtle.com)     | 8.0 KiB       | 2.2 KiB           |

## Reduce unused JavaScript

0.15s ▲

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) [LCP](#)

| URL                                          | Transfer Size | Potential Savings |
|----------------------------------------------|---------------|-------------------|
| Google CDN                                   | 29.9 KiB      | 20.4 KiB          |
| ...2.1.1/jquery.min.js (ajax.googleapis.com) | 29.9 KiB      | 20.4 KiB          |

These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

## DIAGNOSTICS

### Ensure text remains visible during webfont load

^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display.](#) [FCP](#) [LCP](#)

Show 3rd-party resources (1)

LIRI

Potential



|                                                                   |          |
|-------------------------------------------------------------------|----------|
| ...fonts/Billy.otf (purpleturtle.com)                             | 2,550 ms |
| ...@font-face/7dca09e....woff (purpleturtle.com)                  | 250 ms   |
| Cloudflare CDN                                                    | 20 ms    |
| ...fonts/fontawesome-webfont.woff2?v=4.7.0 (cdnjs.cloudflare.com) | 20 ms    |

### ▲ Image elements do not have explicit `width` and `height`

^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

| URL                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| purpleturtle.com <small>1st Party</small>                                                                                                                                                                                                                           |
| <br>body.loaded ><br>section#licensing&merchandising > div.container > img.mobile_view<br><img<br>src="assets/img/licensing-and-merchandising-1.webp" alt="" class="mobile_view"> |
| <br>Nft<br><img<br>src=".//assets/img/section-2.webp" alt=" Nft ">                                                                                                               |
| <br>div.detail > div.col-lg-10 ><br>div.img > img<br><img<br>src=".//assets/img/phone.photo.webp" alt="">                                                                        |
| <br>body.loaded > footer ><br>section#overlay-5 > img.footer-bg-mobile<br><img<br>src="https://purpleturtle.com/assets/img/footer-bg-mobile.jpg" alt="">                         |
| <br>div.row > div.col-lg-6 > ...img/layer-965.webp (purpleturtle.com)<br>div-aos-init >                                                                                          |

URL



PWA

```
er-965.webp" alt="" class="preschool-img">
```



```
alt="logo">
```

logo

```

```

logo

```

```





```

```





```
1st Party</span> | 2,280.8 KiB   |
...img/licensing-and-merchandising-1.webp (purpleturtle.com)	510.2 KiB
...img/section-2.webp (purpleturtle.com)	507.2 KiB
...img/footer-bg-mobile.jpg (purpleturtle.com)	429.7 KiB
...img/bg-img.webp (purpleturtle.com)	216.5 KiB
...img/2.jpg (purpleturtle.com)	179.3 KiB
...img/1.jpg (purpleturtle.com)	177.9 KiB
...img/layer-90.webp (purpleturtle.com)	99.6 KiB
...img/layer-965.webp (purpleturtle.com)	82.7 KiB
...@font-face/7dca09e....woff (purpleturtle.com)	77.6 KiB

URL



...fonts/fontawesome-webfont.woff2?v=4.7.0 (cdnjs.cloudflare.com)

76.3 KiB

## ○ Avoid chaining critical requests — 22 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) [FCP] [LCP]

Maximum critical path latency: **1,552.89 ms**

### *Initial Navigation*



## ○ Keep request counts low and transfer sizes small — 61 requests • 3,051 KiB

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more](#)



Resource type	Requests	Transfer size
Total	61.0	3,051.0 KiB
Image	32.0	2,692.6 KiB
Font	3.0	169.6 KiB
Script	10.0	115.4 KiB
Stylesheet	14.0	66.7 KiB
Document	1.0	6.8 KiB
Media	1.0	0.0 KiB
Other	0.0	0.0 KiB
Third-party	4.0	113.0 KiB

## ○ Largest Contentful Paint element — 1 element found ^

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

Element	
	Discover A New World Through Books Explore the best children's books to spark ... <pre>&lt;section class="about_sec" style="background-image: url('assets/img/Layer-1.webp');"&gt;</pre>

## ○ Avoid long main-thread tasks — 8 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
purpleturtle.com <span style="border: 1px solid #ccc; padding: 2px 5px;">1st Party</span>	10,308 ms	655 ms
https://purpleturtle.com	1,003 ms	201 ms
...js/jquery-3.1.0.min.js (purpleturtle.com)	2,130 ms	87 ms
...js/script.js (purpleturtle.com)	2,921 ms	81 ms

URL	Start Time	Duration
https://purpleturtle.com/	818 ms	72 ms
https://purpleturtle.com/	780 ms	68 ms
https://purpleturtle.com/	1,280 ms	66 ms
Unattributable	920 ms	83 ms
Unattributable	920 ms	83 ms

## ○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) [CLS]

Element	Name
	body.loaded > footer > section#overlay-5 > img.footer_bird <img src="https://purpleturtle.com/assets/img/bird.webp" class="footer_bird" alt="">

Unsupported CSS Property: margin-top move\_ey e

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

## PASSED AUDITS (21) Hide

### ● Defer offscreen images ^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

### ● Minify CSS — Potential savings of 4 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). [FCP] [LCP]

URL	Transfer Size	Potential Savings
purpleturtle.com <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	20.6 KiB	3.8 KiB

URL



### ● Reduce unused CSS – Potential savings of 31 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP

URL	Transfer Size	Potential Savings
purpleturtle.com <span style="border: 1px solid black; padding: 2px 5px;">1st Party</span>	33.4 KiB	30.7 KiB
...css/bootstrap.css (purpleturtle.com)	20.6 KiB	19.9 KiB
...css/style.css (purpleturtle.com)	12.8 KiB	10.7 KiB

### ● Enable text compression ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression](#). FCP LCP

### ● Preconnect to required origins ^

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#). FCP LCP

### ● Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](#). FCP LCP

### ○ Preload key requests ^

Consider using <link rel=preload> to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests](#). FCP LCP

### ● Use video formats for animated content ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos



#### ● Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [TBT](#)

#### ● Avoid serving legacy JavaScript to modern browsers — Potential savings of 0 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) [TBT](#)


URL	Potential Savings
purpleturtle.com <a href="#">1st Party</a>	0.1 KiB
...js/popper.min.js (purpleturtle.com)	0.0 KiB
...js/popper.min.js:1043:47 (purpleturtle.com)	@babel/plugin-transform-classes
...js/aos.js (purpleturtle.com)	0.0 KiB
...js/aos.js:725:47 (purpleturtle.com)	@babel/plugin-transform-classes

#### ● Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) [LCP](#)

#### ● Avoids an excessive DOM size — 368 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) [TBT](#)



## >User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

## JavaScript execution time — 0.2 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
purpleturtle.com <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	2,733 ms	147 ms	14 ms
https://purpleturtle.com	2,609 ms	49 ms	8 ms
...js/jquery-3.1.0.min.js (purpleturtle.com)	124 ms	97 ms	7 ms
Unattributable	417 ms	8 ms	0 ms
Unattributable	417 ms	8 ms	0 ms
Google CDN	52 ms	44 ms	6 ms
...2.1.1/jquery.min.js (ajax.googleapis.com)	52 ms	44 ms	6 ms

## Minimize third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading.

[Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer	Main-Thread Blocking
 72	 94	 83
 69	PWA	
Cloudflare CDN	83 KiB	0 ms
...fonts/fontawesome-webfont.woff2? v=4.7.0 (cdnjs.cloudflare.com)	76 KiB	0 ms
...css/font-awesome.css (cdnjs.cloudflare.com)	7 KiB	0 ms
Google CDN	<b>30 KiB</b>	<b>0 ms</b>
Google CDN	30 KiB	0 ms
...2.1.1/jquery.min.js (ajax.googleapis.com)	30 KiB	0 ms
Tawk.to	<b>0 KiB</b>	<b>0 ms</b>
Tawk.to	0 KiB	0 ms

## ○ Lazy load third-party resources with facades ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) [TBT]

## ● Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) [LCP]

Element	
	Discover A New World Through Books Explore the best children's books to spark ... <section class="about_sec" style="background-image: url('assets/img/Layer-1.webp');>

## ○ Avoid large layout shifts ^

These DOM elements contribute most to the CLS of the page. [Learn how to improve CLS](#) [CLS]

## ● Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid `document.write\(\)`.](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

TBT



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

## CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio.

^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

### Failing Elements



Blog

`<span class="blog-type Blog">`

Read More

## Failing Elements



Blog Raising A Generation That Can Read Well (Alarming statistics show a massi...

```
<div class="blog_info recycling">
```



Blog

```
<span class="blog-type Blog">
```

This Children's Day Give Your Child A Unique Gift




Read More

```
<a href="https://purpleturtle.com/blogdetails/55/This-Childrens-Day-give-your-child...">
```



Blog This Children's Day Give Your Child A Unique Gift- The Gift Of Safety As ...

```
<div class="blog_info recycling">
```



Blog

```
<span class="blog-type Blog">
```

Choose The Right Reading Books For Your Child With The Help Of ATOS And Le...



Read More

```
<a href="https://purpleturtle.com/blogdetails/50/Choose-the-right-reading-books-for...">
```



Blog Choose The Right Reading Books For Your Child With The Help Of ATOS And Le...

```
<div class="blog_info recycling">
```



News

```
<span class="blog-type News">
```

Purple Turtle

Read More

## Failing Elements



News Purple Turtle Forays Into Kidswear Segment Purple Turtle, the leading kid...  
<div class="blog\_info recycling">



News

<span class="blog-type News">




Read More

<a href="https://purpleturtle.com/newsdetails/47/Purple-Turtle-signs-a-Master-Franc...">



News Purple Turtle Signs A Master Franchise In UP The Biggest State Of India W...  
<div class="blog\_info recycling">



News

<span class="blog-type News">




Read More

<a href="https://purpleturtle.com/newsdetails/47/Purple-Turtle-announces-partnershi...">



News Purple Turtle Announces Partnership With Dar Al Zeenat, Jordan Dar Al Zee...  
<div class="blog\_info recycling">



Event

<span class="blog-type Event">

## Failing Elements

[Read More](#)[TURTLE-AT-DISCOM-DUBAI...](#)

Event Meet Purple Turtle At Discom Dubai From May 17th To 19th 2022 Meet Purpl...  
<div class="blog\_info recycling">

[Event](#)[Meet Us At](#)[Read More](#)

Read More

[<a href="https://purpleturtle.com/eventdetails/42/Meet-us-at-New-Delhi-World-Book-F...">](https://purpleturtle.com/eventdetails/42/Meet-us-at-New-Delhi-World-Book-F...)



Event Meet Us At New Delhi World Book Fair 2020 Come, visit Purple Turtle with...  
<div class="blog\_info recycling">

[Event](#)[Meet Purple](#)[Read More](#)

Event

<span class="blog-type Event">

Read More

[<a href="https://purpleturtle.com/eventdetails/41/Meet-Purple-Turtle-at-MIPJunior-M...">](https://purpleturtle.com/eventdetails/41/Meet-Purple-Turtle-at-MIPJunior-M...)



Event Meet Purple Turtle At MIPJunior & MIPcom 2019 Purple Turtle by Aadarsh P...  
<div class="blog\_info recycling">


These are opportunities to improve the legibility of your content.

## NAMES AND LABELS



Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

## Failing Elements




div.container > div.row > div.col-lg-6 > a  
<a href="https://purpleturtle.us/" target="\_blank" class="">




div#preschool > div.row > div.col-lg-6 > a  
<a href="https://onlinepreschool.purpleturtle.com/" target="\_blank">




div#preschoolfranchise > div.row > div.col-lg-6 > a  
<a href="https://purpleturtle.com/franchise">




div.detail > div.col-lg-10 > div.img > a.play  
<a href="https://www.youtube.com/c/PurpleTurtleClub" target="\_blank" class="play">



div.grid-box > div.footer-logo > div.social-links > a.col  
<a href="#" class="col">




div.grid-box > div.footer-logo > div.social-links > a.col  
<a href="#" class="col">



div.grid-box > div.footer-logo > div.social-links > a.col  
<a href="#" class="col">

## Failing Elements



```
div.grid-box > div.footer-logo > div.social-links > a.col  
<a href="#" class="col">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

## AUDIO AND VIDEO

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions](#).

## Failing Elements



```
body.loaded > section.slider_sec > div > video#video-player  
<video loop="" autoplay="" muted="" id="video-player" preload="auto"  
style="width: 100%;">
```

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

## ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering](#).

- Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable](#).

- Interactive elements indicate their purpose and state



- The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

- User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

- Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

- Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

- Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

- Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

- HTML5 landmark elements are used to improve navigation

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

## PASSED AUDITS (15)

Hide



Each ARIA role supports a specific subset of aria-\* attributes. Mismatching these invalidates the aria-\* attributes. [Learn how to match ARIA attributes to their roles](#).

● [aria-hidden="true"] is not present on the document <body>

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body](#).

● [aria-\*] attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes](#).

● [aria-\*] attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes](#).

● Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

● ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs](#).

● Image elements have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-



properly see the contents of a web page. [Learn more about the viewport meta tag](#).

#### ● [aria-hidden="true"] elements do not contain focusable descendants ^

Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements](#).

#### ● Document has a <title> element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

#### ● <html> element has a [lang] attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute](#).

#### ● <html> element has a valid value for its [lang] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute](#).

#### ● Lists contain only <li> elements and script supporting elements (<script> and <template>). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure](#).

#### ● List items (<li>) are contained within <ul>, <ol> or <menu> parent elements ^

Screen readers require list items (<li>) to be contained within a parent <ul>, <ol> or <menu> to be announced properly. [Learn more about proper list structure](#).



PWA

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

## NOT APPLICABLE (26)

Hide

○ [\[accesskey\] values are unique](#) ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

○ [button, link, and menuitem elements have accessible names](#) ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

○ [ARIA input fields have accessible names](#) ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

○ [ARIA meter elements have accessible names](#) ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

○ [ARIA progressbar elements have accessible names](#) ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

○ [\[role\]s have all required \[aria-\\*\] attributes](#) ^

Some ARIA roles have required attributes that describe the state of the element to screen readers.



Elements with an ARIA [role] that require children to contain a specific [role] have an required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements](#).

○ [role]s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element](#).

○ [role] values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles](#).

○ ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields](#).

○ ARIA tooltip elements have accessible names

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements](#).

○ ARIA treeitem elements have accessible names

When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements](#).

○ The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks](#).

○ <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.

When definition lists are not properly marked up, screen readers may produce confusing or



Definition list items are wrapped in `<dt>` elements

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

`[id]` attributes on active, focusable elements are unique

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn how to fix duplicate ids.](#)

No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

`<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

`<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

`<object>` elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

- No element has a `[tabindex]` value greater than 0



#### [tabindex attribute](#)

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute](#).

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers](#).

- `[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute](#).



## Best Practices

### USER EXPERIENCE

- ▲ Displays images with incorrect aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect](#)

[ratio.](#)

(Displayed) (Actual)

purpleturtle.com [1st Party](#)

```
div.detail > div.col-lg-10 >
div.img > img.img-phone

```

...img/layer-82.webp (purpleturtle.com)

300 x 137      1315 x 740  
(2.19)      (1.78)

## GENERAL

### ▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Show 3rd-party resources (1)

Source	Description
purpleturtle.com <a href="#">1st Party</a>	
https://purpleturtl e.com:1:0	Access to script at ' <a href="https://embed.tawk.to/5fd99eeea8a254155ab3c7c7/1epl191kh">https://embed.tawk.to/5fd99eeea8a254155ab3c7c7/1epl191kh</a> ' from origin ' <a href="https://purpleturtle.com">https://purpleturtle.com</a> ' has been blocked by CORS policy: No 'Access-Control-Allow-Origin' header is present on the requested resource.
...js/jquery- 3.1.0.min.js:2:312 54 (purpleturtle.co m)	TypeError: \$(...).launchBtn is not a function at HTMLDocument. <anonymous> ( <a href="https://purpleturtle.com/assets/js/whatsappchat.js:29:20">https://purpleturtle.com/assets/js/whatsappchat.js:29:20</a> ) at j ( <a href="https://purpleturtle.com/assets/js/jquery-3.1.0.min.js:2:29568">https://purpleturtle.com/assets/js/jquery-3.1.0.min.js:2:29568</a> ) at k ( <a href="https://purpleturtle.com/assets/js/jquery-3.1.0.min.js:2:29882">https://purpleturtle.com/assets/js/jquery-3.1.0.min.js:2:29882</a> )
Tawk.to	

Source

Description



wk.to)

## Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
jQuery	2.1.1

## TRUST AND SAFETY

### Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

## PASSED AUDITS (11)

Hide

### Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

### Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).

- Avoids requesting the notification permission on page load



[permission for notifications.](#)

- Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

- Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

- Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

- Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

- Avoids `unload` event listeners

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more about unload event listeners](#)

- Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

- No issues in the `Issues` panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can



## ● Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

URL	Map URL
purpleturtle.com <span>1st Party</span>	
...js/popper.min.js (purpleturtle.com)	...js/popper.min.js.map (purpleturtle.com)
SyntaxError: Unexpected token '<', " <!DOCTYPE ".... is not valid JSON	
...js/bootstrap.min.js (purpleturtle.com)	...js/bootstrap.min.js.map (purpleturtle.com)
SyntaxError: Unexpected token '<', " <!DOCTYPE ".... is not valid JSON	

## NOT APPLICABLE (1)

Hide

## ○ Fonts with `font-display: optional` are preloaded

Preload optional fonts so first-time visitors may use them. [Learn more about preloading fonts](#)



These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does

not score here that may affect your search ranking, including performance

on [Core Web Vitals](#) | Learn more about Google Search Essentials



## CONTENT BEST PRACTICES

### ⚠ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

### ⚠ Links do not have descriptive text – 9 links found

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

Link destination	Link Text
purpleturtle.com <a href="#">1st Party</a>	
...56/Raising-a-generation-that-can-read-well (purpleturtle.com)	<a href="#">Read More</a>
...55/This-Childrens-Day-give-your-child-a-unique-gift-the-gift-o... (purpleturtle.com)	<a href="#">Read More</a>
...50/Choose-the-right-reading-books-for-your-child-with-the-help... (purpleturtle.com)	<a href="#">Read More</a>
...51/Purple-Turtle-Forays-into-Kidswear-Segment (purpleturtle.com)	<a href="#">Read More</a>
...48/Purple-Turtle-signs-a-Master-Franchise-in-UP-the-biggest-st... (purpleturtle.com)	<a href="#">Read More</a>
...47/Purple-Turtle-announces-partnership-with-Dar-Al-Zeenat-Jord... (purpleturtle.com)	<a href="#">Read More</a>
...43/Meet-Purp... (purpleturtle.com)	<a href="#">Read More</a>
...42/Meet-us-a... (purpleturtle.com)	<a href="#">Read More</a>
...41/Meet-Purp... (purpleturtle.com)	<a href="#">Read More</a>

Format your HTML in a way that enables crawlers to better understand your app's content.

## CRAWLING AND INDEXING

### ⚠ Links are not crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

## Uncrawlable Link

**⚠️ robots.txt is not valid — 53 errors found**

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Line #	Content	Error
2	<!DOCTYPE html>	Syntax not understood
3	<html lang="en">	Syntax not understood
4	<head>	Syntax not understood
5	<meta charset="utf-8">	Syntax not understood
6	<title>404 Page Not Found</title>	Syntax not understood
7	<style type="text/css">	Syntax not understood
9	::selection { background-color: #E13300; color: white; }	Unknown directive
10	::-moz-selection { background-color: #E13300; color: white; }	Unknown directive
12	body {	Syntax not understood
13	background-color: #fff;	Unknown directive
14	margin: 40px;	Unknown directive
15	font: 13px/20px normal Helvetica, Arial, sans-serif;	Unknown directive
16	color: #4F5155;	Unknown directive
17	}	Syntax not understood
19	a {	Syntax not understood
20	color: #003399;	Unknown directive

Line #

Content

Error



22

font-weight: normal;

Unknown directive

23

}

Syntax not understood

25

h1 {

Syntax not understood

26

color: #444;

Unknown directive

27

background-color: transparent;

Unknown directive

28

border-bottom: 1px solid #D0D0D0;

Unknown directive

29

font-size: 19px;

Unknown directive

30

font-weight: normal;

Unknown directive

31

margin: 0 0 14px 0;

Unknown directive

32

padding: 14px 15px 10px 15px;

Unknown directive

33

}

Syntax not understood

35

code {

Syntax not understood

36

font-family: Consolas, Monaco, Courier New, Courier, monospace;

Unknown directive

37

font-size: 12px;

Unknown directive

38

background-color: #f9f9f9;

Unknown directive

39

border: 1px solid #D0D0D0;

Unknown directive

40

color: #002166;

Unknown directive

41

display: block;

Unknown directive

42

margin: 14px 0 14px 0;

Unknown directive

43

padding: 12px 10px 12px 10px;

Unknown directive

44

}

Syntax not understood

47

margin: 10px;

Unknown directive

48

border: 1px solid #D0D0D0;

Unknown directive

Line #

Content

Error



50	}	Syntax not understood
52	p {	Syntax not understood
53	margin: 12px 15px 12px 15px;	Unknown directive
54	}	Syntax not understood
55	</style>	Syntax not understood
56	</head>	Syntax not understood
57	<body>	Syntax not understood
58	<div id="container">	Syntax not understood
59	<h1>404 Page Not Found</h1>	Syntax not understood
60	<p>The page you requested was not found.</p> </div>	Syntax not understood
61	</body>	Syntax not understood
62	</html>	Syntax not understood

To appear in search results, crawlers need access to your app.

#### ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid



Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data.  
[Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

#### PASSED AUDITS (9)

Hide

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`



TBT

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

- Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

- Document has a valid `hreflang`

`hreflang` links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

- Document uses legible font sizes → 100% legible text

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text  $\geq 12\text{px}$ . [Learn more about legible font sizes](#).

Source	Selector	% of Page Text	Font Size
Legible text		100.00%	$\geq 12\text{px}$

- Document avoids plugins



- Tap targets are sized appropriately — 100% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more about tap targets.](#)

#### NOT APPLICABLE (1)

Hide

- Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)



#### PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App.](#)

#### INSTALLABLE

- ▲ Web app manifest or service worker do not meet the installability requirements — 1 reason

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their

homescreen, which can lead to higher engagement. [Learn more about manifest installability.](#)



No manifest was fetched

## PWA OPTIMIZED

- ▲ Does not register a service worker that controls page and `start_url`

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more about Service Workers.](#)

- ▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.**

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more about splash screens.](#)

Does not set a theme color for the address bar.

- ▲ **Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.**

The browser address bar can be themed to match your site. [Learn more about theming the address bar.](#)

- Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn how to size content for the viewport.](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

TBT

- ▲ Manifest doesn't have a maskable icon **No manifest was fetched**

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn about maskable manifest icons.](#)

Hide

## ADDITIONAL ITEMS TO MANUALLY CHECK (3)



To reach the most number of users, sites should work across every major browser. [Learn about cross-browser compatibility.](#)

Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more about page transitions.](#)

Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more about providing deep links.](#)

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

Captured at Apr 1, 2023, 11:49 AM

GMT+5:30

Initial page load

Emulated Desktop with Lighthouse

10.0.2

Unknown

Single page load

Using HeadlessChromium

111.0.5563.110 with lr

Generated by **Lighthouse** 10.0.2 | [File an issue](#)