

Data Dictionary

Vayu Air · the raw source tables

Overview

These are raw, source-style (bronze) tables, generated from a fixed seed so they are identical every time. The CSVs are in the `data/` folder with a `load.sql` helper. You will model these into a `dw` warehouse. Target engine: SQL Server.

bronze_airports

One row per airport. Geography is denormalised here (you will snowflake it).

column	type	description
airport_code	CHAR(3)	IATA-style code, e.g. DEL (business key)
airport_name	VARCHAR	Airport name
city	VARCHAR	City the airport serves
country	VARCHAR	Country
region	VARCHAR	Broad region, e.g. South Asia

bronze_aircraft

One row per aircraft type.

column	type	description
aircraft_code	VARCHAR	Aircraft code (business key)
model	VARCHAR	Model, e.g. A320neo
manufacturer	VARCHAR	Airbus / Boeing / ATR
seat_capacity	INT	Seats

bronze_passengers

One row per passenger (current state from the source).

column	type	description
passenger_id	INT	Unique passenger id (business key)
passenger_name	VARCHAR	Name
home_airport_code	CHAR(3)	Their base airport
frequent_flyer_tier	VARCHAR	Blue / Silver / Gold / Platinum
signup_date	DATE	When they joined the programme

bronze_flights

One row per flight.

column	type	description
flight_id	INT	Unique flight id (business key)
flight_number	VARCHAR	e.g. VA483
origin_airport_code	CHAR(3)	FK to bronze_airports
dest_airport_code	CHAR(3)	FK to bronze_airports
aircraft_code	VARCHAR	FK to bronze_aircraft
flight_date	DATE	Date the flight operates

bronze_bookings

One row per ticket sold. This is the source for your sales fact.

column	type	description
booking_id	INT	Unique booking id
passenger_id	INT	FK to bronze_passengers
flight_id	INT	FK to bronze_flights
booking_date	DATE	When the ticket was booked
travel_date	DATE	The flight date travelled
fare_class	VARCHAR	Economy / Premium Economy / Business / First

fare_amount	DECIMAL	Base fare in INR
tax_amount	DECIMAL	Taxes and fees in INR
booking_status	VARCHAR	Confirmed / Cancelled / NoShow
miles_earned	INT	Loyalty miles credited

stg_passenger_updates

The daily change feed from the source. Same shape as the passenger source, used to drive the SCD Type 2 load. It contains both **changes to existing passengers** (a tier upgrade and sometimes a new home airport) and **brand-new passengers**.

column	type	description
passenger_id	INT	Passenger id (existing or new)
passenger_name	VARCHAR	Name
home_airport_code	CHAR(3)	Possibly changed
frequent_flyer_tier	VARCHAR	Possibly upgraded

Things to keep in mind

Note Use `booking_status = 'Confirmed'` for revenue questions unless a task says otherwise. Cancelled and NoShow bookings are not revenue.

Tip The fare and tax are additive measures (safe to SUM). Think about the grain of your fact before you write any DDL: what does one row represent?